

Sentiment and Emotion Analysis for Social Media Platforms

BY

Ehsan Hussain, CMS. ID: 023-22-0062

Muhammad Usman, CMS. ID: 023-22-0142



Supervised by: Sir Ismail Mangrio

DEPARTMENT OF COMPUTER SCIENCE
FACULTY OF SCIENCE AND INFORMATION TECHNOLOGY
SUKKUR IBA UNIVERSITY

December 2025

Contents

- Abstract3**
- 1. Introduction3**
- 2. Problem Statement4**
- 3. Objectives4**
- 4. Key Features4**
- 5. Proposed Methodology.....5**
 - 5.1: Data Collection5**
 - 5.2: Data Preprocessing.....5**
 - 5.3: Model Selection5**
 - 5.4: Training and Fine-Tuning5**
 - 5.5: Evaluating Accuracy.....5**
 - 5.6: Visualization5**
- 6. Findings.....5**
- 7. Experimental Setup6**
- 8. Discussion6**
- 9. Conclusion.....7**

Abstract

Social media platforms generate a massive volume of user-generated content every day in the form of comments, reviews, and posts. Understanding the sentiment and emotional state expressed in these comments is essential for organizations, researchers, and developers to analyze public opinion and user satisfaction. This project focuses on building a sentiment and emotion analysis system using Natural Language Processing (NLP) and deep learning techniques. Using a dataset of 100 dummy social media comments, transformer-based pretrained models are applied to classify text into sentiment categories (positive, negative, neutral) and emotion classes such as joy, anger, sadness, and fear. The results are visualized to provide meaningful insights into user reactions. The system demonstrates how modern NLP techniques can effectively interpret human emotions from textual data.

1. Introduction

Social media has become one of the primary platforms for people to express their opinions, emotions, and experiences. Comments on applications, services, or products often contain valuable feedback that reflects user satisfaction or dissatisfaction. Manual analysis of such large-scale textual data is inefficient and time-consuming. Therefore, automated sentiment and emotion analysis systems are required to process and understand this data effectively.

This project aims to develop an automated system that analyzes social media comments and identifies both the overall sentiment and the underlying emotions expressed by users. By leveraging deep learning and transformer-based models, the system provides accurate and scalable analysis suitable for real-world applications.

2. Problem Statement

Millions of comments appear across social media every day, but manually examining how people feel is difficult and time-consuming. The challenge becomes even bigger because social media language is informal, full of slang, emojis, mixed languages, and abbreviations.

This project aims to develop a deep learning model that can accurately interpret these comments and classify both sentiment and emotion in a reliable and automated way.

3. Objectives

- Identify whether a given comment is **positive**, **negative**, or **neutral**.
- Detect detailed emotions such as **anger**, **joy**, **sadness**, **fear**, and more.
- Clean and preprocess noisy social media text.
- Support multilingual or mixed-language comments.
- Present results in simple and easy-to-understand visualizations.

4. Key Features

- **Preprocessing System:** Removes noise such as hashtags, mentions, URLs, and emojis.
- **Sentiment Classification:** Uses modern transformer models to detect the tone of a comment.
- **Emotion Detection:** Classifies comments into specific emotional categories.
- **Language Flexibility:** Can handle comments written in English and other languages.
- **Visual Insights:** Graphs and charts that show how people are reacting overall.

5. Proposed Methodology

5.1: Data Collection

Gather comments or posts from different social media platforms like Facebook, Instagram and others.

5.2: Data Preprocessing

Clean the text to make it suitable for model input. This includes: - Lowercasing - Removing extra symbols - Handling emojis - Tokenizing text

5.3: Model Selection

Use transformer-based pretrained models such as: - BERT - DistilBERT - RoBERTa - XLM-RoBERTa (for multiple languages)

5.4: Training and Fine-Tuning

Train or fine-tune the model on labeled sentiment and emotion datasets.

5.5: Evaluating Accuracy

Use evaluation metrics like accuracy, F1-score, precision, and recall.

5.6: Visualization

Show results through: - Pie charts - Bar graphs - Word clouds

6. Findings

The system successfully classified each comment into sentiment and emotion categories. The sentiment analysis results showed a balanced distribution of positive, negative, and neutral comments. Emotion classification identified dominant emotions such as joy, anger, sadness, fear, and love.

Visualizations revealed that positive emotions like joy were more frequent in positive comments, while anger and sadness were dominant in negative comments. Neutral comments mostly reflected mild or undefined emotional states.

7. Experimental Setup

The experiments are conducted using Python in a Google Colab environment. The following tools and libraries are used:

- Python programming language
- Transformers library
- PyTorch backend
- NLTK for text preprocessing
- Matplotlib and Seaborn for visualization

A dataset of 100 dummy comments is used as input. Pretrained models such as DistilBERT for sentiment analysis and a RoBERTa-based model for emotion detection are employed without additional fine-tuning.

8. Discussion

The results demonstrate the effectiveness of transformer-based models in understanding social media text. Even with dummy data, the system produced realistic and interpretable results. The use of pretrained models eliminated the need for extensive training data and reduced computational complexity.

However, since dummy data was used, real-world performance may vary. Social media language often includes slang, abbreviations, and mixed languages, which may affect accuracy. Future work can address these challenges by incorporating multilingual datasets and fine-tuning models on real data.

9. Conclusion

This project presented a sentiment and emotion analysis system for social media comments using modern NLP techniques. By leveraging transformer-based pretrained models, the system effectively classified text into sentiment and emotion categories. The project highlights the importance of automated text analysis in understanding user behavior and public opinion.

In the future, the system can be extended to support multilingual data, real-time analysis, and larger datasets. Overall, the project demonstrates a practical and scalable approach to sentiment and emotion analysis suitable for academic and real-world applications.