

BUSINESS PLAN

cPanel

€• , • f „ ... ††^ %

Š< €•Ž Š ••‡ ‘ ’ “ ”• - +•~ŽŽ TMTM Šf “ @E

€>Ž~ • œ ‡ • • • “



€• • , • f , - •	€ □•†	, f „... • † f ‘
†‡ ^ ... †^ ‰ • ¥ †	% ₀₀~ !S < † •	€...+ ‡< S ..

: , < ” | £† -¢ f ©ª | , † ž ž ‰ TMTMŠf † Š Ÿ < “†Š €• « ¬ -“ ...

④. “† ... , ž ‰ Š Ÿ — •fæž f ^
④. • • • ’ † ĚŽ | ’ TM•• †° •Ž ± 2 3“ • Š ‘ “ a ´ • Š” :
④. † £† † , “ - TMTMŠf •• < æ TM• μ •• “ f f •
④. • ¶ · - f , ¹ S - ! S < • æ VPS -^o • “ cPanel € • , f „ ... †

Š<Æ • Ž •

1	¢†S
2	...‰ ‘ æ Ě » Š
3	¼•æ” » Š
4	, • f ... , ½ ‰ æ ¾ » Š
5	„ ... †^ ‰ æ > » Š
6	æ ~ » Š
7	æ ĺ » Š
8	“ ¶ · - f æ À » Š
9	KPI Š ••†æ• » Š
10	“ - ‘ æ • » Š
11	< TMf æ ĚŽ » Š
12	€°Š Á†• ©ª æ Ě » Š



cPanel € • , f „ œ | , † Ž Ž Š Ÿ < “ † Š € • « ¬ ... - % ...
: f .VPS Â “ f “ £ • († ^ , + % • Š f)
Ⓢ (¶ • - ' - - | § % Š Æ) , € § μ
Ⓢ (€ € “ œ “ f ... f © •) ... • - % |
Ⓢ Ä Å - f | £ % ' ™ • • ' £ € • , • f
Ⓢ
Ⓢ (Ç “ - ... • È - ' ™ • • É Ê f - • • “ f) ™ • μ f • , **AgentRouter** Æ £ ° < Š j
Ⓢ - Ì Æ £ / ... “ / / / - / Ì Ÿ - f § • † £ - , § §) ehsansalehi.ir Ší % • “ Â / < Š j <
(, • /cPanel - È - ... • € % - Ž • f

< • ☒ • †

... Ž	†
£ - • ' “ • - Î Æ “ - “ • ^ ' “ • - < : ... - % '	01-business-plan.md
Ï - • - - , , + Hostinger ¼ •	02-technical-architecture.md
Ä Ç “ + £ % + ' ™ • • Š ‘ “ a £ f • f ... , ½ % : Š Í % Ð - “	03-automation-pipeline.md
Ç “ £ % Ÿ - • • • f - ... - %	04-social-media-plan.md
PR < - ' - • • - ' f	05-seo-backlink.md
“ - , • • Š Ÿ - CRM - £ Ç - i - f • - f ... È	06-ads-and-growth.md
“ • - KPI - f - < £ • Ž f Ž Š • • †	07-roadmap-and-kpi.md
' ™ f £ f - env € - “ - - ' € • £	08-integrations-and-env.md
, • f + Š Ÿ ‘ © • %	09-data-model.sql
¼ ¢ “ < € “ < ™ f	10-decisions-and-questions.md
(< Š % É ¢ >) ... • - % „ ... † ^ % [© •]	11-virtual-tryon.md

(TL;DR) • • ‘ ’ ‘ “

. È Ž “ © † È Š † œ (Ä “ • † † £ - Ä % f £ - Ä Kidsly / < “ £ † Ñ •) Š f ... f , / † - “ † : < • • ” € •
- ¢ f • , ' † + f / , © f Š “ “ f < Ò È Ì + (Light Stock) † + ... † † Š Ÿ : —
f
: • , f „ ~ ™ ☒ “ Š

Ⓢ AI f • ³ | § % Š Æ () † ^ , ‘ | œ cPanel ´ • : (> £ < € , f œ • • ~ ž Ÿ - >) ~
ì Æ £ AgentRouter , a (i £ “) % • Š f • †
Ⓢ Ÿ Ç “ “ † ´ • a VPS + cPanel , : (> £ < ☒ ~ ž £ - ¢ >) ~

” • — —

Š — ‘ “ ¢

: “ | £† -¢ f ©ª , † ž ž Š™™Šf † ŠŸ

1. • • ‘† • | ‘™•• Ø• f Ā • ‘™••ìš ‘ Š“ Ø• < :- ±• €”š
€²

.“† • , •<< ¾ f£ , ¼• † “ ., £† | š , “ œ †°•ž< - •

2. AI f • - † •‰Û Š f ¢“ -...•È -™™šf Œ† - -’™••ÉÊ f: AI-native š•
(AgentRouter) □- “ Ěž •• Ā° i¢ † ••“ f ¼“† •“ f.

3. ‰£ Ð f. | • š -ž ž Š...††µ ... fŒ :[©•]→©† f , ©•f£+
“† •ÚÀ < | ¼ ¢ Ú”ž~< •¥†-Ā • +... /,< /“” „ Ā ¢ f£ Āž f ^ ...††
(££ “) <£- £ < ³† >‰† †´ f | £<. • , f € “ f¥†

4. (, •+ Ÿ) cPanel | -|š < ...Ÿ ĨĀ • : ~ -†£ •,f” ... †
Š“ ° ¬ ¶ ©•... ‘ < < “ œ •¶ ©•VPS f Ð£ “ ” ´ •
.(“ “)

µ ° ³< ³† ¶ ¢

• ž	²
(, LTV) Ā • š š •• • Ů µ Š•¿f> ž	,^– “£š
, š f“ •¹šf ° Ů ...“	š© š©«€ ~
, •f€” Š“† f ...È , £f-“-“ -(“• •Ā<) ©•	•^® ^« <^ ±†
-š ĩ Ā £ , ž ¥† i¬ ••= „ + Ů	¬ š•
ž Š š š <... fŒ < ž ž Š < ³’ £• < , ¼ Ú”~ “°	¹£,^£š^
€”½ Ĩ † ³ “† ...Ÿ • < †	< £

„• ~ £š^ f<£<

™f š < “† [-] • Ā £ ŠŸ , Ÿ † | i ‘ [š]
“ Ā ¢ f+ ‘ “ [-] a Š ‘ Ÿ” ¶ †¬ †[š]
Ĩ £f -Ĩ Ÿ-f-| AI”>/Ā ¶ |ª [-] | “ ĀŮ Š [š]
Š< Ā | •Ā< +€•• |š Š+ [-] |š Š Ĩ“ [š]
(-¢ f) ³< £ £ [-] Ā† š š • Ĩ Ů ...f † †£ [š]
©f bf [-] €Ā Ā f< š © | , “ • Ā £ ŠŸ [š]

(° ¶£¶) «£ • ¢Ÿ

„ • † ‡	» « †	©	š <
Š“ † † † † - ¼” , “ - TMTMšf ß Âf	- Ø f	ì† -, Â	¹Ě,^ f ¯ œ ě
, † † - f-Ó ¼Ê ... ††	¼ “†	† š Â† “†	³ ě ³ † f- ^
... - Ě - , “ - , “ - † , “	Ë s † † - a	à ‰ ,	-š • f¼
, • f , “ -Ó ¼Ê ••-... ‰ †	“† †	† “¢	f>‰† †

.Ä ... áf œ“ • , •† , f“†< ...f „ -“ s< €” , ž ž ‰ Š Ÿ © fĚ: ” š

š” ¢

: -¢ ß“ß .’ ¼ ì Ÿ-f ì Ä Ě . “† á°“ s †” . • > Ü • ž ½† ě< ž ŸŸž,, ™
., Ÿ † •Ä< + :€“ f.Ä • †Ä Ü „ Ě + ì Ä Ě Ä-f:ÊĤ .Ä † ‘ ‰ “ š s † μ Ě
a ‰ ‘ ... ©Ě:€Ä Ä Ä Ä Ě . † “© a ‰ ‘ „ Ě° - Ü ... š •†žĚ >š ě< ž ¼ž © ™
.€•• † s ‰ + < ^ ••:€“ f. † ‰ + Ö† :ÊĤ .Ä < † „
.“† f ‘ f - :ÊĤ .“ • † s ‰ •-“ • Ě š † “• , †.ž •• Ä ™f ě ě< + ¢ ° ™ Ÿ
.“ Ä€ ¶ Ø†:€“ f
. † -‰ † † Š“ € ‰:€“ f.ŠŸ• †-B2B ì Ÿ-f-... “ :ÊĤ . f~žž f~ž“ s (B2B) • ’ ^/ ě †->©² ™ ¢

— ě< — ¢œ

• ž	- “-f „•	- ě< °
-¢ Ě	ÀžÚ	B2C>< “ ě †
Î ‰ » ‰ , Ä° °	”žÚ	B2B>-©² ě †
Š“† f “•^ œ ž Đ • „ Ě €™	~Ú	À ±† ¯ ^³ š†
(< Ě -» †)€ • “† Ö† f • -f á μ	~Ú	ě † ě< ěs©f » Ä / ©

Ě →-œ© «

®.Š“ Ä ¼ •Ä- š s ÄĚ• ¢œÄ:±“ Ô s† °
®X Ä, • fX , , Ÿ ’ Ě - f¼ † (Bundle) < Ě -(•ž •žž s) s , ÎÄ † †: †
. • Ø f AOV Ě> ’ ¼•
® © • ‰ -™ » • +(ì† /Ě f Ĩ) † † “¢ +“ s † † < © • ‰ † “Al: s ÎÄ † † f •
.“ • “ âf ´ • Š“ -“ •

(ě•) š- > ě • , f ěš“ ¢Ě

. ¼ ¢ † † †- < ’“• œ , • f , -• šf Ä •
. † “ s ’ š• VPS ¯ ¼ œ (“ “)- >-† • Ä- cPanelÁ ^ f ě• ©f

(¢° •)C ¢•	(›-† ')B ¢•	(°)A ¢•	Ä ¢¢
¾	"	£	.com+ .ir • ¢
£"	À	>	(,)cPanel ‡ ^, ¢¢ f
•	~	¾	(,)cPanel %• Š f ¢¢ f
•	¾	(, Ÿ)Ž	CDN ¢ ^
~	¾	¾	Š Š• Ä Š ° + ¢ ¢•
¾	"	£	Š- › £ ¢¢ ¢ › -£¢
"~	£Ž	>	(± + AI (AgentRouter ¢ Š²
£•Ž	ÀŽ	"~	, ¢ ¢
› ~	£•	~	Æ• - ^ Š²
ÀŽ	"•	(, f S)Ž	+ + ¢¢ ¢
£žŽ	~Ž	£Ž	- › Ÿ » Â ° ¢ ^
" "	£Ž	>	' Š È -^ Š ^
•Ž	¾Ž	•	Ä ¢ É Š~ › "Ê
~£	~ Ÿ¾	~œœ	£¢°

.(DevOps ¢ ‡ ‡ + ‡ S ¢) - - ¢¢ Ÿ£ ¢ ~ :- Š ¢ Š VPS ^ ^ ¢¢ cPanel ° ‡ 'œ ¢ » Š

.“ • “ % » , • f , - • £ÀŽ f £~Ž “° ‡ B -“ ì Â† ‡ Â ... , f S ¾ f Ä

(B ¢•) f ¢° f • ,f ¢¥

VPS(+¥ ›) Ÿ ~	- f (£-¤ ›) ~	cPanel (Ÿ- ›) ~	Ä ¢¢
¾	£Œ~	ŽŒ~	(ì Š^+CDN+ ¢¢ f) ¢¢ Š
~	¾	"	ª / ± f ¢ AI ¢ Š²
›Ž	"~	£~	(¢ª •• + ž + • -Š •) » Â
£›	À	¾	- ¢ » , -^ Š ^
› ~	"~	£"	
•	>	"	› -£¢ ¢, ¢ « •Š
~ ¢	~£œ¢œ	~Ÿ¤¢œ	f £¢°

. ^ • - ¾ Š• ~ Š• ¢ ¢†-... œ ‡ -" « ¬ Ä± • f ' Š•

(B ¢•)- - • ^® ¢¾

.£" Š• Ú"Œž ¾ Š• Ú£Œ• ‡ € “ f ¥ ‡ -Ú~Ž Ô S† ° -, • f , - • AOV = £Œ• : Œ

Ç@È	Í “ Š/œ	Ê ° • ,f	Í “ ‹	(»•) Í “ ‹ ‡	‡ Ê •	›
ǎÊ”	ǎÊ”	¾Ž	Ê•	¾‡	”Ž	
+À	+Ê•	¾~	~›	ÊŽ•	‡Ž	
+À‡	+‡•	¾•	ÊŽ•	”Ê‡	Ê”Ž	Ÿ
+Ê•¾	+ÊŽÀ	~~	Ê‡”	¾”›	Ê•Ž	▣
+¾›¾	+Ê‡Ž	‡~	””~	›~Ž	”~Ž	œ
+‡”¾	+”•Ž	•Ž	¾‡Ž	À”Ž	›ŽŽ	(• /-²) £
+•”Ê	+Ê••	•Ž	”••	~À‡	¾”Ž	¥
+ÊŽ~Ž	+””•	•~	¾”›	‡›•	¾‡Ž	¾
+Ê-¾”•	+”À•	ÊŽŽ	¾À•	À~‡	›”Ž	Î
+Ê-‡~Ž	+¾””	ÊÊŽ	›¾”	•‡›	›•Ž	•
+”-ÊŽŽ	+›~Ž	Ê¾~	~•~	Ê-ÊÀŽ	‡~Ž	(-)
+”-‡‡~	+~‡~	Ê~~	À”Ž	Ê-››Ž	•ŽŽ	(-²)

(¾ ” -° •) | Š ‹ •f ä •À ›Š• μ ¾.~Š• “°:(Ÿ¾) ÇÊ”-š^.”Š•: ©² ^

³| † •- † μ s ““ Š f ,^€”‹ “•^ “ •å i/ ” ´• œ | ì “š .“ Ÿ Ø‡ f... ¾Ú›Ž † Ø ••

—• — —° „• ™ (Unit Economics) ‹ ±\$« —~ ¢Î

”-f	Í “ †
¶.ì Ê•	AOV (‡ Ê • % ‡ Š£)
, • f •ŽŽ ~ŽÚ	Í “ † ~
, • f ”~Ž ‹	CAC (\$” °¬° • ,f)
Ú›Ž ,	› ££‹ \$” ÇÊ”-š^ Ĩ
¶.ì ‡ ,	LTV › ¾£‹
(¾ ‹ : •”) › ,	LTV/CAC Ç
(... †‡ ¾) ÚÀ ‹	² ° Ĩ
’ ™•• , Ā“ “ ‹ Ú¾~ ,	š › ‹ •š Ĩ
”Ú+	ÇÊ — Ĩ
Ú›~ ,	(›)’ -£ ’ ‡ ”•

« » , ¢•

1. Š Ā³ †Š •£• † |Š ¾Š Ā ,^, “ | • † ŠŸ œ(\$ šš ‹ ©š² ‹ ©) ‹ ©• -Ā•š Æ ¶ •i¢ -' Ê•€”“°- Ê••= • •: “- ´ .“†Š i €” , “ ’ ¾... ‹ “†•´ • ‹ | °†¢ “ âf -| | ° ‹ -, ¶ ™š•• | ” ± i ¹ -Ā¶ •• ...† ”Æ-Ā• „ fÆ

2. . < Â • Ð ē • f < š š • Å š °

3. . < ‘ ſ † • ē • Š Ā ” < (ſ “ ^ / ’ < / ’ ſ... <) ´ Š Ā ē < : Ą “ < > -ē <

4. Š µ < ¶ • - † Ě ē • f ¢ “ ¢ -, æ • † • Ì † | ° : »

5. . † Ā • ´ ± j 1 -š “ ± ™ • ± ™ † Ÿ ° : ’ šš » ē È «

6. • † | Ê “ ž ’ “ • Ě š † | ē † • ª , ¼ • ž ž ſ ¾ ´ Ê Ÿ ¢ • • ™ f : š • ,
 . Ā

® f ^ f ’ € ¢

® f ^	ð	- © š ~	’ €
-š ´ † - -š CDN -, ^ š ē † : “ ¼ • , • ſ ´ † , (/ / -)	† •	,	© ^ Ą š • Ą < - • / ¢ «
(, • • š Ÿ / € / SMS) • • ē • + ´ † f	´ •	,	• % / • - š • - † š †
• - “ s † < -š “ ... • â f “ “	,	,	šē ¶ē Ą © «
• † Ÿ “ š < “ † ’ “ -... f ¢ “ - Ā ¢ f	,	´ •	, É “ ^ < š ² °
• † ≠ † - • • Ĭ -, • ſ †	´ •	´ •	• - š • Ą Ñ ¢
, ¼ • • † (, Ÿ f) • • f	´ •	´ •	» Â CAC ® , †
- ¢ š “ ... • â f ¾ € “ “ °	,	´ •	›... ò ’ ^ % š ^
-š < € “ † < Ĭ + † Relay •	,	´ •	IP ^ Hostinger ¯ Ě «

» - - • ^ - † € / ; “ Ó š ¢

Ä , • f f • ē Ê : ¾ ´ (, • f f • , Ÿ š “ µ î %) ž ™ ™ š f ‘ - ſ | • € “ f : ” ´
 . | µ € “ ´ ´ ™ • • µ š - “ < • , f š † . † š Ÿ SaaS ´ ™ • • ,

“ , ¶ · - f 1 S ' % , ^ . “ † | S < 1 S ' % -Š “ • † ' ¼ Ž • • “ f : É «

⌘ f < ^€ „ |

Д • » : € € Ñ • | « « £ • f ...

μ , 1 1 —• € cPanel € , 1 1

” ŠE: i . . . 11 • i¢

œ† ‹‹	µcPanel €	œ ^«
Sharp/Jimp cPanel “ ... Ÿ ‘ 3“ •	ä ° - [-]	(³€ ž ĸ ^ž • š ¯ ¯¬~) ± ĸ š ‹
! HTTP request ´ •	) - [-] (Ÿ	AgentRouter “ ‡
“ • ... , ° ... -¼ “	- [-]	² ©š° f s † € ”š
cPanel Cron Jobs æ “ µ Âf	- [-]	Cron
“‡ -(Ä •) - !	- [-]	.
• ¨ ~ MySQL + Cron ´ “ • Ó ¢ : ,% °	‡, ¼• [“ •]	Redis / ‡ ~ Ä ‘
Next.js + Cron , “ ¶ ¢ : ,% °	‡ [S]	n8n
¢¤ ® ^€ ‹ f ,% °	‡, ¼• [S]	FFmpeg ^ º_ €- €
CDN + ! £ á : ,% °	‡ [S]	MinIO
MySQL FULLTEXT (! ´ ¯™•• [žžž ‹) : ,% °	‡ [S]	MeiliSearch
VPS ‹	‡ [S]	(AI) Ÿ •

(Graceful Degradation) →©† f f ,% °

: - € ,% ° - ! £ ‡ cPanel - ¨ æ ! ¼• » Š ... f ©• ...

œ • œ‡	cPanel ,% °	‘ œ ^«
´ ¨ € ¨æ ‡ • ¨ ~ Šâf	• ¨ MySQL + Cron ~ job_queue ´ “	Redis + BullMQ
·f -Ê ‹ ‡	TypeScript Ÿ¤ • , lib/workflows/ ´ Í•	n8n
á ! “•	+CDN ,^ - , ^ public/uploads/	MinIO
†• ´-ß fÓ ¼Ê Â £	MySQL FULLTEXT + ´ “	MeiliSearch
Ÿ“ ‹	(“0» » Š) , ‹ / , Ÿ ´	FFmpeg
, , , “	Node.js App • £• cPanel	Docker

‹ Š ½ ´ • “ VPS ¨ ‘ ½-(lib/queue/index.ts †Ŧ•)– - € « § interface ´ œ” f ,% ° ©f
.“ • Š j ,^ ‹ “ ‡- • Ũ

~ ‹ ••” œ f

‹ ••” » ± ”	€
+Node.js 20 ‡ •½ -NVMe - á ~GB €” “ ° -, Node/ „ • !	‡ ^,
Business Web Hosting Cloud Startup (‡ •½ Node.js- cron- SSH)	%• Š f
(— ... , •½) .com +(, • - -¢) .ir	• ‹
! - (½ , Ÿ ...½) , ^	CDN
(cPanel Let's Encrypt) , Ÿ	SSL

:“ Ÿ “ âf ... , • Ÿ ‹ -“ § ‹ € ”: ~ Š§

f, ”Ž Š £† Node.js † •‰

• ” ~ -¢ Cron Job , •

(Á -Ė) SSH

(| ©• ™f μ < ‰) | “•ª CPU/RAM | “••

(£ ¨ ›)– f ™ ~ ¢Ÿ

: • Ê ‰• f€ ´ • (KVM 2 Hostinger KVM 1) ª VPS -“ ’ ¼ ž •• ”

FFmpeg ¸“ “†

Š † ™f μ < ‰

n8n Š“ Ü ‰

Redis ¼” Ó ¢

. • † \$ API | Ä Ä Æ ´ • VPS .“ † • • cPanel € •Œ¢f ‘ |

. • ± ¬ ... Ÿ | “•• • Ê Š• , •~ ´• : | •

cPanel š † € < ª– ~ › € ¢¤

: Ä - | £ † „ , ¼• | FFmpeg , ª

‘	œ •	•,f	•,-
€ < [-]	Ė \$	, Ÿ	(< • € <) ^€ œ© Canvas + WebCodecs ^€–€ ™ -€ € < ª– (Ä
”-€ < [-]		¸“ ~-”ž~	€–€ ^ – (°
” < [-]	“•• †	Š •/ , ĭ~	€–€ ‘ ±š“ ’ ¶ VPS (i
¤Ê ´•	. •	, Ÿ	^ ĭ ^ š < ª– (<

Ä-” -° • ,“ ¸ •• - (“† • “† ¸“ “ • < € ‰ < ... •) “ Ó Ä € < : < ••”

.¹

€ ” cPanel , Sharp “ < £ (GIF/WebP “ †) ³ •š –š² € - ¸“ : ðð € ^ › < ,‰ °
• %f , •f ĭ Ÿ-f ĭ Ä £ . | “ f

(+¥ ›) VPS ™ Ÿ ~ ¢œ

: | , • f , - • ~žž~ , † • “^ “ ¶ ° Ð £ ”

Hostinger VPS KVM 2 KVM 4 Docker + Coolify

Next.js- MySQL- Redis- MinIO- MeiliSearch- n8n- FFmpeg :

cPanel • € “ f Ä , • ^Æ ,

). Ä • , Ä •) | , • f KVM 2 | Š • , ” ĭ f ĭ0~ “° Ÿ VPS | ”

.“ ... © † | ‰ (Ò † • - ‘ -VPS (Docker Compose ¼• €• ¶ ¸

(~ © f € < £ ^ D) € , ‡ • ' Š £

🔧	📦	📄
auth- db- socialPoster- watermark- i18n “ æ ehsansalehi.ir • • £•\$ < € ”	Next.js (App Router)	³ € „ ‡
,	TypeScript	^\$
RTL-first - ,	Tailwind + Framer Motion	UI
£ cPanel - \$ • app/lib/mysql.ts	MySQL / MariaDB	— ^\$ ‹
, £ interface •%␣	MySQL table (“¼ Redis)	Ä ‘
, £ interface •%␣	(MinIO “¼) £ €	‡ › “Ê
, £ interface •%␣	MySQL FULLTEXT (“¼ MeiliSearch)	È\$ °
- •• -...•Ê -’™••É Ê f-...•	AgentRouter	AI €
“ •	Canvas/WebGL -	
deploy-mizbanfa.yml ÿ ,	GitHub Actions SSH/FTP	€ \$

AgentRouter ^ - ± ¢¥

AgentRouter $\tilde{A}_k$ | $\mathbf{0}$:

```
# ■■■■ OpenAI-compatible – ■■■■ ■■ ■■■■ ■■■■ ■■ ■■ ■■■■ openai ■■■■■■ ■■■■■■
OPENAI_BASE_URL=https://agentrouter.org/v1
OPENAI_API_KEY=<AgentRouter API Key>
OPENAI_MODEL=claude-opus-4-6

# ■■■■ Anthropic-compatible – ■■■■ Claude Code CLI (■■■■ /v1)
ANTHROPIC_BASE_URL=https://agentrouter.org
ANTHROPIC_AUTH_TOKEN=<AgentRouter API Key>
ANTHROPIC_MODEL=claude-opus-4-6
```

```

- "OpenAI-compatible" | 0 " /v1 - Claude Code | 0 Base URL " • " âf AgentRouter ¶ " £ •

```

... • “ .f , “ AgentRouter ’ TM/ æ “† § • OPENAI_MODEL OPENAI_BASE_URL , , ... -¼ ŠÍ %:° “ “ . |

. < ‡ ã “ ‘ Ç“ ™f » /“ f .! – Š AgentRouter :„• Š\$ [€–” f]
 Fallback - ‡ „ ’ “• Ë Š ‡ : - , ^< AI ‡ \$ lib/ai/provider.ts ’ í • : € ° ... , \$,
 . Ō, ‡< ± ™• Ó• -(Ú>Ž f ») f Ù ¼ » - \$

ì -^ † € Š“ ¢¾

```
app/
  (shop)/
    page.tsx
    products/[slug]/
    category/[...slug]/
    cart/ checkout/ track/
    blog/[slug]/
    try-on/
    size-guide/
  (seller)/
    upload/
    products/ orders/ stats/
  (admin)/
    automation/ social/ seo/ ads/ inventory/ video-render/
  api/
    ai/ ingest/photos/ products/ orders/ payment/
    tryon/
    social/publish/ cron/ webhooks/
lib/
  ai/
  media/
  queue/
  storage/
  search/
  social/ seo/ commerce/ tryon/ db/
```

.“ • , “ cPanel VPS ¶ ©• “ £ , lib/ Š ½

œ • ĆÎ

Ⓜ HTTPS • “ + + WAF , ^

Ⓜ SSH < “••-“ - cPanel

Ⓜ .env ‘• œ | Ä “ - —

Ⓜ RBAC owner/admin/seller/support/viewer » •†

Ⓜ (AES-256) ‘ ... f Ÿ† •

Ⓜ Rate limit API ... Ä, •

Ⓜ • † • - | “ ·f £ ° Ö,

Ⓜ • † Š \$× Ä ž ‘ : (œ “) ³ < ‘ ± “ „ ~

Ⓜ † • < | £f³ á Ÿ i - \$ -† † -cPanel † < :[E-”-¾ Ĭ

< § ©² Ć •

. LCP ^ € Ð Ćœ š : ± “

Ⓜ ISR ’ ™•• ¶ • i Ć

Ⓜ †, ¬ CDN » - -WebP/AVIF ™f

Ⓜ font-display: swap -•• | †

Ⓜ JS Ěž < KB ... †† % | † Ê• ³ dynamic import (ĬÄ “ - “ ´ •)

Ⓜ (“ loading.tsx Skeleton Ÿ) ¶ • i Ć

Ⓜ CI -

(œ Š• Ć «)€ Å • - ^ Ć

Š“†< Š Ÿ -€- ... † † ¼¤” ‘ ‰ -œ œ f €- š €š ‘ œ :’ -cPanel ¼• Ö † • .“† • •

„Š € Š†€	œ ÇŽ	.
’ ¼ a		[] ,
“† • • Ó¢ “ • Šâf † ‰ ï ã £ • † ´ • ³“ • €• µ †	€- ... “	[× š] €š
< Š“ “ f » ‰ < ••³Ó” • Š Aℓ³ ¼ / / - - • ‰ - † Š ‰ - † • • •	€- ... €• Á¤”	[~] , “

.“ † † š -š ’ † - ¼¤” f“ Ÿ† Ó¢ š •^ ••< À • : š• †^).Á •) “†Š f „ Ðf • † † “ “ † “• š † †

µ< † ><•š š^ © †š Ç†>Ø š , ¶ ¶ ¢

--° ><•š	Ç†- Ø / †
• Ů ...•È Ð ” ´• œ † “ a • † £	app/lib/socialPoster.ts
B2B ’ †	app/lib/linkedinPoster.ts
’ ™•• ‘ “† Ž • f	app/lib/watermark.ts
env “ fallback ‘ ,	app/lib/db/index.ts+app/lib/mysql.ts
€ ‰ † Ø •• † < °	middleware.ts+app/lib/auth.ts
€ ‰ < “ - † “ automation_settings ’ “	app/api/admin/automation/route.ts
’ ™f † • † † £f	app/api/admin/integrations-test/route.ts
CRON_SECRET cron Ÿ	app/api/cron/*
•• µ ¶ † a	app/components/AiChatbot.tsx
† <“ a	+RTL app/lib/i18n.ts
“ Š €° † ” cPanel -È [-]	docs/mizbanfa-fast-deploy.md
š •^CI/CD ´š	.github/workflows/deploy-mizbanfa.yml

.œ >-†>< š cPanel € >< «š - -‘€œ• ¢•< -~: È š

(Ÿ ~) VPS € ©Ç » º ° ™ œ

```
services:
  app:          # Next.js standalone
  worker:       # BullMQ: image, video, publish, try-on
  mysql:
  redis:
  minio:
  meilisearch:
  n8n:
  caddy:        # reverse proxy + TLS ████████
  uptime-kuma:
  backup:       # mysqldump + rclone
```

Å •	» ± ”	Hostinger
worker ” -º •) Ć“ “†)	-” “º	KVM 1™ vCPU / ½GB
’™ •• •ŽŽ~ f -¾ -º •	Š“ ¢ f	KVM 2™ vCPU / ¾GB
Al ½ + , •< “†	..	KVM 4™ ¼ vCPU / £GB
‘ -½ •	Õ „ ••	KVM 8™ ¾ vCPU / Ÿ GB

Ž > œ • ” € — —

: -¢ Š . † ŠÍ ‰ Ð~ “ ...

Š † ’ ™ • • -€ • ... • -‰ ° Š × • € ‰ f • † Š ‘ f “ a ‘ • Š “ Æ
Ä. • † £ ‰

f ‰ Š î — × “ : > ‰ Ÿ¢•

[■] ■■■■■ ■■■ → [■] ■■■■■■■ ■■■■■ → [■] ■■■ ■■■■■ ■■ AI → [■] ■■■■■■■ ■■■
↓
[■] ■■■■ ■■■■■ ■■ ■■■■ → [■] ■■■■■ ■■■■■■■ ■■■■■■■ → [■] ■■■■ ■■■■■ ■■■■■
↓
[■] ■■■■■■■■■ ■ ■■■■■ ■■■■■■■■■ → [■] ■■■■ ■■■■■■■ ■ ■■■■■■■■■ ■■■■■■■■■

.Review † ° “ âf - ³Auto † ° † ¢ : Œ “ ¢ . • † f -‰ ^ < † ° • Ž f ĺ Ž : “ -f Š

(< €) — §² < € ™ > ‰ Š

.POST /api/ingest/photos : “ • “ ° endpoint 3 “ • Ě Š † f † ° ì “ Š “

(Š † ž > - † ‘) ^ A ™ PWA

:(seller)/upload • † ¢ . € • † “ Ð ™ † Ě Ĩ

Ⓢ (‘ • f - f “ a) Ä... Ě Š † Ÿ ‘ Æ Œ

Ⓢ (Canvas - • • Ô š • f) Ä † f ™ f Æ / Ä † † Æ “ • + “ † • É : Š “ † <

Ⓢ f ¢ † - • “¼ f - “ Š † “ : Š “ -

Ⓢ “ • Š “¼ - “ Á □ ” † † Ä œ (Service Worker) ... † ^ Ó ¢ • < ‘ ‰ -‰ ^

Ⓢ Ä [-] “ • • ’ ™ • • Æ : Ä • Ó f † ³ “ † Ÿ — Š “ - -‰ ^ < “¼

(Š > < ^ Ě) • ‰ » ^ € ™ B

... , ½ ‰ , ¶ . 12 : ■■■■■ 850 : ■■■■ 120 € Ñ • Š š ... • Ě - “ • ì Ÿ - f ¶ / Š Ä € § ‘ Š “
trigger “ † Ä • ‘ ’ ™ • • “ • .

. “ † ì < , < • ^ — Š “ “ • < ” : “ < £ — £ • ...

ì š § < ° • ™ C

Drag & Drop ¶ , ™ • • Š † € £ -‰ ^ + f “ a .

š ‘ Œ † < <

, € “ f ... • Speech-to-Text -(Ä • ~ Ž † “ - » ‘ - Ě ” f ĺ - † £ ‰ ... - Æ † Ñ •) ¶ ¢ Š “

Ä

context AI • , Ÿ • a § | i • Š .

(€ < “) ± š <€ – š š ™ > %Š

:Sharp + rembg worker

» @²	~
(EXIF) § » § a Ô š • f	
“† Ò† “ i •< ‘ ℓ (rembg / u2net) •< ‘ ℓ ± î °	
, £ ° ŠÍ , ... a • “ μ	Ÿ
§ ‘ †, - † < † ¢	¤
†• ...ℓ † ± î °	œ
(- /) 1080×1920 -(£ ℓ £) 1080×1350 -(£) 600×600 -(Ā) 1200×1200 -(ì <) 2000×2000 : “ a §	£
) app/lib/watermark.ts < Š i <) “† Ó ² ž • f	¥
+ CDN< ³ VPS: MinIO) public/uploads :cPanel <) Š §× á -ℓ^ WebP + AVIF € “ f	¼
Š“ < “Ā• ‘ § ~ž < ³(ěžž-ž) i < •	î
(i ¢ : Ê) tryon_assets § §×-Ÿ ä •† ” -° • § , œ ” •† , - [©•]	•

Ā %f . < £ € Ó , ™f -... •< Š ‘ < œ ™f AI ‘ Ā ’ “•/... †• £ ‘ “ f : (š †) € Š “
! €
(AgentRouter < “ ™f ‘ < †) . € “ f ¥ †

(AI (Vision ^ – ± • ³ €< ™ Ÿ > %Š

:“† Ā • § JSON “ • ‘ (Vision) © “ a ’ “.

```
{
  "category": "■■■■■", // ■■■■|■■■■■|■■■■■|■■■■■|■■|■■■■■|...
  "gender": "■■■■■", // ■■■■|■■■■■|■■■■■
  "age_group": "■ ■■ ■■ ■■",
  "colors": ["■■■■■■■", "■■■ ■■■■"],
  "pattern": "■■■■■",
  "fabric_guess": "■■■ ■■■■■",
  "season": "■■■■■ ■■■■■",
  "style_tags": ["■■■■■", "■■■■■", "■■■■■"],
  "occasions": ["■■■■■", "■■■■■"],
  "features": ["■■■■■■■", "■■■ ■■", "■■■ ■■■■"],
  "quality_flags": [], // ■■■■ "■■■■■ ■■■" | "■■■ ■■■■■"
  "confidence": 0.93
}
```

: © ©Š ŒÙ

1. 如果返回的 `confidence` 属性值为 `0.7`，则表示该商品在搜索结果中的可信度为 70%。
 2. 如果返回的 `confidence` 属性值为 `0.7`，则表示该商品在搜索结果中的可信度为 70%。
 3. 如果返回的 `confidence` 属性值为 `0.7`，则表示该商品在搜索结果中的可信度为 70%。

. • Š Ó f † Š“ • Ä < “ • < †Æ Ó ¢ ’ ™•• confidence < 0.7 Ä

€ ¬-œ© « ><< Š •½ ™ ¢ > %Š

Ě •	><<
KID-{cat}-{gender}-{yymm}-{seq}: § “ f	SKU
Š“ Š Ô š•f... + “† Đ ”<	, – –°
-™ » • +(ì† /Ě f Ĩ) ” ”“¢ + Đ Ê è“ § ”	< ••” œ© «
Û » ℥ Š“ <	, ’ §• ^ < °
< ... Šf	š – € •, f
§ § Ÿ†	œ –^ š <
ŠÍ “ – ~+ -¢ ŠÍ “ – :(~ “) SEO ’ í • <	>∅ –

.(| | ” • , £† -“ • © • % AI :€ ¢) | Š“ ´ f override € ” • ©† | ”

œ €< – ±• œ“ ™ œ > %Š

AI “ • “ f ... > ¾ Š Ÿ £ :

Ⓢ Ä’ ě” f ċ œ μ ^ ’ “• » † £℥... – Æ:(~Ž-ċŽ) >-† •²

Ⓢ (’ ™•• ¶ ´ § ”) > • Ž

Ⓢ | Đ • Ž a - | £ “©Ÿ† ¶ †- ™ a Đ • - a % ‘ o - ‘ :(– ¾ŽŽ-~ŽŽ) • Ž

Ⓢ (• Ä f ~) f -ó œ• œ ^

Ⓢ ”ù § < š š š

Ⓢ (€Ä Ä | È – œ ’ æ >) FAQ – ±• ‘ ±Š“

Ⓢ ™f Alt text

Ⓢ FAQPage + AggregateRating + Offer + Product : JSON-LD © §

Ⓢ Slug – †- € †

/ Indexing API) €Ä Ä • μ ½• | - • < MeiliSearch ‘ “ - • § products ‘ È IndexNow) • Š < Ò %.

- Ú•~ , | Ä ³ • •• • | » œ •† • • , £ É Ê f ’ ™•• Ä : - - © °-Ž “ . Ä • ì Ä† “ f<

² ©Š° f § † š• – ™ £ > %Š

: • “ f (, £ È †) ›-† ^ •• -' †

'•	ÆŠ” f	”Ù – É	Œ †	-
/	f ℓ~ -”~	' ´ s ž - ℓ~ž-¾žž	™f ~-¾ €	Œ • - š •
œ	ℓž-ℓ~	CTA + Š f	† ° ℓ~ -À Ç“	, € • - š •
• £•	œ	- ℓ	+ ℓ•”žðℓž•ž	€ š • - š •
' ™•• • £•	~ - •	¾žž-çžž	HTML ...•È + ‘	• %
• £•	¾-~	”žž->žž	š ...•È + ‘	š ^ € / š / ^
	œ	ℓ~ž	š f ...•+ ‘	•¶ ì
(“ <) • £•	••ŠÍ “ -	£ -Ÿ†+ É Ê f	”:¾ ™f	Œ š•
¶ • Ê f	~	É Ê f + ,	Ç“	¬ € † °
	Òf	,	Ç“	» €
š“ • i ¢	¾-~	›žž-•žž	B2B ...•+ ™f	-š•
	¾	”žž	...•+ ™f	(X) ¬ š

: ”Ù «

Ⓢ (Ð¬ š• - “ -' æ) ž = ' ´ s

Ⓢ Ä ... Æ : Ô š•• CTA •

Ⓢ “ ^/ „ f š + “† á•

Ⓢ Emoji ç f ¾) ’ ¼ •)

Ⓢ • s ª ¶ ¢ (< | - £ •• - † - s - ¢ :...• ~) ...• f œ ’ ™•• f ...•È Ä

:• - š • ”Ù © ŒÙ

```
#####
#####: #####
####: {rotating_tone}
#####
#####
#####
#####: #####
#####
```

(Reels/Shorts) € < “ › ª_ – ™ ¥ › %š

.Ä • | £% Ç“ °Æ: s

FFmpeg | cPanel| £ † „ , ¼•: :(→) Œ“ š ~ ^ %š ^ [ℓ-” f]

ª_ ℓ s f ℓ	Œ“ š ~
, •f ì Ÿ-f ì Ä £ “ • cPanel œ Sharp (WebP/GIF “ †) ³ •š € (Ó (Ç“ ”ž-~) “† ‘ (¹ ³...• € ℓ Canvas/WebCodecs Ä • “† (Ë ³ %f	(cPanel) ~
FFmpeg VPS , Ÿ “••†œ “† ¢ ™ s ª	(- f) ~
FFmpeg < • Ó ¢ €•	(VPS) Ÿ ~

.“† • • , £ “ • œ “ ’ ¼ £ • ì “ “ • ... ¼f .env VIDEO_DRIVER • •

:“ • « (¾ ” -º •) €• ¼• < ¶ • Ê f

(Template Engine) >< ª_ f %

Å •	€ Š“	Å «
f ’ ™••	Ken Burns < • + ™f ... • + ‘ >	showcase
™ î	Š“ € ‘ ì § ‘	before-after
< • ^	’ “ ...• †	size-guide
AOV »	(Á!... Æ) € • ’ ™•• ¾	carousel-3
... È	“¼ /€ ” ” + f	sale-countdown
ì Ã £ “† f	Á ...• † f + “ † • ‘ † ... • + ‘	ugc-style
€• ¼f	ÄéÒ‡ ì “ Æ -• ¼f	story-poll

€–€ , Ú

```
■■■■■■■■ ■■■■■■■■■ + ■■■ AI + ■■■■■ ■■■■■■■ + ■■■■
↓ FFmpeg (zoompan, drawtext, xfade, aformat)
■■■■■ ■■■■x■■■■■ ■■fps■ ■-■■ ■■■■■ H.264, <8MB
↓
■■■■■■■ ■■■■■ ■■■■-■■■ (■■■ ■■■■ ■■■■■■■ ■■■■ ■■■ ■■■■■■■■)
```

| ° ï § €§ “† f < • < ì Ã £ œ (royalty-free ž f ~ž< -•• † Š) | È , “ < • ´ • : « | ~ Š§ . § †

AgentRouter ê • -” Āp -ê ”-ž ž) “£ † • £† ¾ | È ’ ™•• - CTA • -€” (ê :AI ^ ª_ €• . • “† Ç“ ... • ,

→¶ € ” Š →^ Š ™ ¾ > %Š

€ ” Š Ä ‘ €

.µ † f “¼f - | ¼Ê - •• -±“ , • < -’ † : | social_queue ’ “ | £%

→©† f →^ Š «

Ⓢ (Š•^) :••- Ÿ:Ÿ• Ćž:žž-ĆĖ:¾ž-Ė¾:¾ž-Ć~:žž- : É f > Ê•
Ⓢ Ćž | % -¾ / / - -> ì Ÿ-f - ~ + | £% ” ì Ã £ :’ † † < Ó•
Ⓢ (... < Ã -) ì Ã £ | £% ... • ” .ž Ć” “º -¢
Ⓢ † - • » Š% < ¾ “ -½^ , • < ’ ™•• ~ Ã
Ⓢ (§ ... È) • Š“† § -§ • f < † | • ¶ † ▯¼f

€ ” Š

İ £f ì Ã £ -ž £ -...“ - - - - ì Ÿ-f , ° ... -¼ app/lib/socialPoster.ts ¼ f Š i < .X-¶ %^-Ë f -| %: • Ê.“ • † • % Ō¨† | £% Ã .ì Ÿ-f ... • ,† social_failures | °-| £ ¶ ¢ †backoff µ†f ¾: “œ - . •† • • f | £% f {product_id}:{channel}:{template} “ - | £% Idempotency:

€ < “ š • • ^ -< ž– ‘ €™ Î > %Š © • Á (Ð£ • µ - - -ž - - - ,) | £% • ^ | ¿ ©“† • (s.brand.ir/xxxx) ¢™ § Š“ šf UTM © - ... © ì “ -| ì “ -ç“ Ð¨ì “ -...•È ...• ì “ : Ã • £ © “• ì Ÿ-f Ä ¢ f+Ó ¼Ê | £% ~ / f | £% ~Æ § µ Ä: Ÿ i ©“† • • • Š ¶ i • Ð¨ ...•È -“† § i†< ¾ž f,™••:-©† f”š^ © • È š † Š“† § ...•È š£† -¶,™••Ú”ž A/B€ < “œ :

(†š fª- Å ° Å)€ < “ ±• ½ š• Ÿ¢• £ •••¨ œ | †< “ ... ,½ %Ä • | £% , † ž ž % ë™§ Ð Ð ¢•Æ: §).app/api/cron/news)“ § ehsansalehi.ir § § (€ < “) %Š•f š• “ ¶

- Û	š• ...	š €
Ăé Ě š † Ü „ ¢ªÆ	“ §	•†
Ă Ü ’ £• % Ě •• Ò†Æ	ž “•“† f	•”§
ĂéŠ © ž „ £° % Úéžž %ªÆ	ª % •† †	•† <
Ă • § “• ~Æ	“ Ä€	•†
‘ • £•- - Â Ø†	-•¼f ••	•†£•¶
Š< •• ‘ •†<	UGC •• Ê	•”È•
f †-Š • ç“	£° • Ä	Ç©°

š• Ě^•

1. (Content Bank) Š“ Ó ¼f €¨ < Ê •¾žž † „ AgentRouter ^ -
2. Google Trends ¶ |ª •• f % ¶,æ + ì Ã £ Ò • + , :- -‘€
3. RSS • f †) < • €• £ †< œ ž “•¶†Â•<): © ^Ê^• š^
4. Ä“ “ ¶,™••Æ-Ä i ... f µ %Æ:œ < “ š<

¼• ž < € ’ ¼ . | ½ ... ½ € + ì Ÿ-f | £½ € + - € + ì Ā £ € € + (Š“ - €~žž-€žžž) Ő† ••€:Ð-□• . ° “

AI Š• €• – Š•

Ⓢ †• ½ | •
Ⓢ Ā • , “ • ^ | •
Ⓢ | – “ •• , f s
Ⓢ (' ©Ā• ¶† - - ' ¬) † s < •
Ⓢ Ÿ i † £† < ÚĚž Ā † †

(Š• ×!‡) Š” ĺ ‡ Ÿ¢

ô †	
€ • ’ ™•• © • ½-μ i Ÿ ½- ••.İ £f + ì Ÿ-f +	¿ ‡ AI » ^€¶
Ú~ Ó i šf “ ì Ÿ-f ì ½ “¼ ”> - • ½ “¼ €	– “– < f€
“Ā•“ s -¢ f • Āéš“ Ő Ů Ą :•ž< - ‘ Ø† s :Ā< -Āé“ Ą :¾<	– “š – ½
•• ... Ÿ © • ½+ s < i š•+š“ ,† • ì f	< ° €–” f
• Ā< ... Ę ¼ < ĺž	š•“ š” ^ š^
(“ âf s ‡) ì Ā £ • / “ ’ æ Û ½	€• € < € < “ Ů
’ ™•• ‘ “ s «†¢ • € € -• f	² ° < ´
Āé < μ œ š“ f“ - ‡ > , ° “”Ą :... †^ ½ € ½ <	, Ā € < [„•]
Ā... ½ - • • ... - ... Ą :¶ • f ½ < “¼	< € < ••” [„•]

– Š• ©² f€ ~ Ÿ¢

š ¶	€ š‡€	€ ~
, ¬ < ¾ž < “¼	• • • s a	AUTO
’ < ¾ž	ì Ÿ-f - “ âf Ø • • ‡ • s ’ ™••	REVIEW
, Ā/ ě s ¶ , ™••	• ‡ – - ‘ ‡ » ½ ´•	DRAFT
š , •	(□Ě • “ -) Ő“ • , • f €	PAUSE

■■■■ [■■■■] / ■■■■■■■■■■ / ■■■■■■■■ / ■■■■■■■■ [■■■■] : ì Ÿ-f “ âf

–Ç^ n8n ž, ~ ‘ ±š“ – : š € Ÿ¢ Ÿ

:n8n –^™ (cPanel) ~

Ⓢ • “ ~ Cron + (• “) job_queue MySQL ’ “ Ő ¢

TypeScript € œ lib/workflows/ “ ¶ ¢
Ê i ¢ -“ • | †•
(| • ” ” CI/CD) “ -È “ .f :Ð
:n8n < , ‡ ™ Ÿ ~
“ » € ” -È , “ f “ ‡ • €• • n8n “ • .f ì “• <
“ ‡ • • “ | ℥ f ° £•
! “•• (, ì ì À f ” Ž Š• , ì Ò ~ “ °) © f € ” ¢ -n8n Cloud VPS n8n
) . Á •) “ ‡

- † Š“ - ^ - Š € Š €•
(“ ‡ • €• • n8n ” -° • -“ ¶ ¢ £ -° •)

- 1. New Product Multi-channel Publish
- 2. Daily Content Generator (' + Œ †)
- 3. Abandoned Cart Recovery
- 4. Post-Purchase Follow-up
- 5. Weekly Performance Report Telegram
- 6. Competitor Price Watch
- 7. Low Stock Alert
- 8. Review Request + UGC Collection
- 9. Seasonal Campaign Trigger (• • f)
- 10. Google Search Console Content Gap Alert
- 11. Social Comment/DM Triage
- 12. Backup & Health Check

„ Ú (Definition of Done) ¿ ¬ € ¢ Ÿ ¢ ¢

: „ ℥ ¢ § , “ | £ f ... | Ä ì f £ ” ... , ½ ℥

’ ™ •• : ‡ ° • Ž ± ² . Ä È Ž “ ¼ f • ~ Ž | “ £ “ £ ‡ • “ • ì Ÿ - f ¶ ‡ Ÿ Ü - < Ä ‘ ~ Š“
À Á © < > - † Š“ ¿ ” • † , - ‘ “ € ” € Ä Ä - | | - > Ž Ž É Ê f Š“ f ‘
| ℥ ... ℥ - | Ó ¢ ì Ä £ “ † / ¢“ € - Š“ • • / / - / ì Ÿ - f - € - ¢ ‡
. € > < § Ú , ¶ ‘ f . • Ä Š“ ’ ™ •• - Š“ | °

Ž Ÿ< ’ ” i — —

“ § Á†•... fŒ • £• “† , ^ ž ℓ Š Ÿ — • f , . | Š Ÿ Š^«ℓ , © „• - | - “ ...
.“ • ± î ° (Ä † Š § • » f † †£) ž ℓ ... ††

µœ -£, ^ < ^ ³ < ³ † ^ ¶ ¢

“-f <-²	• ž	ð
ÚÁ < ÚE~ < •	Ä ²/ Æ µ Ń Ú”~E~ , ... †† ž ℓ •	² ° ® f
è” f èEŒ~ € “ f ¥ †	Ä • f ¼□” ™f.“ • ℓ	- İ ® ,†
• “ ¾+	“ • ℓ ž • ³ † Ä <	€ -- š ® ,†
ž € = ℓ Ež	, Ÿ Ä - f ž € “ ℓ §	‰ € š•
¢ f f •	“ • , • • Ÿ† / a ž “ © •	É š <
© f	, Ä“†• , • <+ ¼ ¬ = ™•• -• ¼f	- •‰

.“ f • - f ... È € “† f • - ... œ Ä.... | Ü ...f „ -“ § < € “Æ: ^ € š ^•

(§ š ><) • €•¶ ¢

. ’ £ f • - § ³ < † É□ ©ª •

• ‘ | • , f ž š † ™ (Smart Fit) À, →©† f Á ™ • []

:“ Ä • £ ³“ • ž / ... -, < -“” . ™f Al™ , “

Ⓢ (• ’ “ †) - ±• ©f Ÿ “ © • ‰

Ⓢ ž (silhouette) É Ä“ ^ • Ü ,“ Ä f „ ... Æ: ™ †

Ⓢ Ä | Ð •• □• Ú•”Æ: , ¬ “ ¢

Ⓢ reviews ’ “ size_fit “- < Ä | f a ’• ... “ iÄ •• Ú••Æ: “•

.- - ° ©f € € È ¸ š€ ¥•Ä - § ‘ Ÿ £ , “ -Ä -, < µ - ¶

š † ™ (Avatar Try-On) À ³ < € Á ™ • [× š]

.“† • Š“† ℓ , ^ „ (¼” , < “” - • ’ “• - | ℓ Ò† - | £) • § ž “¼ / “¼ f ^

Ⓢ Ä • “ f ^ ± i • PNG , ¶ ¢ ’ ™•• ™f

Ⓢ AOV „ | š ® ,† » i + - + ¶ • f : , | , •

Ⓢ (Ä Ä- f ^Æ) • š § × € ℓ f ^

Ⓢ ž š § × € “ §

Canvas/WebGL § (¾ “ ” Š Ÿ £) ™f µ < ℓ ... , ½ ℓ , „ “ , Ÿ < † , “ - Ä • : •†
• “ f

Ÿ š †™ (AI ^ Photo Try-On) À³ < - s² ^ Á™ Ÿ . [, ȷ

.“† ħ • ‘ , „ AI ’ “• 3“ • -ħ^ ž < “” ĭ f ‘ •

Ⓢ “ • ĭ Â† ... (IDM-VTON / OOTDiffusion Š † § €Ŋ•) Diffusion-based virtual try-on ’ “•

Ⓢ †° ”ž f ~ : μ < ħ , • <

Ⓢ Š“ Á†” £ † ÄÁ” §

: ĭ > ▯ ^ « ½ < † Ÿ Š ... † ”. ĭ Š ĭ ħ € » Š ... f „ £° ... :³ < ‘ ± “ „ ~™ „• € ^ Ÿ~ [€-” f]

1. ± ĭ ... • ‘ a ... “ É ¢ ĭ Ê

2. ± ĭ° μ < ħœ • † Š §× § , - f ž ‘

3. (- ¢ † • f) “¼ ĭ ”> Ŋ “° - ¢ ‘ § ± ĭ°

4. (É™ f Š“ ‘ ”) • † Š ĭ ’ “• μ < ^ Ä ž ‘

5. Š< ° œ • † Š ĭ ¶ · - f •• ž ‘ Ä

6. , ĭ ° ‘ • † Ÿ† •

7. Š , < Äé • a “†< ‘ Æ ± ĭ • ĭ ¢

8. ĭ ° ... f...• œ (on-device) - ĭ †• μ < ħ: » † • Ä

... Š . ĭ , ^ < • £ .- š € Ÿ • - € < % € • - “ “ f É▯ ... Ä
.” • † “† -Š< °

(€ Š“) œ š †™ À ħ < ^ - š ARÁ™ ▯ • [- ¢ȷ

.Š“†< ¶ ¢ „ , “† ħ (pose detection) , “ ĭ - Ô š • f - Ä...

Ⓢ “ • Ē < © (React Native + MediaPipe/ARCore) € • ĭ

Ⓢ ¼” ĭ” f < Ä Æ •

Ⓢ ĭ Š - - ĭ ‘ ” € ” (...• ħ - ¶ • f) Š „

>-† ‘ š >< ” ĭ ¢Ÿ

’ €	• , f	š	•	š †
“†	~ž	< ~	“ ħ œ Ē É▯ [... ħ]	(>) š †
		< Ē~	ž f ^œ” É▯ [‘ •]	(Ÿ- >) š †
(¢™ § °) , [“ •]	(GPU) ´ •	< ”ž	(§) ‘ ħ œ ¾ É▯ [,]	(œ-▯ >) Ÿ š †
´ •	,	< ¾ž	Š“†< AR œ > É▯ [“¼]	(+£ >) œ š †

.“ • £ ÚĒ Âf μ < Ú•~ -Ð f“ < £ Ô•† €• ” É▯ + Ē É▯ : - ‘

•† € ©Ç ¢▯

```
##### / #####
■ ##### (#####) ■
■ ↓ ■
■ ##### Fit (JS #####) ← ##### + #####
■ ↓ ■
■ ##### (Canvas/WebGL) + ##### PNG ■
■ ↓ ■
■ #####: ##### /##### ■
#####
↑ (#####)
##### (##### VPS##### cPanel) #####
■ ##### AI → ##### Try-On → ##### ■
■ ##### ■
#####
```

.“ • - ••[—] , “ cPanel | “† • Ÿ -œ© †• ” É□ ħÉ□ :cPanel š † ^„• ŠŠ
.“ Š ¶ ©• VPS | †•< , < †“ f “” ¾É□ ´•

(< † - € < “) – ±• f ^•š, f><<
: < • ... -’™•• | Š ì Ÿ (¾“) , • f ... ,½ %
⓪(, Ÿ æ rembg -º • , <) ± j •< ‘ % „™f: tryon_layer_url
⓪ f ^ É •¢ Ã “ (’ ↯ - - †) Ÿ ä•†: tryon_anchor_json
⓪ • † Ÿ “ Š< “† ’ “ : size_chart_json
⓪ •Ã / ’ •† / Ò f: fit_type
⓪ Š † < - ••¶ Ø† size_fit “- < : fit_feedback

(•), ‘ „š € % œ

```
#####: ■ ##### (cm)■ ##### (kg)■ ■ (#####)#####  
  
■) ##### ■■■■ ■■ ■■ ■■ (##### ■■■■ ■■■■)  
■) ##### ■■ ■■: ■■ ■■ ■■■■ ■■ ■■ → ■■ ■■■■ ■■■■■■ ■■■■  
■) ##### ■■ fit_type #####: ■■ → +■ ■■■■ ■■■■ → -■ ■■ -■  
■) ##### ■■ ■■■■■■ ■■■■: ■■ >■■■ ■■■■ «##### ■■■■» → +■ ■■■■  
■) ##### ■■■■: ■■ ■■■■ ■■■■ ■■ ■■■■ ■■ → +■ ■■■■ (##### «##### ■■■■ ■■■■»)  
■) #####: ■■■■ ■■■■■■ + ■■■■ ■■■■■■ + ■■■■ ■■■■■■ ■■■■  
■) ■■■■ ■■ tryon_sessions ■■■■ ■■■■■■
```

¼ . • € “¼f ’™•• , ^ Ÿ -size_large size_small € • • j : -< | ~
• fŸ “ Š• £

(UX) Ÿ ^ È œ

- ±• ••‘ €<



(€^) ˆ€ °

É) • < ’ • Ä... ıE -
”) († ° ¼ž) , < -“” -“ f Û f - ı E - œ Ä“ ¼• , f“†< E
¾) “ ^ • , ^ „ • S f ^
>) Š“†< ¶ ¢ / Ò† ç ¼f , •
~) Ä ž E + Ä• “ , E

–Çˆ » Ç†<

. ©†ˆ ... È Š † - “†< “ a Ä . ı - ¢ † - - Š“ Š S× ž € ı
Äé < μ œ Š“ f“ - ı† > , ° “”Æ:“ • ì ı “¼ Š • ¼-“ ž “” “ f Û f , a :–©† f
° «
. ı , € “ f ¥ † • • ı • Ä< ... È μ S ...

^ € Š ^ ^ – ± ¢ ¥

ô †	– ±
ı ¢ Ê œ • S • < ‘ ı ± î° -° • , „ ± i ,	– ± • , ú ^
- Đ “< , Ä... †ŧˆ ıE Ç“	² ©Š° f S † ^
ž € ı S Ä Ÿ Ó ı Š f Úž -... ¼• ¶ “†< E ... È	f Û© ^
S ^ · f , • < » ı	CRM ^
îı œ Ä ž È E ° ... • E • • ı ¢	^
Ä“†“ S ... -“† ı ... † E E	- ‘ ^
† †¬ ı ° ... Ÿ © • ı • † © • ı Ä	< ° ^

š <€ – ^š < – –° ¢¾

(ı Š“ Ê • “)

ž f ^ € ı œ tryon_profiles
“ ì Ä† “ S ^- a - ™ • • a : ı œ tryon_sessions
' ™ • • Ÿ ä † ± i , œ tryon_assets
Ÿ Ä ¼ Äf S< œ size_feedback

œ † € ç Ć

£ › “-f	Ÿ › “-f	ı “ †
¼~Ú	€~Ú	—• — ±• —• — ‹š^—‘€
”è	€0~è	ı^ ^ı € ‹ ›• • ^€ — ĭ
~~Ú	¼žÚ	, ² ° ĭ ® f
•žžž	€-žžž	›-†œ ı³ ‹ † ‹-ç
š • “-žžž	š • “žž	° “ €-ı-³ š†

• ¢ ™£ ~ ‰, ¢Ÿ ” — —

Ó Š ¢

. Ó ¨ Ô Š • • » • † ’ † . \$ € © f ž —^ € € f — : ° € ¢

ÂÉ œ §	œ	Ä «ℓ © !	—	Ä ‹ℓ
(, £) “ “ †	f ° [f °]	“ † + Ó • + Ě Î	• - Š •	
†	f ° [f °]	+ • £ • μ + € “ f	• ‰	
€• [-]	f ° [f °]	¶ “• - + € “ f	+ œ	Ÿ
€• [-]	f ° [f °]	“Â• “ \$ + “©Ÿ †	Š” > ‰ † ^ / ’	¤
†	, [,]	μ + † • ħ	(¯ • , ^ + • ¶) ì	œ
†	, [,]	Ò - + - \$ » ħ	\$ ^ ℓ / Š / ^	£
“ “ † (, ĭ ¢ ¨ - ROI) ´ • [´ •]		+ † Ä f	œ Š•	¥
“ “ † ´ • [´ •]		+ Ÿ “	» € + °	¼
“ “ † ´ • [´ •]		B2B Š “	— Š•	î
“ “ † ... ħ [... ħ]		Ò “ †	(X) ¯ \$	•

’ † - • ħ | £ - |) | | • | • f Ð ¬ Š • , ^ | © † » “ - † | £ ħ : É «
. ¹ \$ „ < | ... • Ø• ì Ä £ , ª.(ì Ÿ-f

f \$ † ℓ ‹ — ^ œ f ¢

» ± ”	±•²
™• † †- ¼ † œ € ¨ - † • - ¢	•
’ † °³ Ñ \$ Ò † € + ... - ¢ Ò † ”	Æ ℓ œ
... f, + († / ‘ , € Ñ •) , “• †	œ †
“ (Ä Ä + Ò †) ° “ † † £ ħ	± ^ Ä «
, † ž ž ħ €	Bio ‹ℓ — Š
• ¢ • ħ / μ ĭ Š • † / Ó ĭ Š f / μ ħ / • • Ø † /	• - Š • f œ f

¤•/Ÿ•/ •/ • « ™ (Content Mix) Š• Ä ¢Ÿ

¨-f	”•	...
• £ • μ	> Ž Ů	ℓ • - ± •

“-f	„•	...
(€ - “©Ÿ†- a ‰ -)	¾ŽÚ	‡ Ł šŁ / †š
(• ¢ •‰-UGC- - Â Ø†) ä f Ÿ	”ŽÚ	Ç / ² ©š°
‡ Ó †šf	ŁŽÚ	• ù© / Â

.(“ , †”) “ • | € ° | Ł†... , • f f •.“ • ä • †Ă — -“ ’ ™•• | Ł‰ Û>Ž< » Ă

(Cadence) € ” Š „Š Ł ¢œ

%Š•f/ š Ł — ‡	-
< Ł‰ ” fŁ	- ‡ • - Š •
(Ł>Ž~ “ Ì ... f ©•)< - Ł	, Ł • - Š •
< • f ~	Ł Š • - Š •
< > f ¾	• ‰
< ¾ f ”	š ^ Ł/š / ^
< Ł	•Ÿ Ì
(š †•)< ... ‰ ŁŽ f ~	œ Š•
(- ,)< Ł	— Ł † °
‡ ¾	» Ł
‡ ¾	-Š•
(š)< ••Ł	œ ¹ ^

. ÎĂ • | ” | ‡ † , Ł† .Ł < “ ©f ™ Š• Ç «Ÿ•< -~: š Ł ° “

(, Ł < “ f ù©) Š • „ | ¢œ

š >< ... †	ù© ...	š	œ •
€ ” < >~	€™ ... fŒ	© Ì •	Ł- ^œ”-š ^
€ ” < ”Ž	“•	, ^Ì ©•	š ® <š Ł •
€ ” < ¾Ž	Ă †š -“- “	x^	-
€ ” < Ł~	¹ ° Ó †šf	x^	, ‰ œ•‰† •† /> Ç©°
€ ” < ~Ž	(“ „) Œ €™ ... •	“ ‡	š Ł - ²
€ ” < ”Ž	“	... © /“ ‡	Ł- Ł< š Ł
€ ” < Ł~	Ł° ... È	©•	³ < š Ł
€ ” < ¾Ž	-° - •- š „	fÌ š	• š ^
€ ” < ŁŽ	‡ -šf	, >	±‡ Â ‡ ~

Ó ĭšf “ + † £‰ + † : < • ... È -€ “ < X š ¶ ¢ n8n • Š š× ‘ ‘ “ ¶ ¢ • f ...
...
.€ + • ‰ +

(Š• ’ ^)–f< ° ° ” ©f Š• >– œ ¢£

’ “• £ •• (~ † š † ĭ ĭ^< – (Unboxing) >) £ , < (¾ ¶ • f < † ¾ (“ € “¼ /€ “ (€: ±•
(£ ž “ , • “ a (ž € ¢ a ‰ Ô š• f (• Ü „ † £ (• ’ “ (À (•) Ÿ ¢ a (¿: † š
‡ €™ „ † “ a (€” „ £ ° † ‰ Ð • „
„ “ ° (£À • „ Ü ‘ • £• (£¿ • Ü ‰ » ‰ (€~ ÄéŠ “ a † Ü £ (€> Â Ø† ÄéÖ† ĭ “ £ (€¾
: ¢
‡ “

¿ ¼f † Ä (“” f ¼• (“£ † • ¢ † ‰ (“ž ‘ “ £ ¿“ (€• (¶ ...) •• Ø† (€: Š < ©Š²
‰: “¼ /€ “ (“• ÄéŠ © ĭ “ - ‰ f ^ † £ (“À † ° ž ... †† ‰ • (“¿: (€^ «£„ ‘ ±Š “)

[„•]

Ä< £ † Ü f ^£ » a (¾ž Ä Ÿ Š< † † Ü “” ¢ a£ µ < • ^ (“• Ü ¼” „ ... ††
Ä... È £ ° ” š ¾£ ‘ † (“~ ÄŠ “† • f ¾ ‘ • £ (“> Ó ĭšf „ ¼• µ (“¾: ¿ †

(p –^) • - Š • ’ -£ –†£ ¢£

- 1.. †“ ĭ -’ †° ž - †° £~ f À .£>ž~ ¼” †Ä – Š © f œ š £ , £
- 2.. (, Ÿ – = ž •• † £‰) ž • à ‰ Collab £ §©f
- 3.. ¼• •• , ‰ Á • ‘ . “¼ “ š Ó ĭšf Úžž -“ ĭ ‘ •• UGC:
- 4.. (È †) ž Š< ° Ö à ‰ † £‰ < “ < “ Ü ‰ :£• Š £ €•
- 5.. ^ • † ĭ • Ä † œ •” Ò f ä :→©†–f -
- 6.. “ µ Ø • Ð–š• (Ä£ £ †Ŋ•) † ° Ÿ ĭ : š
- 7.. † “ < Ä ¶ † a “ • • – Ÿš ‰ à ‰ Ÿ :£ < ^ È Ü

(£< ¿« ¿ †£) • ‰ Ó Š ¢¾

Ⓜ (ĭ Ÿ–f €š µ ĭ) ¿ † » ^+ (<) £< »£ ” > -+ (Ó ĭšf ‘ ™•• † £‰) ‘ –
Ⓜ “ •• - µ ĭ Ÿ -(Š Ä) † š ‰ -“ š “ - Â £ -Ö f : “ ĭ Ÿ–f ¶
Ⓜ t.me/BrandBot?start=p_1234 Deep-link ‘ ™•• :
Ⓜ † á Š Ÿ† Ä ‘ † á ‘ • £ š ĭ ‰
Ⓜ , Ÿ “ = , • Š Ä ... , “ : ĭ Ÿ–f Ö † •

(¿ žš ^£žš ž ^) “ < f– ¢Ĭ

< (socialPoster.ts) –¼ “ “ £ Š “< ¬ f ‘ † © f - † † † “• Š :€ œ “ Ÿ “ ©
“ • † • ‰ € “
Ⓜ fŠ ...• È ĭ Ÿ–f •• , : ••
Ⓜ “† f ‘ ¼ ĭ ĭ -‰ ... f î• Š †š † © Ð–š• f

Ⓢ i Ⓢ , , “ Š “ i Ⓢ • f | “

•• Ⓔ ‘ ‡ ™ Ⓔ Š• ⓂⓈ•

ž ž Š< ° | “ - • ‘ “ €Ã Ã -“ • dofollow -| ™ Â £ f • | Š é a
.(ì Ã £ | >•€••) | Š•£” f¿ ...‰ .| i Ⓢ • f
Ⓢ , ‡ “•-ž å f -ž DIY- - ‡ £•<€ -“ „ - “• | - < ‡- ‡ S - ‡ £‰ ž ‰ : Ćž
Ⓢ ¶ i • ¶ • Ê f ™ f ...‰ ¾ = ‘ ™••
Ⓢ , < — ... f » ‰ (£ -Ÿ† +) ‡ < ¶ • Ê f

f s t ‘ € • ^ Ⓔ — ⓂⓈ

€ < “ ®•	€•
Ÿ ‘ ‡ » - • ‰ ì Ÿ-f ‡ †¬ -, •‰ ‡ < ‘ ¼	• -š • Ⓔ Ñ Ç
-S ‘ ‡ • ‡ , < S • f	• š -† š ‡
Ⓢ ™ S Ÿ ‰ + ‡ æ• • Û ‰ - ‡ •‰ , † - „ £ ° Ô š • f	Ⓔ s† / •• Ⓔ•
„ £ ° ŠÍ “ - REVIEW É▯ + , ĀÍ -	AI Ā • Š• Ⓔ”
Ò • Ÿ • f ~... - ”> • ‡ Ó” f	´ € •- Ⓔ†

ⓂⓈ KPI ² ©Š° f s t

›	£›	Ÿ›	Í “ †
¿ž-žžž	”ž-žžž	~žžž	• -š • € ‡
~Ú+	~Ú	>Ú	Ç Ī
”~žžž	•-žžž	”-žžž	• ‰ ß²
•ž-žžž	¾ž-žžž	•-žžž	Ⓔ ^- † š f ‘
(!•† ‡ • ‡ æ < •)¾~Ú	>~Ú	~~Ú	- † š ¿ ‡ „•
”žž-žžž	~ž-žžž	~žžž	Ⓔ Š• f - <š ^
”-žžž <	¾-žžž <	, • f ~žžž <	š• Ç « f— •, f

< ¥Ž ” | — —

.’ -€ ’ ‡ „• +ÃⓂæ ^ — € ž³< ³ † €È >Ø — Ÿ•• , ^ ^ - - - ••‘ €ž> €< :±“

µƐ » Â š ~ >Ø ^ ¶ œƒ

Ⓜ | Ā“†• ‡Ā f³ • ĭƒ ÁⓂ“ f • - f f
Ⓜ CAC ° • £• ĭƒ ‡ ‡Ā
Ⓜ | f “ % €Ā Ā³ | £ % , ‡ % ì Ā £ ¶ · - f -,
Ⓜ “ < £ •• Ð ” ĚŽŽ “ ‡ f • AI š• — € : ” | •

(-† ^Ɛ €< š € š — ^™) - § •§ œƒ

, Ɛ ’ ¶

Ⓜ HTTPS + HSTS

Ⓜ Core Web Vitals € • : LCP <2.5s- INP <200ms- CLS <0.1

Ⓜ /category/■■■■■/■■■■■ /product/■■■-■■■■■-■■■-■■■■■ :š f URL §

Ⓜ Canonical “ • ĭƒ - Šp) ¶ • ĭƒ)

Ⓜ € % -“ § “ - -§ Ā £ à ‡ noindex

Ⓜ - sitemap-blog.xml - sitemap-categories.xml - sitemap-products.xml: § “ ½• |
sitemap-video.xml - sitemap-images.xml

Ⓜ µ < - • % , ž† + Ÿ ” robots.txt

Ⓜ IndexNow + Google Indexing API œ ‘ “ • ” “ a ± 2 “ “ ’ ™••

Ⓜ Breadcrumb ¶ • ĭƒ

Ⓜ hreflang / £ -Ÿ† š £ ‡ Ā

Ⓜ ’ ™•• © • % “ >Ž> • ĭƒ

Ⓜ (“ îŸ† Š • • ĭƒ Ā) • ... Ÿ /± î ° ’ ™•• ” § ¾ŽĒ | “

Ⓜ (CLS < Ā -) É ƒ width/height Lazy-load ™ f +

Ⓜ AMP ¼” | » ³ | £ ‡ ì < ,

(JSON-LD) š‡ € š“ © §

© §	••‘
Review + AggregateRating + (IRR < - • - ”) Offer + Product	- ±•
(AI š“ “ f ’ æ >) FAQPage	- ±•
BreadcrumbList + ItemList	š <
Publisher + Author + Article	¹ ^
(Ā Ÿ Ⓜª£†Ŋ•) HowTo	©•f €

© §	•• ‘
(€Ä Å à † ‘ í) SearchAction + WebSite + Organization	œ
("† • < † -) VideoObject	a_
“ ¼ / † Å LocalBusiness	›%† †

. CTR = à † • † "Š : Å •œŸ• ´ € Å † f »† €•

(Topic Clusters) † “ € Š“ ™ ›Ø – Ñ †• æ¢Ÿ

‘ f † “

```
##### #: ##### #####
## ##### ##### [###: # ##### ... ## #####]
## #####/#####/#####/#####/## #####
## ##### ##### #####

##### #: ##### #####
## ##### ##### [###]
## #####/#####/#####/##### #####
## ##### ##### #####

##### #: ##### (##-##)
## ##### ##### ## ##### ##### #####

##### #: ##### (##-###)
## ## ##### ##### ##### ##### #####

##### #: #####
## ##### #####/#####/##### ##### ##### #####

##### #: ##### # ##### (##### ##### # #####)
## ##### ##### ## ##### ##### ##### #####

##### #: ##### # #####
## ##### ##### ##### ##### ##### X ## Y
```

.€ •• -§ + § < ••%ž f €~ + (- +Pillar ("~žž •j ¢ €: §

Ç« É ™ (Long-tail) → ^• < ›Ø – %

Â° © Ä † £•< » • † £‰... - Æ:’ Ñ• {#####/###/#####} + {###} + {#####} + {#####
#####}

Ç« Š• æ “ < £ †... < •j ¢ , “ † f • Al .“† •‘ ’ <, œ^«€ , ^€ ^– “œ Â £
(Helpful Content † Å) f ¶ •j ¢ †--• » •Š

f€,^

Google Search Console (, Ÿ f °)- Google Trends , - Keyword Planner- AnswerThePublic- €Ä Å ´ f • Â £ -
. " “ ¢ -(! ¼” ŠÍ “ - Á •... ©) ¶ †^a •• ¶ , æ

€ < “ Š• æ¢¤

(AgentRouter ~) š € –

" - -§ alt- ~ ™f¼€" " ° -Đ □• | © -H2/H3 , < ~-Šİ " - ° H1 , : •• "‡
 (Featured Snippet) Đ-□• " €†\$-´ f • ' ™•• FAQ- CTA » Š - ¼• \$

AI Š. © °-Ž «

: ' 0/100 . € • • Ć š€ ^ š• 3 “† - • • Al • • €Ã Ã

1. $\frac{1}{4}''$ $\hat{A}f - \mathbb{C}^{\text{TM}} \mathbb{S}$ ' $-$ $\bullet \bullet$ $\frac{1}{4}''$ $\emptyset \ddagger -$, f $\mathbb{S}$ μ $\hat{\cdot}^{\text{~}}:$ " $\check{\text{A}}$ $\mathbb{C}^{\text{TM}} \mathbb{S}$ $\mathbb{E}$ $\mathbb{E}''$ $"$ $"$ $\bullet \bullet$
2. " $"$ $<$ $\frac{1}{4} \bullet$ $\mathcal{E}$ $\ddagger <$ $\mathfrak{a} \mathbb{D}$ $"$ $\bullet \bullet$ $\bullet \mathcal{E} \bullet$ $\mathcal{E}$ $\ddagger <$ $\check{\text{A}}$
3. (E-E-A-T) $\mathbb{E}$ $\frac{1}{8}$ $\bullet$ $j \mathbb{C}$ Author , $\frac{1}{4}''$ $\ddagger \mathcal{E} \ddagger$ $\check{\text{S}}$ " $\mathcal{E}$ $\ddagger$
4. f $\bullet \bullet$ $" \check{\text{Z}}$ $\gg$ $+$ $\check{\text{Y}}$ j $\ddagger$ $\ddagger \acute{\text{U}} \mathbb{E} \check{\text{Z}}$ $\ddagger \mathcal{E} \ddagger$ $<$
5. " $"$ $\gg$ $\check{\text{S}}$, $\mathbb{S}$ $<$ $\check{\text{S}} \bullet \zeta$ $\bullet \bullet$ $:$ $"$ $\bullet \bullet$ $\ddagger$ $<$
6. $\ddagger_{\text{~}}$ $\mathfrak{a}$ (Content Pruning) $\check{\text{S}}$ $<$ $\bullet \bullet$ $\ddagger$ $^{\circ}$ $\pm \hat{1}^{\circ}$

E-E-A-T > %† ‡ ^

$$\begin{array}{l} \textcircled{\scriptsize\rm A}\quad \ddagger\qquad f\;{}^{1/4''}\qquad '\qquad\qquad\ddot{\mathrm{A}}\cdot\check{\mathrm{S}}\qquad\mathrm{\AE}\cdot\mathfrak{j}\,\Phi\\[0.6em] \qquad\qquad\qquad\textcircled{\scriptsize\rm B}\;\hat{\mathrm{O}}^{\mathrm{TM}}\S f\qquad ,\;\check{\mathrm{A}}^{\mathrm{``}}\;\mathcal{E}\;\ddagger\qquad\cdot\mathfrak{j}\,\Phi\\[0.6em] \textcircled{\scriptsize\rm C}\qquad\qquad\bullet f<\hat{\mathrm{A}}\bullet-\qquad\qquad-\qquad\qquad\check{\mathrm{A}}^1\\[0.6em] \textcircled{\scriptsize\rm D}\qquad\qquad\mathrm{“}\;\mathcal{S}\;\mathrm{“}\;\hat{\alpha}f\qquad\bullet\bullet\;{}^{1/4''}\qquad\P\;\varnothing\dag\\[0.6em] \textcircled{\scriptsize\rm E}\;\;{}^{1/4''}\qquad\qquad\qquad\qquad\wedge\qquad\qquad\qquad\qquad f\check{\mathrm{S}}\\[0.6em] \textcircled{\scriptsize\rm F}\;\;\Phi^{\mathrm{TM}}\mathcal{S}\qquad\qquad\mathrm{O}\qquad\qquad\bullet\pm\mathfrak{i}\qquad\mid\end{array}$$

(ROI $\hat{\sigma}$) = ± 0.001

«€ – Š	±•²
████ ██████ ██ █████ – {████} ███ {██████} {██████} {██████}	•²
CTA • “ €~Ž-ŁŻ	Š
-¢ ŠÍ “ - €• -	H1
(!Š“ ... •âƒ È †) - ¾ŽŽ-~ŽŽ	• Ž
i ¢ f alt ™f + ~	±
(€Ä Ä “ ’ Ÿ) Š“ < ‘ ™•• Š f Ŀ“	a_
(f ’ Ÿ) μ ₧ ¥ ‡ » Ä“†• , •< Ÿ •ª » œ Ä... ₪£	
(Ø‡ š š < ’ ¼) Ø‡ ¾ €” “º	» Ý
(-š) ’ ™•••	× », ±•
HTML μ š € ”) ™f ‡ ¼”)	, – —°
É •¢ InStock/OutOfStock	◁ °
’ æ >	FAQ

μ ¶ •Ç À ’ °€¢Á™ ’ • ’ ^ Ó Š œΦ£

•) “ Â “f “ € ‰ “ .! © È ~ŽŽŽ< -´ f • | i ~Ž.¢-Ç ž < ^ Ç É œ •
:€¢
(i f ~ŽŽ †- ĚŽ-¾Ž

(’ • œ• Ÿ•ž ‰ €ž ›) f ’ • ™ ,

Google Business Profile (’ ©• £)

i ¢ ¼• †

(f -’ Ä -¶ ‰ -! ‰ -... “ -ì Ä £) €• € ‰ :

™™šf Œ† -’ Ä : † •• ì i -‰

(μ) -Ě f -ì† : ‘ -‰! •
•f |

(‘ € ž-Ç^ ^ ›) Š• ’ • ™ ,

č šĚ	č	• ž	’ š
[©•] [©•] [©•] [©•] [©•]	,	œ À ‰ € Á À, ° ~ † Á + Ä, ž ž ‰ Á• Ě “ • , ^ ¼ ¬ Ä† † , ™ • • -• ¼f	¬ ’ • Š•
[©•] [©•] [©•] [©•]	/ •	Ä“†< -Š † s ! •† -ž • Œ†	©• œ
[©•] [©•] [©•] [©•] [©•]	/ •	•^ Ä s œ , f s „ Ä£>ž~ , ž ž ‰ “ s Ÿ μ Ä£ “ •	‘ ±š“ ® f Ó €
[©•] [©•] [©•] [©•]		•†< € ``œ -™ “ s •f- ’ “	’ † - ••
[©•] [©•] [©•]		Š † s Š< ° , Ÿ† s ! s ù ‰	HARO €†
[©•] [©•] [©•] [©•]	/ •	† • Đ£ £ ‰ á°	œ < ~ ±
[©•] [©•] [©•] [©•]		< , Ÿ ’ ™ •• ’	f - ^ ^ € s@f

č šĚ	č	• ž	’ š
[©•] [©•] [©•] [©•] [©•]	’ •	s .ac.ir ž Š • - •† • Ě•-ž “©• Ě†Ě	• Ě ©~
[©•] [©•] [©•]	’ •	... Ÿ © • Ÿ ž Š< ° Ě s ...	š s† ’•
[©•] [©•] [©•]	’ Ÿ	, < í f Ÿ †-’ f • ¼• ¼” † ’•	•- Ø Ě Ě

(Brand Signals) ” f ’• ™ Ÿ ,

Š Ě Ā PR | ’ Ÿ Ě Ā Ā , “ † ì † ×

“ • Ò † ¶ • - f | ’ Ÿ ... f “ (í Ě Ā Ā Ā † ì † Ě Ě) † Ā Ě

—•š , - f fĚ ¶ [“]

Ä, • f ~ž ĚžžĚ Ě “ s

PBN

È ì È | •

’ Š † ’ f

(Ý “ Ší “ - ÚĚž - • Ú”ž - ì s URL Ú¼ž - “† Ú>ž : ¼ ñ | Ě†) , Ě • “ | Ě f †

[“] š <	[¶] Ě < “
Ā† □ s	š†Ě <š --° f ’• ’^—‘Ě
Š“ < ™š € š î•	(— ><< ’• «Ě ^ fĚ)Ě ‘ † š†
€ Ğ • bŸ •• “ f	f Ě š <Ě<Ě < “ Ě Đ
“ • °	Ě < ’• ² ©š° f • š Ě<Ě ”š
Disavow ™f	© ’• Ě—” f
Ÿ Ÿ ’	AI ^outreach © — ®

— æĈ¥

Google Business Profile Ÿ i | ĚŸ-¶ , ™•• - ¶ - ‘ Ě•

¶ Ø† - Ā“ †-’ , •<) ¶ i • ¼” •• æ Ā f/< / , ©i Ğ /“©••/, ©f † ŸÜ „ “ šĚ : © ¶ • i Ğ

(© , , ••

, •†-“— : † ••† | °

NAP (...i-f - „ ^-ì †) , Ě

(Œ^«€,, Œ ‘ ‡) a_ œ¢¾

Ⓢ Ā • f Ē s €Ā Ā ¶ ¼^œ Š“ É Ê f , :¶ ¼^
Ⓢ ¶ • Ê f - / £ -Ÿ† š£†:Ē f
Ⓢ €Ā Ā ç“ à ‡ » ‡ ‘ ‡ VideoObject + Œ† ’ ™•• •¡¢ ç“ <

– ‘ € <€ † < œ¢Î

< ^€	€ , ^
‘ “ ¶† ••-...• < ¼-... Ē - - œ f °	Google Search Console
“•^ -Œ “ -	Google Analytics 4
Ÿ ¡ -±“ ŠÍ “ - ¾žž	(€ < “ ŒŸ §) €– ‘ €
‡ • •†	Screaming Frog / “ < >- ,“
Ÿ ¡	’ • ’ ^€ š

¡¢ ~- ¢§ -“ “ -š“ ‘ “ “ “ ¶ •¡¢ - -¢ ŠÍ “ - ”ž f .f: - • ¼ ^ ¼š•f € < “ ĺ € , -
.Al © • ¼ ••

• ^Ē« » € Ÿš š – –° œ¢ •

€ Ÿš	»š ^
a ‡ f - “‡ ŠÍ “ - f -, “ ‘ “	- ›
‡ • ‡ Ā “ < “-žžž-~žžž - “ - ĺ ¾-” •¡¢ f	¤-Ÿ ›
“ < [~žžž-~žžž-“ - ĺ š ’ •¡¢	¥-œ ›
‡ • “ < •žžžžž-¾žžžžž - -¢ ŠÍ “ - ”	-¾ ›
“ < +[~žžžžž - Ê • ¼ •	-

“ • £ - š“ Āš • [‘ • ¡¢ ¤ £

§ ¨ © Ÿ› ” ‡ — —

° < ^ Í ± (Funnel) ^ € š ^ Ä « £¢



ROI ^ →^ €™ €< Â f- £¢

€	È Š š	ROI € ŸŠ <€	> /... † •,f	-
€		[©•][©•][©•][©•] [©•]	¶.İ ~-”Ž	(€< f¼ € Š /€ Ù)• -Š • ¼ » Â
€	< €-Ä	[©•][©•][©•][©•] [©•]	¶.İ ¾-€~	(Micro) < “ Æ• Š € •ª ••
€	Š • ¾-ĵ	[©•][©•][©•][©•] (¶ “• “ -)[©•]	¶.İ ~-€Ž	Š•
”		[©•][©•][©•][©•]	¶.İ ”-•	³ < €< % f-
”	< €-¾	[©•][©•][©•]	¶.İ ~-¾Ž	(Ó ‘ ž Ù ž€ ŠŠ) Š » Â
”		[©•][©•][©•][©•] (, “ Š † ‡)	•	€© « † / , © / °
¾		[©•][©•][©•]	, £	(©Š - •² ^), È < / • ^
”		[©•][©•][©•][©•] (, <)	¶.İ €-¾	” Š • ĵ
¾		´ •) [©•][©•][©•] (Š † £	¶.İ ”-~	→©†-f ’
>	œ	[©•][©•]	, † “••	Š< - -
~	Š •	[©•][©•]	,	‡ <€ ^

‘ €< • f Ñ «<™ Æ• Š € •ª •• £¢Ÿ

µ€ š š•^ (Micro) < “ ¶

‘	ç ĭ	œ f •,f	€ ‡	...
“ Ÿ , Å° œ [-]	•-ĚÚ	¶.ĭ ” f , Ÿ ’ ™••	ĚK-ĚŽK	
ROI ... © [-]	>-•Ú	¶.ĭ ”-Ě	ĚŽK-ĚŽŽK	š
Ò “† ‘• [“•]	”->Ú	¶.ĭ Ě~-•Ž	ĚŽŽK-ĚM	
† ’ < [Š]	Ě-”Ú	¶.ĭ +•Ž	ĚM+	š

(- ‘)À €< ® €Á Ó š

:“ ’ ¼ € ,f • œ - ^€< Ÿ•- f ~žž Ě Ć -i
µ ŸĚ~-ĚŽ ĭ ‡ ‰ + Ć ™ š Ó ĭ šf “ + , Ÿ ’ ™•• Ě š •
“Â• š ĭ € ” , f š ¶ · - f ĭ ¼” UGC ©† ••
Ć Ě (“•† ’ ‰ ‡) , µ < :
ROI ĭ “ “ ‡ • • ” “ ĭ ‡ :

•ª •• € - € < “-→ ‡

1. (•• ĭ ĭ - ĭ ¼ - ¼” €• ¼f) < • + ž • š< ° à ‰ ĭ :Ó •
2. (“ • ‘ ‡» ‰ Al) š “ < ™š ĭ ‰ „ f
3. Ě ’ + ’ Â š ”
4. š UTM Ó ĭ šf “
5. ĭ ‡ ĭ f CPA- - -µ : -
6. ‡ ^ < ± ĭ ° - ‡ ^ , š “ “ f

- - >-† Ä ç f ù© £¢

(>)À š- > €Á ™ ù©

.¶.ĭ Ě .’ µ ĭ ~ž ’ Ě-žžž :± “
“(ĭ ‡” Òf+ :ä) • à ‰ ~ ž •• Ä
“ š ... Ó ĭ šf ”~Ÿ œ WELCOME25 “
, Ÿ Ě Ě Ć -i - ‡ ‡ ĚŽ

(- ^ B ù© žŸ- >)À, © B Á ™ ù©

Ä. • Ć ¼f , Ÿ - š† Ä Ě : ĭ ‰
¶ , ™•• à + Ć ™ š • ĭ Ć + ... Ě Ć “
“† • f “ “ • ± ĭ ° ž ‰ ... ‡ ‡ “ š Á† • ... f Ů ... Ě ...

, © ù© [„•](Ÿ- >)À Á ™ .œ ù©

Ä. ^œŮ^ € ž- “ š «Á : ĭ ‰

⓪ Î‰ž £ œ... †† ‰ < †°£~ • Ç“
⓪ Ä Ÿ Ó ĭšf Ú£ž -... ¼• ¶ “†< Æ:ž € ‰ † °Ÿ • f
⓪ Ÿ Š ÎŸ Š“ ‰ † ... © : • £•
⓪ (ž “” ...) †¬ Ā - • » -£Î :“ • , <• ... È ...
⓪ Š“ ^ ‘ ~ » ‰ € “ •• =Š“ † °ž € ‰ :Å >š^

(€ •†-<<)À €- ^£”-š^Á™Ÿ ù©

. †, € Ú”ž .’ ... È ... fŒ
⓪ Ó ĭšf Ú”ž Ä “•€• † Æ ‘†
⓪ ©• f „ ¼• µ
⓪ , -¼• à ‰ <•^ ‘ †
⓪ Î‰ œÄ “•“ § † £ ªÆ ••

(-•• - ©•^)À- ² Á™¤ ù©

⓪ , Ÿ “ “ £ - < †...•
⓪ (•• ß“ß ... f ©•) “ < € “ , “ † † Ê
⓪ Ó ĭšf µ » ‰

(£Ê)À -f - Á™œ ù©

⓪ ’ Â “ ¶ - Ä †§ †

(- €<£^¤)À ±† Á™£ ù©

⓪ ¼“ † (Ú~ž :~ < -Ú>ž :¾ < -Ú¾ž :£ <) † <• † ¾ Ó ĭšf

(©ª <)À£€ < † Ç Á™¥ ù©

⓪ Ó ĭšf Ú£ž Š“† ¼• - , • f ~ž ± ¼•
⓪ , • ¼• ‘ † ... f

(¤ > š)À €< > ‰ † ^Á™¾ ù©

⓪ (†¬/Š •†/ †)É¤ < • £
⓪ ž “ f Ó ĭšf -...• ÌŸ < -, Ÿ ‘ : •
⓪ •f » ‰ - § f Ì ‰ “ Ä • ž “ f Ù f :-©† f ° «

¿ † š£™ Æ• Š-£ Š ££œ

-	•	ÄÉ
Ì Ä £ + µ ‰	ÄŠ • < Æ + ‘™•• ,	(š £ Ÿ) - “ -^ - ±• >•• - <š^
• ‰	Š ^	(£²) >¬† f£-

-	•	ÅÉ
μ ¼/ì Ÿ-f	Ú~ “	(Œ² ¢) ›-† fℓ-
• ¼	Äì f •Æ	(Œ² ¥) ›-† fℓ-
ì Ÿ-f+ • ¼	ÄéŠ“ Ö , Ü Æ	(š ℓ î•) «ℓ- “
ì Ÿ-f+ μ ¼	Ä ¼ † œ Š •< • Æ	(Œ² ¢)- < [„•]
• ¼	...• © • ¼+ “ “ » ¼	›- š ℓ î•žœ< ³< † [„•]
	€™ “ “ ...•	(±† Å) «ℓ- “
• ¼	Ú”Ž •Ä< Ó i šf	(š ℓ ¾•) Š•“ Š”

.“† Š n8n ¶ ¢ ©

† € ¬-Œ© « Ó Š £¢£

Ⓢ (¨†š ††¨) “ ¼¨ Ä ´• œ Š š´š Ä€ ¨ | ¨Æ » †:(Anchor) ¼• Œ© «
Ⓢ • , AOV Ó i šf ÚŒ~ f ¾ | :Æ• - ^
Ⓢ ŒÖ> è AOV : ¼ ℓ- ℓ Š
Ⓢ ÚŒ~ “ ~-ÚŒŽ “ ¾-Ú~ “ ” : ©È~ š Ä •
Ⓢ Ú”~< •Ž< “¼ - » ÚŒŽ š< >~< “¼ μ “ • : € ¬-Œ© «
Ⓢ . | ° † “ “ Ó i šf .(“ • † “† μ<) ¢ Ó i šf :,- f

£¢¥ CRM Š” ¬•^® ^ (RFM)

•-«	Ä ¢	® ^
¼• š -“ f Ó i šf -VIP	μ< ¼- •- š “ š	•«
< • • †	• “ š	ℓ< †
€ • © • ¼-Ö †	- š “ š	® ^¬
•Ä< ...È	† š -È š †¨	“ ℓ<
Ö Ó i šf μ†f ... š^	Š“ š† ¨ - š	Š•“
“ Ÿ ±“ 1 ° ´•	š • Ó i šf ´•	Ä • ¶ℓš†

š « < † “¼ • a “ » ¼ • ¨ “ † f • , ^ . •• ž “ f ù f ... :ℓ Å É
š<
.“ “† f • “Ä• “ š ¥ †- Äp © f“ ^ ℓ< < “

(Œ ^ € š^š ” ^)- “ š ¬ ^È ’ š È £¢¾

œ- š	±•²
¨”> <	¿ š< š
, ©f ¼+< • ¼ £¼/ ¼ª/ ´ È f	- ℓ
-° • š • ¼	¼fℓ

«€– š		±•²
(UGC Ø ²f- a †) Ü “ + “ † • ‘ † † • f ¶ -š“ “ †		—•^ š ^
€ • • , Ÿ -< Å		² °
(“ •< †) Ðš • ©		• €<€“ <
- ¾ < • ½		È• Ý

., Ÿ Å - f = “ “ † Ÿ ‘ • • î £ €š ¶ : šš

— • ^— ^š € f f í “ † ™ —†€<€ † < £¢î

, «€–” f	í “ †
< Å ... Ÿ† • ÚĂž <	š ž € •
Ú€Ó” <	— Ĩ
Ú€~ < » †	AOV
, • f ¾žž ,	CAC
¾ <	ROAS
Ú€” ,	² ° Ĩ
• ” €~ ,	š” Ü š
“ €ž < »	• © ^ € < °
Ÿ • † † £½	€

. “• ì Ÿ-f < É ¢ • † š µ Ă

À š € <Á ™ »— —• ^ š• ^ €š ^£¢ •

: • , , • < , •< ’ ¬ “< £ “

1. ... f † š ³ • š ĩ “ • , ^ , Ÿ -• ¼f æ + ³ < , ° ~ † ” ´ f , È

2. , “ † - † š - a ½ † €• Á • æ ³ < ³ † ” € ¢ © > <

3. ” ´ f , “ È ... f † š ³“ < • • ... • -½ / ì Ÿ-f š Ā æ €< ¢ °

KPI , a « ” • — —

fš ‡ © ¥¢

— © ^ « ° “	‘ ” -f	›š ^	š ‡
¼□” ĚŽ “ TMf - - •	! S < TMf	Ä-É <	• š ‡
’ TM•• ~Ž “ S € ”	MVP Š Ÿ	¾Ž-• <	š ‡
S ì f-! É‰ ’ TM•• ‘	, • f f •	ĲŽ-¾É <	š ‡
’ ... È - •• •Ž-’ TM•• ¾ŽŽ	“	•Ž-ĲÉ <	Ÿ š ‡
• » -€ “ f¥ ‡ »	< ©	É”Ž-•É <	¤ š ‡
B2B- , •• Š Ÿ -€ • Ĭ	„ ••	É•Ž-É”É <	œ š ‡

(¥ š €) • ^ TM • š ‡

④ .com + .ir • | ° “ † ì † , ¼□”
④ | S ‰ - ‘ -! œ (,) cPanel ‡ ^ , | “ S
④ • ‡ AI f • œ (¹ S) cPanel ‰• Š f | “ S
④ CPU/RAM Ó• -SSH - • ” ~ Node.js 20+- Cron :! < < ‡ » ‰ “ âf
④ , Ÿ SSL + (, Ÿ ...-‰) , ^ CDN < ’ ¼
④) deploy-mizbanfa.yml < Š ĵ <) CI/CD + ! Ä , š• < “ ‡ Š
④ ’ ¼ ” “ • f Ž •• f œ < ” € – “ VPS ´ f [Ó” f]
④ AI ’ TMf | Éf AgentRouter Ø f
④ API ... f î Š + | ‡ | S
④ (, ° ... -! ‡ , ¬ , a) Ð É < “ ^
④ | ‡ -! ‰ - Ä : TM |
④ Š î• Š “ ... •âf ¾ È š ‡
.“ ’ < .“ • Ä ¾ < -“ Ä :š ‡ ’ €

(Ÿ• ¾š €) › ‰ ‡ ‡ MVP™ š ‡

š•f

④ É ... - | ‡ -RTL Next.js | -
④ (• “) ¶ ©• Š ’ “•
④ ’ TM•• • ĵ¢ - | É - -¢ • ĵ¢
④ MeiliSearch Â É

Ÿ Š•f

```
Ⓜ) app/lib/auth.ts< Š i < )      Ě £° - £f-“ Š “
Ⓜ, Relay Ÿ ¬< ( ' ‰... < ) ‘      Š Ā ‘ ™f
Ⓜ’      μ Ě š ‡ -’      ••
Ⓜ      • - μ i -’ ™••:... • € ‰
Ⓜ Ÿ      μ i “ âf: • ‰
```

▣ Š•f

```
Ⓜ |      | °-      • ‘      - ¢ ™§ ° -... ‡ “-„ f -• Š :      • ¶ • i ¢
Ⓜ (œ “ )      Ě £°... • + “      ¢ fæ •      [ ©•]
Ⓜ      Ě £° (“ f Û f -, < -“”) ž € ‰
Ⓜ (      | £f ) ‘      ‘ ™•• ~ž
Ⓜ GSC -      -sitemap-robots: ‰
Ⓜ      f ¼” μ i | £f
      .“ |      , ^ Š ™•• -      , “ “‡ β i ‡ : š ‡ ™ ¬ € ¢
```

š ‡ „• [„•] (£• Ÿ š €) € ™ š ‡

æ Š•f

```
Ⓜ BullMQ Ó ¢ + POST /api/ingest/photos endpoint
Ⓜ (... ‘ æ £•... fÁ ) < • ‰ » Ÿ
Ⓜ MinIO-ž • f -      “ a - μ - • < ‘ ‰ ± Ĥ° : ™f μ < ‰
```

£ Š•f

```
Ⓜ JSON ‘ ™•• Āp Ô š•f:Vision ‘ Í•
Ⓜ -FAQ - •-É Ê f -, :AgentRouter ‘ ™•• •• “ f
Ⓜ € Ā Ā Ò ‰ + ‘ “ + ‘ ™•• S | S
Ⓜ PWA Š “ € • -Ĥ^
```

¥ Š•f

```
Ⓜ Ò •      ‡ + ‡ “ a ...•È f •
Ⓜ X-¶ ‰ ^-Ě f -| ‰ socialPoster ¼ f
Ⓜ □§ | “• “      “ , •< • ‡ Ó ¢
Ⓜ ì Ÿ-f “ âf      REVIEW | °
```

¾ Š•f

```
Ⓜ ‘ Đ “ ¾+      ‘      (Canvas) Ā •      “‡ :cPanel < æ ¢ “ f •
Ⓜ • < ‘ ‰ ± Ĥ° -° • ,      ... ‡ ‡ ‰ ± i      , S “ f
```

Ⓢ(' + Ö†) †< ••... , ½ ‰

Ⓢ(n8n" -º •) lib/workflows/ “ ¶ ¢ œ , • f ' ¿

Ⓢ... • € ‰ , • f

• „ ‰ † • • ¾ÖE> » Š ¾“ † Ef: š ‡ Œ ¬ € ¢

(Î• £ š €) –†€™ Ÿ š ‡

Ⓢ(“ • , • f , a † Á , °)“ ¾žž f '™••Š †

Ⓢ(E ‘ È “ ¾ <) Ö† •••ž

Ⓢ-¢ § Pillar •i ¢ À

Ⓢ(‰ ~ž-¾žž) E ,

Ⓢ£ ¢ -i - ††Ež+ < “†Š ... È

Ⓢì† - -Ë f '™f

Ⓢì Ÿ-f † μ AI ¶ †^a

Ⓢ•£•ŠĂ •f (Ÿ ‰) †

ⓈŠ“ “ Ò Ă

• †Ă “ < "-žžž- ~žžž-Š• μ † E"ž:Ÿ š ‡ <-² "-f

(• Î š €) š ••^™ ▯ š ‡

Ⓢ ÎĂž -, † - f ^ „ “ ,:(EE “)³< €™ • [©•]

Ⓢ ¢“ “†^a VPS , -“ ' ¼ Ă œ("“) ~ ^ † €³ • ^ š€

Ⓢ(Hotjar/Clarity) •†Ă Ó "€-•f

ⓈA/B Ef •i ¢ -“ § -'™•• •i ¢: † Ef

Ⓢ(Ă •-º) ¼" • „ Ă ¢ f ©

Ⓢ+Lighthouse •~ f † < ©

Ⓢ(-¢ •i ¢ <™š)'™•• ¢ f f •

ⓈE šE† , ••Š Ÿ

ⓈÐ "À f ¢“ Ð " μ £Ă

Ⓢ('•E š † - ») AI < ©

“ ‰ '™•• , Ă“ “ < ÚE~ -ÚEž < •-Ú" ÚEÖ" < €“ f ¥ †: "-f

(¾• š €) †™œ š ‡

Ⓢ † -‰ † " B2B š“ € ‰

Ⓢ Ĩ €§ ... †† ‰ œ(Š“ + ••) React Native € • Ĩ

ⓈĂ -™ ‘ Æ ž

Ⓢ(f “ Ă ´ •) Docker VPS €• ¶ ©•œ Ÿ ~ ^ † €³ • ^ š€

Ⓢ(ž ¢™§ °€• † VPS “ •< †- §)¾É▯ ... †† ‰

Ⓢ (“ Ā ‘ -‰ ‡ • ™f Ā) Ā“ “ a
Ⓢ (PR - • p‰ ••) ¾ ” ,
Ⓢ “ -™ Ō ... Ė

š € „ ¥¢

‰ °	€ ~	š	® ‡
æ	€ <	‡ ¨ ì f	(©†)– ±• – / ’
AI Agent < “ ° f	€ <	‡ ¨ ì f	Full-stack ›→f < Ç
Ā • ÚĂž ¶ ‡ a	”ž <	‡ ¨ ì f	š” š”
, • f € ” β	”~ <	‡ ¨ ì ” š ‰	→^ š ^ €
AI •žÚ	€~ <	ŠÍ ‰	š• – / š²
š ‡• [-]	æ	‡ £ ‡ ì < , [š]	– ‡ –
š ĂžÚ	›~ <	‡ • ••	•†€
AI + Đ ”	~ <	ŠÍ ‰	€ ‡ -

æ ‡ Š• , • f , – • Ěžž “ ° ¢ ... • Š €« • © • Ÿ - ì < , ‡ ‡ • , ¼• f - ¼• ...
: šš
.“ • Ă Ě ŠÍ ‰ ... ‡ a ,

¥¢Ÿ KPI ›š^ ’ š• ^ ‘

›	£ ›	Ÿ ›	›	í “ ‡
”-žžž	•žž	¾žž	~ž	– Ç† – ±•
•žž	›žž	€”ž	”ž	f ĺ €•
€-›žž	Ă”ž	”€ž	¾ž	(»•) f ĺ ‡
”žž-žžž	žž-žžž	€~žžž	”-žžž	€ f – <š^
›~Ú	¾žÚ	€~Ú	~Ú	’ -€ ”•
žž-žžž	”ž-žžž	~žžž	€-žžž	• -š • € ‡
”~žžž	•-žžž	”-žžž	›žž	• ‰ β²
”ŌžÚ	”Ú	€Ō~Ú	€Ú	– Ĩ
ĂÚ	•Ú	€”Ú	€~Ú	² ° Ĩ
›žÚ	”~Ú	€žÚ	æ	›– ‡€ š š”
¾~	¾ž	”ž	~	š €€ < “ €
ì /”	ì /”	ì /~	ì /”ž	š• ^ € €²

(Operating Rhythm) € ¥¢¤

° “	• -α / °	›ℓ <
< ì “” ¾	ì Ÿ-f s •	• ‘ î š €
f «†¢	•• •† -Ó ¼Ê/ f £Š KPI- ~ •	•† %Š•f
“ s μ i	” • <	%Š•f <
“¼ Š• Ô ™šf	™f -CAC/LTV - • •	f
€™ ••†	• -“¼ €™ ...• - þf <	±†

(„ %^€ ” °€ ¶) ©Š• ¤ s† à | ¥¢æ

%”	€-”f ”	¤ s†
REVIEW ° - Ÿ i i Ā † †	i • • -€• ¼f	→ - ¤• ^ š•
Š“ ... •âf < † † i ’	i • Ø† -, •	-† ^ , ¤•
“ , ì Ÿ • < - Ø• < ì Ÿ	μ i •	(< ° , ℓ †)Æ•f ©f < °
Š , < ’ “• - » - † < Ó•	, Ë £•f ¢	< † iℓ “ - Š• š AI • ,f
“ μ € ” s“ < : , †”	Š“•†¬†, < ¾Š•	ℓ † ° ^ℓ, ^ ℓ , ©
μ Ú>Ž < » † ¬ :±“	’ † < μ •ŽÚ	• -š • ^ %š ^
† •Š ì Ÿ < ì “š + , • f	, š	’ -< †

%š%ž”„—

š<€f—œ•†¼¢

.•ì<,(“”)¡š<-°•ì“<‘...“•,•†Ä-°•Æ,

œ†<<	~	»€ž	—	š<
•š-¡ššš-‘-¡	€	[f°]	()‡^, cPanelœf	œ“š
•†+AI f•	€	[f°]	(i€“)‰•š f cPanelœf	œ“š
(,Ÿ...~š) îš„+WAF+¡	€	[f°]	CDN , ^	œ“š
.ir	€	[f°]	.com+.ir •	œ“š
¡<¹šİ	€	[,]	İ á	œ“š
“ ’¼•fž••”´•	”	[´•]	VPS Ÿ“†) a)	œ“š
€•¶©•	¼	[´•]	VPS -¢ + Docker	œ“š
-••-...•Ê-’™••ÉÊf-...•	€	[f°]	AgentRouter	AI
“ ‡Ä-¡©“a’“•Ä AgentRouter Ý¬<	€	[f°]	(™fÔš•f) Vision ‘	AI
-...‡•‘	”	[,]	™f»/“f‘	AI
Š“f¢¡	”	[´•]	Speech-to-Text	AI
´€<	€	[f°]	š“^/’</’š...<	œ“<
<“¼	€	[,]	‡•£•šÄ	œ“<
“•<‡	”	[,]	(¡£š)€••¡šš	œ“<
OTP-...Ê-Ÿ	€	[f°]	SMS.ir / •š-•/Ÿ‡š	’
APIŸ	€	[f°]	¡£š/ša/‘Êf	’šÈ
šŸ•	€	[f°]		«
<Â•Ð£•f	€	[f°]	‡Ð£<	«
‡Ê£•f¢	€	[f°]	,#•‡•	«
“š•“[-]	€	[f°]	Bot API ìŸ-f	-†
ž£•¡¢+Business ¡‡<‡	€	[f°]	Graph API ìÄ£	-†
“š•“[-]	€	[,]	Bot API / / -	-†
“š•“[-]	€	[,]	Business API / Green API İ£f	-†
ROI	€	[´•]	API ¡š	-†
‘f	”	[´•]	Data API Êf	-†
Ÿ“	”	[´•]	¶š^	-†
“š•“[-]	€	[´•]	API ...“	-†

œ† ‹‹	~	»€ Ž	—	š ‹
‘ “ “¢	€	[f °]	Google Search Console API	
Á ‘ “	€	[,]	Google Indexing API / IndexNow	
€ -•f	€	[f °]	Google Analytics 4	
,	€	[,]	Google Business Profile	
’ ™•• “	”	[,]	ì† / / Ě f	— œ €
(MySQL FULLTEXT :€‹) Â £	¾	[,]	MeiliSearch	€ , ^
) lib/workflows/ “ :€‹) , £	”	[,]	n8n	€ , ^
Ò ‡•	”	[,]	Uptime Kuma	€ , ^
, Ÿ ½•	€	[´ •]	Microsoft Clarity	€ , ^
§ ‘ , “ œ€ Ě▯	€	[f °]	(-§ “) Fit f •	
, Ÿ - - œ” Ě▯	€	[,]	Canvas/WebGL f ^ “†	
ž ¢ ™§ ° €• ´• [“•]œ¾ Ě▯	¾	[´ •]	(Virtual Try-On (AI ‘	

(‹ ” œ œ - €‹ , - f ™ ©) .env ‡ % ¾¢

```
# #####
NODE_ENV=production
SITE_URL=https://example-shop.ir
SITE_NAME="#####"
TZ=Asia/Tehran

# ##### (##### cPanel ↔ VPS) #####
INFRA_STAGE=1          # 1=cPanel | 2=hybrid | 3=vps
QUEUE_DRIVER=mysql      # mysql | redis
STORAGE_DRIVER=fs       # fs | s3
SEARCH_DRIVER=mysql     # mysql | meili
VIDEO_DRIVER=browser    # browser | cloud | ffmpeg
# ##### = #####

# ##### (##### app/lib/mysql.ts #####) #####
MYSQL_HOST=localhost    # ##### cPanel ##### localhost
MYSQL_PORT=3306
MYSQL_USER=
MYSQL_PASSWORD=
MYSQL_DATABASE=

# ##### ##### (#####) ■
ENGINE_BASE_URL=https://engine.example-shop.com
ENGINE_SHARED_SECRET=

# ##### Redis / ■ (#####) #####
REDIS_URL=

# ##### ■ #####
UPLOAD_DIR=./public/uploads # ##### ■: ##### cPanel
CDN_BASE_URL=https://cdn.example-shop.ir
S3_ENDPOINT=              # ##### ■: MinIO
S3_BUCKET=
S3_ACCESS_KEY=
S3_SECRET_KEY=

# ##### AgentRouter (OpenAI-compatible) #####
OPENAI_BASE_URL=https://agentrouter.org/v1
OPENAI_API_KEY=
OPENAI_MODEL=claude-opus-4-6
AI_MODEL_CHEAP=          # ##### ■: #####
AI_DAILY_BUDGET_USD=5     # ##### ■: #####
AI_CACHE_TTL=86400

# ##### AgentRouter (Anthropic-compatible / Claude Code) ■
# #####: ##### /v1
ANTHROPIC_BASE_URL=https://agentrouter.org
ANTHROPIC_AUTH_TOKEN=
ANTHROPIC_MODEL=claude-opus-4-6

# ##### ■ #####
IMAGE_GEN_PROVIDER=
IMAGE_GEN_API_KEY=
REMBG_MODE=local         # local | api (#####)
VIDEO_CLOUD_API_KEY=     # ##### ■-■: #####
FFMPEG_PATH=             # ##### ■
VIDEO_MUSIC_DIR=./assets/music
```

```

# ##### (#####) #####
TRYON_LEVEL=1 # 1=fit only | 2=avatar | 3=ai photo
TRYON_AVATAR_ASSETS=/assets/avatar
TRYON_AI_ENDPOINT= # #####
TRYON_AI_KEY=
TRYON_PHOTO_RETENTION_HOURS=0 # 0 = ##### (#####)
TRYON_REQUIRE_PARENT_CONSENT=true

# #####
JWT_SECRET=
CRON_SECRET=
ENCRYPTION_KEY= # AES-256 #####
ADMIN_TELEGRAM_CHAT_ID=

# ##### (##### Relay #####) #####
ZARINPAL_MERCHANT_ID=
PAYMENT_CALLBACK_URL=https://example-shop.ir/api/payment/callback
IRAN_RELAY_URL=https://relay.example-shop.ir
IRAN_RELAY_TOKEN=

# #####
SMS_PROVIDER=kavenegar
SMS_API_KEY=
SMS_SENDER=
SMS_TEMPLATE_OTP=
SMS_TEMPLATE_ORDER=

# #####
TIPAX_API_KEY=
POST_API_KEY=

# ##### (##### socialPoster.ts #####)
TELEGRAM_BOT_TOKEN=
TELEGRAM_CHANNEL_ID=
TELEGRAM_UPLOAD_BOT_TOKEN= # ##### (#####)
TELEGRAM_SELLER_GROUP_ID=

INSTAGRAM_ACCESS_TOKEN=
INSTAGRAM_ACCOUNT_ID=
FB_PAGE_ACCESS_TOKEN=
FB_PAGE_ID=

BALE_BOT_TOKEN=
BALE_CHANNEL_ID=
EITAA_BOT_TOKEN=
EITAA_CHANNEL_ID=
RUBIKA_BOT_TOKEN=
RUBIKA_CHANNEL_ID=

WHATSAPP_ACCESS_TOKEN=
WHATSAPP_PHONE_NUMBER_ID=
GREEN_API_INSTANCE_ID=
GREEN_API_TOKEN=

LINKEDIN_ACCESS_TOKEN=
LINKEDIN_COMPANY_ID=

PINTEREST_ACCESS_TOKEN=

```

[illegible]

(ù < € - ^) • š f - Œ - ¾ ¢ ÿ

```
.process.env <  ‡ Ǻ  “ ‡  § • ‘  <  • automation_settings ’ “ :  § - § Ǻ  -¼ Ší Ǻ
:  • ¼ f  • Ǻ ‡ Ǻ ...
```

1. **Содержание** (включая **введение** и **заключение**) – **10**

2. **Содержание**

3. **Содержание**

. -È , “ -” Û € ¼ < Š“ á•• ì Ã £ ... f “+ f • ß f : | •

3/4 endpoint θ $\in \mathbb{R}$ $\in \mathbb{R}$ f)

Ⓢ Ⓜ	
“- , •< - • - ŠŁ†	GET /api/deploy/health
‘ Łf	GET /api/deploy/health?db=1
¼“ • ‡ , “ ’™f Łf	GET /api/admin/integrations-test
Šđf ĄŠ< “† AgentRouter Łf	GET /api/admin/ai-test
, • f -¢	POST /api/ingest/photos
‡< •• “ f	GET /api/cron/daily-content
• ‡ Ó¢ μ< ⅔	GET /api/cron/publish-queue
“ “¢	GET /api/cron/price-watch



.“ • .f ¼• Ì “ , a 3 “ † -“† • † ¼¤” ... ” f . | Ä ™f | £ a£ “ ...

€ Å f„ ©± (Ä

œ ç ž	« • • ”	f • , -	- ö	#
	, • < .com .ir • + ĭ ĭ- f € ” Š f ... f ,	f / Š f ... f , / • •	• “ † ĭ †	A1
	• ½ ĭ + μ ‰ “ ¾ž †	ˆ • / ½ ĭ + † / € • † ½ ĭ	• ’ “ •	A2
	“ ... “ Š f ... •) ’ £” f ” :£ < (<	/ £” -£Ä / ĭ -£” / ” - ĭ / ž -”	± “ Š <	A3
	“ £ ĭ ‰ ĭ Š , •	ĭ ‰ / Š , • / ™ ”	Ò • < ‰ ..	A4
	ĭ Š • ° - † Đ £ < • • °	° / • • °	• • ° Ò š	A5
	† -‰ ” “ € ‰ -> Š • < -	§ / -	B2B μ Š “	A6

• † f„ ©± (°

œ ç ž	« • • ”	f • , -	- ö	#
	, • f “ € , a œ Next.js ‘ ± Š “ TypeScript , • f „ • AI “ “ •	Next.js -¼ •) ¢ ™ §) / Medusa / „ •	Š Ÿ ĭ ĭ -‰	B1
™f [-] “ Ä	+ (§ ‰ +) , • œ cPanel – [-] ž • • ’ • VPS ¾ (’ + AI) Ÿ “ ’ ¼	cPanel / VPS ’ < <	§ <	B2
	’ ™ • • + ¾žž : (” Ò£ » Š ” “) ¾ • ^ Ŀ “ “ † < † † • μ ĭ + £ ~ ž	ž • • ” / £ Š •	¶ © • , • < VPS	B3
	app/lib/mysql.ts MySQL/MariaDB œ , a £ cPanel Š • ^	MySQL (-¼ “ Ä <) / PostgreSQL	‘	B4
	:VPS < ¾ , ^ CDN + £ € :cPanel < MinIO œ • ‰ interface , £	Object , ^ / MinIO / £ € Storage	™f Š § x	B5
	React : ~ < - (... f Á) • ‰ » ^£ + PWA : š † Native	PWA / React Native / ¶ ĭ ĭ Ÿ-f ’ •	Š “ € • ĭ	B6
	FFmpeg ¾ -£ £ -£ + ¾ • Š £ VPS < “ ¼	ž • • € / ‘ / Ä • “ † Ŀ “ f • cPanel	< Ŀ “ f •	B7

AI

f„ ©± (i

Æ ÇŽ	« ..”	– 0	#
	f ...•Ě f , < ’ “•3 .. ’ ™••É Ê f claude-opus-4-6	AgentRouter ... • ’ “•	C1
	... •/Coding AgentRouter³ ĭ< , “ ™f ‘	(‘ / ’ “•) ™f “ f	C2
	’ < %Ž ĭ Ā £ ĀReview£ ĭ ° - -\$ ’ † ĀAuto£ ĭ °	‡ £‡ “ âf É□	C3
	– ... / ‰ £ -Ÿ‡ + -¢	•• , <	C4

(→)

f„ ©± (- i

Æ ÇŽ	« ..”	f • , -	– 0	#
	, “ ÚĚ~ μ < •~Ú æ + • [-] ¢ ™\$ ° £	AR f / ¼+”+£ / ”+£ / £ É□	é ... †‡ ‰ É□ ĭ “ f	V1
	° £ . “ : á ‡@ [“ •] , ^ < • Ž ¢ ™\$	™f “¼ / \$ / -	(Ž ¼” ‘ -‰) ¾ É□ ^ é < •	V2
	Ú•Ž -“ • cPanel - -Á æ 2D , 3D °	2D 3 / , D	é “¼ “¼ f ^	V3
	¥ † , æ (Ó ĭ šf ěŽÚ) Ń ” ^ € š“ “• • € “ f	\$ / “ \$ Ÿ • f	é“ Ž € ‰	V4

„ † ° š‡ <£ • %^ ©† š – ^ ² É (<

1. .(ĭ • , • Ā ěŽ “ “ Š<) š † • “† ĭ ‡
2. .(Ě š ‡ £ “ A/B/C ... ‡ f) Ô ™šf € ” •
3. é ĭ (’ < / ’ ‰... <) ´ Š Ā †¼ “ \$ • • £• Š Ā ^
4. .(ĭ Ā ‡ - ĭ ª ‡ æ □ •• • • ¶ ¢) AgentRouter Ě £ ° API “ -
5. . ‡ ĭ £ Business/Creator ĭ Ā £ (“) “† €™ • “ \$ • -¼ ĭ ‡
6. é ’ “• , Ž ‰ < “ “ Š“ “ f : Š“ ... •âf
7. .SSH • ” à ‰ Cron , • -CPU/RAM Ó• -Node.js š £† - Ÿ , • ...-‰ : “ “ / -¼ ĭ Ÿ ”
¶ ™\$ ••
8. .(, V2 V1 ’ æ) ... †‡ ‰ É□ Š ™f

• • Ā “ Ÿ – (Sprint 0) < - •• ... Û ‰ < “¼



.“† €° €¨ < -“ †< • ... •< ŠÍ % ¼† • fŠ“ † < €¨ “ ...

> % ‚ €< ‘ “

œ ç «	~>€	š” ç« ” €	Ě	#
†“ ŮĚŽŽ [-]	œ cPanel API Token € HTTPS SSH €• ... Ÿ	“ † SSH , ¼•	SSH “† , • <	
†“ ŮĚŽŽ [-]	Ä œ °œ•° < šç •†€ç Ě Ä	, IP throttle •f	, • Ě Ä “ -š	
- š ŮÄŽ [“ •] š †¾žŮ	† -% £• + %•š f €€”š €	App Review + , IP :“ € •• •	API „ ì Ä £ £ †	Ÿ
†“ ŮĚŽŽ [-]	+ ç « fœŮ š +œ•Ě <œ « Self-verify	“ âf €¨ €¨ š < † ... • ´ f	µ Â ^a ™•	▣

€°š . •€ç , † † < •:“† • Ÿ -¾< Ä »š ”-€€••: – ®•^
. ‘ †- €ç † š îŸ . š €€ , - f :|

~ SSH £ š ” •

„•š € ‘ ¶ →f< © SSH ¶ ç

jailed shell , ¼• -“ “ Ä °.“ ±™• • Á •“† f • , a “ • ’ ¼ ß SSH , ¼• |
.“ “† ì< , SSH †ç < • £•-| , “ Ÿ ‘ % . | “••

(-f-^ ° ° - † ž % €)- f ^ š” š € • , - - ç

:“ Ě , • † •%< | Đ f f

œš <••” š	œ “€<
’ • f ´ • -ì “† , < SSH < †.“ ’ ¼ ...• † cPanel Terminal Äð ▣ Ě Ä. € % €š	cPanel “ < Terminal (Ä
Ě public “ - .“ ’ ¼ ...• † (£% †) • “ - < ° SSH Access ▣ Ě Ä.“ • j ì† „ ^ ¶ % . ì š	- ^ SSH (°
Ä.“ ’ ¼ Manage API Tokens » š cPanel API Token š , • ▣ Ě	API Token (i

.“ š ... -“ “ ´ • Ä . | f ©• -¨ < (1) Ä :„• šš

SSH ,% °™ cPanel API Token : ‘ ~>€ çŸ

. SSH ^š -^cPanel API €• HTTPS (•f (”Ž•¾ ¶ ½ SSH “ • ì Â† • œ

œ“

cPanel → Security → Manage API Tokens → Create
■■■■: github-deploy
■■■■■■: Full (■■ ■■■■■ ■■ Fileman + Archive ■■■ ■■■■■ ■■■)
→ ■■■■ ■■ ■■■■■■■■ ■■ ■■■ ■■■■ (■■■ ■■ ■■■ ■■■■ ■■■■ ■■■■■■)

< < † API ^ f€

SSH -< Ç	Endpoint	€
scp	UAPI Fileman::upload_files	‡ <
tar -xzf	UAPI Archive::extract_archive	tar.gz ¡ š
mkdir	UAPI Fileman::mkdir	† œ“
rm	UAPI Fileman::trash_files	‡ “~
touch tmp/restart.txt	tmp/restart.txt ... †	Node ì »€š €
crontab -e	UAPI Cron::add_line	Cron œ -
mysqldump	UAPI Backup::...	- ^š < ì š^
cat	UAPI Fileman::get_file_content	¹, - “

(š <œ) “ † ©

```
# ■■■■ ■■■■■ - ■■■■ ■■■■ ■■■■■■■■ ■■ ■■■■■■■■
curl -sS -H 'Authorization: cpanel USERNAME:APITOKEN' \
  'https://HOST:2083/execute/Fileman/list_files?dir=%2Fhome%2FUSERNAME'

# ■■■■■ ■■■■■
curl -sS -H 'Authorization: cpanel USERNAME:APITOKEN' \
  -F 'dir=/home/USERNAME/incoming' \
  -F 'file-1=@bundle.tar.gz' \
  'https://HOST:2083/execute/Fileman/upload_files'

# ■■■■■■■■ ■■■ ■■■■
curl -sS -H 'Authorization: cpanel USERNAME:APITOKEN' \
  --data-urlencode 'sourcefiles=/home/USERNAME/incoming/bundle.tar.gz' \
  --data-urlencode 'destdir=/home/USERNAME/app' \
  'https://HOST:2083/execute/Archive/extract_archive'
```

PHP Deploy Receiver : š” ~> € ¢

¡ ì<, FTP ´ • .“ • < Ä -È Š“† ÄÆ » † ÎÄ • ¡ ª PHP € -“† “† API Token ° Ä .(“ • ¡)

:µ .¡ £ - •f £ _deploy/receive.php €

1. (>Ž¾ - ¡ á• , “) “ • Â HMAC á• ¡ š

2. Ä • tar.gz €

3. < • -¼ š£† Ĩ

f z € |

€–	•@ š	– ± ‹–Ç	z €
“†• • i™†æ Ó ¼Ê	•¨ Ẽ~->Ž	¾ŽŽŽ+	(Ç†) † ^ †FTP[“]
(ì< SSH) Ė š	•¨ ”->	Ẽ	SSH €rsync [€–” f]
²	ð ¨•-î•		API ^ì š +tar.gz ’ [ħ]

«€ ‹ » • €–« ¶

-½^ ´• tar.gz .| •Ă | ¾ŽŽŽ ¼ € ¾ŽŽŽ .“ handshake “ € - Šâf ½ FTP ’™f

.| Á • ì Â† € ‹ “ €¹ š

©\$ f š ••^ ¢¤

ð	’•\$
îĂ • ì< à ½ ´• Next.js standalone æ Ò•Ẽ Ò••Ž< Â°	š ^š node_modules ”~
Ò•~-" Â°æ“ £ š .f € ´•	(Delta) ” ,† ù<
zstd< š ħ -9 tar -czf	û –~ š >< ”‡
build †°•Ž •¨ ħ<	GitHub Actions ®
, •Ÿ GitHub: “ , •GitHub Ă	€ •² ^%•š f š ù<

– ,^npm Ą f €––† € È - ¢æ

: † ^ æ ¢Ê | ° ´•

```
npm config set registry https://mirror-npm.runflare.com
# ■■
npm config set registry https://registry.npmmirror.com
npm config set strict-ssl false # ■■■ ■■■ ■■■■ ■■■■ ■■■
```

.- ^® €©Ç €‹– Ą ~ . >Ž¾ ... DNS

• €,^ ¢£

:| £ € ... £

® SSH , “ Á -È “- æ.github/workflows/deploy-fast.yml

® API ¹ š -½æ scripts/deploy-via-cpanel-api.sh

® (, •½) PHP Š“† Ăæ _deploy/receive.php

.- € ð î• š ^ | «‹ ¨•-æš ù< š: È š

³ ² £´ API , •Ž £Ž ³\$¢ ” €

.“† • Ā Š Ð-ß -° š” < . , ^ †” ¢ “ | Á†•... fš“ Ü %...

IP:Ä š” Ÿ¢

.“ • , IP< | § •

| -° • ¼• , • ” , • †- • (š i€“) %•š f • † f •.>< Ç «: ~>€
.œ >-† ~ «š -€ •• †... ‘ % . ° ¬ ” “

██████████ (██████)
██████ █████ ████████
██████████

██████████ (██████)
██████ ████████████████████
AgentRouter

██████████
██
██████████

(‘ Ē) š App Review : ° š” Ÿ¢

:š • ... •-Ĭ Ā £ § • † . | | š » š ...

• Ž	š ®
“ † †¢ ™š †	(Business Creator) Professional œ
“ † £% Ž £ Ā Ā °	±š ³ † •• ‘
Business †<	Meta for Developers €< Ĭ
App Review “ •< †	instagram_business_basicš Ē
†Ā “ App Review “ •< †	instagram_business_content_publishš Ē
¢ ™š ° • ¢ - » † Ŀ“ - i > f”	App Review
ž “• Ð£ “ âf	Business Verification

. | API † § ”žž | † œ² ▯ €<œ æ:“ âf< “¼ | “••

— -^— ^ Ç« ’ €[€—” f]

... . Ĩ% † † ž “• • •f€ æ Business Verification < † <€œ §© š - † Ð£
. † š Ā , ^ ŠĬ %€ “ † | ¼” £
.-• € •Ö©f >Ø ž-” € < “ , - f • -š • - „š € É € €©Ç -

€ ”š , €•¶ — : ~>€ Ÿ¢Ÿ

: • “ Ā < § | ¼▯”£ „ ’ †

(- š €š) Ç ´ f -^ž€ < “ ™ . []

œ çž	-
š •^ “ - ĸ Bot API [-]	• %
“•• , “ -Bot API [-]	^
“•• , “ -Bot API [-]	š
“•• , “ -Bot API [-]	š ^ €

:! ... ! Đ f f-“ μ † f “ Š Ā

š	€	• -
• ° ~	“ € “ f (Professional (Business ĩ Ā £ † †	
• ° Ē~	“ €¢ ĩ Ā £ “ < £ Ž £ • i¢	
• ° ¾Ž	“ < £ developers.facebook.com Business ĩ	Ÿ
! Ē	! Š i ‘ ¢ ™\$ ° • i¢	¤
< ° -¾	“ Š Š €• , - £ f ° ~	œ
! Ē	()“ ‘ Ê - » † Ĩ“	£
Ø † i ° ->	instagram_business_content_publish † Š	¥
,“ £ [“•]	Business Verification Ž “•	¼

.«€ < ĸ † → € Ÿ , ^>Ø Ž»- • © €<

(-† «€ App Review -) ,‰ ° f • , - Ÿ¢œ

’ €	œ ,	• , -
! Š , < † Š Š + ,	“† • “ âf , Š	(Bufferĭ Laterĭ Publer) × -
ĭ ¼ f < †	! £ Š- Ê , “ - ‘	Share Extension ^ ^ ĩ
† < • ° Ē	£ , “ - , “ - f € ° [-]	Ÿ , € - «^

.- , > - ^€ ^ˆ f “ ĩ Ā† < • App Review μ † f .“ † “ , ^ “ < £ ¾ , : «« ‘ ‘

Ÿ Ē →ˆĒ©° Ÿ¢£

μ€ < “	-
’ < < ÚēŽŽ [-]	’ Ÿœ žš ^ēžš ž ^ž• ‰
¾ i < ÚēŽŽ [-]	ĭ ž -š• ž» € ž° Ÿœ š•
† £† † ° ”Ž+ Š Ú•~ [,]	• -š •

.œ € < “ € ”š € ^ ĀîŸ~ •¢

•¢ - μ ‰ • ¶ . Ž > , ® ~ • - 1 ” i

→ >«€ “œ š† Ń† €œ•Ē , ¶ ¶ ¢¢

.“ • Ē Š -“ • Ā .→ - ò → ^ € ĸ€ Ēš ĸ < “ “† “ • Ē Š ° | Ā

š« < † Ń† œ•Ē	š« «€ “ œ š† œ•Ē
[-]	-† ^•š, š < € [“]

Š« ‹ † Ñ‡ Œ•È	Š« ‹€ “ Œ §† Œ•È
•† endpoint [-]	→ Œ € ° “ – Š [“]
“ £• ¼□” ´ •• [-]	• ^® ^« ½ × • [“]
Ã • ... ì ½ □§ [-]	→† ^ – ‘ ^ f “ [“]
AGENTS.md É ¢ ... † ” [-]	Œ ŠÈ € ¶ – – [“]

€ • Œ•È € ©Ç Š ¼• □¢

‹€ ‹€ Š ‹ ’ , ¶ ©f™ Š

.“ Ä... – € ½ f£ “ † –

```
npm run setup      # ██████████ █████ ███ ███
npm run dev        # █████ █████
npm run build      # █████
npm run deploy     # █████████ █████ + ███████
npm run verify     # ███ ███████████████████
npm run seed       # █████ ███████
npm run agent:task # █████████ █████████ █████ ███
npm run doctor     # █████ █████████ █████
```

(Self-Verification) – ò - ‹ “™ Š

:“ “ âf -¢ † “† “ -“ • | Â ·f

```
POST ███████ → npm run verify → █████ █████ █████
      ↓ █████
rollback ███████ + █████████ █████
```

Endpoint“ âf :

→ – ò € , ¶ ¶	
¾ • Š£†- Š“†× Ĩ	/api/health
€¢ ‘	/api/health?db=1
Ó¢ - ‹ Š §×-AI: ‘	/api/health?deep=1
“† ... f	/api/admin/integrations-test
AgentRouter Šâf + “ • Û ½	/api/admin/ai-test

(AGENTS.md) Œ•È ‹ ‹€ «™ Ÿ Š

:“ † a “ a “ Ä • | Â Ší ½ • €

```
##
- app/ lib/ components/ docs/
- migration db/migrations/
- npm run verify

## ( )
- .env
- migration
- production
-
-
-

##
- PR npm run verify
-
-
-
```

(Deterministic) Ç « × • ™ ▣ Š

```
.nvmrc      → Node
package-lock.json →
db/migrations/ →
docs/RUNBOOK.md →
scripts/doctor.sh →
```

† × – “ ^ « Ä â Ä ‘ ™ œ Š
:“ Š Đ ” Ó ² -“ “ É Ê f

```
# tasks/T-042.yml
id: T-042
title:
priority: high
files:
- app/(shop)/products/[slug]/page.tsx
- lib/tryon/fit-engine.ts
acceptance:
- «»
-
- npm run verify
- Lighthouse
forbidden:
- products
```

→ ¶ ž→ ¶ Ć•È :€ „ | ¢Ÿ

×!‡[“]	-f< • È Ć•È [ʹ]
• “ Š	- € ŠŠ•€ Š†
‡ ‡” ž “• °	— ^Š < migration Ć“
¶ , ™•• ” ©‡ “ âf	” ù Š• —
‡ Š	Ć ° Ć“
production ©‡ -È	staging ^ ù <
Š“ ... •âf Š î•	š •• ^ ¹ ^Ě‡€

×!‡[“]	-f< • È Æ•È [ʹ]
‡f™f	» -•Š Š†
•• “ Ù Š	¿ Š,- ><< •

(„• € ˘) •© f €<€ - ¢¢¢

: ¼” •• ¼” ’ Š ŠÍ Š ... , a

Š ><	€<€ -
< ° ’ - • Š • † ¶ -	(Dry-run) ’ ” “ Æ ~
‡< • Š Ñ “° - ‡< AI Ñ “°	” ± Ä!
“ • Ó” • a AUTOMATION_MODE=PAUSE	, «-
° • † • - ” .f	^ ~ 1,
rollback -“ • ” -È < “¼ health check Ä	€ < “ Æ” -Š ^
staging < “ †• production “ ‘	× • Š -°
“‡ ‡ È £° S Š Ä Ä Ä	Š < -^

Æ•È ^ € “ ¶ ¢¢

```
■) ■■■: «■■■ ■■■ ■■ ■■■» (■■ ■■ ■■■■ task)
  ↓
■) ■■■■: ■■■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■
  ↓
■) ■■■■: ■■ ■■■■■■■■ ■■ ■■ ■■■■ ■■■
  ↓
■) ■■■■: npm run verify – ■■■■ ■■ ■■■■■■
  ↓
■) ■■■■: ■■■■■■ ■■■ staging + health check
  ↓
■) ■■■: ■■■■ ■■■■■■■■ ■■■■ ■■■■■■
  ↓
■) ■■■■■■ ■■■ production + ■■■■■■ ■■■■■■
  ↓
■) ■■■ ■■■■ ■■ → rollback ■■■■■■
```

§ ^ ‡ :•> ™¢ ,

: ¼¤” ... -Š Ÿ “ ´ S ° ... ‡< € ”

Í ” fÆ§ ™ Š €

🔗 Terminal- SSH -(€ |) API Token | § : , • | f

🔗 (PHP cPanel Terminal Ÿ ↵) | scripts/diagnose-host.sh

🔗 CPU | “••- | -È | Ä -Node Š£†:à ‡ | °

SSH -^ ù < ™ š €

Ⓢ Fileman::list_files | £f (“† Ä) API Token | §
Ⓢ | £f FTP _deploy/receive.php -‰^:“† “† Ä
Ⓢ Š € • •< -È ...

œ² ® È• ™ Ÿ š €

Ⓢ (†°•ž <:±“) “ “ μ -È , •< ÄŠ< “†
Ⓢ § health check | £f
Ⓢ § rollback | £f

€ ” š € ‰• š f ™ ¢ š €

Ⓢ Ÿ | < “†Š /“ §
Ⓢ Ÿ < AgentRouter | £f
Ⓢ Ÿ < graph.facebook.com | £f

‚ f- ™ œ š €

Ⓢ ¼” • † | £f ì Ÿ-f ¶ | §
Ⓢ | £f - - - ¶ | §
Ⓢ • ‰ € ‰ | £f

• - š • ™ £ š €

Ⓢ ž £ • ¡ ¢ ’ ™f + Business | † € “ f
Ⓢ Meta for Developers Ĩ | §
Ⓢ | £f (€ < “ ©) Ÿ ‚ < Š ‰
Ⓢ (Ó” f , “ - < •) App Review “ ^

œ•È œ“ š ™ ¥ š €

Ⓢ RUNBOOK.md AGENTS.md ... †
Ⓢ npm run doctor npm run verify | §
Ⓢ staging ´ •• < “†Š
Ⓢ • ” “ - € Ä Ø f

• ›→• < - È ´ f -^™ < † ... † ›‰† † ° žš €¥ š -Ÿ~

• • ~§ ™ [,]

~> € š -Ç^œ Ç Ž	Ë
€• ... Ÿ cPanel API - £ † ì<, † œ -† ~ [-]	. SSH
• ¨ >Ž † ° • Ž³ † € œ Ë Ā Ā æ -† ~ [-]	° f œ - → .
†< • ¨ Ē ì Ā £ - § • † • Ā Ů æ -† œ - [,]	Ÿ. API • - š •
€ Ā ¼• , ~ æ -† ~ [-]	² • ± ¿ f œ • Ē . ▯

. s ä á† < † ´ • • @ª “† • € ° † • ’ f .-Š (blocker) >-• < - Ē ž<€ € • ¶ š
• - ´ f
.œ >-† i€ “ >Ø • ^ š -¾ , ° ⇐ | • App Review -Š“† • ¨ £ © f