

BUSINESS PLAN

cPanel

€• , • f „ ... ††^ %

Š< €•Ž Š ••‡ ‘ ’ “ ”• - +•~ŽŽ TMTM Šf “ €€

€>Ž~ • œ ‡ • • • “



€• • , • f , - •	€ □•†	, f „… • † f ‘
†‡ ^ … ††^ ‰ •¥ †	% ₀₀ ……~ !S < † •	€…+ ‡< S ••

: , < ” | £† -¢ f @ª | , † ž ž ‰ TMTMŠf † ŠŸ < “†Š €• « ¬-“ …

Ⓢ. “† … , ž ‰ ŠŸ — •fæž f ^
Ⓢ. • • • ’† ĚŽ | ’ TM•• †° •Ž ± 2 3“ •Š ‘ “ a ´ • Š“ :
Ⓢ. † £† † , “ - TMTMŠf •• < æ TM• µ •• “ f f •
Ⓢ. • ¶ · - f , ¹ S - ! S < • æ VPS -^o • “ cPanel € • , f „ … †

Š<Æ •Ž •

1	¢†S
2	…-‰ ‘ æ Ě » Š
3	¼•æ” » Š
4	, • f … , ½ ‰ æ ¾ » Š
5	„ … ††^ ‰ æ > » Š
6	æ ~ » Š
7	æ ĺ » Š
8	“ ¶ · - f æ À » Š
9	KPI Š ••†æ• » Š
10	“ – ‘ æ • » Š
11	< TMTMf æ ĚŽ » Š



cPanel € • , f „ œ | , † ž ž Š Ÿ < “ Š € • « ¬ ... - ...
: f .VPS Á “ f “ £ • († ^ , + % • Š f)
 (¶ • - ' - - | S % Š Â) , € S μ
 (EE “ œ “ f ... f © •) ... • - |
 Ä - f | £ % ' ™ • • ' Â € • , • f
 (£ “ - ... • Ç - ' ™ • • È É f - • • “ f) ™ • μ f • , **AgentRouter** Ê £ ° < Š j
 - È Â £ / ... “ / / - / È Ÿ - f S • † £ - , S S) ehsansalehi.ir Š | • “ Á / < Š j <
(, • /cPanel - Ç - ... • € % - ž • f

< • ☒ • †

... ž	†
£ - • ' “ • - Í Â “ “ • ^ ' “ • - < : ... -	01-business-plan.md
Î - • - - , , + Hostinger ¼ •	02-technical-architecture.md
Ä £ “ + £ % + ' ™ • • Š ‘ “ a Ä f • f ... ½ % : Š % Ĩ -	03-automation-pipeline.md
£ “ £ % Ÿ - • • • f - ... -	04-social-media-plan.md
PR < - ' - • • - ' f	05-seo-backlink.md
“ - , • • Š Ÿ - CRM - £ £ - i - f • - f ... Ç	06-ads-and-growth.md
“ • - KPI - f - < £ • ž f ž Š • • †	07-roadmap-and-kpi.md
' ™ f £ f - env € - “ - - ' € • £	08-integrations-and-env.md
, • f + Š Ÿ ‘ © • %	09-data-model.sql
¼ ¢ “ < € “ < ™ f	10-decisions-and-questions.md
(< Š % È ¢ >) ... • - „ ... † ^ % [© •]	11-virtual-tryon.md

(TL;DR) • • ‘ ’ ‘ “

. È ž “ © † Ê Š † œ (Ä “ • † † Ä - Ä % f Ä - Ä Kidsly / < “ Ä † © •) Š f ... f , / † - “ † : < • • ” € •
- ¢ f • , ' † + f / , © f Š “ “ f < Ñ Ç Î + (Light Stock) † + ... † † Š Ÿ : —
f
: • , f „ ~ ™ ☒ “ Š

AI f • ³ | S % Š Â () † ^ , ‘ | œ cPanel ´ • : (> € < € , f œ • • ~ ž Ÿ - >) ~
 . È Â £ AgentRouter , a (i £ “) % • Š f • †
 (.... Ÿ £ “ “ † ´ • a VPS + cPanel , : (> € < ¢ œ ~ ž £ - ¢ >) ~

🔗.Docker VPS €• ¶ ©•:(+¥›) Ÿ ~

• • .f´• €° •... ¶ ©• ‘‰-(Á £ € -Ò¢ , £ interface) • †€“ šš ¡š ’ < < “
.Next.js + MySQL + AgentRouter : . £ † †-¡ □ ••

.¡ š“ Š •^ £•... ¼ œ • , • cPanel , °... ehsansalehi.ir -¼ Šì ‰: šš
É , “ cPanel , “† • -¡ †• (ž f ^)” È□ (“ ¢ f)ÈÈ□ :

.“ •

“ • -‰€‰/€ • î ’ ™••< È \$ ‘ • f¾´• š“ :“-f

ⓔ) ÍÂ¡ ¨(>- š“ È É f , “ f (Al-¾ /Ñ† / „ † Ó š•f(” - ™f < “† •< ‘ ‰
± Í°

, < (Reels/Shorts) š f ¨“ ¡ \$ (À- Ñ • +...•Ç ¡ \$ (¿-¡ ’ ™•• ¡ \$ (~- ©• ‰
µ Â Ô, ¡ °(•-¶ ‰^ - ‘ f È f -¡ ‰-€ª î £f - - - -È Ÿ-f-È Â £ • † “ , •<(• - ‘
., £† ¡ \$, “ †°•ž <: £•€ . -

“ ‰ » œœ “° Ê † -cPanel £• œ £ , • f , -•”ž f ~~: •© š- >€ • ,f
., • f , -•Ė• “° AOV š• µ ¡ ¾~ž ... Ÿ† • ~ f¾š•: •© ^ ¡ .(£ “ €• ’ “)“ •

. † < < È†¼ < €¨³¡ < ’“• šf ... “

(Deliverables)ª€ ^« f †

ˆ€	€ †	†
-¡ © - ¢ ™ \$ “- -...ª¡ œ ’ ^ž’ † ž€-^ª€ îªš •^ - f / “	PDF ~• •¡¢ A4	pdf.■■■■-■■■■-■■■■■■-■■■-■■■■■■
ÄPDF š ŠÖÂ³ • -•¼f ¼ □•	HTML ... † ^ € f	PLAN.html
¡ Â “ š£† »	Markdown	*.md
MySQL/MariaDB • £•	SQL	09-data-model.sql

<• ® š - f ° “ - š^

```
pip install markdown reportlab arabic-reshaper python-bidi
python3 scripts/build-kidswear-plan.py # → PLAN.html
python3 scripts/build-kidswear-pdf.py # → PDF
```

Ÿ € ‘‰- • < \$ €\$ ¨ docs/kidswear/assets/fonts/ ... • < † †
.“† •š » † ¡ † † Ÿ ™† , “



Š — ‘ “ €

: “ | £† -€ f ©ª , † ž ž ‰ TMTMŠf † ŠŸ

1. • • ‘ † • | ‘ TMTM•• ×• f Â • ‘ TMTM••È \$ ‘ Š“ ×• < : - ±• € ”Š
€²

.“† • , •<< ¾ f£ , ¼• † “ ., £† | \$, “ œ †°•Ž< - •

2. AI f • - † •‰∅ ‰ ° Šf £“ -...•Ç - TMTMŠf Ô† - -’ TMTM••È É f : AI-native Š•
(AgentRouter) □- “ ĚŽ •• Á° i € † ••“ f ¼“† • “ f.

3. ‰Â Ĩ f . | • Š -ž ž ‰...†† μ ... fÔ : [©•]→©† f , ©•f£+
“† • ÙÀ < | ¼ € Ò”Ž~< •¥†-Ă • +... / , < /“” „ Â € fÂ Ăž f ^ ... ††
(££ “) <£- £ < ³ † >‰† †´ f | £< . • , f € “ f¥†

4. (, •+ Ÿ) cPanel | -| \$ < ... Ÿ ÍÂ • : ~ -†£ •, f” ... †
Š“ ° ¬ ¶ ©•... ‘ < < “ œ • ¶ ©• VPS f Ĩ £ “ ” ´ •
.(“ “)

μ ° ³< ³ † ¶ €

• ž	²
(, LTV) Â • \$ \$ •• • Ú μ Š•¿ f > ž	, ^- “ € \$
, \$ f“ •¹ \$ f ° Ò ...“	Š© Š©«€ ~
, • f € “ Š“† f ...Ç , £ f -“-“ -(“• •Â<) ©•	•^® ^« < ^ ±†
-\$ Ě Â £ , ž ¥† i¬ ••= „ + Ò	¬ Š•
ž ‰ Š \$ \$ <... fÔ < ž ž ‰ < ³’ £• < , ¼ Ò”~ “°	¹£,^£Š^
€ “½ Î † ³ “† ...Ÿ • < †	< £

„• ~ £Š^ f<£<

© TMTf \$ < “† [-] • Â £ ŠŸ , Ÿ † | i ‘ [\$]
© “ Â € f+ ‘ “ [-] a ‰ ‘ Ò” ¶ †¬ † [\$]
© Î £f -Ě Ÿ-f-| AI ”>/Â ¶ | a [-] | “ Â∅ ‰ [\$]
© Š< Â | •Â< +€•• | \$ ‰+ [-] | \$ ‰ Ě“ [\$]
© (-€ f) ³< £ £ [-] Ă† Š \$ •Ě Ò ...f † †Â [\$]
© ©f Ýf [-] €Â Â f < Š © | , “ • Â £ ŠŸ [\$]

(° ¶£ ¶) «£ • €Ÿ

„ • ‡ ‡	» « †	©	š <
Š“ † ‰ † - ¼” , “ - TMTMšf p Áf	- × f	Ě† -, Á	¹Ě,^ f ¯ œ ě
, † ‰ - f-Ô ¼É ... ††	¼ “†	† Š Á† “†	³ ě ³ † f- ^
... - Ě - , “ - , “ - † , “	Ê s † ‰ - a	ß ‰ ,	-š • f¼
, • f , “ -Ô ¼É ••-... ‰ †	“† †	† “¢	f>‰† ‡

.Ă ... àf œ“ • , •†, f“†< ...f „ -“ s< €” , ž ž ‰ Š Ÿ © fÂ: ” š

š” ¢

: -¢ p“p .’ ¼ Ě Ÿ-f Ě Â Ě . “† à° “ s †” . • > Ů • ž ½†€< ž ŸŸž,, ™
., Ÿ † •Â< + :€ “ f.Ă • ‡Â Ů „ Â +Ě Â Ě Ä-f:ÊÍ .Ă † ‘ ‰ “ š s ‡µ Â
a ‰ ‘ ... ©Â:€Â Â Â Á Ě .‡ “© a ‰ „ Ě° - Ů ... š •†ž€>š €< ž ¼ž © ™
.€•• † s ‰+ <• ••:€ “ f.‡ ‰+Ô† :ÊÍ .Ă < ‡ „
.“† f ‘ f - :ÊÍ .“ • † s ‰ •-“ • Ê š ‡ “• , ‡.ž •• Â ™f ě€< + ¢ ° ™ Ÿ
.“ Â€ ¶ ×†:€ “ f
. ‡ -‰ † ‰ Š“ € ‰:€ “ f.ŠŸ• ‡-B2B Ě Ÿ-f-... “ :ÊÍ . f~žž f~ž “ s (B2B) • ’ ^/ ě ‡-©² ™ ¢

— ě< — ¢œ

• ž	- “-f „•	- ě< °
-¢ Ě	ÀžŮ	B2C>< “ ě ‡
Í ‰ » ‰ , Á° °	”žŮ	B2B>-©² ě ‡
Š“† f “•^ œ ž Ĩ • „ Ě €™	~Ů	À ±† ¯ ^³ š†
(< Ê -» †)€ • “† Ô† f• -f à µ	~Ů	ě ‡€< €s@f » Â / ©

€ ¬-œ© «

®.Š“ Ă ¼ •Ă- š s ĂĚ• ¢œĂ:±“ Ó s† °
®X Ă, • fX , , Ÿ ’ Â - f¼ † (Bundle) < Ě -(•ž •žž s) s , ÍÂ‡ ‰:‡
. • × f AOV Ě>’ ¼•
® © • ‰ -™ » • + (Ě† /Ê f î) ‰ † “¢ +” s † ‰ < © • ‰ † “Al: s ÍÂ‡ ‰ f •
.“ • “ áf ´ • Š“ -“ •

(ě•) š- >€ • , f ěš“ ¢Ě

. ¼¢” † ‰ ‡- < ’“• œ , • f , -• šf Ă •
. ‡ “ s ’ š• VPS ¯ ¼ œ (“ “)- >-† • À- cPanelÁ ^ f ě• ©f

(© ° •) C € •	(> - † ') B € •	(°) A € •	Ä ¢ €
¾	"	È	.com + .ir • ¢
È"	À	>	(,) cPanel ‡ ^, œ f
•	~	¾	(,) cPanel ‰• Š f œ f
•	¾	(, Ÿ) Ž	CDN € ^
~	¾	¾	Š Š• Å Š ° + ¢ ©•
¾	"	È	Š - > € œ " ¢ > - € ¢
" ~	ÈŽ	>	(± + AI (AgentRouter € Š²
È•Ž	ÀŽ	" ~	, ¢ °
> ~	È•	~	Æ• - ^ Š²
ÀŽ	"•	(, f S) Ž	+ + œ Ç
ÈĲŽ	~Ž	ÈŽ	- > Ÿ » Â ° ¢ ^
" "	ÈŽ	>	' Š È - ^ Š ^
• Ž	¾Ž	•	Ä œ É Š ~ > " Ê
~£	~ Ÿ¾	~œœ	È©°

.(DevOps < ‡ ‡ + † Š <) - - € ¢ Ÿ£ < - ~ :- Š € Š VPS ^ ^ € ¢ cPanel ° ‡ '

.“ • “ ‰ » , • f , - • ÈÀŽ f ÈŽ “° † B -“ È Á† † Á ... , f Š ¼ f Â

(B € •) f € ° f • , f ¢¥

VPS (+¥ >) Ÿ ~	- f (£-¤ >) ~	cPanel (Ÿ- >) ~	Ä ¢ €
¾	ÈŒ~	ŽŒ~	(ì Š^ + CDN + œ f) œ " Š
~	¾	"	ª_ / ± f ^ AI € Š²
> Ž	" ~	È~	(¢ª •• + Ĳ + • - Š •) » Â
È>	À	¾	- € » , - ^ Š ^
> ~	" ~	È"	
•	>	"	> - € ¢ ¢, € « • Š
~ œ	~£œœœ	~Ÿ¤œœ	f È©°

. ^ • - ¾ Š • ~ Š • < ¢•†-... œ † - " « ¬ Ä± • f ' Š •

(B € •) - - • ^ ® ¢¾

.È" Š • ù"ŒĲ ¾ Š • ùÈŒ• † € " f ¥ ‡ - ù~Ž Ó Š ‡ ° -, • f , - • AOV = ÈŒ• : Ú

Ç@È	Í “ š/ç	€ ° • ,f	Í “ ç	(».) Í “ ç ‡	ç € •	›
âÊ”	âÊ”	¾Ž	€•	¾ç	”Ž	
+À	+€•	¾~	~>	ÊŽ•	çŽ	
+Àç	+ç•	¾•	ÊŽ•	”Êç	€”Ž	Ÿ
+€•¾	+ÊŽÀ	~~	€ç”	¾”>	€•Ž	¤
+¾>¾	+ÊçŽ	ç~	””~	>~Ž	”~Ž	œ
+ç”¾	+”•Ž	•Ž	¾çŽ	À”Ž	>ŽŽ	(• /-²) £
+•”Ê	+€••	•Ž	”••	~Àç	¾”Ž	¥
+ÊŽ~Ž	+””•	•~	¾”>	ç>•	¾çŽ	¾
+Ê-¾”•	+”À•	ÊŽŽ	¾À•	À~ç	>”Ž	î
+Ê-ç~Ž	+¾””	ÊÊŽ	>¾”	•ç>	>•Ž	•
+”-ÊŽŽ	+>~Ž	Ê¾~	~•~	Ê-ÊÀŽ	ç~Ž	(-)
+”-çç~	+~ç~	Ê~~	À”Ž	Ê->>Ž	•ŽŽ	(-²)

(¾ ” -° •) | Š ç •f ã •À >Š• μ ¾.~Š• “°:(Ÿ¾) ÇÊ”-š^.”Š•: ©² ^

³| † •- † μ Š ““ Š f ,^€”< “^ “ •ä i/ ” ´• œ | Ê“š .“ Ÿ ×† f... ¾Ù>Ž † × ••

—• — —° „•™ (Unit Economics) < ±Š« —~ ¢Î

”-f	Í “ †
¶.Ê Ê•	AOV (ç €• % ç Š€)
, • f •ŽŽ ~ŽÙ	Í “ † ~
, • f ”~Ž <	CAC (Š” °¬° • ,f)
Ù>Ž ,	› £ €ç Š” ÇÊ”-š^ Ĩ
¶.Ê ç ,	LTV › ¾€ç
(¾ <: •”) > ,	LTV/CAC Ç
(... †† ¾) ÙÀ <	² ° Ĩ
’™•• , Â“ “ < Ù¾~ ,	š >ç •Š Ĩ
”Ù+	ÇÊ — Ĩ
Ù>~ ,	(>)’ -€ ’ ‡ ”•

« » , ¢•

1. ŠÂ³ †Š •£• † |Š ¾ŠÂ ,^, “ | • † ŠŸ œ(Š ŠŠ <©Š² <©) <©• -Ã•Š Â¶•i¢ -' €•€”“°- Ê••= • •: “-´ .“†Š i €” , “ ’ ¾... <“†•´ • < | °†¢ “ áf -| | ° < -, ¶™Š•• | ” ±i ¹ -Ã¶ •• ...† ”Ã-Ã• „ fÂ

2. . <Á• ĨÉ •f < š š• Å š °

3. . < ‘ ſſ † •É•ŠÅ ”< (ſſ “^/’ </’ ſſ... <) ´ ŠÅ ē< :œ“ < > -ē<

4. Š µ< ¶ •- † ÊÉ•f ¢ “¢ -, å• † • Ě†| °: »

5. . † Â •´ ± j 1 -š“ ± ™• ± ™† Ü°: ’ šš »ēÈ «

6. •†| É “ ž ’“•Êš† |É† • a , ¼•ž ž ſſ ¾´ É Üα• •• ™f: š• • ,
 . Å

® f ^ f ’ € ¢

® f ^	ð	-@š~	’ €
-š ’† - -š CDN -, ^ šÉ†:“ ¼• , •ſſ ’† , (/ / -)	† •	,	© ^œ š• œ < -• / ¢ «
(, ••šŸ /€ /SMS) •• É •+’† f	´ •	,	• % /• -š • -† š †
• - “ s † < -š“ ...•áf “ “	,	,	šē ¶ē œ© «
• † Ü “ Š< “† ’ “ -...f ē“ - Â ¢ f	,	´ •	, É “ ^< š ² °
• † ¥ † - •• î -, •ſſ †	´ •	´ •	• -š • œ Ñ ¢
, ¼• •† (, Ÿ f) •• f	´ •	´ •	» Â CAC ® ,†
-¢ š“ ...•áf¾€ “ “°	,	´ •	»•• ò ’ ^%š ^
-š < € “ †< î + † Relay •	,	´ •	IP ^Hostinger ¯ Ě «

»- -•^ -†ē / i “ ó š ¢

Ă, •f f •Å É :¾’ (, •f f • , Ÿ š“ µ íſ)ž ™™šf ‘ -ſſ | • € “ f:” ’
 .| µ € “ ’ ™•• µ š -“ < • , f š † . † šŸ SaaS ’ ™•• ,



ÀVPS–Ç^žcPanel – Á :>–†Ô ‘ „ ©± ¢•

: • ° ▯ ▯ ¼•.Æ < ^ -- Œ •,fž- > €< VPS ^... †œ“ Â • †

. ¶ ©• VPS “ < † †” -- š^ –^ - (, •+ Ÿ) cPanel †

£ † •“ ▯ ’ < < ¼.(‡ § << €• £• ¼•) Infrastructure-Agnostic Design : Ë †-€ ¢

...
. £ †< †-“ ▯ •• . • .f ^ • ‡ § <

µÆ Æ €< „ ©± ¶

• Ž	<
cPanel , • f ~žž-”žž~ • VPS ~Œ~¾ , - •	•,f
“ § • <“†Š < “ a VPSœ ‡ , ‡ Ĩ •• -“ • µ ‡ < •	... †Æ²
‡ £ †€• £ ‡ “% - Ĩ - ‡ • -Docker ‡ “• < †	DevOps –^
“ ¹ § ‡ § < “¼ -“ • ’ ™•• “ ‡ ° ’	-- » ¢
‡ a † • É - † ’“• Â	„ ’ €

[¶]-€< «š ^È


• § • † -Next.js standalone- MySQL œÆ ° –~€< † ^, cPanel € , ©f ehsansalehi.ir

Š Ĩ

HOSTNAME € ¢) µ Š“ § ¶ † •• °.“ “ » •^ †-‡ >–†>< š £• ... ¼ . cron -

.‡ “ £• docs/mizbanfa-fast-deploy.md “ Š €° (standalone

(Phase-Gated Infrastructure) ~ € ©Ç ¢



:“ “¼ -° • “ • ” œ (Trigger) ‡ € ³ •

3 •	~ ^	~ Š
μ i €Ž< » - • “••È “• CPU - § £“ “† < † -'™••¾ŽŽ< » : ... < Š•	“	
¾È□ ... †† ¼ < † - † • μ i ~ŽŽ< » -'™•••ŽŽ< »	VPS €•	Ÿ

“ „ - f 1 S ' % , ^ . “ ‡ | S < 1 S ' % -Š“ • ‡ ' 1/4 ž • • “ f : É «

(Y ›) cPanel € , ¶ ©f™ ~ ¢

☞ $f \in C^{\infty}$ „!

¶	Ɔ f	®
” - ‡ - S % Š Â - .ir • ‡ ¼a” ,	() ‡ ^,	• + ^ Š < + > % † ‡ ‘ Ɔ
IP < Ê f % -Ë Ÿ-f -Ë Â £ -AgentRouter “† “£• ,	(i£ “) % Š f	² ©Š° f S † £ ”Š + AI + €

... | ... • » : | € € Ñ • | « « “ £ • / ...

[illegible]

μ , 11 - € cPanel € , 11

Ⓒ Ⓢ Ⓜ	µcPanel Ⓛ	Ⓒ ^Ⓜ
“ µ Áf œ cPanel Node.js App	- [-]	Next.js › %† ‡
cPanel “‡	- [-]	MySQL

œ† ‹‹	µcPanel €	œ ^«
Sharp/Jimp cPanel “ ... Ÿ ‘ 3“ •	ă ° - [-]	(³€ ž ĸ ^ž • š ¯ ¯¬~) ± ĸ š ‹
! HTTP request ´ •	) - [-] (Ÿ	AgentRouter “ ‡
“ • ... , ° ... -¼ “	- [-]	² ©š° f s † € ”š
cPanel Cron Jobs æ “ µ Áf	- [-]	Cron
“‡ -(Â •) - !	- [-]	.
• ¨ ~ MySQL + Cron ´ “ • Ò ¢ : ,% °	‡ , ¼• [“ •]	Redis / ‡ ~ Ä ‘
Next.js + Cron , “ ¶ ¢ : ,% °	‡ [S]	n8n
¢¤ ® ^€ ‹ f ,% °	‡ , ¼• [S]	FFmpeg ^ º_ €- €
CDN + ! £ à : ,% °	‡ [S]	MinIO
MySQL FULLTEXT (! ´ ¯™•• [žžžž ‹) : ,% °	‡ [S]	MeiliSearch
VPS ‹	‡ [S]	(AI) Ÿ •

(Graceful Degradation) →©† f f ,% °

: - € ,% ° - ! £ ‡ cPanel - ¨ æ ! ¼• » Š ... f ©• ...

œ • œ‡	cPanel ,% °	‘ œ ^«
´ ¨ € ¨æ ‡ • ¨ ~ Šáf	• ¨ MySQL + Cron ~ job_queue ´ “	Redis + BullMQ
·f -ĸ ‹ ‡	TypeScript Ü¤ • , lib/workflows/ ´ !•	n8n
à ! “•	+CDN ,^ - , ^ public/uploads/	MinIO
†• ´-p f Ò ¼É Á £	MySQL FULLTEXT + ´ “	MeiliSearch
€“ ‹	(“Ŧ> » š) , ‹ / , Ÿ ´	FFmpeg
, , , “	Node.js App • £• cPanel	Docker

‹ Š ½ ´ • “ VPS ¨ ‘½-(lib/queue/index.ts †b•)– - € « § interface ´ œ” f ,% ° ©f
.“ • Š j ,^ ‹ “ ‡- • Ú

~ ‹••” œ f

‹••” » ± ”	€
+Node.js 20 ‡ •½-NVMe - à ~GB €” “° -, Node/ „ • !	‡ ^,
Business Web Hosting Cloud Startup (‡ •½ Node.js- cron- SSH)	%• š f
(— ... , •½) .com +(, • - -¢) .ir	• ‹
! - (½ , Ÿ ...½) , ^	CDN
(cPanel Let's Encrypt) , Ÿ	SSL

:“ Ÿ “ áf ... , • Ÿ ‹ -“ š ‹ € ”: ~ šš

Ⓜ f, "Ž Š £† Node.js † •½
Ⓜ • " ~ -¢ Cron Job , •
Ⓜ (æ -ç) SSH
Ⓜ (| ©• ™f μ < ½) | “•ª CPU/RAM | “••

(£ ¨ ›) – f ™ ~ ¢Ÿ

: • É ½• f€ ´ • (KVM 2 Hostinger KVM 1) ª VPS -“ ’ ¼ ž •• “
Ⓜ FFmpeg £“ “†
Ⓜ Š † ™f μ < ½
Ⓜ n8n Š“ Ű ½
Ⓜ Redis ¼“ Ò ¢

. • † § API | Ā Ā Ā ´ • VPS .“ † • • cPanel € •Œ©f ‘ |
• ± ¬ ... Ÿ | “•• • É Š• , •~ ´ • : | •

cPanel š † € < ª – ~ › > € ¢¤

: Ā - | £ † „ , ¼• | FFmpeg , ª

‘	œ •	• ,f	• , -
£ < [-]	Ê §	, Ÿ	(< • € <) ^€ œ© Canvas + WebCodecs ^£–£ ™ -£ £ < ª – (Ä
"-£ < [-]		£“ ~-"Ž~	£–£ ^ – (°
" < [-]	"•• †	Š • / , ¿~	£–£ ‘ ±š“ ’ ¶ VPS (i
¤É ´ •	. •	, Ÿ	^ ^ š < ª – (<

Ā -" -º • , “ ç •• -("† • “† £“ “ • < € ½ < ... •) “ Ò Ā £ < : < ••”
.1

€ “ cPanel , Sharp “ < £ (GIF/WebP “ †) ³ •š – §² € - £“ : ðø € ^ › < , ½ °
• %f , •f Ě Ÿ-f Ě Ā £ . | “ f

(+¥ ›) VPS ™ Ÿ ~ ¢œ

: | , • f , - • ~žž~ , † • “ ^ “ ¶ ° Ĩ £ “
Ⓜ Hostinger VPS KVM 2 KVM 4 Docker + Coolify
Ⓜ Next.js- MySQL- Redis- MinIO- MeiliSearch- n8n- FFmpeg : ‘

Ⓜ cPanel • € “ f Ā , • Ĥ Ā ,
) .æ • ,æ •) | , • f KVM 2 | Š • , ”¿ f ¿ô~ “º Ÿ VPS | “
.“ ... © † | ½ (Ń † • - ‘ -VPS (Docker Compose ¼• €• ¶ £

(~ © f € < £ ^ D) € , ‡ • ' Š £

🏠	📄 📑	📁
auth- db- socialPoster- watermark- i18n “ æ ehsansalehi.ir • • £• § < € ”	Next.js (App Router)	³ € „ ‡
,	TypeScript	^§
RTL-first - ,	Tailwind + Framer Motion	UI
£ cPanel - § • ^ app/lib/mysql.ts	MySQL / MariaDB	— ^§ ‹
, £ interface • ¶	MySQL table (“¼ Redis)	Ä ‘
, £ interface • ¶	(MinIO “¼) £ €	‡ › “Ê
, £ interface • ¶	MySQL FULLTEXT (“¼ MeiliSearch)	ÈŠ °
- •• -... • Ç - ’ ™ •• È É f -... •	AgentRouter	AI €
“ •	Canvas/WebGL -	
deploy-mizbanfa.yml ÿ ,	GitHub Actions SSH/FTP	€ §

AgentRouter ^ - ± ¢¥

AgentRouter $\hat{A}_k$ | 0 :

```
# ■■■■ OpenAI-compatible – ■■■■ ■■ ■■■■ ■■■■ ■■ ■■ ■■■■ openai ■■■■■■ ■■■■■■
OPENAI_BASE_URL=https://agentrouter.org/v1
OPENAI_API_KEY=<AgentRouter API Key>
OPENAI_MODEL=claude-opus-4-6

# ■■■■ Anthropic-compatible – ■■■■ Claude Code CLI (■■■■ /v1)
ANTHROPIC_BASE_URL=https://agentrouter.org
ANTHROPIC_AUTH_TOKEN=<AgentRouter API Key>
ANTHROPIC_MODEL=claude-opus-4-6
```

```

- "OpenAI-compatible" | 0 " /v1 - Claude Code | 0 Base URL " • " âf AgentRouter ¶ " £ •

```

```
... • “ ·f , “ AgentRouter ’ TMf æ “† § • OPENAI_MODEL OPENAI_BASE_URL , , ... -¼ Šl ¼:° “
“
· |
```

. < † † Â “ ‘ £“ ™f » /“ f .! – § AgentRouter :„• §\$ [€–” f]
 Fallback - † „ ’ “• Ê § † : - , ^< AI † § lib/ai/provider.ts ’ ì • : € ° ... , § ,
 . Ô , † < ± ™• Ò• -(Ù>Ž f ») f Ø ¼ » - §

ì -^ † € Š“ ¢¾

```
app/
  (shop)/
    page.tsx
    products/[slug]/
    category/[...slug]/
    cart/ checkout/ track/
    blog/[slug]/
    try-on/
    size-guide/
  (seller)/
    upload/
    products/ orders/ stats/
  (admin)/
    automation/ social/ seo/ ads/ inventory/ video-render/
  api/
    ai/ ingest/photos/ products/ orders/ payment/
    tryon/
    social/publish/ cron/ webhooks/
lib/
  ai/
  media/
  queue/
  storage/
  search/
  social/ seo/ commerce/ tryon/ db/
```

.“ • , “ cPanel VPS ¶ ©• “ £ , lib/ Š ½

œ • ĆÎ

Ⓜ HTTPS • “ + + WAF , ^

Ⓜ SSH < “••-“ - cPanel

Ⓜ .env ´• œ | Â “ - —

Ⓜ RBAC owner/admin/seller/support/viewer » •†

Ⓜ (AES-256) ‘ ... f Ÿ† •

Ⓜ Rate limit API ... Â, •

Ⓜ • † • - | “ .f £ ° Ô,

Ⓜ • † Š Š Œ Â Ž ‘ : (œ “) ³ < ‘ ± “ „ ~

Ⓜ † • < | £ f ³ à Ÿ i - Š -† † -cPanel † < :[E-”-¾ Â

< § ©² Ć •

. LCP ^ € Ð Ćœ Š : ± “

Ⓜ ISR ’ ™ •• ¶ • i Ć

Ⓜ †, ¬ CDN » - -WebP/AVIF ™ f

Ⓜ font-display: swap -•• | †

Ⓜ JS €~Ž < KB ... †† % | † Ć• ³ dynamic import (ÍÂ “ - “ ´•)

Ⓜ (“ loading.tsx Skeleton Ÿ) ¶ • i Ć

Ⓜ CI -

(œ Š• Ć «)€ Å • - ^ Ć

Š“†< Š Ÿ -€- ... † † ¼¤” ‘ ‰ -œ œ f €- š €š ‘ œ :’ -cPanel ¼• Ô † • .“† • •

„Š € Š†€	œ ÇŽ	.
’ ¼ a		[] ,
“† • • Ò ¢ “ • Šáf † † ‰/Ë Â £ † † ´ • ³“ • €• µ † †	€- ... “	[× š] €š
< Š“ “ f » ‰< ••³Ö” • Š AI³¹ ¼ / / - - • ‰- † Š ‰- † • • •	€- ... €• æ¤”	[~] , “

.“ † † Š -Š ’ † - ¼¤” f“ Ÿ† Ò ¢ Š • ^ ••< À • : š• † ^).æ •)“†Š f „ ĭ f • † † “ “ † “• Š † †

µ< † ><•š š ^ © †š Ç†>Ø š , ¶ ¶ ¢

--° ><•š	Ç†- Ø / †
• Ú ...•Ç ĭ ” ´• œ † “ a • † £	app/lib/socialPoster.ts
B2B ’ †	app/lib/linkedinPoster.ts
’ ™•• ‘ “† Ž • f	app/lib/watermark.ts
env “ fallback ‘ ,	app/lib/db/index.ts+app/lib/mysql.ts
€ ‰ † × •• † < °	middleware.ts+app/lib/auth.ts
€ ‰< “ - † “ automation_settings ’ “	app/api/admin/automation/route.ts
’ ™f † • † † £f	app/api/admin/integrations-test/route.ts
CRON_SECRET cron Ÿ	app/api/cron/*
•• µ ¶ † a	app/components/AiChatbot.tsx
† <“ a	+RTL app/lib/i18n.ts
“ Š €° † ” cPanel -Ç [-]	docs/mizbanfa-fast-deploy.md
Š • ^ CI/CD ´ Š	.github/workflows/deploy-mizbanfa.yml

.œ >-†>< š cPanel € >< «š - -‘€œ• ¢•< -~: È š

(Ÿ ~) VPS € ©Ç » º ° ™ œ


```
services:
  app:          # Next.js standalone
  worker:       # BullMQ: image, video, publish, try-on
  mysql:
  redis:
  minio:
  meilisearch:
  n8n:
  caddy:        # reverse proxy + TLS ████████
  uptime-kuma:
  backup:       # mysqldump + rclone
```

Å •	» ± ”	Hostinger
worker ” -º •) Ě“ “†)	-” “º	KVM 1™ vCPU / 8GB
’™ •• •ŽŽ~ f -¾ -º •	Š“ ¢ f	KVM 2™ vCPU / ¾GB
Al ½ + , •< “†	..	KVM 4™ 8 vCPU / 8GB
‘ -½ •	Ô „ ••	KVM 8™ ¾ vCPU / Ÿ GB

Ž > œ • ” € — —

: -¢ \$. | Šİ ‰ İ - ” “ ...

Š | ’ ™ • • -€ • ... • -‰ ° Š Œ • € ‰ f • | Š ‘ f “ a ´ • Š “ Å Å. • | £ ‰

f ‰ Š î — × “ : > ‰ Ÿ¢•

[■] ██████████ → [■] ████████████████████ → [■] █████ ██████████ AI → [■] ████████████████████
↓
[■] █████ ██████████ ██████████ → [■] ████████████████████ ██████████ → [■] █████ ██████████
↓
[■] ████████████████████ ████████████████████ → [■] █████ ████████████████████ ████████████████████

.Review | ° “ áf - ³Auto | ° ¡¢ : € “ ¢ . • † f -‰ ^ < † ° • Ž f ĺ Ž : ” - f š

(< €) - §² < € ™ > ‰ Š

.POST /api/ingest/photos : “ • “ ° endpoint 3 “ • Ê š † f | ° Ē “ Š “

(š † ž > - † ‘) ^ A ™ PWA

:(seller)/upload • ¡¢ . € • † “ İ ™ † Ê î

Ⓢ (‘ • f - f “ a) Å ... Ê š † Ÿ ‘ Å Œ

Ⓢ (Canvas - • • Ó š • f) Å | f ™ f Å / Å | † Å “ • + “ † • Ê : Š “ † <

Ⓢ f ¢ | - • “¼ f - “ \$ | ” : \$ “ -

Ⓢ “ • \$ “¼ - “ æ ¢ ” | † Â œ (Service Worker) ... † ^ Ò ¢ • < ‘ ‰ -‰ ^

Ⓢ Å [-] “ • • ’ ™ • • Å : Â • Ò f †³ “ † Ÿ — Š “ - -‰ ^ < “¼

(š > < ^ Ē) • ‰ » ^ € ™ B

... , ½ ‰ , ¶ . 12 : ██████████ 850 : ██████████ 120 € ¢ • Š š ... • ¢ - “ • Ē Ÿ - f ¶ / Š Â € \$ ‘ Š “ trigger “ † Â • ’ ™ • • “ • .

. “ † Ē < , < • ^ — Š “ “ • < ” : “ < £ — £ • ...

ì š § < ° • ™ C

Drag & Drop ¶ , ™ • • Š † € £ -‰ ^ + f “ a .

š ‘ € † < <

, € “ f ... • Speech-to-Text -(Å • ~ Ž | ” - » ‘ - Ē ” f ĺ - † £ ‰ ... - Å † ¢ •) ¶ ¢ Š “

Â

context AI • , Ÿ • a § | i • Š .

(€ < “) ± š <€ – š š ™ > %Š

:Sharp + rembg worker

» @²	~
(EXIF) § » § a Ó š • f	
“† Ñ† “ i • < ‘ ℓ (rembg / u2net) • < ‘ ℓ ± Í °	
, £ ° Šì , ... a • “ μ	Ÿ
§ ‘ †, - † < † ¢	¤
† • ...ℓ † ± Í °	œ
(- /) 1080×1920 -(£ ℓ £) 1080×1350 -(£) 600×600 -(Â) 1200×1200 -(Ë <) 2000×2000 : “ a §	£
) app/lib/watermark.ts < Š i <) “† Ò ² ž • f	¥
+ CDN< ³ VPS: MinIO) public/uploads :cPanel <) Š šŎ à -ℓ^ WebP + AVIF € “ f	¼
Š“ < “Á• ‘ § ~ž <³(žž-ž) i < •	î
(i ¢ : É) tryon_assets § šŎ - Ÿ ä • † ” -° • § , œ ” • † , - [©•]	•

Â %f . < £ € Ò , ™f -... • < Š ‘ < œ ™f AI ‘ Ä ’ “ • /... † • Á ‘ “ f : (š †) € Š “
! €
(AgentRouter < “ ™f ‘ < †) . € “ f ¥ †

(AI (Vision ^ – ± • ³ € < ™ Ÿ > %Š

: “† Â • § JSON “ • ‘ (Vision) © “ a ’ “.

```
{
  "category": "■■■■■", // ■■■■■|■■■■■|■■■■■■|■■■■■|■■|■■■■■|...
  "gender": "■■■■■", // ■■■■■|■■■■■■■|■■■■■■■
  "age_group": "■ ■■ ■■ ■■",
  "colors": ["■■■■■■■■", "■■■ ■■■■"],
  "pattern": "■■■■■",
  "fabric_guess": "■■■ ■■■■■",
  "season": "■■■■■ ■■■■■",
  "style_tags": ["■■■■■", "■■■■■■", "■■■■■"],
  "occasions": ["■■■■■", "■■■■■"],
  "features": ["■■■■■■■■", "■■■ ■■", "■■■■ ■■■■"],
  "quality_flags": [], // ■■■■ "■■■■■ ■■■" | "■■■ ■■■■■"
  "confidence": 0.93
}
```

: © ©Š ŒÙ

The `confidence` field is a float value between 0 and 1, representing the model's confidence in the prediction. A value of 1.0 indicates high confidence, while a value of 0.0 indicates low confidence. The `confidence` field is only present in the JSON output if the model's confidence is greater than 0.5.

• Š Ò f ‡ Š“ • ã < “ • < ‡ Å Ò ¢ ' TM • • confidence < 0.7 Å

€ ¬-© « » < Š •½™ ▣ > %Š

Ė•	»««
KID-{cat}-{gender}-{yymm}-{seq}: §“ f	SKU
Š“ Š Ó š•f... + “‡ Ĩ ”«	, – —°
™ » • + (Ė† /Ê f î) ” ”“¢ + Ĩ É è“ § ”	« ••” ©«
Ú » ½ Š“ <	, ’ §• ^ < °
< ... šf	š – € •,f
§ § Ÿ‡	© –^ š <
Šì “ – ~ + -¢ Šì “ – :(~ “) SEO ’ ì • <	»∅ –

.(| | " • , £ ‡ - " • © • % Al : € ¢) | Š " ' f override € " • © ‡ | "

Œ € < - ± • Œ“ ™ œ > %‰Š

Al " • " f ... > ¾ Š Ÿ £ :

④ $\tilde{A}' \quad E'' \quad f \quad \zeta \quad \alpha \quad \mu \quad \wedge \quad ' \quad " \quad \bullet \quad \gg \quad \ddagger \quad \pounds \quad \% \quad \dots \quad - \quad \text{\AA} \quad : \quad (\quad \sim \check{Z} - \check{\zeta} \check{Z}) \quad \gg - \dagger \quad \bullet^2$

® (' ™ • • ¶ ' § ") , • Ž

© | ¨ • ž a _ £ “©Ÿ† ¶ ‡ - _™ a ¨ • - a % ‘ o - ‘ :(- ¾žž-~žž) . ž

$$\mathbb{R}(\cdot \rightarrow f) \sim f \text{ - } 0 \in \cdot \in \wedge$$

® " ù § ‹ š š š

© (€Â Â | Ç — œ ' å >) FAQ – ± • ‘ ±Š“

Alt text

FAQPage + AggregateRating + Offer + Product : JSON-LD © §

® Slug — ₣- € ₣

/ Indexing API) €Â Â • μ ½• | - • < MeiliSearch ‘ “ - • § products ‘ Ç
IndexNow) • Š < Ñ %.

- ù•~ , ! Â ³ • •• • | » œ •‡ • • , £ È É f ' ™•• Â : - - © °-Ž «
• Â • Ë Á‡ “ f<

² ©Š° f § † Š• – ™ £ › %Š

: • “ f (, £ Ć †) ›-† ^ •• -' †

'•	ÆŠ” f	”Ù – É	œ †	-
/	f ℓ~ -”~	' ´ s ž - ℓ~ž-¾žž	™f ~-¾ €	œ • - š •
œ	ℓž-ℓ~	CTA + Š f	† ° ℓ~ -À ℓ“	, € • - š •
• £•	œ	- ℓ	+ ℓ•”žðℓž•ž	€ š • - š •
' ™•• • £•	~ - •	¾žž-ĭžž	HTML ...•Ć + ‘	• ‰
• £•	¾-~	”žž->žž	Š ...•Ć + ‘	š ^ € / š / ^
	œ	ℓ~ž	š f ...• + ‘	•¶ ì
(“ <) • £•	••Šì “ -	£ -Ÿ†+ È É f	”:¾ ™f	œ š•
¶ • É f	~	È É f + ,	ℓ“	¬ € † °
	Ñf	,	ℓ“	» €
Š“ • ĭ Ć	¾-~	›žž-•žž	B2B ...• + ™f	-š•
	¾	”žž	...• + ™f	(X) ¬ š

: ”Ù «

Ⓢ (ĭ ¬ š• - “ -' å) ž = ' ´ s

Ⓢ Ā ... Å : Ó š•• CTA •

Ⓢ “ ^/ „ f Š + “† à•

Ⓢ Emoji ĭ f ¾) ’ ¾ •)

Ⓢ • š ª ¶ Ć (< ĭ - £ •• - † - š - Ć :...• ~) ...• f œ ’ ™•• f ...•Ć Â

:• - š • ”Ù © œÙ

```
#####
#####: #####
####: {rotating_tone}
#####
#####
#####
#####: #####
#####
```

(Reels/Shorts) € < “ › ª_ – ™ ¥ › ‰Š

.Ā • ĭ £‰ ℓ“ °Å: š

FFmpeg ĭ cPanel ĭ £ † „ , ¼•: :(→) œ“ š ~ ^ ‰Š ^ [ℓ-” f]

ª_ ℓ \$ f ℓ	œ“ š ~
, •f Ē Ÿ-f Ē Â £ “ • cPanel œ Sharp (WebP/GIF “ †) ³ •š € (Ò (ℓ“ ĭ ”ž-~) “† ‘ (¹ ¾...• € ‰ Canvas/WebCodecs Â • “† (Ē ³ %f	(cPanel) ~
FFmpeg VPS , Ÿ “••†œ “† Ć ™ š ª	(- f) ~
FFmpeg < • Ò Ć €•	(VPS) Ÿ ~

.“† • • , £ “ • œ “ ’ ¼ £•Ë “ “ • ... ¼f .env VIDEO_DRIVER • •

:“ • « (¾ ” -^o •) €• ¼• < ¶ • É f

(Template Engine) >< ^a— f %

Å •	€ Š“	Å «
f ’ ™••	Ken Burns < • + ™f ... • + ‘ >	showcase
™ Í	Š“ € ‘ Ë § ‘	before-after
< • ^	’ “ ...• †	size-guide
AOV »	(Ã!... Å) € • ’ ™•• ¾	carousel-3
... Ç	“¼ /€ ” ” + f	sale-countdown
Ë Â £ “† f	æ ...• † f + “ † • ‘ † ... • + ‘	ugc-style
€• ¼f	ÃéÑ‡ Ë “ Å -• ¼f	story-poll

€—€ , Ú

■■■■■■■■ ■■■■■■■■■ + ■■■ AI + ■■■■■ ■■■■■■■ + ■■■■
↓ FFmpeg (zoompan, drawtext, xfade, aformat)
■■■■ ■■■■x■■■■ ■■fps ■-■■ ■■■■■ H.264, <8MB
↓
■■■■■■■■ ■■■■■ ■■■■-■■■ (■■■ ■■■■ ■■■■■■■■■ ■■■■ ■■■ ■■■■■■■■■)

| ° Î § €§ “† f < • < Ë Â £ æ (royalty-free ž f ~ž< -•• † Š) | Ç , “ < • ´ • : « | ~ Š§
• § †

AgentRouter ê • -” ÂÝ -ê ”-ž ž) “£ † • £† ¾ | Ç ’ ™•• - CTA • -€” (ê :AI ^ ^a €•
• • “† £“ ... • ,

—•¶ € ” Š —^ Š ™ ¾ > %Š

€ ” Š Ä ‘ €

. µ † f “¼f - | ¼É - •• -±“ , • < - ’ † : | social_queue ’ “ | £%

—•©† f —^ Š «

Ⓢ (Š•^) :••- Ÿ:Ÿ• Ćž:žž-ĆĖ:¾ž-Ė¾:¾ž-Ė~:žž- : É f > È•
Ⓢ Ćž | % -¾ / / - -> Ë Ÿ-f - ~ + | £% ” Ë Â £ : ’ † † < Ò•
Ⓢ (... < Â -) Ë Â £ | £% ... • ” .ž Ć” “^o -ĉ
Ⓢ † - • » Š% < ¾ “ -%[^] , • < ’ ™•• ~ Â
Ⓢ (§ ... Ç) • Š“† § -§ • f < † | • ¶ † □¼f

€ ” Š

Î £f Ê Â £ -ž £ -...“ - - - - -Ë Ÿ-f , ° ... -¼ app/lib/socialPoster.ts ¼ f Š i < .X-¶ %^-Ê f -| %: • É.“ • † • % Ó¨† | £% Â .Ë Ÿ-f ... • ,† social_failures | °-| £ ¶ ¢ †backoff µ†f ¾: “œ - . •† • • f | £% f {product_id}:{channel}:{template} “ - | £% Idempotency:

€ < “ š • •^ -< ž-‘ €™ Î > %Š © • æ (İ £ • µ - - -ž - - - ,) | £% • ^ | ¿ ©“† • (s.brand.ir/xxxx) ¢™ § Š“ Šf UTM © - ... © Ê“ -| Ê“ -£“ İ¨Ê“ -...Ç ... Ê“ : Â • £ © “• Ê Ÿ-f Ã ¢ f+ Ò ¼É | £% ~ / f | £% ~Â § µ Â: Ÿ i ©“† • • • Š ¶ i • İ¨ ...•Ç -“† § i†< ¾ž f,™••:-©† f”š^ © • Ê š † Š“† § ...•Ç š£† -¶,™•••Û”ž A/B € < “œ :

(†š fª- Å ° Å)€ < “ ±• ½ š• Ÿ¢• £ •••¨ œ | †< “ ... , 1/2 %Ã • | £% , † ž ž % ë™§ İ İ □•Å: S).app/api/cron/news)“ § ehsansalehi.ir § § (€ < “) %Š•f š• “ ¶

- Û	š• ...	š €
Ãé Ê š † Û „ □ªÅ	“ §	•†
Ã Û ' £• % Ê •• Ñ†Å	ž “•“† f	•”§
ÃéŠ © ž „ £° % Ûéžž %ªÅ	ª % •† †	•† <
Ã • § “• ~Ã	“ Â€	•†
' • £•- - Á x†	-•¼f ••	•†£•¶
Š< •• ' •†<	UGC •• É	•”Ê•
f †-Š • £“	£° • Â	Ç©°

š• Ê^•

1. (Content Bank) Š“ Ò ¼f €¨< É •¾žž † „ AgentRouter ^ -
2. Google Trends ¶ |ª •• f % ¶ , å +Ê Â £ Ñ • + , :- -‘€
3. RSS • f †) < • €• £ †< œ ž “•¶†Á•<): © ^Ê^• š^
4. Å“ “ ¶ ,™•••Å-Ã i ... f µ %Å:œ < “ š <

¼• ž < € ’ ¼ . | ½ ... ½ €+Ë Ÿ-f | £½ €+ - €+Ë Â £ € €+ (Š“ - €~žž-€žžž) Ô† ••€:İ-¤• . ° “

AI Š• €• – Š•

Ⓢ †• ½ | •
Ⓢ æ • , “ • ^ | •
Ⓢ | – “ •• , f s
Ⓢ (’ @Á• ¶† - - ’ ¬) † s < •
Ⓢ Ÿ i † £† < Û€ž Â † †

(Š• ×!‡) Š” ¿ ‡ Ÿ¢

Ô †	
€ • ’ ™•• © • ½-µ i Ÿ ½- ••.î £/ +Ë Ÿ-f +	¿ ‡ AI » ^€¶
Ù~ Ò išf “ Ë Ÿ-f Ë ½ “¼ ”> - • ½ “¼ €	– “– < f€
“Á•“ s -¢ f •Ăéš“ Ô Û Â:•ž< - ‘ ×† s :Â< -Ăé“ Â:¾<	– “š – ½
•• ... Ÿ © • ½+ s < iš•+š“ ,† •Ë f	< ° €–” f
•Â< ... Ç ¼ < ¿ž	š•“ š” ^ š^
(“ áf s †)Ë Â £ • / “ ’ â Ø ½	€• € <€ < “ Û
’ ™•• ‘ “ s «†¢ •€ €-•f	² ° < ´
Ăé < µ œš“ f“– † > , ° “”Â:... †† ½€ ½<	, Â € < [„•]
Ă... ½- •• ... - ... Â:¶ • f ½< “¼	< € <••” [„•]

– Š• ©² f€ ~ Ÿ¢

š ¶	€ š‡€	€ ~
, ¬ < ¾ž < “¼	• • • s a	AUTO
’ < ¾ž	Ë Ÿ-f – “ áf × • • † • s ’ ™••	REVIEW
, Â/ ë s ¶ , ™••	• † – - ‘ †» ½ ´•	DRAFT
š , •	(¢É • “ -) Ò “ • , • f €	PAUSE

■■■■ [■■■■] / ■■■■■■■■■■ / ■■■■■■■■ / ■■■■■■■■ [■■■■] :Ë Ÿ-f “ áf

–Ç^ n8n ž, ~ ‘ ±š“ – : š € Ÿ¢ Ÿ

:n8n –^™ (cPanel) ~

Ⓢ • “ ~ Cron + (• “) job_queue MySQL ’ “ Ò ¢

TypeScript € œ lib/workflows/ “ ¶ ¢
É i ¢ -“ • | †•
(| • ” ” CI/CD) “ -Ç “ .f :İ
:n8n < , ‡ ™ Ÿ ~
“ » € ” -Ç , “ f “ ‡ • €• • n8n “ • .f È “ <
“ ‡ • • “ | ¼ f ° £•
| “•• (, ï ïÀ f ”ž Š• , ï Ñ~ “°) © f € ” ¢ -n8n Cloud VPS n8n
) .æ •) “ ‡
- † Š“ - ^ - Š € Š €•
(“ ‡ • €• • n8n ” -° • -“ ¶ ¢ [-° •)
1. New Product Multi-channel Publish
2. Daily Content Generator (' + Ô †)
3. Abandoned Cart Recovery
4. Post-Purchase Follow-up
5. Weekly Performance Report Telegram
6. Competitor Price Watch
7. Low Stock Alert
8. Review Request + UGC Collection
9. Seasonal Campaign Trigger (• • f)
10. Google Search Console Content Gap Alert
11. Social Comment/DM Triage
12. Backup & Health Check

„Ú (Definition of Done) ž ñ € Ç Ÿ ¢ ¢

: „ ¼ ¢ § , “ | £ f ... | Æ È f Å ” ... , ½ ¼

’ ™••: ‡ °•ž ± ² . Æ Èž “¼ f • ~ž | “ Å “ £ ‡ • “ • È Ÿ -f ¶ ‡ Ÿ Û - < Å ‘ ~ Š“
À Á © < > - † Š“ ž “ • † , - ‘ “ € ” € Å Å - | | - >žž È É f Š“ f ‘
| ¼ ... ¼ - | Ò ¢ È Å £ “ † / £“ € - Š“ • • / / - / È Ÿ -f - € - Ç ‡
. € > < § Ú , ¶ ‘ f . • Å Š“ ’ ™•• - Š“ | °

Ž Ÿ< ’ ” i — —

“ s æ† • ... fÔ • £• “† , ^ ž Š Ÿ — • f , . | Š Ÿ Š^«£ , © „• - | - “ ...
.“ • ± í ° (Ā † Š s • » f † † Ā) ž Š ... † †

µ€ -£, ^ < ^ ³ < ³ † ^ ¶ ¢

“-f <-²	• ž	ð
ÙĀ < ÛĒ < •	Ā ²/ Ā µ ð Û”~Ē~ , ... † † ž Š •	² ° ® f
è” f èĒŌ~ € “ f ¥ †	Ā • f ¼ □” ™f .“ • Š	- Ĩ ® , †
• “ ¾+	“ • Š ž • ³ † Ā <	€ -- š ® , †
ž € = ¼ Ēž	, Ÿ Ā - f ž € “ Š s	‰ € š •
¢ f f •	“ • , • • Ÿ † / a ž “ © •	É š <
© f	, Ā “ † • , • < + ¼ ¬ = ™ • • - ¼ f	- • ‰

.“ f • - f ... Ç € “ † f • - ... æ Ā ... | Ū ... f „ -“ s < € “ Ā : ^ € š ^ •

(s š ><) • € • ¶ ¢

. ’ £ f • - s ³ < † È □ © ª •

• ‘ | • , f ž š † ™ (Smart Fit) Ā, → © † f Á ™ • []

:“ Ā • £ ³ “ • ž / ... -, < -“” . ™ f Al “ , “

Ⓢ (• ’ “ †) - ± • © f Ū “ © • ‰

Ⓢ ž (silhouette) È Ā “ ^ • Ū , “ Ā f „ ... Ā : ™ †

Ⓢ Ā | Ĩ • • □ • Ū “ Ā : , ¬ “ ¢

Ⓢ reviews ’ “ size_fit “- < Ā | f a ’ “ ... “ ĩ Ā • • Ū Ŀ • Ā : “ •

.- - ° © f € € È Ŀ š € ¥ • Ā - s ‘ Ÿ £ , “ -æ -, < µ - ¶

š † ™ (Avatar Try-On) Ā ³ < € Á ™ • [× š]

.“ † • Š “ † ‰ , ^ „ (¼ “ , < “ “ - • ’ “ • - | ‰ Ñ † - | £) • s ž “¼ / “¼ f ^

Ⓢ Ā • “ f ^ ± ĩ • PNG , ¶ ¢ ’ ™ • • ™ f

Ⓢ AOV „ Ĩ š ® , † » ĩ + - + ¶ • f : , | , •

Ⓢ (Ā Ā - f ^ Ā) • š s Ō € ‰ f ^

Ⓢ ž š s Ō € “ s

Canvas/WebGL s (¾ “ ” Š Ÿ £) ™ f µ < ‰ ... , ½ ‰ , „ “ , Ÿ < † , “ - Ā • : • †

” š £ † † • • 26 • ĩ ¢

Ÿ š †™ (AI ^ Photo Try-On) À³< -ş² ^ Á™ Ÿ . [, ȷ

.“† ½ • ‘ , „ AI ’“•3“ • -½^ ž < “”Ě f ‘ •

“ • Ě Á† ... (IDM-VTON / OOTDiffusion Š † š €Đ•) Diffusion-based virtual try-on ’“•

“ †°”ž f ~: µ < ½ , •<

Š“ æ†” £ † Âæ” š

:| > ȷ ^« ½ < † Ÿ Š ...† ”. | Šĭ ½€ » š ... f „ £° ... :³< ‘ ±“„ ~™„• € ^ Ÿ~ [€-”f]

1. ± i ... • ‘ a ... “ Ě ¢ | Ě

2. ± í° µ < ½œ •†Š šŦ š , - f ž ‘

3. (-¢ † • f) “¼ | ”> Đ “° -¢ ‘ š ± í°

4. (Ě™fŠ“ ‘ ”) •†Š i ’“• µ < ^ Â ž ‘

5. Š< °œ •†Š i ¶ · - f •• ž ‘ Â

6. , | ° ’•† Ÿ†•

7. Š , < Ăé • a “†< ‘ Â ± i • i ¢

8. | ° ... f...• œ (on-device) - | †• µ < ½: »† • Â

... Š . | , ^ < • £ .-š €Ÿ• -€< ½ € • -“ “ f Ě◻ ... Â
.“ • † “† -Š< °

(€ Š“) œ š †™ À ˆœ < ^-š ARÁ™ ▯ • [-Çȷ

.Š“†< ¶ ¢ „ , “† ½ (pose detection) , “ | - Ó š•f- Â...

“ • Ě < © (React Native + MediaPipe/ARCore) € • î

“ ¼” | ” f < Ā Ā •

“ | Š - - | ’ ” € ” (...•½ -¶ • f) Š „

>-† ‘ š >< ”! ¢Ÿ

’ €	•,f	š	•	š †
“†	~ž	< ~	“ ½œ Ě◻ [... ½]	(>) š †
		< Ě~	ž f ^œ” Ě◻ [‘ •]	(Ÿ- >) š †
(¢™š °) , [“•]	(GPU) ´ •	< ”ž	(š) ‘ ½œ ¾ Ě◻ [,]	(œ-▯ >) Ÿ š †
´ •	,	< ¾ž	Š“†< AR œ > Ě◻ [“¼]	(+£ >) œ š †

.“ • £ ÛĚ~ Áf µ < Û•~ - ĭ f“ < £ Ó•† €• ” Ě◻ +Ě Ě◻ : - ‘

•† €©Ç ¢▯

“ • - • • - , “ cPanel | “ † • ˆ ˆ - © † • ” È ˆ È ˆ :cPanel š † ^ „ • šš
 .“ Š ¶ © • VPS | † • < , < † “ f “ ” ¾ È ˆ ‘ •

$$(\langle \dagger - \epsilon \langle " \rangle) - \pm \bullet \quad f \quad ^\wedge \bullet \check{S}, \quad f \rangle \langle \langle$$
$$: < \bullet \dots - ' \text{TM} \bullet \bullet \quad | \S \ddot{\text{E}} \ddot{\text{Y}} \left(\frac{3}{4} " \right), \quad \bullet f \dots, \frac{1}{2} \frac{\text{V}}{\text{M}}$$

Ⓢ (, ÿ æ rembg -0 • , <) ± i • < ' 1/10 ,, ™f: tryon_layer_url

® f ^ È • ¢ Â ¨ (' ¬ - - ‡) Ÿ ã • ‡ : tryon_anchor_json

- `size_chart_json`

- $\hat{A} / ' \cdot \ddagger / \tilde{N} f: \text{fit_type}$

```
§  †  <  -  • • ¶  × † size_fit “-  < : fit_feedback
```

(-), ' „Š € %‰ ¢œ

■■■■■: ■■ ■■■■ (cm)■ ■■■■ (kg)■ ■■ (■■■)■ ■■■■■■ ■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■■■

```

■) 00000000 0000 0000 00 000 00 (0000000000 0000 0000 0000)
■) 000000 00 000: 0000 000 000000 000 00 → 00 0000 00000000 00000000 0000
■) 000000 00 fit_type 000000: 000 → +0 000000 0000 → -0 00 -0
■) 000000 00 00000000 0000: 000 >000 000000 «00000 000» → +0 0000
■) 000000 000: 000 0000 0000 000 000000 0000 → +0 0000 («00000 000 0000»)
■) 000000: 0000 00000000 + 0000 00000000 + 000000 00000000 000000
■) 000 00 tryon_sessions 0000 00000000

```

$\frac{1}{4} \cdot$

$\bullet € "\frac{1}{4}"'$ TM •• , ^ ÿ -size_large size_small €

$\bullet \quad \bullet \quad i \quad : \quad -\leftarrow |^{\sim}$

$\bullet fÜ "$ Š • £

(UX) € È £

— ± • • • €



(€^) ħ °

Ė) • < ‘ • Ā... ŧĀ -
”) († ° ¼ž) , < -“” -“ f Ø f - Ĩ E - œ Ā“ ¼• , f“†œ Ā
¾) “ ^ • , ^ „ • s f ^
>) Š“†œ ¶ ħ /Ŋ† ħ ¼f , •
~) Ā ž Ā +Ā• “ , Ā

—Ĥ^ » Ĥ†œ

. ©†... Ê š † - “†œ “ a Ā . ŧ - ħ † - - Š“ Š sŌ ž € ŧ
Āé < μ œ Š“ f“ - Ĩ† > , ° “Ā:“ • Ė ŧ ¼ Š • ¼-“ ž “” “ f Ø f , a :—©† f
° «
. Ĩ , € “ f ¥ † • • Ĩ • Āœ ... Ĥ μ s ...

^ € š ^ ^ — ± ħ ¥

ô †	— ±
ĩ ħ É œ • s • < ‘ ŧ ± Ĩ° -° • , „ ± Ĩ ,	— ± • , Ũ ^
- Ĩ “ < , Ā... †ŧ ŧĀ ħ“	² ©š° f s † ^
ž € ŧ s Ā Ÿ Ò Ĩ š f Ûž -... ¼• ¶ “†œ Ā ... Ĥ	f Û© ^
s ^ · f , • < » ŧ	CRM ^
Íŧ œ Āž Ê £ ° ... • Ā • • Ĩ ħ	^
Ā“†“ s ... -“† ŧ ... † £ Ā	- ‘ ^
† †ŧ Ĩ ° ... Ÿ © • ŧ • † © • ŧ Ā	< ° ^

š <€ — ^š < — —° ħ ¼

(Ĩ š“ Ê • “)

ž f ^ € ŧ œ tryon_profiles
“ Ė Ā† “ s ^- a - ™ • • a : ŧ œ tryon_sessions
’ ™ • • Ÿ ā † ± Ĩ , œ tryon_assets
Ÿ Ā ¼ Āf s < œ size_feedback

œ † † € ç €î

£ > “-f	Ÿ > “-f	ı “ †
¼~Û	€~Û	—• — ±• —• — ‹š^—‘€‹
”è	€0~è	ı^ ^ı €‹ >—• ^€ — ı
~~Û	¼žÛ	, ² ° ı ® f
•-žžž	€-žžž	>-†œ ı³< † ‹-ç
š • “-žžž	š • “žž	° “ €¬-³ š†

• ¢ ™£ ~ ‰, ¢Ÿ ” — —

ó š ¢

. ò ¨ ó š • • » • † ’ † . s € © f ž —^ € € f — : ° € ¢

ÂÉ œ §	œ	Ä «ℓ© ® !	—	Ä ‹ℓ
(, £) “ “ †	f ° [f °]	“ † + Ò • + Ê Í	• - š •	
†	f ° [f °]	+ • £ • μ + € “ f	• ‰	
€• [-]	f ° [f °]	¶ “• - + € “ f	+ œ	Ÿ
€• [-]	f ° [f °]	“Á• “ s + “©Ÿ †	š” > ‰ † ^ ′	¤
†	, [,]	μ + † • ħ	(¯ • , ^ + • ¶) ì	œ
†	, [,]	Ñ - + -s » ħ	s ^ ℓ / š / ^	£
“ “ † (, i ¢ ¨ - ROI) ´ • [´ •]		+ † Â f	œ š•	¥
“ “ † ´ • [´ •]		+ ¯ “	» € + °	¼
“ “ † ´ • [´ •]		B2B š“	—s•	î
“ “ † ... ħ [... ħ]		Ñ “ †	(X) ¯ s	•

’ † - • ħ | £ - |) | | • | • f İ ¬ š • , ^ | © † » “ - † | £ ħ : É «
. ¹ s „ < | ... • × • Ě Â £ , ª.(Ě Ÿ-f

f š † ℓ< — ^œ f ¢

» ± ”	±•²
™• † †- ¼ †œ € ¨ - † • - ¢	•
’ † °³ Ð s Ñ † € + ... -¢ Ñ † ”	Æ ℓ œ
... f, + († / ‘ , € Ð •) , “• †	œ †
“ (Â Â + Ñ †) ° “ † † £ ħ	± ^ Â «
, † ž ž ħ Â	Bio ‹ℓ— š
• ¢ • ħ / μ i š • † / Ò i š f / μ ħ / • • × † /	• - š • fœ f

¤•/Ÿ•/ •/ • « ™ (Content Mix) š• Â ¢Ÿ

¨-f	”•	...
• £ • μ	>žÜ	ℓ • — ± •

“-f	„•	...
(€ - “©Ÿ†- a ‰ -)	¾ŽÙ	‡ Ł šŁ / †š
(• ¢ •‰-UGC- - Á ×†) ā f Ÿ	”ŽÙ	Ç / ² ©š°
Ò i šf	ēŽÙ	• ù© / Â

.(“ , †”) “ • | € ° | £†... , • f f •.“ • ā • †Â − -“ ’ ™•• | £‰ ù>Ž< » Â

(Cadence) € ” Š „Š Ł ¢œ

%Š•f/ š Ł − ‡	-
< £‰ ” f £	- ‡ • - Š •
(£>Ž~ “ Ě ... f ©•)< - £	, € • - Š •
< • f ~	£ Š • - Š •
< > f ¾	• ‰
< ¾ f ”	š ^ Ł/š / ^
< £	•¶ ì
(š †•)< ... ‰ ēŽ f ~	œ Š•
(- ,)< £	− Ł † °
i ¾	» Ł
i ¾	-Š•
(š)< •• £	œ ¹ ^

. ÍÂ • | ” | i ¢ , £† .Ł < “ ©f ™ Š• Ç «Ÿ•< -~: š Ł ° “

(, Ł < “ f ù©) Š • „ | ¢œ

š >< ... †	ù© ...	š	œ •
€ ” < >~	€™ ... fÔ	© ì •	Ł- ^œ”-š ^
€ ” < ”Ž	“•	, ^ì ©•	š ® < š Ł •
€ ” < ¾Ž	Â †š -“- “	Ö^	-
€ ” < £~	¹ ° Ò i šf	Ö^	, ‰ œ•‰† •† /> Ç©°
€ ” < ~Ž	(“ „) Ô €™ ... •	“ i	š Ł - ²
€ ” < ”Ž	“	... © /“ i	Ł- Ł< š Ł
€ ” < £~	£° ... Ç	©•	³ < š Ł
€ ” < ¾Ž	-° - •- š „	fì š	• š ^
€ ” < ēŽ	‡ -šf	, >	±‡ Â i ~

Ò ĭšf “ + ĭ £‰ + ĭ : < • ... Ç -€ “ < X š ¶ ¢ n8n • Š šŦ ‘ , “ ¶ ¢ • f ...
 .€ + • ‰ +

(Š• ’ ^)–f< ° ° ” ©f Š• >– œ ¢£

’ “ £ •• (~ ĭ š ĭ ĭ î ^< – (Unboxing) >) £ , < (¾ ¶ • f < ĭ ¾ (“ € “¼ /€ “ (€: ±•
 (€ ž “ , • “ a (ž € ¢ a ‰ Ó š• f (• Ů „ ĭ £ (• ’ “ (À (•) Ÿ ¢ a (ž: †š
 ĭ €™ „ ĭ “ a (€” „ £ ° ĭ ‰ ĭ • „
 „ “ ° (€À • „ Ů ‘ • £• (€ž • Ø ‰ » ‰ (€~ ĂéŠ “ a ĭ Ů Ā (€> Á ×† ĂéŇ† Ē “ Ā (€¾
 : Ç
 ĭ “

Ç ¼f † Ā (“” f ¼• (“E † • ¢ ĭ • ‰ (“ž ‘ “ £ £“ (€• (¶ ...) •• ×† (€: Š < ©Š²
 ‰: “¼ /€ “ (“• ĂéŠ © Ē “ - ‰ f ^ ĭ Ā (“À † ° ž ... †† ‰ • (“ž: (€^ «€„ ‘ ±Š “)

[„•]

Ă< £ ĭ Ů f ^Ā » a (¾ž Ā Ÿ Š< † ĭ Ů “” ¢ a Ā μ< • ^ (“• Ů ¼“ „ ... ††
 Ă... Ē £ ° ” š ¾Ā ‘ † (“~ ĂŠ “† • f ¾ ‘ • Ā (“> Ò ĭ šf „ ¼• μ (“¾: ž †

(p –^) • - Š • ’ -€ –†€ ¢£¥

1. . † “ î -’ † ° ž - † ° € ~ f Ā .€>ž~ ¼“ † Ā – Š © f œ š € , €
2. . (, Ÿ – = ž •• ĭ £‰) ž • ß ‰ Collab € Š © f
3. . ¼• •• , ‰ æ • ‘ . “¼ “ š Ò ĭ šf Ůžž – “ ĭ ‘ •• UGC:
4. . (Ç †) ž Š< ° Ō ß ‰ ĭ £‰ < “ < “ Ø ‰ :Æ• Š € €•
5. . ^ • ĭ ĭ • Ā † œ • “ Ňf ä :→©†–f -
6. . “ μ × • ĭ – š• (Ă€ Ā †Ů•) ĭ ° Ÿ ĭ : š
7. . ĭ “ < Ā ¶ ĭ a “ • • – Ÿš ‰ ß ‰ Ÿ :€ < ^ Ē Ů

(€< Ç« ž †€) • ‰ Ó Š ¢£¼

Ⓜ (Ē Ÿ–f €š μ ĭ) ž † » ^€+(<) €< »€ ” > -+(Ò ĭ šf ‘ ™•• ĭ £‰) ‘ –
 Ⓜ “ •• – μ ĭ Ÿ –(Š Ā) ĭ š ‰ – “ š “ – Á £ – Ō f : “ Ē Ÿ–f ¶
 Ⓜ t.me/BrandBot?start=p_1234 Deep-link ‘ ™•• :
 Ⓜ ĭ à Š Ÿ† Ā ‘ † à ‘ • Ā š Ē ‰
 Ⓜ , Ÿ “ = , • Š Ā ... , “ :Ē Ÿ–f Ō ĭ •

(ž žš ^ €žš ž ^) “ < f– ¢Ĭ

< (socialPoster.ts) –¼ “ “ £ Š†< – f ‘ † © f – ĭ † ĭ “• Š :€ œ “ Ÿ “ ©
 . “ • † • ‰ € “
 Ⓜ fš ...• Ç Ē Ÿ–f •• , : ••
 Ⓜ “† f ‘ ¼ Ē ĭ –‰ ... f í• Š †š † © ĭ – š• f

Ⓢ i Ⓢ , , “ Š “ i Ⓢ • f | “

•• Ⓔ ‘ ‡ ™ Ⓔ Š• ⓂⓈ•

ž ž Š< ° | “ - • ‘ “ €Â Â -“ • dofollow - | ™ Á £ f • | Š é a
.(Ë Â £ | >•€••) | Š•£” f¿ ...‰ . | i Ⓢ • f
Ⓢ , ‡ “•-ž ä f -ž DIY - - ‡ £•<€ -“ „ - “• | - < ‡- ‡ S - ‡ £‰ ž ‰ : Ćž
Ⓢ ¶ i • ¶ • É f ™ f ...‰ ¾ = ‘ ™••
Ⓢ , < — ... f » ‰ (£ -Ÿ† +) ‡ < ¶ • É f

f s t ‘ € • ^ Ⓔ — ⓂⓈ

€ < “ ®•	€•
Ÿ ‘ ‡ » - • ‰ Ě Ÿ-f ‡ †¬ -, •‰ ‡ < ‘ ¼	• -š • Ⓔ Ñ Ç
-S ‘ ‡ • ‡ , < S • f	• š -† š ‡
Ⓢ ™ S Ÿ ‰ + ‡ â• • Ø ‰ - ‡ •‰ , † - „ £ ° Ó š • f	Ⓔ s† / •• Ⓔ•
„ £ ° Šì “ - REVIEW È▯ + , Âì -	Al Â • Š• Ⓔ”
Ñ • Ÿ • f - ... - ”> • ‡ Ò” f	´ € •- Ⓔ†

ⓂⓈ KPI ² ©Š° f s t

›	£›	Ÿ›	í “ †
¿ž-žžž	”ž-žžž	~žžž	• -š • € ‡
~ù+	~ù	>ù	Ç Ĭ
”~žžž	•-žžž	”-žžž	• ‰ ß²
•ž-žžž	¾ž-žžž	•-žžž	Ⓔ ^- † š f ‘
(• † ‡ • ‡ æ < •) ¾~ù	>~ù	~~ù	- † š ¿ ‡ „•
”žž-žžž	~ž-žžž	~žžž	Ⓔ Š• f - <š ^
”-žžž <	¾-žžž <	, • f ~žžž <	š• Ç « f – • , f

< ¥Ž ” | — —

.’ -€ ’ ‡ „• +ÃⓂæ ^ — € ž³< ³ † €È >Ø — Ÿ•• ‚ ^ ^ - - - ••‘ €ž> €< :±“

µƐ » Â š ~ >Ø ^ ¶ œƆ

Ⓜ | Â“†• ‡Â f³ • ¡Ɔ æⓂ“ f · - f f
Ⓜ CAC ° • £• ¡Ɔ ‡ ‡Â
Ⓜ | f “ %€Â Â³| £ % , ‡%Ě Â £ ¶ · - f -,
Ⓜ “ < £ •• Ĩ “ ĚŽŽ “ ‡ f • AI š• — € : “ | •

(-† ^Ɛ €< š €š - ^™) - § •§ œƆ

, Ɛ ’ ¶

Ⓜ HTTPS + HSTS

Ⓜ Core Web Vitals € • : LCP <2.5s- INP <200ms- CLS <0.1

Ⓜ /category/■■■■■/■■■■■ /product/■■■-■■■■■-■■■-■■■■■ :š f URL §

Ⓜ Canonical “ •¡Ɔ - ŠÝ) ¶ •¡Ɔ)

Ⓜ € % “ § “ - -§ Á £ ß ‡ noindex

Ⓜ - sitemap-blog.xml - sitemap-categories.xml - sitemap-products.xml: § “ ½• |
sitemap-video.xml - sitemap-images.xml

Ⓜ µ < - • % , ž† + Ü “ robots.txt

Ⓜ IndexNow + Google Indexing API æ ‘ “ • “ a ± 2 “ “ ’ ™••

Ⓜ Breadcrumb ¶ •¡Ɔ

Ⓜ hreflang / £ -Ÿ† š£† Â

Ⓜ ’ ™•• © • % “ >Ž> •¡Ɔ

Ⓜ (“ ÍŸ† Š • •¡Ɔ Â) • ... Ÿ /± Í ° ’ ™•• “ § ¾ŽĚ | “

Ⓜ (CLS < Â -) Ě Ɔ width/height Lazy-load ™ f +

Ⓜ AMP ¼“ | » ³ | £ ‡ Ě< ,

(JSON-LD) š‡ €š“ © §

© §	••‘
Review + AggregateRating + (IRR < - • - “) Offer + Product	- ±•
(AI š“ “ f ’ â >) FAQPage	- ±•
BreadcrumbList + ItemList	š <
Publisher + Author + Article	¹ ^
(Ã Ÿ □ªÂ †ð•) HowTo	©•f €

© §	•• ‘
(€Â Â ß † ‘ í) SearchAction + WebSite + Organization	œ
("† • < † -) VideoObject	a_
“ ¼ / † Â LocalBusiness	>%† †

. CTR = ß † • † “-Š : Â •œÛ• ´ € Â † f »† €•

(Topic Clusters) † “ € Š“ ™ >Ø – Ñ †• æ¢Ÿ

‘ f † “

██████ ■: ███████ ████████
██ ████████████████████ [████: ■ ███████ ... ████████████████████]
██ ████████████████████/██████████████████/██████████████████/██ ████████████████████
██ ████████████████████ ████████████████████

██████ ■: ███████ ████████
██ ████████████████████ [████]
██ ████████████████████/██████/██████████████████/██████████████████ ████████████████████
██ ████████████████████ ████████████████████

██████ ■: ████████████████████ (██-██)
██ ████████████████████ ████████████████████ ████████████████████ ████████████████████

██████ ■: ████████████████████ (███-████)
██ ████████████████████ ████████████████████ ████████████████████ ████████████████████

██████ ■: ███████
██ ████████████████████/██████████████████/██████████████████ ████████████████████ ████████████████████ ████████████████████ ████████████████████

██████ ■: ████████████████████ ■ ████████████████████ (██████████████████ ████████████████████ ■ ████████████████████)
██ ████████████████████ ████████████████████ ████████████████████ ████████████████████ ████████████████████ ████████████████████

██████ ■: ███████ ■ ████████████████████
██ ████████████████████ ████████████████████ ████████████████████ ████████████████████ X ■ Y

.€ •• -§ + § < ••%ž f €~ + (- +Pillar ("~žž •j¢€: §

Ç« É ™ (Long-tail) → ^•< >Ø – %

Á° © Æ † £•< » • † £‰... - Å:’ Ø• {██████████/████/██████████} + {████} + {██████████} + {██████████
██████████}

Ç« Š• æ “ < £ †... < •j¢ , “ † f • Al .“† •‘ ’ <, œ^«€ , ^€ ^– “œ Á £
(Helpful Content † Â) f ¶ •j¢ †--• » •Š

f€,^

Google Search Console (, Ÿ f °)- Google Trends , - Keyword Planner- AnswerThePublic- €Â Â ´ f • Á £ -
. “ “¢ -(! ¼” Šì “ - æ •... ©) ¶ †^a •• ¶ , â

€ < “ Š• æ¢¤

(AgentRouter ~) š €–

" - -§ alt- ~ ™f ¼ €" ° - Ĩ ▣• | © -H2/H3 , < -~ -Šĭ " - ° H1 , : •• "‡
 (Featured Snippet) Ĩ-▣• " € †\$ -´ f • ' ™•• FAQ- CTA » Š - ¼• \$

AI Š. © °-Ž «

1. $\frac{1}{4}''$ Áf - ¢™ § - • • $\frac{1}{4}''$ ×† -, f § μ ^:“ Ä ¢™ § Å €” “° “ • •

2. “ “ < $\frac{1}{4}$ • £ †< æ Ĩ ” • • • £• £ †< Â

3. (E-E-A-T) € $\frac{1}{8}$ • i ¢ Author , $\frac{1}{4}''$ † £† Š“ £ †

4. f • • ”Ž » + ÿ i † † ùēž † £† <

5. “ “ » Š , § < Š • ç • • : “” • • † <

6. †, æ (Content Pruning) Š < • • † ° ± í °

E-E-A-T > %† ‡ ^

[illegible]

(ROI $\hat{\sigma}$) = ± 0.001

«€ – Š	±•²
████ ██████ ███ ██████ – {████} █████ {██████} {██████} {██████}	•²
CTA • “ €~Ž-€žŽ	Š
-¢ Šì “ - €• -	H1
(!Š“ ... •áf Ć ‡) - ¾žž-~žž	• Ž
i ¢ f alt ™f +~	±
(€Â Â “ ’ Ÿ) Š“ < ’ ™•• Š f £“	a_
(f ’ Ÿ) μ № ‡ » Â“†•, •< Ÿ •ª » œ Ä... ¼Ä	
(×† Š † Š < ’ ¼) ×†¾ €“ “º	» Ý
(-Š) ’ ™•••	× » , ±•
HTML μ \$ € “) ™f ‡ ¼“)	, – –º
È •¢ InStock/OutOfStock	¢ º
’ â >	FAQ

μ ¶ •Ç À ’ °€<Á™ ’• ’ ^ Ó Š œΦΞ

•) “ Á “f “ € ‰ “ .! © Ç ~ŽŽŽ< -´ f • | i ~Ž.<-Ç ž < ^ Ç É œ •
:€Φ
(i f ~ŽŽ †- ĚŽ-¾Ž

(’• œ• Ÿ•ž ‰ €ž >) f ’• ™ ,

Google Business Profile (’ ©• £)

i Φ ¼• †

(f -’ Â -¶ ‰ -! ‰ -... “ -Ě Â £) €• € ‰ :

™™šf Ô† -’ Â : † •• Ě i -‰

(μ) -Ê f -Ě† : ‘ -‰! •
•f |

(‘ € ž-Ç^ ^ >) Š• ’• ™ ,

č šĚ	č	• ž	’ š
[©•] [©•] [©•] [©•] [©•]	,	œ À ‰ € Á À, ° ~ † Á + Ě, ž ž ‰ æ• Â “ • , ^ ¼ ¬ Â† † , ™•• -• ¼f	¬ ’• Š•
[©•] [©•] [©•] [©•]	, •	Â“†< -Š † s ! •† -ž • Ô†	©• œ
[©•] [©•] [©•] [©•] [©•]	, •	•^ Â s œ , f s „ Ě>ž~ , ž ž ‰ “ s Ÿ μ ÂÂ “ •	‘ ±š“ ® f Ó €
[©•] [©•] [©•] [©•]		•†< € ``œ -™ “ s •f- ’ “	’ † - ••
[©•] [©•] [©•]		Š † s Š< ° , Ÿ† s ! s Ø ‰	HARO € †
[©•] [©•] [©•] [©•]	, •	† • Ĩ £ ! £ ‰ à°	œ < ~ ±
[©•] [©•] [©•] [©•]		< , Ÿ ’ ™•• ’	f - ^ ^ € s@f

č šĚ	č	• ž	’ š
[©•] [©•] [©•] [©•] [©•]	’ •	s .ac.ir ž Š • - •† • Ě•-ž “©• Ě†č	• Ć ©~
[©•] [©•] [©•]	’ •	... Ÿ © • ½ ž Š< ° Ě s ...	š s† ’•
[©•] [©•] [©•]	’ ½	, < ì f ½ †-’ f • ¼• ¼” † ’•	•- Ø Ě Ě

(Brand Signals) ” f ’• ™ Ÿ ,

Š ĚÂ PR | ’ Ÿ ĚÂ Â , “ † Ě† Ő

“ • Ñ “† ¶ • - f | ’ Ÿ ... f “ (í ĚÂ Â Ą† Ě†Â Ě) † Á Ě

—•š , - f fĚ ¶ [“]

Š , • f ~ž ĚžžÂ Ě “ s

Š PBN

Š Ç Ě Ç | •

Š ’ Š † ’ f

Š (Ü “ Šì “ - ÛĚž - • Û”ž -Ě s URL Û¼ž -“† Û>ž : ¼ ¬ | Ě†) , Ě • ” | Ě f †

(Ć š Ě < “ ^« , ¶ ¶) ’• ’^

[“] š <	[¶] Ě < “
Â† □ s	š†Ć Ě <š —° f ’• ’^—‘Ě
Š“ < ™š Ě š í•	(— ><< ’• «Ě ^ fĆ)Ć ‘ † š†
Ě Ć • Ÿ½ •• “ f	f Ě š <Ě<Ě < “ Ć Đ
“ • °	Ě < ’• ² ©š° f • š Ě<Ě ”š
Disavow ™f	© ’• Ě—” f
Ÿ ½ ’	AI ^outreach © — ®

— æĈ¥

Š Google Business Profile Ÿ i | Ě½-¶ , ™••- ¶ - ‘ Ě•

¶ ×†- Â“ †-’ , •<) ¶ i • ¼” •• æ Ą f/< / , ©i Ć /“©••/, ©f † ŸŮ „ “ SÂ : © ¶ • i Ć

(© , , ••

Š , •†-“— : † ••† | °

Š NAP (...i-f - „ ^-Ě†) , Ě

(Œ^ «€,, Œ ‘ ‡) a_ œ¢¼

Ⓢ Â • f Ê § €Â Â ¶ ¼^œ Š“ È É f , :¶ ¼^
Ⓢ ¶ • É f - / £ -Ÿ† Š£†:Ê f
Ⓢ€Â Â £“ ß ‡ » ‡ ‘ ‡ VideoObject + Ô† ’ ™•• •¡¢ £“ <

– ‘ € <€ † < œ¢Î

< ^€	€ , ^
‘ “ ¶† ••-...• < ¼-... Ç - - œ f °	Google Search Console
“•^ -Ò “ -	Google Analytics 4
Ÿ ¡ -±“ Šì “ - ¾žž	(€ < “ ŒÛ §) €– ‘ €
‡ • •†	Screaming Frog / “ < >- ,“
Ÿ ¡	’ • ’ ^€ §

¡ ¢ ~ - ¢§ -“ “ -Š“ ‘ “ “ “ ¶ •¡¢ - -¢ Šì “ - ”ž f .f: – • % ^ %š•f € < “ ĺ € , -
.Al © • ¼ ••

• ^Ě« » € Ýš š – –° œ¢ •

€ Ýš	›š ^
a ‡ f - “‡ Šì “ - f -, “ ‘ “	- ›
‡ • ‡ Â “ < “-žžž-~žžž - “ -Ě ¾-” •¡¢ f	¤-Ÿ ›
“ < [~žžž-~žžž -“ -Ě Š ’ •¡¢	¥-œ ›
‡ • “ < •žžžž-¾žžžž - -¢ Šì “ - ”	-¾ ›
“ < +[~žžžžž - É • ¼ •	-

.“ • £ - Š“ Āš • [‘ • ¡ ¢ Ā £

§ ¨ © Ÿ› ” ‡ — —

° < ^ Í ± (Funnel) ^ € š ^ Ä « £¢



ROI ^ →^ €™ €< Â f- £¢

œ	È Š š	ROI € ŸŠ <€	> /... † •,f	-
€		[©•][©•][©•][©•] [©•]	¶.Ë ~-”Ž	(€< f¼ € Š /€ Ù)• - Š • ¼ » Â
€	< €-Ä	[©•][©•][©•][©•] [©•]	¶.Ë ¾-€~	(Micro) < “ Æ• Š € •ª ••
€	Š • ¾-ĵ	[©•][©•][©•][©•] (¶ “• “ -)[©•]	¶.Ë ~-€Ž	Š•
”		[©•][©•][©•][©•]	¶.Ë ”-•	³ < €< ‰ f-
”	< €-¾	[©•][©•][©•]	¶.Ë ~-¾Ž	(Ó ‘ ž Ù žœ šš) š » Â
”		[©•][©•][©•][©•] (, “ š † ‡)	•	œ© « † / , © / °
¾		[©•][©•][©•]	, £	(©š - •² ^), È < / • ^
”		[©•][©•][©•][©•] (, <)	¶.Ë €-¾	” š • ĵ
¾		´ •) [©•][©•][©•] (š † £	¶.Ë ”-~	→©†-f ’
>	œ	[©•][©•]	, † “••	š< - -
~	Š •	[©•][©•]	,	‡ <€ ^

‘ €< • f Ñ «<™ Æ• Š € •ª •• £¢Ÿ

µ€ š š•^ (Micro) < “ ¶

‘	ç ĭ	œ f •,f	€ ‡	...
“ Ÿ , Á° œ [-]	•-Ě~Ù	¶.Ě ” f , Ÿ ’ ™••	ĚK-ĚŽK	
ROI ... © [-]	>-•Ù	¶.Ě ”-Ě~	ĚŽK-ĚŽŽK	š
Ň “† ‘• [“•]	”->Ù	¶.Ě Ě~-•Ž	ĚŽŽK-ĚM	
‡ ’ < [Š]	Ě-”Ù	¶.Ě +•Ž	ĚM+	š

(- ‘)À €< ® €Á Ó š

:“ ’ ¼ € ,f • œ - ^€< Ÿ•- f ~žž Ě Ě -i

µ ÙĚ~ĚŽ † ‰ + ¢ ™ § Ò ĭšf “ + , Ÿ ’ ™•• Ě Š •

“Á• š ĭ € ” , f § ¶ · - f † ¼” UGC ©† ••

¢ ¢ Ě (“•† ’ ‰ †) , µ < :

ROI Ě “ “ † • • ” “ ĭ† :

•ª •• € - € < “-→ ‡

1. (•• † ĭ - † ¼ - ¼” €• ¼f) < • + ž • š< ° ß ‰ î :Ò •

2. (“ • ‘ ‡» ‰ Al) š “ < ™š Ě ‰ „ f

3. Ě ’ + ’ Á š ”

4. § UTM Ò ĭšf “

5. ĭ† ĭf CPA- - -µ : -

6. † ^ < ± Í° - † ^ , § “ “ f

- - >-† Ä ç f ù© £¢¤

(>)À š- > €Á ™ ù©

.¶.Ě Ě~ .’ µ ĭ ~ž ’ Ě-žžž :± “

“(ĭ†” Ňf+ :ă) • ß ‰ ~ ž •• Â

“ § ... Ò ĭšf ”~ùœ WELCOME25 “

, Ÿ Ě Ě Ě -i - †† ĚŽ

(- ^ ß ù© žŸ- >)À, © ß Á ™ ù©

Ä. • ç ¼f , Ÿ - š† Â Ä :Ě ‰

¶ , ™•• ß + ¢ ™ § • ĭ ¢ + ... ç Ě “

“† • f “ “ • ± Í° ž ‰ ... †† “ § æ† • ... f Ô ... ç ...

, © ù© [„•](Ÿ- >)À Á ™ .œ ù©

Ä. ^œŒ^ € ž- “ š «Á :Ě ‰

ÍŽ £ œ ... †ˆ ‰ < †°£~ • £“
Ā Ÿ Ò ĭšf Û£ž -... ¼• ¶ “†< Ā :ž € ‰ † ° Û • f
Ÿ Š ÍŸ Š“ ‰ † ... © : • £•
(ž “” ...) †¬ æ - • » -Ê Í :“ • , •< ... Ç ...
Š“ ^ ‘ ~ » ‰ € ” •• = Š“ † ° ž € ‰ :Ā ›<š^

(€ •†-<<)À €- ^£”-š^Á™Ÿ Û©

. †, € Û”ž .’ ... Ç ... fÔ
Ò ĭšf Û”ž Ā “•€• † Ā ’“†
©© f „ ¼• µ
, -¼• ß ‰ < •^ ’ †
Í ‰ œ Ā “•“ š † £ ªĀ ••

(-•• - ©•^)À- ² Á™¤ Û©

, Ÿ “ “ £ - < †...•
(•• Þ“Þ ... f ©•)“ < € ”, “ † † É
Ò ĭšf µ » ‰

(£Ê)À -f - Á™œ Û©

’ Á “ ¶ - Ā †š †

(- €<£^¤)À ±† Á™£ Û©

¼” † (Û~ž :~< -Û>ž :¾< -Û¾ž :£<) †•< † ¾ Ò ĭšf

(©ª<)À££ < † Ç Á™¥ Û©

Ò ĭšf Û£ž Š“† ¼• - , • f ~ž ± ¼•
, • ¼• ’ † ... f

(¤ › š)À €< › ‰ † ^Á™¾ Û©

(†¬/š •†/ †)È¤ < • £
ž “ f Ò ĭšf -...• ĚŸ < -, Ÿ ’ : •
• f » ‰ - š f Ě ‰ “ Ā • ž “ f Ø f :-©† f ° «

¿ † š£™Æ•š-£š££œ

-	•	ĀÉ
Ě Ā £ + µ ‰	ĀŠ •< Ā + ’™•• ,	(š £ Ÿ)- “ -^ - ±• ›-•• - <š^
• ‰	š ^	(£²) ›-† f£-

-	•	ÅÉ
μ ¼/Ë Ÿ-f	Ù~ “	(Œ² ¢) ›-† fℓ-
• ¼	ÄË f •Å	(Œ² ¥) ›-† fℓ-
Ë Ÿ-f + • ¼	ÄéŠ“ Ô , Û Å	(š ℓ î•) «ℓ- “
Ë Ÿ-f + μ ¼	Ä ¼ † œ Š • < • Å	(Œ² ¢)- < [„•]
• ¼	...• © • ¼ + “ “ » ¼	›- š ℓ î•žœœ < ³ < † [„•]
	€™ “ “ ...•	(±† Å) «ℓ- “
• ¼	Ù”Ž •Å< Ò i šf	(š ℓ ¾•) Š•“ Š”

.“† Š n8n ¶ ¢ ©

† € ¬-Œ© « Ó Š £¢£

Ⓢ (¨†š † †¨) “ ¼¨ Å ´• œ Š š´š Ä€¨ | ¨Å » †:(Anchor) %• Œ© «
Ⓢ • , AOV Ò i šf ÙË¨ f ¾ | :Æ• - ^
Ⓢ ÆÖ> è AOV : % ℓ- ℓ Š
Ⓢ ÙË¨ “ ~-ÙËŽ “ ¾-Ù¨ “ ” : ©È¨ š Ä •
Ⓢ Ù¨¨ < •Ž < “¼ - » ÙËŽ š < >¨ < “¼ μ “ • : € ¬-Œ© «
Ⓢ . | ° † “ “ “ Ò i šf .(“ • † “† μ <) £ Ò i šf :,- f

£¢¥ CRM Š” ¬•^® ^ (RFM)

•-«	Ä Ç	® ^
¼• š -“ f Ò i šf -VIP	μ < ¼- •- š “ š	•«
< • • †	• “ š	ℓ < †
€ • © • ¼-Ñ †	- š “ š	® ^¬
•Å< ... Ç	† š -Ë š †¨	“ ℓ<
Ô Ò i šf μ †f ... š^	Š“ š† ¨ - š	Š•“
“ Ÿ ±“ 1 ° ´•	š • Ò i šf / ´•	Ä • ¶ℓš†

š « < † “¼ • a “ » ¼ •¨ “ † f • , ^ . •• ž “ f Ø f ... :ℓ Å É
š <
.“ “† f • “Á•“ š ¥ †- ÂÝ © f“ ^ ℓ< < “

(Œ ^ € š^š ” ^)- “ š ¬ ^È ’ š È £¢¾

œ- š	±•²
”> <	ℓ š < š
, ©f ¼+< • ¼ £¼/ ¼ª / ‘ Ç f	- ℓ
-° • š • ¼	%fℓ

« € – š	±•²
(UGC × °đf - a †) Û “ + “ † • ‘ † † • f ¶ -š“ “ †	—•^ š ^
€ • • , Ÿ - < Å	² °
(“ • < †) Ĩ š • ©	• € < € “ <
- ¾ < • ⅞	È• Ÿ

., Ÿ Ä - f = “ “ † Ÿ ‘ • • • î £ € § ¶ : š ſ

— • ^ — ^ š € f f í “ † ™ — † € < € † < £ ¢ î

, « € —” f	í “ †
< Å ... Ÿ † • Û Å ž <	š ž € •
Û € 0” <	— Ĩ
Û € ~ < » †	AOV
, • f ¾ ž ž ,	CAC
¾ <	ROAS
Û € ” ,	² ° Ĩ
• ” € ~ ,	š” Û š
“ € ž < »	• © ^ € < °
Û • † † † £ ‰	€

. “• È Ÿ - f < È ¢ • † š µ Â

À š € < Á ™ » — —• ^ š • ^ € š ^ £ ¢ •

: • , , • < , • < ’ ¬ “ < £ “

1. ... f † š ³ • š ĩ “ • , ^ , Ÿ - • ¼ f æ + ³ < , ° ~ † “ ´ f , ¢
2. , “ † - † š - a ‰ † € • æ • æ ³ < ³ † “ € ¢ © > <
3. “ ´ f , “ ¢ ... f † š ³“ < • • ... • - ⅞ / È Ÿ - f š Â æ € < ¢ °

KPI , a « ” • — —

fš ‡ © ¥¢

— © ^ « ° “	‘ ” -f	›š ^	š ‡
¼□” ĚŽ “ TMf - - •	! S < TMf	Ä-É <	• š ‡
’ TM•• ~Ž “ S € ”	MVP Š Ÿ	¾Ž-• <	š ‡
S Ě f-! É‰ ’ TM•• ‘	, • f f •	ĲŽ-¾É <	š ‡
’ ... Ć - •• •Ž-’ TM•• ¾ŽŽ	“	•Ž-ĲÉ <	Ÿ š ‡
• » -€ “ f¥ ‡ »	< ©	É”Ž-•É <	¤ š ‡
B2B- , •• Š Ÿ -€ • Ĥ	„ ••	É•Ž-É”É <	œ š ‡

(¥ š €) • ^ TM • š ‡

0 .com + .ir • | ° “† Ě† , ¼□”
0 | S ‰ - ‘ -! œ (,) cPanel ‡ ^ , | “ S
0 • ‡ AI f • œ (¹ S) cPanel ‰ Š f | “ S
0 CPU/RAM Ò• -SSH - • ” ~ Node.js 20+- Cron :! < < ‡ » ‰ “ áf
0 , Ÿ SSL + (, Ÿ ...-‰) , ^ CDN < ’ ¼
0) deploy-mizbanfa.yml < Š i <) CI/CD + ! Â , š• < “† Š
0 ’ ¼ ” “ • f Ž •• f œ < ” € – “ VPS ´ f [Ò” f]
0 AI ’ TMf | Éf AgentRouter × f
0 API ... f Í S + | ‡ | S
0 (, ° ... -! ‡ , ¬ , a) Ĭ É < “ ^
0 | ‡ -! ‰ - Â : TM |
0 Š Í• Š “ ... •á f ¾ É š ‡
“ ’ < .“ • Â ¾ < -“ Â :š ‡ ’ €

(Ÿ• ¾š €) › ‰ ‡ ‡ MVP™ š ‡

š•f

0 É ... - | ‡ -RTL Next.js | -
0 (• “) ¶ ©• Š ’ “•
0 ’ TM•• • i ¢ - | É - - ¢ • i ¢
0 MeiliSearch Á É

Ÿ Š•f

```
Ⓢ) app/lib/auth.ts< Š ĩ < ) Ê £° - £f-“ Š“  
Ⓢ, Relay Ü ¬< ( ' ‰... < ) ' ŠÂ ' ™f  
Ⓢ' μ Ê š ‡ -' ••  
Ⓢ • - μ ĩ -' ™••:... • € ‰  
Ⓢ Ÿ μ ĩ “ áf: • ‰
```

▣ Š•f

```
Ⓢ | | ° - • ' - ¢ ™§ ° -... ‡ “ - „ f - • Š : • ¶ • ĩ ¢  
Ⓢ (œ “ ) Ê £°... • + “ ¢ fæ • [ ©•]  
Ⓢ Ê £° (“ f Ø f -, < -“”) ž € ‰  
Ⓢ ( | £f ) ' ' ™•• ~ž  
Ⓢ GSC - -sitemap- robots: ‰  
Ⓢ f ¼” μ ĩ | £f  
.“ | , ^ Š ™•• - , “ “‡ p ĩ‡ : š ‡ Œ ¬ € ¢
```

š ‡ „• [„•] (£• Ÿ š €) € ™ š ‡

æ Š•f

```
Ⓢ BullMQ Ò ¢ + POST /api/ingest/photos endpoint  
Ⓢ (... ' æ £•... fæ ) < • ‰ » Ÿ  
Ⓢ MinIO-ž • f - “ a - μ - • < ' ‰ ± Í° : ™f μ < ‰
```

£ Š•f

```
Ⓢ JSON ' ™•• ÂŸ Ó š•f:Vision ' ì •  
Ⓢ -FAQ - •-È É f -, :AgentRouter ' ™•• •• “ f  
Ⓢ €Â Â Ñ ‰ + ‘ “ + ' ™•• š | š  
Ⓢ PWA Š“ € • -½^
```

¥ Š•f

```
Ⓢ Ñ • ‡ + ‡ “ a ...• ¢ f •  
Ⓢ X-¶ ‰ ^-Ê f - | ‰ socialPoster ¼ f  
Ⓢ □§ | “• “ “ , • < • ‡ Ò ¢  
Ⓢ È Ÿ-f “ áf REVIEW | °
```

¾ Š•f

```
Ⓢ ' İ “ ¾+ ‘ (Canvas) Â • “‡ :cPanel < æ £“ f •  
Ⓢ • < ' ‰ ± Í° -° • , ... ‡ ‡ ‰ ± ĩ , š “ f
```

Ⓢ(’ + Ô†) †< ••... , 1⁄2 ½

Ⓢ(n8n” -° •) lib/workflows/ “ ¶ ¢ æ , • f ’ ĺ

Ⓢ... • € ½ , • f

• „ ½ † • • ¾ÔĖ> » Š ¾“ † Ēf: š ‡ ĺ ¬ € ¢

(Î• £ š €) –†€™ Ÿ š ‡

Ⓢ(“ • , • f , a † æ , °)“ ¾žž f ’™••Š †

Ⓢ(Ē ‘ ¢ “ ¾ <) Ô† •••ž

Ⓢ-¢ § Pillar •i ¢ À

Ⓢ(½ ~ž-¾ž) Ē ,

Ⓢ£ Ē -i - ††Ēž+ < “†Š ... ¢

ⓈĒ† - -Ē f ’™f

ⓈĒ Ÿ-f † µ AI ¶ †^a

Ⓢ• £• Š Â •f (Ÿ ½) †

ⓈŠ“ “ Ñ Â

• † Â “ < ”-žžž - ~žžž-Š• µ † Ē”ž:Ÿ š ‡ <-² ”-f

(• Î š €) š ••^™ ▯ š ‡

Ⓢ ÍÂž -, † - f ^ ” “ ,:(ĒĒ “)³< €™ • [©•]

ⓈĒ“ “† a VPS , -“ ’ ¼ Â æ(” “) ~ ^ † Ē³ • ^ š€

Ⓢ(Hotjar/Clarity) •†æ Ò ” € -•f

ⓈA/B Ēf •i ¢ -“ § -’™•• •i ¢ : † Ēf

Ⓢ(Â •-°) ¼” • „ Â ¢ f ©

Ⓢ+Lighthouse •~ f † < ©

Ⓢ(-¢ •i ¢ <™š)’™•• ¢ f f •

ⓈĒ šĒ† , ••š Ÿ

ⓈĬ ” À f Ē“ Ĭ ” µ ĒÂ

Ⓢ(’ “• Ē š † - ») AI < ©

“ ½ ’™•• , Â“ “ < ÛĒ~ -ÛĒž < •-Û” ÛĒŒ”< € “ f ¥ † : ”-f

(¾• š €) †™ æ š ‡

Ⓢ † -½ † ” B2B š“ € ½

Ⓢ Î €§ ... †† ½ æ(š“ + ••) React Native € • Î

Ⓢ Â -™ ‘ Â ž

Ⓢ(f “ Â ´ •) Docker VPS €• ¶ ©•æ Ÿ ~ ^ † Ē³ • ^ š€

Ⓢ(ž ¢™§ ° €• † VPS “ •< †- §) ¾Ē▯ ... †† ½

Ⓢ (“ Ā ‘ -½ † • ™f Ā) Ā“ “ a

Ⓢ (PR - • Ÿ½ ••) ¾ ” ,

Ⓢ “ -™ Ô ... Ç

š € „ ¥¢

‰ °	€ ~	š	® †
æ	€ <	‡ ¨ Ę f	(©†) – ±• – / ’
AI Agent < “ ° f	€ <	‡ ¨ Ę f	Full-stack ›→f < Ç
Ā • ÛĂŽ ¶ † a	”Ž <	‡ ¨ Ę f	š” š”
, • f € ” Þ	”~ <	‡ ¨ Ę ” Š ½	→^ š ^ €
AI •ŽÙ	€~ <	Šì ½	š• – / š²
š †• [-]	æ	‡ £ †Ě< [š]	– † –
š ĂŽÙ	›~ <	† • ••	•†€
AI + Ĩ ¨	~ <	Šì ½	€ † -

æ † Š• , • f , - • ĚŽŽ “ ° ¢ ... • Š €« • © • Ÿ - Ě< †• , ¼• f - ¼• ... : šš

.“ • Ă Ā Šì ½ ... † a ,

¥¢Ÿ KPI ›š ^ ’ š• ^ ‘

›	£ ›	Ÿ ›	›	í “ †
”-žžž	•žž	¾žž	~ž	– Ç† – ±•
•žž	›žž	€”ž	”ž	f ĺ €•
€››ž	Ă”ž	”€ĵ	¾ĵ	(»•) f ĺ †
”žž-žžž	ĵž-žžž	€~žžž	”-žžž	€ f – <š ^
›~Ù	¾žÙ	€~Ù	~Ù	’ -€ ”•
ĵž-žžž	”ž-žžž	~žžž	€-žžž	• -š • € †
”~žžž	•-žžž	”-žžž	›žž	• ½ β²
”ÔĵÙ	”Ù	€Ô~Ù	€Ù	– Ĩ
ĂÙ	•Ù	€”Ù	€~Ù	² ° Ĩ
›žÙ	”~Ù	€žÙ	æ	›– †€ š š”
¾~	¾ž	”ž	~	š €€ < “ €
ì /”	ì /”	ì /~	ì /”ž	š• ^ € €²

(Operating Rhythm) € ¥¢¤

° “	• -α / °	›ℓ <
< Ë “” ¾	Ë Ÿ-f s •	• ‘ î š €
f «†¢	•• •† -Ò ¼É/ f £Š KPI- ~ •	•† %Š•f
“ s μ i	” • <	%Š•f <
“¼ Š• Ó ™šf	™f -CAC/LTV- • •	f
€™ ••†	• -“¼ €™ ...• - Ÿf <	±†

(„ %^€ ” °€ ¶) ©Š• ¤ s† à | ¥¢æ

%”	€-”f ”	¤ s†
REVIEW ° - Ÿ i i Â † †	i • • -€• ¼f	→ - ¤• ^ š•
Š“ ... •áf < † † i ‘	i • ×†-, •	-† ^ , ¤•
“ , Ë Ÿ • < - ×• < Ë Ÿ	μ i •	(< ° , ℓ †)Æ•f ©f < °
Š , < ’“•-» - †< Ò•	, Ê £•f ¢	< † iℓ “ - Š• š AI •,f
“ μ € ” s“ < : , †”	Š“•†¬†, < ¾Š•	ℓ † ° ^ℓ, ^ ℓ, ©
μ ù>ž < » † ¬ :±“	’† < μ •žŮ	• -š • ^ %š ^
† •Š Ë Ÿ < Ë “š + , • f	, š	’ -< †

%š%ž”„—

š<€f—œ•†¼¢

.•Ë<,(”“”)|š<-°•Ë“<‘...“•,•†Ä-°•Ä,

œ†<<	~	»€ž	—	š<
•š- ššš-‘-	€	[f°]	()†^, cPanelœf	œ“š
•†+AI f•	€	[f°]	(i€“)‰•š f cPanelœf	œ“š
(,Ÿ...~š) Íš„+WAF+	€	[f°]	CDN , ^	œ“š
.ir	€	[f°]	.com+.ir •	œ“š
<¹šî	€	[,]	îà	œ“š
“ ’¼•fž••”´•	”	[´•]	VPS €“ “†) a)	œ“š
€• ¶ ©•	¼	[´•]	VPS -¢ + Docker	œ“š
- ••-...•ç -’™••ÈÉ f-...•	€	[f°]	AgentRouter	AI
“ †Â - © “ a ’“• Â AgentRouter Ü ¬<	€	[f°]	(™f Ó š•f) Vision ‘	AI
-... †• ‘	”	[,]	™f » /“ f ‘	AI
š“ f ¢	”	[´•]	Speech-to-Text	AI
´ €<	€	[f°]	š “ ^ / ’ < / ’ š... <	œ“<
< “¼	€	[,]	† • £•šÂ	œ“<
“ •< †	”	[,]	(£š)€•• šš	œ“<
OTP-...ç - Ÿ	€	[f°]	SMS.ir / •š-• / Ÿ†š	’
API Ÿ	€	[f°]	£š/ša / ‘ ç f	’ š È
šŸ •	€	[f°]		«
<Á• İ£ •f	€	[f°]	† İ£ <	«
† Ê£•f ¢	€	[f°]	, å• †•	«
“ š•“ [-]	€	[f°]	Bot API È Ÿ-f	- †
ž £ •i¢ + Business † < †	€	[f°]	Graph API È Â £	- †
“ š•“ [-]	€	[,]	Bot API / / -	- †
“ š•“ [-]	€	[,]	Business API / Green API î £f	- †
ROI	€	[´•]	API š	- †
‘ f	”	[´•]	Data API Ê f	- †
€“	”	[´•]	¶ š^	- †
“ š•“ [-]	€	[´•]	API ... “	- †

œ† <<	~	»€ Ž	—	š <
‘ “ “¢	€	[f °]	Google Search Console API	
æ ‘ “	€	[,]	Google Indexing API / IndexNow	
€ -•f	€	[f °]	Google Analytics 4	
,	€	[,]	Google Business Profile	
’ ™•• “	”	[,]	Ë† / / Ê f	— œ €
(MySQL FULLTEXT :€<) Á £	¾	[,]	MeiliSearch	€ , ^
) lib/workflows/ “ :€<) , £	”	[,]	n8n	€ , ^
Ñ ‡•	”	[,]	Uptime Kuma	€ , ^
, Ÿ ½•	€	[´ •]	Microsoft Clarity	€ , ^
§ ‘ , “ œ€ È¤	€	[f °]	(-§ “) Fit f •	
, Ÿ - - œ” È¤	€	[,]	Canvas/WebGL f ^ “†	
ž ¢ ™§ ° €• ´• [“•]œ¾ È¤	¾	[´ •]	(Virtual Try-On (AI ‘	

(< ” œ œ - €< , - f ™ ©) .env ‡ % ¾¢

```
# #####
NODE_ENV=production
SITE_URL=https://example-shop.ir
SITE_NAME="#####"
TZ=Asia/Tehran

# ##### (##### cPanel ↔ VPS) #####
INFRA_STAGE=1          # 1=cPanel | 2=hybrid | 3=vps
QUEUE_DRIVER=mysql      # mysql | redis
STORAGE_DRIVER=fs       # fs | s3
SEARCH_DRIVER=mysql     # mysql | meili
VIDEO_DRIVER=browser    # browser | cloud | ffmpeg
# ##### = #####

# ##### (##### app/lib/mysql.ts #####) #####
MYSQL_HOST=localhost    # ##### cPanel ##### localhost
MYSQL_PORT=3306
MYSQL_USER=
MYSQL_PASSWORD=
MYSQL_DATABASE=

# ##### ##### (#####) ■
ENGINE_BASE_URL=https://engine.example-shop.com
ENGINE_SHARED_SECRET=

# ##### Redis / ■ (#####) #####
REDIS_URL=

# ##### ■ #####
UPLOAD_DIR=./public/uploads # ##### ■: ##### cPanel
CDN_BASE_URL=https://cdn.example-shop.ir
S3_ENDPOINT=              # ##### ■: MinIO
S3_BUCKET=
S3_ACCESS_KEY=
S3_SECRET_KEY=

# ##### AgentRouter (OpenAI-compatible) #####
OPENAI_BASE_URL=https://agentrouter.org/v1
OPENAI_API_KEY=
OPENAI_MODEL=claude-opus-4-6
AI_MODEL_CHEAP=          # ##### ■: #####
AI_DAILY_BUDGET_USD=5    # ##### ■: #####
AI_CACHE_TTL=86400

# ##### AgentRouter (Anthropic-compatible / Claude Code) ■
# #####: ##### /v1
ANTHROPIC_BASE_URL=https://agentrouter.org
ANTHROPIC_AUTH_TOKEN=
ANTHROPIC_MODEL=claude-opus-4-6

# ##### ■ #####
IMAGE_GEN_PROVIDER=
IMAGE_GEN_API_KEY=
REMBG_MODE=local         # local | api (#####)
VIDEO_CLOUD_API_KEY=     # ##### ■-■: #####
FFMPEG_PATH=             # ##### ■
VIDEO_MUSIC_DIR=./assets/music
```

```

# ##### (#####) #####
TRYON_LEVEL=1 # 1=fit only | 2=avatar | 3=ai photo
TRYON_AVATAR_ASSETS=/assets/avatar
TRYON_AI_ENDPOINT= # #####
TRYON_AI_KEY=
TRYON_PHOTO_RETENTION_HOURS=0 # 0 = ##### (#####)
TRYON_REQUIRE_PARENT_CONSENT=true

# #####
JWT_SECRET=
CRON_SECRET=
ENCRYPTION_KEY= # AES-256 #####
ADMIN_TELEGRAM_CHAT_ID=

# ##### (##### Relay #####) #####
ZARINPAL_MERCHANT_ID=
PAYMENT_CALLBACK_URL=https://example-shop.ir/api/payment/callback
IRAN_RELAY_URL=https://relay.example-shop.ir
IRAN_RELAY_TOKEN=

# #####
SMS_PROVIDER=kavenegar
SMS_API_KEY=
SMS_SENDER=
SMS_TEMPLATE_OTP=
SMS_TEMPLATE_ORDER=

# #####
TIPAX_API_KEY=
POST_API_KEY=

# ##### (##### socialPoster.ts #####)
TELEGRAM_BOT_TOKEN=
TELEGRAM_CHANNEL_ID=
TELEGRAM_UPLOAD_BOT_TOKEN= # ##### (#####)
TELEGRAM_SELLER_GROUP_ID=

INSTAGRAM_ACCESS_TOKEN=
INSTAGRAM_ACCOUNT_ID=
FB_PAGE_ACCESS_TOKEN=
FB_PAGE_ID=

BALE_BOT_TOKEN=
BALE_CHANNEL_ID=
EITAA_BOT_TOKEN=
EITAA_CHANNEL_ID=
RUBIKA_BOT_TOKEN=
RUBIKA_CHANNEL_ID=

WHATSAPP_ACCESS_TOKEN=
WHATSAPP_PHONE_NUMBER_ID=
GREEN_API_INSTANCE_ID=
GREEN_API_TOKEN=

LINKEDIN_ACCESS_TOKEN=
LINKEDIN_COMPANY_ID=

PINTEREST_ACCESS_TOKEN=

```

[illegible]

(ù < € - ^) • š f - Œ - ¾ ¢ ÿ

```
.process.env <  ‡ Â  “ ‡ § • ‘  <  • automation_settings ’ “ :  § - §  Ÿ  -¼ Šì  %  
:  • ¼ f  • Ÿ ‡  Ÿ ...
```

[illegible]

. -Ç , “ -“ Ú € % < Š“ à • • Ë Â £ ... f “ ‡ f • þ f : | •

$$\frac{3}{4} \text{ endpoint} \rightarrow 0 \quad \leftarrow \quad \frac{1}{100} \rightleftharpoons \quad \leftarrow \quad f)$$

Ⓢ Ⓜ	
“- , •< - • - Š£†	GET /api/deploy/health
‘ £f	GET /api/deploy/health?db=1
¼ˆˆ • ‡ , “ ’™f £f	GET /api/admin/integrations-test
Šđf ÂŠ< “† AgentRouter £f	GET /api/admin/ai-test
, • f -¢	POST /api/ingest/photos
‡< •• “ f	GET /api/cron/daily-content
• ‡ Ò¢ µ< ¼	GET /api/cron/publish-queue
ˆ ˆ “¢	GET /api/cron/price-watch

« .. » cron — ^ š ¾ ¢œ

Al • , f – Š • ¾€

```

.      ‡      if      Ÿ i      µ      Â.      ‡-¶“•-      -      S/      ...      f-’“•:“      •      |      °      ‡      S      ai_usage_log
,      “

```




.“ • .f ¼• Ě “ , a 3 “ † -“† • † ¼¤” ... ” f . | Ā ™ f | £ aĀ “ ...

€ Ā f„ ©± (Ä

œ ç ž	◁ • •”	f • , -	- ö	#
	, • < .com .ir • + ĭ i- f € ” Š f ... f ,	f / Š f ... f , / • •	• “ † Ě †	A1
	• ½ Ĥ + μ ‰ “ ¾ž †	ˆ • / ½ Ĥ + † / € • † ½ Ĥ	• ’ “ •	A2
	“ ... “ Š f ... •) ’ Ě” f” :£ < (<	/ Ě” - ĚĀ / ĭ - Ě” / ” - ĭ / ž -”	± “ Š <	A3
	“ £ Ě Ě ‰ i Š , •	Ě ‰ / Š , • / ™ ”	Ñ • < ‰ ..	A4
	ĭ Š • ° - † ĭ £ < • • °	° / • • °	• • ° Ó š	A5
	† - ‰ ” “ € ‰ -> Š • < -	§ / -	B2B μ Š “	A6

• † f„ ©± (°

œ ç ž	◁ • •”	f • , -	- ö	#
	, • f “ € , a œ Next.js ‘ ± Š “ TypeScript , • f „ • AI “ “ •	Next.js -¼ •) ¢ ™ §) / Medusa / „ •	Š Ÿ Ě i - ‰	B1
™ f [-] “ Ā	+ (§ ‰ +) , • œ cPanel – [-] ž • • ’ • VPS ¾ (’ + AI) Ÿ “ ’ ¼	cPanel / VPS ’ < <	§ <	B2
	’ ™ • • + ¾žžž : (” Œ » Š ” “) ¾ • ^ Ĥ “ “ † < † † • μ i + Ě ~ ž	ž • • ” / Ě Š •	¶ © • , • < VPS	B3
	app/lib/mysql.ts MySQL/MariaDB œ , a £ cPanel Š • ^	MySQL (-¼ “ Ā <) / PostgreSQL	‘	B4
	:VPS < ¾ , ^ CDN + £ € :cPanel < MinIO œ • ‰ interface , £	Object , ^ / MinIO / £ € Storage	™ f Š š Œ	B5
	React : ~ < - (... fœ) • ‰ » ^ Ĥ + PWA : š † Native	PWA / React Native / ¶ Ě Ÿ - f ’ •	Š “ € • Ĥ	B6
	FFmpeg ¾ - Ĥ Ĥ - Ĥ + ¾ • Š Ĥ VPS < “ ¼	ž • • € / ‘ / Ā • “ † Ĥ “	< Ĥ “ f • cPanel	B7

AI

f„©±(i

œçž	«»	-ö	#
	f...•çf,<'“•³••'™••ĚÉfclaude-opus-4-6	AgentRouter...•'“•	C1
	...•/CodingAgentRouter³ Ě<„™f‘	(‘ /'“•)™f“f	C2
	'<%žĚÂĚÄReviewÄ °-š'†ÄAutoÄ °	†Ě†“áfĚ□	C3
	-.../ ‰Ě-Ÿ†+-ç	••,<	C4

(→)

f„©±(-i

œçž	«»	f•,-	-ö	#
	,“ÜĚ~μ<•~Üœ+•[-]ç™š°Ě	ARf/¼+“+Ě/“+Ě/ĚĚ□	é...††‰Ě□Ě“f	V1
	°Ě.“:á†@[-•] ,^<•žç™š	™f“¼/š/-	(ž¼“‘-‰)¼Ě□^é<•	V2
	Ü•ž-“•cPanel-æœ2D„3D°	2D3/„D	é“¼“¼f^	V3
	¥†,œ(ÒįšfĚž)Ń”^€š““••€“f	š/“šÜ•f	é“ž€‰	V4

„†°š†œ•%^^†š-^²É(«

1. (Ě•,•ÄĚ““š<)š†•“†Ě†
2. (Ěš†Ě“A/B/C...†f)Ó™šf€”•
3. é|(' </'‰...<)´šÂ†¼“š••Ě•šÂ^
4. (|Â†-|ª†œ□••••¶ç)AgentRouterĚĚ°API“-
5. .†|ĚBusiness/CreatorĚÂĚ(“^“†€™•“š•-¼|†
6. é’“•,ž‰<““š““f:š“...•áf
7. .SSH•”ß‰Cron,•-CPU/RAMÒ•-Node.jsšĚ†-Ÿ,•...-‰:““/-¼|Ü”¶™š••
8. (,V2V1’â...)...††‰Ě□š™f

.•Ä“Ü-(Sprint 0)<-••...Ø‰<“¼