

[Back to Previous Page](#)

Quiz Result For "Python Quiz" Is Here -

🔍 Total Question - 29

📋 Total Attempts - 29

✅ Total Correct - 29

❌ Total Incorrect - 0

🕒 Duration - 30Minutes

📊 Passing Percentage - 70%

📊 Your Percentage - 100.0%

Q1. What is the correct way to declare a variable in Python?

1)

variable name = value

2)

value = variable name

3)

var name = value

4)

x = 10

Your Answer: 4) ✓

x = 10

Correct Answer: 4)

x = 10

Q2. Which of the following is a Python data type?

1) type

2) variable

3) string

4) print



Your Answer: 3) ✓

string

Correct Answer: 3)

string

Q3. How do you access the first element of a list in Python?

1)

list[0]

2)

list.first()

3)

list.get(1)

4)

list(1)

Your Answer: 1) ✓

list[0]

Correct Answer: 1)

list[0]

Q4. What data structure is used to store key-value pairs in Python?

1) Lists

2) Tuples

3) Dictionaries

4) Sets

Your Answer: 3) ✓

Dictionaries

Correct Answer: 3)

Dictionaries

Q5. Which loop in Python is ideal for iterating over a sequence (such as a list or string)?

1) for loop

2) while loop

3) do-while loop

4) until loop



Your Answer: 1) ✓
for loop

Correct Answer: 1)
for loop

Q6. What keyword is used to define a function in Python?

- 1) function
- 2) method
- 3) def
- 4) define

Your Answer: 3) ✓
def

Correct Answer: 3)
def

Q7. What is the purpose of the `return` keyword in a Python function?

- 1) To print the result to the console.
- 2) To return a value from the function and end the function execution.
- 3) To display an error message.
- 4) None of the options

Your Answer: 2) ✓
To return a value from the function and end the function execution.

Correct Answer: 2)
To return a value from the function and end the function execution.

Q8. Which of the following is a Python data type for representing whole numbers?

- 1) float
- 2) char
- 3) int
- 4) str

Your Answer: 3) ✓
int

Correct Answer: 3)
int

Q9. Which type of loop continues executing as long as a specified condition is True?

- 1) for loop
- 2) while loop
- 3) do-while loop



4) until loop

Your Answer: 2) ✓

while loop

Correct Answer: 2)

while loop

Q10. What is the purpose of a function's docstring in Python?

- 1) To store comments that are not executed
- 2) To specify the function's name
- 3) To provide documentation and descriptions for the function
- 4) To display an error message

Your Answer: 3) ✓

To provide documentation and descriptions for the function

Correct Answer: 3)

To provide documentation and descriptions for the function

Q11. In an `if-else` statement, if the condition in the `if` block is False, what happens?

- 1) The `if` block is executed.
- 2) The program terminates.
- 3) The `else` block is executed.
- 4) The program goes into an infinite loop.

Your Answer: 3) ✓

The `else` block is executed.

Correct Answer: 3)

The `else` block is executed.

Q12. In Python, what is the purpose of the `*args` parameter in a function?

- 1) It defines a keyword argument.
- 2) It specifies required arguments.
- 3) It allows passing a variable number of non-keyword arguments.
- 4) It defines a default argument value.

Your Answer: 3) ✓

It allows passing a variable number of non-keyword arguments.

Correct Answer: 3)

It allows passing a variable number of non-keyword arguments.

Q13. What is the role of the `**kwargs` parameter in a Python function?

- 1) It defines a keyword argument.
- 2) It specifies required arguments.



3) It allows passing a variable number of keyword arguments.

4) It defines a default argument value.

Your Answer: 3) ✓
It allows passing a variable number of keyword arguments.

Correct Answer: 3)
It allows passing a variable number of keyword arguments.

Q14. What is the output of the following code:

1) 5

2) 10

3) 15

4) Error

Your Answer: 1) ✓
5

Correct Answer: 1)
5

Q15. Which data type is used to represent a sequence of characters in Python?

1) list

2) string

3) float

4) bool

Your Answer: 2) ✓
string

Correct Answer: 2)
string

Q16. What is the result of accessing a non-existent key in a dictionary?

1) It raises an error.

2) It returns the key itself.

3) It returns the value associated with the key.

4) It adds the key to the dictionary.

Your Answer: 1) ✓
It raises an error.

Correct Answer: 1)
It raises an error.

Q17. What is the return type of a function that does not contain a `return` statement?

1) int



- 2) str
- 3) bool
- 4) None

Your Answer: 4) ✓

None

Correct Answer: 4)

None

Q18. What is the value of `x` after this code is executed?

- 1) 5
- 2) 10
- 3) 15
- 4) Error

Your Answer: 3) ✓

15

Correct Answer: 3)

15

Q19. What does this for loop do?

- 1) Prints the sum of the numbers
- 2) Prints each number in the list
- 3) Prints only the even numbers
- 4) Prints the length of the list

Your Answer: 2) ✓

Prints each number in the list

Correct Answer: 2)

Prints each number in the list

Q20. What is the output of this function call?

- 1) "Hello, Alice"
- 2) "Hello, name"
- 3) "Hello, greet"
- 4) "Hello, message"

Your Answer: 1) ✓

"Hello, Alice"

Correct Answer: 1)

"Hello, Alice"

Q21. How do you pass multiple non-keyword arguments to this function?



1)

```
multiply(2, 3, 4)
```

2)

```
multiply(args=(2, 3, 4))
```

3)

```
multiply(*args=(2, 3, 4))
```

4)

```
multiply(args=[2, 3, 4])
```

Your Answer: 1) ✓

```
multiply(2, 3, 4)
```

Correct Answer: 1)

```
multiply(2, 3, 4)
```

Q22. How do you pass keyword arguments to this function?

1)

```
display_info({"name": "Alice", "age": 30})
```

2)

```
display_info(**{"name": "Alice", "age": 30})
```

3)

```
display_info("name"="Alice", "age"=30)
```

4)

```
display_info(name="Alice", age=30)
```

Your Answer: 4) ✓

```
display_info(name="Alice", age=30)
```

Correct Answer: 4)

```
display_info(name="Alice", age=30)
```

Q23. What is the output of this loop?

1) 1, 3, 5



2) 2, 4

3) 1, 2, 3, 4, 5

4) No output

Your Answer: 1) ✓
1, 3, 5

Correct Answer: 1)
1, 3, 5

Q24. What will be printed when the code is executed?

1) "Negative"

2) "Positive"

3) "Zero"

4) No output

Your Answer: 2) ✓
"Positive"

Correct Answer: 2)
"Positive"

Q25. How do you create a tuple with a single element in Python?

1) (1)

2) (1,)

3) [1]

4) {1}

Your Answer: 2) ✓
(1,)

Correct Answer: 2)
(1,)

Q26. What is the primary characteristic of a set in Python?

1) Allows duplicate elements

2) Ordered

3) Unordered

4) Indexed

Your Answer: 3) ✓
Unordered

Correct Answer: 3)
Unordered

Q27. What are positional arguments in Python?



- 1) Arguments that are passed with a keyword and can appear in any order
- 2) Arguments that must be passed in the same order as the parameters in the function definition
- 3) Arguments that are optional and have default values
- 4) Arguments that are stored as a dictionary inside the function

Your Answer: 2) ✓

Arguments that must be passed in the same order as the parameters in the function definition

Correct Answer: 2)

Arguments that must be passed in the same order as the parameters in the function definition

Q28. What happens when we divide an integer number using the / operator in Python 3?

- 1) It always returns an integer result
- 2) It causes a syntax error
- 3) It returns a float, even if the result is a whole number
- 4) It rounds down to the nearest integer

Your Answer: 3) ✓

It returns a float, even if the result is a whole number

Correct Answer: 3)

It returns a float, even if the result is a whole number

Q29. What is the key difference between a tuple and a list in Python?

- 1) Tuples are mutable, while lists are immutable.
- 2) Tuples are indexed by keys, while lists are indexed by numbers.
- 3) Tuples are ordered, while lists are unordered.
- 4) Tuples are immutable, while lists are mutable.

Your Answer: 4) ✓

Tuples are immutable, while lists are mutable.

Correct Answer: 4)

Tuples are immutable, while lists are mutable.

