
Guideline for using HAZMAT respirator regulation 800-001B



Authority

This publication for the Ruby Mountains Superstructure has been developed by the ITAA in coordinance with the SRA. This guideline is responsible for ensuring proper production and safety standards, including minimum requirements for such equipment, however, this standard may be overridden given proper clearance to do so.

Nothing in this publication shall be released to the general public, as it is confidential.

Institution for Technological Action and Advocacy
Special HAZMAT Publication 800-001B

Certain commercial entities, equipment, or materials may be identified in this document in order to describe an experimental procedure or concept adequately. Such identification is not intended to imply recommendation or endorsement by ITAA, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.

Comments on this publication may be submitted to:
the Board of Directors
The Administrator (with permission)

Abstract

This regulation document is intended to serve hazmat units within the Superstructure, and to adapt to newer technologies now available, along with increased relative safety standards. This Special Publication (SP) is the first one of its kind, but will be iterated on.

Keywords

confidentiality; critical infrastructure; Administrative directives; mandates; policy; standards.

Acknowledgments

The author wishes to thank those colleagues who ensured this regulation didn't sink miles below standard. The author also wishes to gratefully acknowledge and appreciate the many comments from the public and private sectors whose 'thoughtful' and 'constructive' comments improved the quality and usefulness of this publication.

Contents

1	INTRODUCTION	5
1.1	Background and Purpose	5
1.2	Document Organization	5
1.3	Acronyms	6
2	RSSCBA Identification	7
2.1	RSSCBA Trait Charts	7
2.1.1	Respirator Facepieces Chart	7
2.1.2	SCBA Facepieces Chart	7
2.1.3	SCBA Gas Cylinders Chart	7
2.1.4	RSSCBA Sizes Chart	8
3	RSSCBA Types	9
4	Other	10
4.1	RSSCBA Measurements	10
4.2	Copyright	11
4.3	Sources	11
4.3.1	Links	11
4.3.2	People	11

1 INTRODUCTION

1.1 Background and Purpose

HAZMAT publications of the Institute for Technological Action and Advocacy (ITAA) provide guidance regarding equipment usage, manufacturing requirements, situation control, and what to use in said situations.

This document provides basic guidance on how to identify what filter should be used in HAZMAT situations where SCBA equipment is either unavailable or not required, along with other information regarding filter construction, proper usage, and traits.

1.2 Document Organization

- Section 1 provides an introduction to this document, including its background and purpose, and a list of acronyms used herein.
- Section 2 provides information on basic respirator / SCBA identification.
- Section 3 describes information on what should be the base main respirator / SCBA types, the size standards of said filter types, and accepted filter casing materials.
- Section 4 provides other information.

1.3 Acronyms

ITAA	Institution for Technological Action and Advocacy
SRA	Superstructure Research Authority
BoD	Board of Directors
HAZMAT	Hazardous-Materials
SCBA	Self-Contained Breathing Apparatus
SP	Special Publication
SD	Short Duration
MD	Medium Duration
HD	High Duration
XHD	Extra-High Duration
Hi	High
Lo	Low
HiP	Hi-Pressure
LoP	Lo-Pressure
UNI	Universal
DIV	Diving
IDM	Identification Marker
IDC	Identification Color
LoE	Lo Exertion
HiE	Hi Exertion
Respirator	Gas-mask
RSSCBA	Respirator & SCBA

2 RSSCBA Identification

This section provides basic identification, along with a list of the main respirator RSSCBA types.

2.1 RSSCBA Trait Charts

2.1.1 Respirator Facepieces Chart

There are two types of respirator facepieces;

Types	Description	Port Count	IDM
UNI	General purpose Respirator, rated for all class-2 / class-3 threats.	1 - 2	$\subset$
DIV	UNI + Hi-Lo pressure capabilities.	2 - 3	Δ

2.1.2 SCBA Facepieces Chart

And three types of SCBA facepieces.

Types	Description	Port Count	IDM
UNI	General purpose SCBA, rated for all class-3 / class-4 threats.	1	β
DIV	UNI + Hi-Lo pressure capabilities.	1 - 2	γ
HAZ	DIV + Increased radioresistance.	2	Δ

2.1.3 SCBA Gas Cylinders Chart

Each

Types	Description	IDC	IDM
HD-Hi	HiP Unified tank & 2x Valve(s)		Λ
HD-Lo	LoP Unified tank & 2x Valve(s)		Σ
MD-Hi	HiP Dual tank & 2x Valve(s)		λ
MD-Lo	LoP Dual tank & 2x Valve(s)		σ
SD-Hi	HiP Single tank & 1x Valve(s)		$\mathbf{I}$
SD-Lo	LoP Single tank & 1x Valve(s)		$\mathbf{O}$

2.1.4 RSSCBA Sizes Chart

Each RSSCBA is expected to have a variant for all sizes.

Types	Face size	Face width	IDM
XS	50cm - 57cm	A → 45cm - 50cm—B → 40cm - 45cm	①
S	57cm - 60cm	A → 50cm - 55cm—B → 45cm - 50cm	②
M	60cm - 63cm	A → 55cm - 60cm—B → 50cm - 55cm	③
L	63cm - 67cm	A → 60cm - 65cm—B → 55cm - 60cm	④
XL	67cm - 70cm	A → 65cm - 70cm—B → 60cm - 65cm	⑤


*If the design deviates from these standards, the BoD may be advised in order to evaluate if the respirator is still production-worthy.

3 RSSCBA Types

4 Other

4.1 RSSCBA Measurements

Use a flexible tape measure or ruler to measure face length (from the bridge of nose to the bottom of chin), and face width (across cheekbones / jaw).*



*it is advised to keep the face relaxed when measuring for a more reliable result.

4.2 Copyright

These fictional fan documents of the White Knuckle universe may not be: redistributed, changed or used for commercially without explicit permission from the author.

© 2026 moron_notification, All rights reserved.

4.3 Sources

4.3.1 Links

<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-175A.pdf> (helped in document construction, also borrowed some text to reformat)

https://whiteknuckle.miraheze.org/wiki/White_Knuckle_Wiki (bery goodies game, go play it, this is a fan-document for wuckle anyways)

4.3.2 People

Wold (wold123) — [Moral Help]



TAKE YOUR COGNITIVOL