

# PCB Fabrication Notes


2-Layer PCB 4.284" x 1.444" Overall Dimensions  
.0625" Overall Thickness  
Black LPI Mask  
White Legend - LPI Process Preferred  
6/6mill Trace/Space. .012" Minimum Drill

## 2-Layer Stackup

.GTL	Top Copper
.GBL	Bottom Copper
.GTO	Top Silkscreen
.GBO	Bottom Silkscreen
.GTS	Top Soldermask
.GBS	Bottom Soldermask
.GTP	Top Paste Mask
.GBP	Bottom Paste Mask
.GM5	Board Outline
.TXT	NC DRILL

Route to overall shape on board outline layer.  
Ignore Silkscreen details to extend beyond outline  
Gerbers in 2.5 RS-274x Format - Leading Zeros Supressed  
NC Drill in 2.5 Format - Trailing Zeros Supressed

# TOP ASSEMBLY REFERENCE DRAWING




$2\pi\lambda^{-1}$   
Wavenumber  
LLC

2 Slot Elevator



Rev:  $\alpha$  Eli Hughes

4/22/2012

BOTTOM ASSEMBLY REFERENCE DRAWING



# MECHANICAL NOTES



2 Slot Elevator

Rev:  $\alpha$  Eli Hughes

4/22/2012

