




Prob XVI To measure the three angles of a triangle with a compass.

BA was $S 9^{\circ} 30' W$ $\angle ABC = 33^{\circ}$

BC " $S 42^{\circ} 30' W$

CA " $S 45^{\circ} 30' E$ $\angle BCA = 91^{\circ} 30'$

CB " $N 43^{\circ} E$

AB " $N 9^{\circ} 30' E$ $\angle CAB = 54^{\circ} 30'$

AC " $N 45^{\circ} W$

check $33^{\circ} + 91^{\circ} 30' + 54^{\circ} 30' = 179^{\circ}$
error was one degree

Oct 26 - 99


Sta A. $\left\{ \begin{array}{l} AE S 17^{\circ} 45' W \\ AB S 89^{\circ} 15' E \end{array} \right\}$ 4 ch 64.4

Sta B $\left\{ \begin{array}{l} BA N 89^{\circ} 15' W \\ BC S 15^{\circ} W \end{array} \right\}$ 4 87.4 $\left\{ \begin{array}{l} N 89 W \\ S 15^{\circ} 15' W \end{array} \right\}$ 4 87.

Sta C $\left\{ \begin{array}{l} CB N 45^{\circ} E \\ CD S 35^{\circ} 10' W \end{array} \right\}$ 2 40 $\left\{ \begin{array}{l} N 15^{\circ} 15' E \\ S 35^{\circ} W \end{array} \right\}$

Sta D $\left\{ \begin{array}{l} DC N 35^{\circ} 10' E \\ DE N 70^{\circ} 45' W \end{array} \right\}$ 3.95 $\left\{ \begin{array}{l} N 35^{\circ} 15' E \\ N 70^{\circ} 45' W \end{array} \right\}$

Sta E $\left\{ \begin{array}{l} ED S 71^{\circ} 45' E \\ EA N 17^{\circ} E \end{array} \right\}$ 5.75




ICE
HOUSE



186.8 ft.

1.

.50



50.5

0.11

5

275'

A.D.

116 ft.

NEW
House.

15 m. *Scaphis* notes

Station D

Well 57.6 from D and 59.5 from 200

SE cor. store house 46.4 from 200 and 71 from 150

NE cor store house ^{and 58 from D} 52.9 from 200 and 55.3 from 150

SE cor Quener Pig House 57.2 from 150 and 93.8 from 100

NE cor " " " 59.2 from 150 and 58.6 from 100

SW cor Chelster house 10.2 from D

South side of cut on railroad + 56.4

Center of South tracks + 47.3

Center of North track + 26.5

North side of cut on railroad
Station

bend needle $\frac{1}{2}$ back. This will
straighten needle. Test again

IV To set pivot. Needle being
straight, turn box until
needle cuts points 180° apart
Then turn box 90° and needle
will show maximum variations

V Set pivot, zero on scale, and
slits for sighting in same
vertical plane. Test by
silk card or loose hair.

VI Slits for sights must, this
and their entire length lie
in plane normal to plane
of bubble tubes.

Test: Hang plumb line about 40 ft
away from instrument, and
sight on line. Putting eye at
bottom of slit and glancing
along length of other. repeat
this for both sights.