#### PERSONAL PORTFOLIO WEBSITE

#### A PROJECT REPORT

Submitted by

Name of Student – ANSH KUMAR Registration No. - 12410573 Roll No. - 43 Section - K24KP

in partial fulfillment for the award of the degree of

#### **BACHELOR OF COMPUTER SCIENCE and ENGINEERING**



Lovely Professional University, Punjab

CSE326 – Internet Programming Laboratory (CA-3)

**NOVEMBER, 2024** 

#### TABLE OF CONTENTS

S NO.	TOPIC	PAGE NO.
1	Introduction	2
2	Technology Used	2
3	Workflow of project (Flowchart)	3
4	<b>Project Description</b>	3
5	Project Objectives	4
6	Expected outcomes of project	4
7	portfolio.html	4-5
8	about.html	5-7
9	Skills.html	7-10
10	Certificate.html	10-11
11	Contact.html	11-13
12	portfolio.css	13-27
13	Portfolio.js	27-28
14	Output Screenshots	28-30
15	Github Link	30
16	Conclusion	30
17	References	30

### Introduction

Hi, I'm Ansh Kumar, a frontend developer with a strong foundation in HTML, CSS, and JavaScript. I'm passionate about crafting intuitive and engaging web interfaces. This portfolio showcases one of my recent projects that merges creativity with solid technical skills, highlighting my journey as a developer and the meaningful solutions I aim to build.

# **Technology Used**

This project was built using:

- **HTML** for the structure and layout.
- CSS for styling and responsive design.
- **JavaScript** for adding interactivity and dynamic behavior.
- **Version Control**: Git and GitHub for tracking changes and collaborating

# **Workflow of Project**

The project follows a straightforward workflow:



- **Design**: Wire framing and layout creation.
- **Development**: Coding the structure, styling, and adding interactivity.
- **Testing**: Ensuring functionality across various devices and browsers.
- Launch: Deploying the final version.

### **Project Description**

This project is a multi-page web portfolio that showcases my journey as a developer. It includes sections such as an introduction, skills display, certificates, and a contact form to connect with visitors. Each page is

designed with a user-centric approach to ensure an enjoyable browsing experience.

# **Project Objectives**

- Build a visually appealing and responsive portfolio.
- Display my technical skills effectively.
- Enable easy navigation and a seamless user experience.

### **Expected Outcomes of Project**

- A fully operational, aesthetically pleasing portfolio site.
- Improved personal brand showcasing my web development skills.
- Positive feedback and engagement from visitors.

# **Page Descriptions**

• **Homepage**: A welcoming introduction with navigation to other sections.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE-edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Ansh</title>
<link rel="stylesheet" href="portfolio.css" />
k rel="icon" type="image-x/icon" href="4.png" />
nref="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
el="stylesheet"
  cript src="https://cdn.jsdelivr.net/npm/typed.js@2.0.12"> </script>
<header class="header">
<a href="#home" class="logo"><span>Ansh</span> Kumar</a>
<nav class="navbar">
<a href="portfolio.html" style="--i: 1">Home</a>
```

```
<a href="about.html" style="--i: 2">About</a>
<a href="skills.html" style="--i: 3">Skills</a>
<a href="certificate.html" style="--i:4">Certificates</a>
<a href="contact.html" style="--i: 5">Contact</a>
</nav>
</header>
<section class="home" id="home">
<div class="home-content">
<h3>Hello! It's Me</h3>
<h1>Ansh Kumar</h1>
<h3>and I am a <span class="text"></span></h3>
<p>>
I'm a Python developer skilled in HTML, CSS, and JavaScript. <br> I'm currently learning React to
create interactive web experiences.
<div class="home-sci">
<a href="https://www.instagram.com/_a_n_s_hh___/" style="--i: 6"
> <i class="bx bxl-instagram"> </i
></<mark>a</mark>>
<a href="https://x.com/anshkumar2311" style="--i: 7"
> <i class="bx bxl-twitter"> </i
<a href="https://github.com/anshkumar2311" style="--i: 8"
> <i class="bx bxl-github"> </i
></<mark>a</mark>>
< a
href="https://www.linkedin.com/in/ansh-kumar-747009311/"
style="--i: 9"
> <i class="bx bxl-linkedin"> </i
></<mark>a</mark>>
</div>
<a href="about.html" class="btn-box">More about me</a>
</div>
<div class="home-image">
<img src="1.png" alt="Profile Image" />
</div>
</section>
<script src="portfolio.js"></script>
</body>
</html>
```

• **About Page:** Contains a brief introduction about yourself, your skills, and your interests. This can be tailored further to match your personal story.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8"/>
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>About</title>
<link rel="stylesheet" href="portfolio.css" />
<link rel="icon" type="image-x/icon" href="4.png" />
href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
 el="stylesheet"
<script src="https://cdn.jsdelivr.net/npm/typed.js@2.0.12"></script>
</head>
<body>
<header class="header">
<a href="#home" class="logo"><span>Ansh</span> Kumar</a>
<nav class="navbar">
<a href="portfolio.html" style="--i: 1">Home</a>
<a href="about.html" style="--i: 2">About</a>
<a href="skills.html" style="--i: 3">Skills</a>
<a href="certificate.html" style="--i:4">Certificates</a>
<a href="contact.html" style="--i: 5">Contact</a>
</nav>
</header>
<section class="about" id="about">
<div class="about-img">
<img src="2.jpeg" alt="This is me" width="350" height="350" />
</div>
<div class="about-text">
<h2>About<span>Me</span></h2>
<h4>Full Stack Developer</h4>
>
I am a dedicated Full Stack Web Developer with a passion for building
robust and scalable web applications. My expertise spans both frontend
and backend technologies, allowing me to create dynamic, user-friendly
websites and applications. In addition to my web development skills, I
have a strong background in Python, which I utilize for backend
development, data handling, and automation. < br />
```

With Python, I have experience working with frameworks like Django and

```
Flask to develop secure and scalable server-side applications. I also use Python for API development, database management, and scripting tasks that enhance productivity and streamline processes. Whether it's building complex applications or writing efficient algorithms, Python plays a key role in my development toolkit. In every project, I focus on clean, maintainable code and always strive to stay updated with the latest technologies and best practices in both web development and Python programming.

<a href="skills.html" class="btn-box">More about me</a>
</div>
</div>
</section>
</body>
</html>
```

• Skills Page: Visual representation of my skills with progress indicators.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8"/>
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Skills</title>
<link rel="stylesheet" href="portfolio.css" />
<link rel="icon" type="image-x/icon" href="4.png" />
k
href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
el="stylesheet"
 script src="https://cdn.jsdelivr.net/npm/typed.js@2.0.12"></script>
</head>
<body>
<header class="header">
<a href="#home" class="logo"><span>Ansh</span> Kumar</a>
<nav class="navbar">
<a href="portfolio.html" style="--i: 1">Home</a>
<a href="about.html" style="--i: 2">About</a>
<a href="skills.html" style="--i: 3">Skills</a>
<a href="certificate.html" style="--i:4">Certificates</a>
<a href="contact.html" style="--i: 5">Contact</a>
</nav>
</header>
<h1 style="font-size: 65px; margin-top: 5%" class="sub-title">
My <span>Skills</span>
```

```
</h1>
<section>
<div class="container1" id="skills">
<h1 class="heading1">Technical Skills</h1>
<div class="Technical-bar">
<div class="bar">
<i style="color: #c95d2e" class="bx bxl-html5"></i>
<div class="info">
<span>HTML</span>
</div>
<div class="progress-line html">
<span>80%</span>
</div>
</div>
<div class="bar">
<i style="color: #147bbc" class="bx bxl-css3"></i>
<div class="info">
<span>CSS</span>
</div>
<div class="progress-line css">
<span>55%</span>
</div>
</div>
<div class="bar">
<i style="color: #b0bc1e" class="bx bxl-javascript"></i>
<div class="info">
<span>JavaScript</span>
</div>
<div class="progress-line javascript">
<span>30%</span>
</div>
</div>
<div class="bar">
<i style="color: #c32ec9" class="bx bxl-python"></i>
<div class="info">
<span>Python
</div>
<div class="progress-line python">
<span>50%</span>
</div>
</div>
<div class="bar">
<i style="color: #69bcbc" class="bx bxl-react"></i>
<div class="info">
<span>React</span>
```

```
</div>
<div class="progress-line react">
<span>15%</span>
</div>
</div>
</div>
</div>
<div class="container1" id="skills">
<h1 class="heading1">Professional Skills</h1>
<div class="radial-bar">
<div class="circle-wrap">
<div class="circle" style="--percentage: 288deg">
<!-- 90% -->
<div class="inside-circle">80%</div>
</div>
</div>
<div class="text">Creativity</div>
</div>
<div class="radial-bar">
<div class="circle-wrap">
<div class="circle" style="--percentage: 255deg">
<!-- 75% -->
<div class="inside-circle">70%</div>
</div>
</div>
<div class="text">Problem Solving</div>
</div>
<div class="radial-bar">
<div class="circle-wrap">
<div class="circle" style="--percentage: 234deg">
<!-- 65% -->
<div class="inside-circle">65%</div>
</div>
</div>
<div class="text">Communication</div>
<div class="radial-bar">
<div class="circle-wrap">
<div class="circle" style="--percentage: 270deg">
<!-- 80% -->
<div class="inside-circle">75%</div>
```

```
</div>
</div>
<div class="text">Team Work</div>
</div>
</div>
</div>
</section>
</body>
</html>
```

• Certificates Page: Displays achievements and certifications with brief descriptions.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Certificates</title>
<link rel="stylesheet" href="portfolio.css" />
<link rel="icon" type="image-x/icon" href="4.png" />
k
href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
rel="stylesheet"
<script src="https://cdn.jsdelivr.net/npm/typed.js@2.0.12"></script>
</head>
<body>
<header class="header">
<a href="#home" class="logo"><span>Ansh</span> Kumar</a>
<nav class="navbar">
<a href="portfolio.html" style="--i: 1">Home</a>
<a href="about.html" style="--i: 2">About</a>
<a href="skills.html" style="--i: 3">Skills</a>
<a href="certificate.html" style="--i:4">Certificates</a>
<a href="contact.html" style="--i: 5">Contact</a>
</nav>
</header>
<h1 class="cert">My <span>Certificates</span></h1>
<div class="container">
<div class="photo-card">
<img src="7.png" alt="Photo 1" >
<a href="https://div>class="photo-heading">Tech Tussle Participation</ali>
<div class="photo-details">
```

```
Thrilled to have earned my Tech Tussle Participation credential from Club Google! Looking
forward to applying this knowledge
</div>
</div>
<div class="photo-card">
<img src="5.png" alt="Photo 2">
<div class="photo-heading">Effective Time Management MOOC</div>
<div class="photo-details">
I recently completed the "Effective Time Management" MOOC, which has equipped me with
strategies to optimize my time and productivity.
</div>
</div>
<div class="photo-card">
<img src="6.jpg" alt="Photo 3">
<div class="photo-heading">Hack-a-Throne 1.0 AIESEC</div>
<div class="photo-details">
My first hackathon qualifying certificate was a moment of pride. It validated my technical skills,
creativity, and ability to collaborate under pressure.
</div>
</div>
</div>
```

• **Contact Page**: A functional form for communication, complemented by social media links.

```
!DOCTYPE html>
<html lan <g="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Contact Me </title>
link rel="stylesheet" href="portfolio.css" />
<link rel="icon" type="image-x/icon" href="4.png" />
link
href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css"
rel="stylesheet"
/>
<script src="https://cdn.jsdelivr.net/npm/typed.js@2.0.12"></script>
</head>
```

```
<body>
<header class="header">
<a href="#home" class="logo"><span>Ansh</span> Kumar</a>
<nav class="navbar">
<a href="portfolio.html" style="--i: 1">Home</a>
<a href="about.html" style="--i: 2">About</a>
<a href="skills.html" style="--i: 3">Skills</a>
<a href="certificate.html" style="--i:4">Certificates</a>
<a href="contact.html" style="--i: 5">Contact</a>
</nav>
</header>
<section class="contact" id="contact">
<div class="contact-text">
<h2>Contact <span>Me</span></h2>
<h4>Let's Work Together</h4>
I'd love to hear from you! Whether you have a project idea, a question, or just want to say hi, feel
free to reach out. You can contact me through the form or connect with me via email or social media.
<div class="contact-list">
<i class="bx bxs-send" style="color: #1fc3c9"></i
>kumaransh3335@gmail.com
<|i><i class="bx bxs-phone" style="color: #1fc3c9"></i>7906558634</|i>
</div>
<div class="home-sci">
<a href="https://www.instagram.com/_a_n_s_hh___/" style="--i: 6"
> <i class="bx bxl-instagram"> </i
></a>
<a href="https://x.com/anshkumar2311" style="--i: 7"
> <i class="bx bxl-twitter"> </i
></a>
<a href="https://github.com/anshkumar2311" style="--i: 8"
> <i class="bx bxl-github"> </i
></<mark>a</mark>>
href="https://www.linkedin.com/in/ansh-kumar-747009311/"
style="--i: 9"
> <i class="bx bxl-linkedin"> </i
></<mark>a</mark>>
</div>
</div>
<div class="contact-form">
```

```
<form action="">
<input type="text" placeholder="Enter Your Name" required />
<input type="email" placeholder="Enter Your Email" required />
<input type="text" placeholder="Enter Your Subject" />
<textarea
name=""
id=""
cols="40"
rows="10"
placeholder="Enter Your Message"
required
></textarea>
<input type="submit" value="Submit" class="send" />
</form>
</div>
</section>
</body>
</html>
```

• CSS PAGE: Stylize and Animate Dynamically

```
margin: 0;
color:#ffffff;
padding: 0;
box-sizing: border-box;
font-family: 'Poppins', sans-serif;
background-color: black;
.header {
display: flex;
justify-content: space-between;
padding: 10px 20px;
background-color: black;
/* position: fixed; */
width: 100%;
top: 0;
left: 0;
z-index: <mark>10</mark>;
```

```
.logo {
font-size: <mark>32</mark>px;
font-weight: bold;
color: white;
text-decoration: none;
cursor: default;
animation: slideRight 0.5s ease forwards;
.logo span {
color: #0ef;
.navbar {
display: flex;
.navbar <mark>a</mark> {
margin-left: 20px;
text-decoration: none;
color: white;
font-size: 18px;
transition: color 0.3s;
animation: slideTop 0.5s ease forwards;
.navbar a:hover {
color: #0ef;
@keyframes slideRight {
transform: translateX(-100px);
opacity: <mark>0</mark>;
100% {
transform: translateX(0px);
opacity: 1;
@keyframes slideTop {
0% {
```

```
transform: translateY(-100px);
opacity: <mark>0</mark>;
100% {
transform: translateY(0px);
opacity: 1;
.home {
/* margin-top: 50px; */
position: relative;
width: 100%;
height: 100vh;
background-color: black;
background-size: cover;
background-position: center;
display: flex;
justify-content: space-between;
align-items: center;
padding: 70px 10%;
flex-wrap: wrap;
.home-image img {
max-width: 600px;
border-radius: 100%;
box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);
.home-content p {
font-size: 18px;
line-height: 1.5;
margin-top: 20px;
animation: slideLeft 1s ease forwards;
@keyframes slideLeft {
transform: translateX(100px);
opacity: <mark>0</mark>;
```

100% {

```
transform: translateX(0px);
opacity: 1;
.home-content h1 {
font-size: 55px;
animation: slideRight 1s ease forwards;
.home-content h3 {
font-size: 32px;
font-weight: 700;
animation: slideBottom 1s ease forwards;
@keyframes slideBottom {
0% {
transform: translateY(-100px);
opacity: <mark>0</mark>;
100% {
transform: translateY(0px);
opacity: 1;
.home-content {
max-width: 50%;
color: white;
.text {
color: #0ef;
font-weight: bold;
margin-bottom: 30px;
.home-sci a {
display: inline-flex;
text-decoration: none;
color: #0ef;
justify-content: center;
align-items: center;
```

```
width: 40px;
height: 40px;
font-size: 20px;
border-radius: 50px;
border: 2px solid #0ef;
margin: 30px 15px 30px 0;
animation: slideLeft 1s ease forwards;
transition: .5s ease;
.home-sci a:hover {
background-color: #0ef;
color: black;
box-shadow: 0 0 20px #0ef;
.btn-box {
display: inline-block;
padding: 12px 28px;
text-decoration: none;
font-size: 18px;
background: #0ef;
color: black;
font-weight: 600;
border-radius: 50px;
animation: slideTop 1s ease forwards;
.btn-box:hover {
box-shadow: <mark>0 0 20</mark>px #0ef;
.about {
display: grid;
grid-template-columns: repeat(2, 1fr);
align-items: center;
gap: 1.5rem;
padding: 100px 5%;
margin-right: 5%;
.about-text h4 {
font-size: 28px;
font-weight: 600;
margin: 15px 0 30px;
```

```
color: white;
line-height: 1.7;
.about-text p {
color: white;
line-height: 1.4;
font-size: 18px;
margin-bottom: 3%;
.about-text h2 {
font-size: 60px;
color: white;
.about-text h2 span {
color: #0ef;
.about-img img {
max-width: 350px;
border-radius: 100%;
box-shadow: <mark>0 4px 8px rgba(0, 0, 0, 0.5)</mark>;
.sub-title {
text-align: center;
color: white;
font-size: <mark>50</mark>px;
.sub-title span {
color: #0ef;
.info h2{
color: #ffffff;
.sub-title h1{
margin-bottom: 0;
font-size: 66px;
font-weight: 500;
```

```
section {
display: flex;
flex-wrap: wrap;
justify-content: center;
padding: 50px 0;
.sub-title h1{
align-items: <mark>center</mark> ;
justify-content: center;
.container1 {
width: 600px;
height: auto;
margin: 20px;
padding: 40px;
background-color: #1c1c1c;
border-radius: 10px;
box-shadow: 0 8px 16px rgba(0, 0, 0, 0.7);
.heading1 {
text-align: center;
font-size: 32px;
font-weight: 700;
color: #f0f0f0;
margin-bottom: 40px;
.sub-title {
text-align: center;
font-size: 40px;
margin-bottom: 40px;
.sub-title span {
color: #0ef;
.Technical-bar .bar {
margin: 20px 0;
font-size: 18px;
display: flex;
align-items: center;
gap: <mark>10</mark>px;
```

```
.Technical-bar .bar i {
font-size: 28px;
.Technical-bar .bar .info {
flex-grow: 1;
.Technical-bar .bar .progress-line {
position: relative;
border-radius: 10px;
width: 100%;
height: 10px;
background-color: #444;
margin-bottom: 20px;
.Technical-bar .bar .progress-line <mark>span</mark> {
height: 100%;
background: linear-gradient(90deg, #00f, #0ef);
position: absolute;
border-radius: 10px;
transition: width 1s ease-in-out;
box-shadow: 0 0 10px #0ef, 0 0 20px #00f;
transform: scaleX(0);
transform-origin: left;
animation: grow 1s forwards;
.Technical-bar .bar .progress-line <mark>span::after</mark> {
content: attr(data-percentage);
position: absolute;
right: 10px;
top: -25px;
font-size: 14px;
font-weight: bold;
color: #0ef;
text-shadow: <mark>0 0 5</mark>px #0ef;
animation: fadeIn 1.5s ease-in;
@keyframes grow {
from {
```

```
transform: scaleX(0);
transform: scaleX(1);
@keyframes fadeIn {
from {
opacity: <mark>0</mark>;
to {
opacity: 1;
.progress-line.html span {
width: <mark>80</mark>%;
animation-delay: 0.2s;
.progress-line.css span {
width: 55%;
animation-delay: 0.4s;
.progress-line.javascript <mark>span</mark> {
width: 30%;
animation-delay: 0.6s;
.progress-line.python <mark>span</mark> {
width: 50%;
animation-delay: 0.8s;
.progress-line.react span {
width: 15%;
animation-delay: 1s;
.radial-bar {
display: inline-block;
```

margin: 20px;

```
text-align: center;
color: #f0f0f0;
.circle-wrap {
width: 120px;
height: 120px;
position: relative;
margin: 0 auto;
.circle {
width: 100%;
height: 100%;
border-radius: 50%;
background: conic-gradient(
#0ef var(--percentage),
#333 <mark>var</mark>(--percentage)
display: flex;
justify-content: center;
align-items: center;
position: relative;
transform: rotate(360deg);
animation: fillAnimation 3s ease-in-out forwards;
@keyframes fillAnimation {
from {
transform: rotate(0deg);
to {
transform: rotate(var(360deg));
.inside-circle {
width: 90px;
height: 90px;
border-radius: 50%;
background-color: #111;
line-height: 90px;
text-align: center;
position: absolute;
top: 15px;
left: 15px;
```

```
font-size: 20px;
font-weight: 700;
.text {
margin-top: 10px;
font-size: 18px;
.cert{
margin-top: 100px;
font-size: <mark>50</mark>px;
text-align: <mark>cente</mark>r;
.cert span{
color: #0ef;
.container {
margin-top: 50px;
display: flex;
justify-content: <mark>space-between</mark>;
gap: <mark>20</mark>px;
.photo-card {
width: 30%;
text-align: center;
border: 1px solid #ccc;
border-radius: 8px;
padding: 10px;
box-shadow: 2px 2px 8px rgba(0, 0, 0, 0.1);
.photo-card img {
width: 100%;
height: auto;
border-radius: <mark>8</mark>px;
.photo-heading {
font-size: 18px;
font-weight: bold;
margin-top: 10px;
.photo-details {
margin-top: 5px;
font-size: 14px;
```

```
color: #333;
.contact {
display: flex;
justify-content: space-around;
align-items: flex-start;
padding: 20px;
margin: 20px;
.contact h2{
font-size: 65px;
.contact h2 span{
color: #0ef;
.contact h4{
font-size: 30px;
padding: 5px;
.contact-text {
max-width: 400px; /* Adjust as necessary */
.contact-list {
list-style: none;
padding: <mark>0</mark>;
.contact-list li {
margin: 10px <mark>0</mark>;
font-size: 16px;
.contact-form {
max-width: 500px; /* Adjust as necessary */
.contact-form input,
.contact-form textarea {
width: 100%;
padding: 10px;
margin: 10px 0;
border: 1px solid #ccc;
border-radius: 5px;
```

```
.contact-form .send {
background-color: #1fc3c9; /* Change as needed */
color: white;
border: none;
cursor: pointer;
font-size: 16px;
transition: background-color 0.3s;
.contact-form .send:hover {
.footer {
text-align: center;
margin-top: 40px;
padding: 20px 0;
background-color: #f4f4f4; /* Change as needed */
@media (max-width: 1024px) {
.home {
flex-direction: column;
padding: 70px 5%;
.home-content {
max-width: 100%;
.home-content h1 {
font-size: 40px;
.home-content h3 {
font-size: 25px;
.home-content p {
font-size: 16px;
```

```
.home-image <mark>img</mark> {
max-width: 400px;
.about {
grid-template-columns: 1fr;
.about-img img {
max-width: 300px;
.about-text <mark>h2</mark> {
font-size: <mark>48</mark>px;
@media (max-width: 768px) {
.header {
padding: 10px;
.navbar <mark>a</mark> {
font-size: 16px;
.home-content h1 {
font-size: 32px;
.home-content h3 {
font-size: 20px;
.home-image im<mark>g</mark> {
max-width: 250px;
.about-text h2 {
font-size: <mark>36</mark>px;
.about-img img {
max-width: 250px;
```

```
.sub-title {
font-size: <mark>36</mark>px;
@<mark>media</mark> (max-width: <mark>480</mark>px) {
.home-content h1 {
font-size: 28px;
.home-content h3 {
font-size: 18px;
.home-image img {
max-width: 200px;
.navbar <mark>a</mark> {
font-size: 14px;
.about-text h2 {
font-size: <mark>28</mark>px;
.about-img img {
max-width: 200px;
.sub-title {
font-size: <mark>30</mark>px;
.container1 h1 {
font-size: 28px;
```

• **JAVASCRIPT PAGE:** JavaScript is a powerful and versatile programming language

```
var typed = new Typed(".text", {
strings: ["Frontend Developer", "Python Developer", "Database Creator"],
typeSpeed: 100,
backSpeed: 100,
backDelay: 1000,
loop: true
});
```


# **Output Screenshots**

Screenshots of the homepage, skills section, and contact form, illustrating the user interface and interactions.


• HOME PAGE:




#### • ABOUT PAGE:




#### • SKILLS PAGE:



#### • CERTIFICATES PAGE:



#### • CONTACT PAGE:



### **GitHub Link**

GitHub Repository (https://github.com/anshkumar2311/Portfolio/tree/main)

### **Conclusion**

Creating this portfolio has allowed me to deepen my understanding of web design principles and enhance my skills in building user-friendly web applications. It's a project that reflects my growth and dedication to front-end development.

### References

- MDN Web Docs for HTML, CSS, and JavaScript.
- Various online tutorials and articles for tips on responsive design and UI practices
- W3Schools Tutorial
- BOOTSTRAP