



Bangabandhu Sheikh Mujibur Rahman Digital University

*Faculty of Cyber Physical Systems
Department of Internet of Things and Robotics Engineering (IRE)*

Smart Home Automation System

*Course Title: Mobile Platform for IoT Devices Lab
Course Code: IOT 4412
Group: 07*

Students Details

Name	ID
Md. Zunead Abedin Eidmum	1801031
Farah Alam Mim	1801032
Abdul Hasib	1801038
Bakhtiar Muiz	1801045

*Submission Date: 06-11-2023
Course Teacher's Name: Md. Moshir Rahman and Mahir Mahbub*

[For teachers use only: **Don't write anything inside this box**]

<u>Lab Project Status</u>	
Marks:	Signature:
Comments:	Date:

Contents

1	Introduction	3
1.1	Overview	3
1.2	Motivation	4
1.3	Problem Definition	5
1.3.1	Problem Statement	5
1.3.2	Complex Engineering Problem	5
1.4	Design Goals/Objectives	7
1.5	Application	8
2	Design/Development/Implementation of the Project	9
2.1	Introduction	9
2.2	Project Details	10
2.2.1	ER Diagram	10
2.2.2	Use Case Diagram	10
2.2.3	Activity Diagram	13
2.2.4	DFD Diagram	17
2.3	Implementation	19
2.3.1	Server	19
2.3.2	Front-End	19
2.3.3	Consumer Device	20
2.3.4	The workflow	20
2.3.5	Tools and libraries	20
2.3.6	Api documentation	20
2.4	Algorithms	21
3	Performance Evaluation	23
3.1	Simulation Environment/ Simulation Procedure	23

3.1.1	Appliances Control	23
3.1.2	Showing Temperature value	24
3.1.3	Showing Humidity value	26
3.2	Results Analysis/Testing	27
3.2.1	Showing Performance of the system Api	27
3.2.2	Showing Hit and Error Graph	27
3.2.3	Showing Response Time Graph	28
4	Conclusion	29
4.1	Discussion	29
4.2	Limitations	29
4.3	Scope of Future Work	30

Chapter 1

Introduction

1.1 Overview

A smart home automation system comprises a network of interconnected appliances and devices managed through a centralized center or a mobile application. [1] The mobile application developed by this system will establish an interface with temperature and humidity sensors, which are essential for monitoring the indoor environment of a dwelling. Furthermore, the application will furnish a mechanism for turning home appliances ON/OFF. This system will facilitate effortless appliance control, thereby improving our quality of life. [2]

We have divided the system into two major components for this endeavor. These are the components:

- **Internal Environment Monitoring:** In order to consistently assess the indoor environment of the dwelling, the system is equipped with two sensors—humidity and temperature. Smartphone application users will have the capability to access the collected data and derive immediate insights for their residences. Thus, we are able to retrieve the data into the application instantly and utilize it as needed.
- **Home Appliance Control:** This system is equipped with the capability to control appliances. We have access to data regarding our native regions. To remotely activate a particular appliance, it is possible to toggle the device ON or OFF remotely. It will be beneficial to live a convenient existence.

In this project, by using an intuitive smartphone application, the project will offer an all-in-one solution for monitoring the internal environment and controlling the home appliance. With the help of this cutting-edge system, users can find the necessary data quickly from a remote distance, and they can also control the appliances remotely.

1.2 Motivation

The underlying rationale for home automation systems is to augment daily convenience, comfort, and efficiency. Automating repetitive duties provides the ability to tailor them to individual preferences. [3] Additionally, it fosters a contemporary and interconnected way of life, which ultimately enhances the homeowners' standard of living. A multitude of critical factors drives this endeavor:

- **Environment Monitoring:** Bangladeshis are currently required to adopt a technologically advanced lifestyle to save time. They are, therefore, needed to collect data on a single platform. Some sensors are a part of this system, which assists them in remaining current. The information is readily accessible to users, who can utilize it as needed. The home's internal environment is monitored through the continuous generation of temperature and humidity data.
- **Remote Control and Accessibility:** The conventional system does not permit remote monitoring of the environment. Users must visit the residence to observe the interior environment. Consequently, this initiative provides them with extensive utility by enabling them to monitor temperature and humidity levels using their smartphone remotely. Additionally, they can remotely turn the home appliance ON/OFF with a single tap on their smartphone.
- **User Convenience:** The goal of the project is to develop intelligent home automation systems for users such as those who are technologically deprived, occupied, or paralyzed, among others. Highly user-friendly in operation. The simplicity of monitoring and remote control promotes the implementation of this technology.
- **Realtime Monitoring:** Users may better support informed decision-making by accessing current, real-time environmental information and insights to discover the appropriate data from sensors and operate their equipment as needed.
- **Efficiency and Precision:** The project's goal is to increase temperature and humidity monitoring accuracy. Sensors produce something, and a mobile application handles it. Thus, the system does not include any manual errors.
- **Economic Benefits:** Users may switch their household appliances on or off based on their needs. This lessens the amount of power lost so that we may locate financial backing for this undertaking.
- **Customization and Control:** A wider spectrum of customers will find the project more enticing since they may customise the system to meet their needs and have control over the household appliance.

In summary, the development of the mobile application for the smart home automation system is driven by various factors. It provides the best and most suitable solution for monitoring and controlling home appliances.

1.3 Problem Definition

1.3.1 Problem Statement

In the contemporary technological environment characterized by swift advancements, the amalgamation of intelligent devices and home automation systems has gained notable prevalence. [4] Nevertheless, this promising technology encounters substantial obstacles that impede its extensive implementation and optimal utilization. The primary challenges encompass the absence of a cohesive ecosystem, which leads to devices that are fragmented and frequently incompatible, intricate user interfaces that restrict user involvement, apprehensions regarding security and privacy in an interconnected global community, overlooked prospects for energy conservation, and the lack of standardized communication protocols. It is critical to confront these challenges to develop a home automation system that is energy-efficient but also user-friendly, secure, and capable of optimizing the contemporary living experience.

The objective of a home automation system is to optimize the comfort, productivity, and protection of an individual residence through the integration and automation of diverse systems and devices, including but not limited to illumination, security cameras, and home appliances. [5] By providing users with the capability to control and monitor these components via a centralized interface remotely, the system should facilitate energy conservation, personalization, and an uninterrupted habitation experience. Additionally, it should furnish householders with real-time data and notifications, guaranteeing their safety and tranquility.

1.3.2 Complex Engineering Problem

A complex engineering problem in a home automation system involves seamlessly integrating a wide array of devices, protocols, and user interfaces to create a unified, intelligent ecosystem. [6] Addressing these challenges in energy efficiency, user experience, interoperability, and security is necessary. Managing smart lighting, heating, and cooling, all while keeping your data safe and using resources wisely, can be a challenging job. To ensure the system can grow and adapt over the long term, engineers are tasked with designing resilient communication protocols, managing data transfers, and developing user-friendly interfaces that contribute to the system's usability and dependability.

The following Table 1.1 describe about summary of Smart Home Automation System. Here describe Some Attributes of the System:

Table 1.1: Summary of the attributes touched by the mentioned projects

Name of the P Attributes	Explain how to address
P1: Depth of knowledge required	<p>To make this system Smart Home Automation we need some knowledge required:</p> <ol style="list-style-type: none"> 1. Knowledge about Dart. 2. Knowledge about Flutter. 3. Knowledge about NodeJS and MongoDB. 4. Knowledge about Sensors (Humidity and Temperature) and it's connection. 5. Knowledge about actuator connection.
P2: Range of conflicting requirements	<ol style="list-style-type: none"> 1. Connect front-end with back-end by using NodeJS. 2. Connect sensor with database by using HTTP.
P3: Depth of analysis required	<p>To make this system Smart Home Automation we need some analysis required:</p> <ol style="list-style-type: none"> 1. Required analysis of Humidity and Temperature sensors for how these sensors work, how to calibrate sensors raw values, and which value indicate what meaning, etc. 2. Required analysis about Room Temperature and Humidity.
P4: Familiarity of issues	<ol style="list-style-type: none"> 1. In Smart Home Automation system tries to solve Room Temperature and Humidity data issues over one month. 2. Smart Home Automation tried to solve traditional measurement and Actuator control system. 3. Make remote accessibility system and real-time monitoring.
P5: Extent of stakeholder involvement and conflicting requirements	User Specific Configuration
P6: Interdependence	<ol style="list-style-type: none"> 1. We Used MVC in the back-end. 2. REST Principle is Followed. 3. Real-time monitoring of Temperature and Humidity Sensor data.

1.4 Design Goals/Objectives

The primary goals and objectives of the Smart Home Automation System project include:

1. Convenience:

- Streamline daily tasks and routines.
- Simplify control and management of various devices.

2. Energy Efficiency:

- Reduce energy consumption and lower utility bills.
- Implement smart lighting and thermostat controls.

3. Security:

- Enhance home security with surveillance cameras and sensors.
- Implement alarms and notifications for unauthorized access.

4. Comfort:

- Create a comfortable and enjoyable living environment.
- Control temperature, humidity, and lighting to suit preferences.

5. Accessibility:

- Ensure that the system is accessible to all family members, including those with disabilities.
- Implement voice control and mobile app accessibility.

6. Scalability:

- Design the system to expand and integrate new devices and technologies quickly..
- Support future upgrades and additions.

7. Integration:

- Ensure compatibility and seamless integration among various devices and platforms.
- Use open standards and protocols for interoperability.

Based on these design objectives, the mobile application and associated hardware components are developed. Their objective is to offer a reliable and flexible system that accommodates the diverse needs of users while advocating for the responsible and environmentally friendly management of home automation.

1.5 Application

Here are a few critical Smart Home Automation System applications:

- **Smart Lighting:** Automate and manage the lights in your whole house for ease and energy savings.
- **Thermostat Control:** Adjust the temperature and HVAC system remotely for comfort and savings.
- **Security and Surveillance:** Monitor your home with cameras and sensors for safety and peace of mind.
- **Energy Management:** Optimize energy usage and save on utility bills.
- **Remote Access:** Manage and monitor your home from anywhere using a smart-phone app.
- **Automated Blinds and Curtains:** Control natural light and privacy with automated window treatments.
- **Appliance Control:** Turn appliances on/off remotely and schedule their operation.

The Mobile Application Development Project is a highly beneficial asset for organizations and individuals involved in the administration of aquatic ecosystems due to its extensive range of practical uses. A user-friendly interface, real-time data, and remote control capabilities make it a versatile solution suitable for organizations and individuals concerned with environmental conservation and the well-being of marine organisms.

Chapter 2

Design/Development/Implementation of the Project

2.1 Introduction

A notable stride in establishing a more intelligent and practical living environment is taken with the conception, construction, and deployment of a home automation initiative. By integrating state-of-the-art technology, this undertaking aims to improve how individuals operate, oversee, and engage with their residences. Developing and strategizing a system that harmoniously integrates comfort, security, energy efficiency, and convenience is the primary objective during this preliminary stage.

The focal point of the design phase is the establishment of clear objectives and specifications for the home automation system. This involves delineating the intended user experience and determining which aspects of the home, such as illumination, climate control, security, or amusement, will be automated.

Throughout the development phase, the project's technological components are implemented. During this phase, custom applications or interfaces are developed, the hardware and software components are chosen, and the system's architecture is verified to be secure, scalable, and robust.

The final step, implementation, consists of installing and configuring the system within the residence. This involves connecting sensors, devices, and controllers to a central control center and integrating them. Individuals are granted the capability to oversee multiple facets of their domestic milieu from a distance, resulting in increased convenience and productivity.

The conception, creation, and execution of a home automation project can completely transform our interaction with our living spaces in this era of rapid technological advancement. In the end, pursuing a more intelligent, more connected home will raise our quality of living and provide a glimpse into the future of residential buildings.

2.2 Project Details

2.2.1 ER Diagram

An Entity-Relationship (ER) diagram for a home automation system is a visual representation that illustrates the relationships between various entities or data elements within the system. An Entity-Relationship (ER) diagram in a home automation system represents the system's structure and data relationships. Key elements include:

Key Components of an ER Diagram:

- **Entities:** Represent objects like "Users," "Devices," "Sensors," and "Actuator."
- **Attributes:** Describe properties of entities, such as "User ID," "Device Name," and "Sensor Type."
- **Relationship:** Show how entities relate, like "User controls Device" or "Sensor detects Data."
- **Cardinality:** Defines the number of instances in a relationship (e.g., "One User controls Many Devices").
- **Primary Keys:** Unique identifiers for each entity (e.g., "User ID" in the "Users" entity).
- **Foreign Keys:** : Link entities (e.g., "User ID" in "Devices" links to "Users").




Figure 2.1: ER Diagram of Smart Home Automation System

2.2.2 Use Case Diagram

A use case diagram for a home automation system provides a visual representation of the various interactions and functions of the system. Key elements include:

- **Actors:** Represented as stick figures, actors are the entities interacting with the system, such as "Homeowner" or "Guest."
- **Use Cases:** Displayed as ovals, use cases are specific functionalities or actions the system performs, like "Control Lighting" or "Set Security Mode."
- **Relationships:** Arrows connecting actors and use cases demonstrate the interactions or dependencies between actors and the system's functionalities.

Use Case Diagram of Smart Home Automation System:




Figure 2.2: Use Case Diagram -Smart Home Automation System.

There are three sub-systems in the Smart Home Automation System. They are:

- Authentication.
- Read Sensor Value.
- Actuator Control.

Use Case Diagram – Authentication:

Description of Use Case Diagram – Authentication:

The authentication subsystem of the Smart Home Automation System can be divided into two parts. They are:




Figure 2.3: Use Case Diagram – Authentication

- Sign in.
- Sign out.

In the Smart Home Automation System, users must sign in to access the system. Initially, users have no username and password to login to the system. For this reason, users need to sign up for the system. To sign up to the system, users must provide some information (email, password, and confirm password). After Successfully signing up to the system, user profile information is stored in the database for later use.

Use Case Diagram – Read Sensor Value:




Figure 2.4: Use Case Diagram – Read Sensor Value

Use Case Diagram – Actuator Control:

The Actuator Control sub-system is divided into four parts. They are:

- Light ON.
- Light OFF.
- Fan ON.
- Fan OFF.




Figure 2.5: Use Case Diagram: Actuator Control

2.2.3 Activity Diagram

An activity diagram in a home automation system is a visual representation of the sequence of actions or activities that occur within the system. It typically includes key elements such as:

Start: This is the initial point where the process begins.

Activities: These are the actions or tasks that occur within the system, like "Turn on lights" or "Adjust thermostat."

Decisions: These represent choices or conditions that determine the flow, like "Is it day-time or nighttime?"

Branches: Paths that lead to different activities based on decisions or conditions.

Loops: Actions that may repeat, such as monitoring for motion or continuously adjusting temperature.

End: The endpoint, signifying the completion of the process.

Activity Diagram Level-0




Figure 2.6: Activity Diagram Level - 0

Description of Activity Diagram Level-0:

It typically includes key elements such as:

Start: Initial point where the process begins.

Authentication: It checks the users are valid or not.

Temperature: Read the value of temperature sensor

Humidity: Read the value of humidity sensor

Light Control: Turn the light ON/OFF

Fan Control: Turn the fan ON/OFF

Logout: User can logout from the application by pressing this button.

Activity Diagram Level-1




Figure 2.7: Activity Diagram Level - 1

Description of Activity Diagram Level-1

In the level-1 Activity diagram here, when the user wants to log in to the Smart Home Automation System, then check whether the Authentication is already registered or not. If the user is already registered, then approved login; otherwise, the user cannot log in and must sign up. After login user can control the home appliances and monitor internal environment remotely.

Activity Diagram - 1.1 Authentication:




Figure 2.8: Activity Diagram - 1.1: Authentication

Description of Activity Diagram 1.1 Authentication:

In this section, firstly check that by providing a username and password match with the database, that user has already signed up or not. If he/she already signed up, then check whether he wants to log in or not, then accept the login request. Otherwise, a New user is detected and suggested to sign up and log in.

Activity Diagram - 1.2 Sign In/Sign Up:




Figure 2.9: Activity Diagram - 1.2 Sign In/Sign Up

2.2.4 DFD Diagram

A Data Flow Diagram (DFD) in a home automation system is a graphical representation that illustrates the flow of data within the system. Key components and terms in a DFD for a home automation system include:

External Entities: Homeowners, sensors, mobile devices, and automation controllers are external entities that interact with the system.

Processes: These represent functions or actions within the system, such as data processing, control logic, or automation tasks.

Data Flows: Arrows indicate the movement of data between processes, external entities, and data stores. For example, sensor data flows to the control process.

Data Stores: These are repositories where data is stored, like databases for user preferences, historical data, or device settings.

Data Transformations: Data may undergo transformations or calculations within processes, such as converting temperature readings to control commands.

Control Logic: This governs decision-making and automation rules, ensuring devices respond appropriately to input.

Level 0 DFD of Smart Home Automation System:

The User signin/signup, Temperature monitor, Humidity monitor, and controlling light, fan are the four external entities shown in the smart home automation System's Level-0 Data Flow Diagram (DFD). The system uses the following data flows to communicate with these entities:

The data flows are briefly described as follows:




Figure 2.10: Level 0 DFD

- User signin/signup: Email and password are only details about the User in this data flow. When registering for an account on the smart home automation System, the User submits this information.
- Temperature Monitor: After login, the User can see the data of temperature.
- Humidity Monitor: User can also find the data of humidity here.
- Controlling light/fan: User can remotely operate the home appliances through this application. It provides the ON/OFF command to the system.

The Level-0 DFD gives an overview of the smart home automation System. It does not display the inner workings of the system, such as the data processing or pump control mechanisms. However, it displays the system's primary parts and their interrelationships.

Level 1 DFD of Smart Home Automation System:




Figure 2.11: Level 1 DFD

Level-1 Smart Home Automation System Data Flow Diagram (DFD) While it displays additional information about the system's internal operations, it retains the same outward entities as the Level-0 DFD.

The data flows are briefly described as follows:

- User signin/signup: Email and password are the only details about the User in this data flow. When registering for an account on the System, the User submits this information. All information is stored in a user database table.
- Check Authentication: If it finds a valid user with proper information then the user can get all the features of that application. When the users are not valid then they can not use the proper features.
- Monitoring: If user can signin properly then he can monitor the environment continuously from the sensor data. We get the temperature and humidity data from the sensor.
- Home Appliances Control Commands: The Smart Home Automation System uses this data flow to send commands to the appliances(light/fan) from the User. The appliances can be turned on and off using these commands. When users want to on or off the appliances they can control it.

Compared to the Level-0 DFD, the Level-1 DFD offers a more thorough picture of the Smart Home Automation System. It displays the system's internal workings and their interactions with one another. The Smart Home Automation System may be designed and implemented using this knowledge, and any potential issues can be resolved.

2.3 Implementation

Here we describe the implementation of our project that has been divided into three parts :

- server
- front-end
- consumer devices.

2.3.1 Server

Here the server is used to handling different api and manipulate data in the mongodb database.

2.3.2 Front-End

The front-end is used to show the sensor data to the users and give a graphical interface for authentication.

2.3.3 Consumer Device

We used raspberry pi 3B+ as our main microprocessor in our consumers device. For sensors we use dht11 sensor and acutator we use light and fan.




figure : consumer-device

2.3.4 The workflow

Here, we describe the workflow between the server, front-end, and the consumer devices. The server interacts with MongoDB according to the API call and manipulates the data through front-end and consumer devices. For authentication, we use Firebase.

2.3.5 Tools and libraries

Each subsection may also include subsections. For the front end, we use Flutter and Android Studio. We also use the http library to get the dynamic data. In the back end, we use Nodejs, MongoDB, and express. We also use render to host our server.

2.3.6 Api documentation

API 1: <https://mobile-platform-eidmum11.onrender.com/api/v1/temp>

Methods:

post : for posting new temperature information..

get: for retriving all the temperature sensors data

API 2:<https://mobile-platform-eidmum11.onrender.com/api/v1/humidity>

methods:

post : for posting new humidity information..




Figure 2.12: Workflow of the whole system

get: for retriving all the humidity sensors data.

API 3 : <https://mobile-platform-eidmum11.onrender.com/api/v1/light>

patch: set the state of the device to the database similar to the current state of the switch..

API 4: get: get the current state of the device to set the device state accordingly.

<https://mobile-platform-eidmum11.onrender.com/api/v1/fan>

patch: set the state of the device to the database similar to the current state of the switch.

get: get the current state of the device to set the device state accordingly.

2.4 Algorithms

The detailed algorithm of the back-end server is shown below:

Getting Data Algorithm

Algorithm 1: Getting Data Algorithm

Data: User Query

Result: Response Data (JSON)

- 1 Initialize the server;
 - 2 Initialize the port number;
 - 3 Initialize the route and define the route method;
 - 4 Initialize the controller function associated with the route as middleware;
 - 5 Fetch the data from the MongoDB server as per the user query;
 - 6 Send the response data to the user in JSON format and end the middleware stack;
-

Updating Data Algorithm

Algorithm 2: Updating Data Algorithm

Data: User Query, New Data

Result: Success/Failure Response (JSON)

- 1 Initialize the server;
 - 2 Initialize the port number;
 - 3 Initialize the route and define the route method;
 - 4 Initialize the controller function associated with the route as middleware;
 - 5 Update the data to the MongoDB server as per the user query;
 - 6 **if** *Update succeeded* **then**
 - 7 Send the success JSON to the user;
 - 8 **else**
 - 9 Send the failed JSON to the user;
-

Chapter 3

Performance Evaluation

3.1 Simulation Environment/ Simulation Procedure

There are three sub-sections in the Smart Home Automation System Simulation Procedure. They are:

- Appliances Control.
- Showing Temperature value.
- Showing Humidity value.

3.1.1 Appliances Control

Here, we can control Different Home appliances like fan, light etc. We can easily on/off them remotely through this mobile app.




Figure 3.1: Appliances Control Simulation

3.1.2 Showing Temperature value

From this part, we can easily monitor our room temperature real time remotely.




Figure 3.2: Showing Temperature value

3.1.3 Showing Humidity value

From this part, we can easily monitor our room humidity real time remotely.




Figure 3.3: Showing Humidity value

3.2 Results Analysis/Testing

For testing purposes, we tested our project Api in Loadium.com and found the result of testing mentioned in the subsection.

3.2.1 Showing Performance of the system Api

In the result, we can see our error rate is zero and the average response time is 180.37 MSEC.




Figure 3.4: Showing Performance of the system Api

3.2.2 Showing Hit and Error Graph

In this graph, we can see 10 users hit the API and get the data easily all the time.




Figure 3.5: Showing Hit and Error Graph

3.2.3 Showing Response Time Graph

In this section, we use a graphical presentation of the response time of our API.




Figure 3.6: Showing Response Time Graph

Chapter 4

Conclusion

4.1 Discussion

Smart home automation systems can optimize efficiency and convenience by integrating technological components that regulate diverse facets of a residence. These devices empower proprietors to oversee illumination, temperature, security, and amusement from a distance, resulting in a living space that is both more comfortable and interconnected. The ability to tailor smart home automation systems to your specific requirements and preferences is one of their primary benefits. We have the flexibility to automate a desired number of devices, and we can design schedules and routines to accommodate your lifestyle.

An additional benefit associated with intelligent home automation systems is their rising affordability. In recent years, smart home systems and devices have become considerably more affordable, and consumers are now presented with an extensive selection of alternatives.

Smart home automation systems often provide several benefits, including convenience, security, and energy savings. It is essential to recognize the possible roadblocks concerning these technologies, such as privacy and security issues and system complexity.

4.2 Limitations

- **Cost:** Additionally, smart home automation system pricing can impede entry. Some services may also require recurring subscription fees and the substantial upfront investment required to acquire and deploy smart devices.
- **Complexity:** The complexity of smart home automation systems is among their most significant drawbacks. Unaccustomed users may find the installation and configuration of a smart home system particularly challenging. Additionally, smart home systems frequently consist of various devices manufactured by multiple companies, which can cause compatibility issues.
- **Security and privacy:** Internet-connected smart home devices are, therefore, susceptible to cyberattacks and other security risks. Unauthorized individuals could

gain access to your smart home system and hijack your devices, or they might steal sensitive data from you.

- **Reliability:** An additional requirement for smart home systems is a dependable internet connection. In the event of an interruption in your internet connection, your smart devices will malfunction. In addition, smart home systems are occasionally unreliable and prone to bugs.
- **Privacy concerns:** Some also share concerns regarding the privacy implications of smart home automation systems. Intelligent home devices gather information regarding your daily rituals and behaviors. Companies may sell this information to third parties or use it to target you with advertisements.

Even with their flaws, intelligent home automation systems can provide numerous advantages. Before deciding whether or not to install a smart home system in our residence, it is vital to balance the advantages and disadvantages thoroughly.

4.3 Scope of Future Work

The promising and expansive future of smart home automation systems is evident. Anticipated are further developments in the coming years that will feature intelligent and interconnected residences, propelled by the swift progressions in artificial intelligence, machine learning, and the Internet of Things (IoT).

Here are some of the key trends that we can expect to see in the future of smart home automation:

- **Increased integration and interoperability:** An expanding number of smart home devices are becoming interconnected, enabling them to operate in unison to provide users with a more unified and seamless experience. By learning your heating and cooling preferences, a smart thermostat can adjust the temperature automatically; similarly, smart lighting can be programmed to turn on or off when you enter or exit a room.
- **personalized and predictive experiences:** Personalized and predictive smart home experiences will be generated through AI and machine learning. An instance of proactive recommendation of desired actions, such as activating the lighting or playing preferred music upon your return home, can be observed in a smart speaker, which acquires knowledge of your voice and preferences.
- **Greater focus on sustainability and energy efficiency:** Energy efficiency and environmental friendliness can be improved with the help of smart home devices. Smart lights can autonomously dim when no one is present, whereas a smart thermostat can regulate the residence's climate by its occupant count.
- **New and innovative applications:** The continuous evolution of smart home technology is anticipated to give rise to novel and inventive applications. As an illustration, smart home devices may be employed to oversee and regulate our physical and mental welfare, as well as deliver tailored recreational and educational materials.

In general, smart home automation has a promising future. With the continuous improvement of intelligence, connectivity, and affordability, smart home devices will assume a progressively significant position in our daily existence.

Here are some specific examples of how smart home automation systems could be used in the future:

- A smart home system could alter the environment in response to an identified entry or exit user via facial recognition. As an illustration, the system may activate the lighting and grant access to the door exclusively to authorized family members while notifying the householder if an unauthorised individual attempts to enter.
- A smart home system could autonomously modify the HVAC system to sustain a healthy environment based on air quality readings from sensors within the residence. A householder could also be notified by the system should the air quality deteriorate to a hazardous level.
- A smart home system could comprehend the homeowner's natural language commands using voice recognition and natural language processing. As an illustration, should the householder declare, "I'm going to bed," the system would promptly engage the alarm, secure the doors, and dim the lights.
- A smart home system could learn the homeowner's daily routine and preferences through machine learning. For instance, the system may acquire knowledge that the householder customarily awakens at 7:00 a.m. and commences producing coffee at 6:30 a.m. Additionally, the homeowner's preference for watching television in the living room after dinner could be detected by the system, which could then activate the television and adjust the volume to a suitable level.

The numerous potential applications of smart home automation systems in the future are limited to the instances above. It is foreseeable that as smart home technology progresses, an increasing number of inventive and practical applications will surface.

References

- [1] P Siva Nagendra Reddy, K Tharun Kumar Reddy, P Ajay Kumar Reddy, GN Kodanda Ramaiah, and S Nanda Kishor. An iot based home automation using android application. In *2016 International conference on signal processing, communication, power and embedded system (SCOPES)*, pages 285–290. IEEE, 2016.
- [2] Mohd Nor Azni, L Vellasami, AH Zianal, FA Mohammed, NN Mohd Daud, R Vejasegaran, NW Basharudin, M Jusoh, Ku Azir, and PL Eh Kan. Home automation system with android application. In *2016 3rd international conference on electronic design (iced)*, pages 299–303. IEEE, 2016.
- [3] Amna Eleyan and Joshua Fallon. Iot-based home automation using android application. In *2020 International Symposium on Networks, Computers and Communications (ISNCC)*, pages 1–4. IEEE, 2020.
- [4] Alper Gurek, Caner Gur, Cagri Gurakin, Mustafa Akdeniz, Senem Kumova Metin, and Ilker Korkmaz. An android based home automation system. In *2013 High Capacity Optical Networks and Emerging/Enabling Technologies*, pages 121–125. IEEE, 2013.
- [5] Deepali Javale, Mohd Mohsin, Shreerang Nandanwar, and Mayur Shingate. Home automation and security system using android adk. *International journal of electronics communication and computer technology (IJECCCT)*, 3(2):382–385, 2013.
- [6] Surinder Kaur, Rashmi Singh, Neha Khairwal, and Pratyk Jain. Home automation and security system. *Advanced Computational Intelligence: An International Journal (ACII)*, 3(3):17–23, 2016.