

ChainDelver

A provably-fair roguelike dungeon crawler where every run and death is permanently on-chain

The Problem & Our Solution

Players can't trust random loot or events, and achievements vanish when servers shut down. ChainDelver fixes both with on-chain fairness and permanence.

- Most roguelikes use hidden server-side RNG players must simply trust
- Achievements live on centralized servers and disappear if those servers close
- ChainDelver uses on-chain VRF so every dungeon seed and drop is verifiable
- Every character is an NFT; every death mints a permanent Trophy NFT
- Result: a dungeon crawler where fairness and history are provable, not promised



How It Works

A Phaser-based dungeon crawler where wallet-signed runs pull verifiable randomness on-chain and record permanent outcomes as NFTs on Solana.

- Player logs in with a Solana wallet and loads their Character NFT
- Switchboard VRF generates a verifiable seed for dungeon layout and loot each run
- Anchor program updates on-chain character stats: level, gold, best depth
- On permadeath, a Trophy NFT is minted recording final stats and run history
- An on-chain leaderboard ranks players by deepest run reached

Built with

Solana, Anchor, Switchboard VRF,
Phaser.js, Solana Wallet Adapter,
TypeScript, Metaplex

Why Now & What's Next

Solana's low fees and fast finality finally make frequent on-chain game-state writes practical for real-time gameplay.

- Low transaction costs let us write state every run without breaking the game loop
- Fast finality keeps dungeon generation and loot resolution feeling responsive
- Next: procedurally generated boss fights and more biome variety
- Next: seasonal leaderboards with cosmetic NFT rewards
- Next: a mobile client to reach a wider audience of roguelike fans

Category

Gaming