



GARDEN 2025



George Russell
Formula 1 driver of the
Mercedes-AMG PETRONAS F1 Team

Official Tool Expert



AMG
PETRONAS
FORMULA ONE TEAM



POWER X-CHANGE

Power X-Change Cordless Excellence.	4
Power X-Change Robot Lawn Mowers without perimeter wire	6
Power X-Change Robot Lawn Mowers	8
Cordless Lawn Mowers	10
Petrol Lawn Mower (Power X-Change Electric Start)	17
Cordless Cylinder Lawn Mower	17
Cordless Multipurpose Spreader	18
Cordless Universal Spreader	18
Cordless Scarifiers/Aerators	18
Cordless Tillers	21
Cordless Snow Thrower	21
Cordless Scythes	22
Cordless Lawn Trimmers	23
Cordless Lawn Edge Trimmer	26
Cordless Grout Cleaners	27
Cordless Surface Brushes	27
Cordless Hedge Trimmers	29
Cordless Olive and Fruit Harvester	31
Cordless Multifunctional Tools	32
Cordless Pole-Mounted Pruners	33
Cordless Telescopic Hedge Trimmers	34

Cordless Chainsaws	35
Cordless Pruning Chainsaw	36
Cordless Chain Sharpener	36
Cordless Pruning Saw	37
Cordless Pruning Shears	37
Cordless Universal Blower	38
Cordless Leaf Blowers	38
Cordless Leaf Vacuums	38
Cordless Knife Shredder	39
Cordless Grass and Shrub Shears	40
Cordless Pressure Sprayers	41
Cordless Air Pump	42
Cordless Outdoor Light	42
Cordless Fans	43
Battery Belt	44
Gas Hot Air Generator with Rechargeable Battery	44
Cordless Hose Reels (Water)	45
Cordless Automatic Garden Pumps	46
Cordless Garden Pumps	47
Cordless Submersible Pressure/Rainwater Barrel Pump	50
Cordless Clear Water Pumps	50
Cordless Dirty Water Pumps	51



POWER X-CHANGE ACCESSORIES

System Cases E-Case	52
Accessories – Cases // Bags	55

Power X-Change Accessories – Batteries // Starter Kits // Chargers	56
Battery Charging Time Table	60



GARDEN CARE

Hand Lawn Mowers	62
Electric Lawn Mowers	64
Petrol Lawn Mowers	65
Electric Scarifiers/Aerators	67
Electric Scarifier	68
Petrol Scarifier	68
Garden Roller	68
Multi-Purpose Spreader	69
Electric Lawn Trimmers	69
Petrol Lawn Trimmer	70
Petrol Multifunctional Tool	70
Petrol Scythes	71
Petrol Tillers	73

Electric Tillers	73
Electric Hedge Trimmers	74
Petrol Hedge Trimmer	76
Cordless Grass and Shrub Shears	76
Electric Pole-Mounted Pruner	77
Electric Telescopic Hedge Trimmers	77
Electric Multifunctional Tool	78
Electric Chainsaws	78
Petrol Chainsaws	80
Electric Chain Sharpeners	81
Electric Leaf Vacuums	82
Garden Shredders	82
Electric Roller Shredders	83



WATER TECHNOLOGY

AQUA SENSOR Clear Water Pump	84
AQUA SENSOR Dirty Water Pumps	84
Multi-Purpose Pumps	85
Submersible Pump Dirty/Clear Water ECO	86
Dirty Water Pumps	86
Clear Water Pumps	89
Rain Barrel Pump	90
Submersible Pressure Pumps	90
Deep Well Pumps	91

Garden Pumps PLUS	92
Garden Pumps	94
Peripheral Pump	95
Automatic Home and Garden Pumps PLUS	95
Automatic Home and Garden Pump SMART	96
Automatic Home and Garden Pump	96
Water Works PLUS	97
Water Works	98
Petrol Water Pumps	99



PROFESSIONAL

PROFESSIONAL Cordless Robot Lawn Mower	102
PROFESSIONAL Cordless Lawn Mowers	104
PROFESSIONAL Cordless Tiller	111
PROFESSIONAL Cordless Snow Thrower	112
PROFESSIONAL Cordless Earth Auger	113
PROFESSIONAL Cordless Scythes	114
PROFESSIONAL Cordless Lawn Trimmer	116
PROFESSIONAL Cordless Hedge Trimmers	117
PROFESSIONAL Cordless Multifunctional Tool	119

PROFESSIONAL Cordless Pole-Mounted Pruner	120
PROFESSIONAL Cordless Telescopic Hedge Trimmer	121
PROFESSIONAL Cordless Chainsaws	122
PROFESSIONAL Top-handeled Cordless Chainsaw	124
PROFESSIONAL Cordless Pruning Chainsaw	125
PROFESSIONAL Cordless Leaf Blowers	126
PROFESSIONAL Cordless Leaf Vacuum	129
PROFESSIONAL Cordless Pruning Shears	130

Power X-Change Accessories – Batteries // Starter Kits // Chargers	132
Battery Charging Time Table	136

Einhell-Service

Eschenstr. 6
94405 Landau / Isar
Germany

Telefon + 49 (0) 9951 959 2000
Fax + 49 (0) 9951 959 1700
Web www.einhell-service.de
Email Service-DE@einhell.com

Einhell Germany AG

Wiesenweg 22
94405 Landau / Isar
Germany

Web info@einhell.de
Email www.einhell.de

THIS IS HOW:

Find out more at einhell.de,
register in your customer account
and **apply** for the warranty.
Further information is available at
[www.einhell.de/en/services/
warranties/](http://www.einhell.de/en/services/warranties/)

THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.



30 DAY MONEY BACK GUARANTEE

For 100% satisfaction with your Power X-Change device.
This guarantee is only valid for purchases in stationary shops!
Online purchases are excluded.



3-YEAR EINHELL PRODUCT WARRANTY

Warranty extension for your Power X-Change device to 3 years.



POWER X-CHANGE BATTERY WARRANTY

Warranty extension for Power X-Change batteries to 3 years.



EINHELL BRUSHLESS WARRANTY

Warranty extension for all PurePOWER Brushless products to 10 years.*

* This warranty covers only defects in the engine that are due to a material or manufacturing defect



CORDLESS FREEDOM. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

At last – no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.

1 BATTERY FITS ALL TOOLS. THE BATTERY SYSTEM FOR THE WORKSHOP, GARDEN AND YOUR ENTIRE HOME.

Just as versatile as you: Battery power for every situation.

With more than 300 battery operated DIY and garden tools, our battery platform Power X-Change is already the broadest for the ambitious DIYer and amateur gardener. And it's not stopping there! By the year 2027 the battery platform will feature more than 450 tools. What's so special about it is that all products from the Power X-Change platform can be operated with just one battery type (18 V).

POWERFUL MACHINES. LONG-LASTING BATTERIES.

Battery power for all your projects.

Less power? No way! Our cordless machines offer up to 2700 W of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.

LATEST TECHNOLOGY. PROVEN QUALITY

For the highest level of safety and performance.

Power X-Change batteries are the core component of our platform. That's why we use only the best components such as high-performance new-generation cells and our intelligent processor-controlled battery electronics. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability.

EINHELL PROFESSIONAL. MORE POWER FOR PROS.

True Pros always give MORE.

Because every step demands perfection. Where precision is a must. And every second counts. Professionals also expect more from their tools. Now Einhell gives them more: More performance. More endurance. More warranty. More lifetime. More functionality.





ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY



TWIN-PACK TECHNOLOGY. ONE BATTERY FOR ALL DEVICES.

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.



SEALED TECHNOLOGY. THE NEXT GENERATION OF BATTERY TECHNOLOGY.

Waterproof and completely dust resistant? Yes, it is possible! Our Power X-Change batteries with SEALED technology are waterproof and dustproof according to protection class IP57. Whether it's water, or dust from wood or metal – the SEALED battery with the blue ring can withstand anything you throw at it and won't suffer damage even after 30 minutes in 1 m of water. Once it is dry, it can be used again as normal in all Einhell Power X-Change cordless tools.

With the SEALED batteries, Einhell is developing the next generation of rechargeable battery technology and once again demonstrating its concentrated expertise.



CORDLESS ROBOT LAWN MOWER WITHOUT PERIMETER WIRE – DETECTS OBSTACLES AND BOUNDARIES



PHYSICAL BOUNDARIES

e. g. walls, hedges, trees



VISUAL BOUNDARIES

e. g. bark mulch, tar, stones



POWER X-CHANGE ROBOT LAWN MOWER WITHOUT PERIMETER WIRE

FREELEXO CAM 500

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Cutting width	18 cm
Cutting height adjustment	stepless / 20 - 60 mm / central
Suitable for slopes up to	25 %
Supplied with accessories	Magnetic band (5 m), 2 connection clamps, 3 spare blades
Incl. 1 battery (18 V 3.0 Ah Li-ion)	Article number 3413991

- » PXC system battery
- » Mowing without perimeter wire
- » Integrated camera and ultrasonic sensors
- » Magnetic band for virtual borders (5 m, included in delivery)
- » Programmable operating times

- » Mowing program for secondary areas
- » Eco mode
- » Impact, lift and tilt sensors
- » Brushless motor
- » Supplied with charging unit (12 m guide wire included)

NEW
with App



POWER X-CHANGE ROBOT LAWN MOWER WITHOUT PERIMETER WIRE

FREELEXO CAM PLUS 600

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	600 m ²
Cutting width	18 cm
Cutting height adjustment	stepless / 20 - 60 mm / central
Suitable for slopes up to	25 %
Supplied with accessories	Magnetic band (5 m), 2 connection clamps, 3 spare blades
Incl. 1 battery (18 V 4.0 Ah Li-ion)	Article number 3413975

- » PXC system battery
- » Mowing without perimeter wire
- » Integrated camera and ultrasonic sensors
- » App (WiFi)
- » LCD display
- » Over-the-Air Update
- » Magnetic band for virtual borders (5 m, included in delivery)

- » Programmable operating time for each specific day
- » Mowing program for secondary areas
- » Eco mode
- » Impact, lift and tilt sensors
- » Brushless motor
- » Supplied with charging unit (12 m guide wire included)

CHECKLIST: IS MY GARDEN SUITABLE?



Lawn area of uniformly green colour



Clearly defined and recognisable lawn edges*



Simple design, uniform shape



Irregularities in colour (e.g. leaves, scorched areas)



No clearly recognisable lawn edges



Many separate areas, bottle-necks and recesses

* The lawn area needs to be checked for suitable lawn boundaries


MADE POSSIBLE BY A VIRTUAL FENCE – THANKS TO MAGNETIC BAND ACCESSORY

Lay the supplied magnetic band in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic band and turn away at its limits. In this way you can create off-limit areas at short notice.



A TEMPORARY OFF-LIMITS AREA

When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.




FLOWER MEADOW IN THE GARDEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.



LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic band for optimum demarcation of the mowing area in the garden.

Robot Lawn Mowers without Perimeter Wire - Accessories

Type	Article number	EAN	Items supplied	Suitable for
 Robot Lawn Mower Garage	3414024	4 006825 654417	1 pc (foldable, l x w x h: 77.0 x 59.0 x 39.5 cm)	all Einhell robot lawn mowers (except FREELEXO 500 - 3413935)
 Spare Blades	3414020	4 006825 648775	12 pcs	all Einhell robot lawn mowers
 Cleaning Set	3414025	4 006825 657951	Gloves, cleaning brushes, abrasive pads, microfibre cloth, spatula, screwdriver	all Einhell robot lawn mowers
 Magnetic Band Set 20 m	3414028	4 006825 670929	Magnetic band (length: 4 x 5 m), 20 fastening hooks	FREELEXO CAM

NEW


- » PXC system battery
- » App (Bluetooth + WiFi)
- » Over-the-Air Update
- » LED display
- » Programmable operating time for each specific day
- » Multi area mowing

POWER X-CHANGE ROBOT LAWN MOWERS

FREELEXO 500

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Cutting width	18 cm
Cutting height adjustment	stepless / 30 - 60 mm / central
Suitable for slopes up to	35 %
Supplied with perimeter wire	130 m
Supplied with fastening hooks	190 pcs
Supplied with accessories	3 connecting clamps, 3 blades
Incl. 1 battery (18 V 2.5 Ah Li-ion)	Article number 3413935
	4 006825 682359

- » Spot Mowing
- » Mowing program for secondary areas
- » Eco mode
- » Impact, lift and tilt sensors
- » Brushless motor
- » Supplied with charging unit



- » PXC system battery
- » App (Bluetooth)
- » LCD display
- » Programmable operating time for each specific day

POWER X-CHANGE ROBOT LAWN MOWERS

FREELEXO 1200 LCD BT

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1200 m ²
Cutting width	18 cm
Cutting height adjustment	stepless / 20 - 60 mm / central
Suitable for slopes up to	35 %
Supplied with perimeter wire	210 m
Supplied with fastening hooks	300 pcs
Supplied with accessories	3 connecting clamps, 3 blades
Incl. 1 battery (18 V 5.2 Ah Li-ion)	Article number 4326368
	4 006825 653441

- » Multi area mowing
- » Impact, lift and tilt sensors
- » Brushless motor
- » Supplied with charging unit

Robot Lawn Mowers without Perimeter Wire - Accessories



Type	Article number	EAN	Items supplied	Suitable for
Robot Lawn Mower Garage	3414024	4 006825 654417	1 pc (foldable, l x w x h: 77.0 x 59.0 x 39.5 cm)	all Einhell robot lawn mowers
Robot Lawn Mower Garage	3414050	4 006825 685138	1 pc (l x w x h: 59.4 x 50.8 x 37.3 cm)	FREELEXO 500
Perimeter Wire	3414021	4 006825 648782	1 pc (50 m)	all Einhell robot lawn mowers
Spare Blades	3414020	4 006825 648775	12 pcs	all Einhell robot lawn mowers
Fastening Hooks	3414023	4 006825 648805	100 pcs	all Einhell robot lawn mowers
Connection Clamps	3414022	4 006825 648799	4 pcs	all Einhell robot lawn mowers
Repair Kit	3414026	4 006825 657968	5 m perimeter wire, 15 fastening hooks, 8 connecting clamps	all Einhell robot lawn mowers
Cleaning Set	3414025	4 006825 657951	Gloves, cleaning brushes, abrasive pads, microfibre cloth, spatula, screwdriver	all Einhell robot lawn mowers


ROBOT LAWN MOWERS – COMPARISON OF FEATURES



FREELEXO



FREELEXO LCD BT



FREELEXO SMART



- » Brushless motor
- » Mulching function
- » Integrated carry handle
- » Height-adjustable (telescopic) long handle
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



PROFESSIONAL CORDLESS LAWN MOWER

RASARRO 36/42

PXC battery voltage	2x 18 V
Battery charging time 18 V / 5.2 Ah	100 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	725 m ²
Cutting width	42 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	17.2 kg
Incl. 2 batteries (18 V 5.2 Ah Li-Ion) and 1 Twincharger	Article number 3413272
4 006825 669138	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	250 m ²	300 m ²	350 m ²	450 m ²	550 m ²	725 m ²	875 m ²	1100 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405454
4 006825 651386	

- » Brushless motor
- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



PROFESSIONAL CORDLESS LAWN MOWER

RASARRO 36/40

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Cutting width	40 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	17.4 kg
Incl. 2 batteries (18 V 4.0 Ah Li-Ion) and 1 Twincharger	Article number 3413278
4 006825 669121	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	220 m ²	280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405454
4 006825 651386	

- » Brushless motor
- » Mulching function
- » Integrated carry handle
- » Height-adjustable (telescopic) long handle
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



PROFESSIONAL CORDLESS LAWN MOWER

RASARRO 36/38

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	450 m ²
Cutting width	38 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	45 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	15.5 kg
Incl. 2 batteries (18 V 4.0 Ah Li-Ion) and 1 Twincharger	Article number 3413180

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	250 m ²	300 m ²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405486
-------------	---------



- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

RASARRO 36/36

PXC battery voltage	2x 18 V
Battery charging time 18 V / 3.0 Ah	60 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	400 m ²
Cutting width	36 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	45 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	13.0 kg
Incl. 2 batteries (18 V 3.0 Ah Li-Ion) and 2 chargers	Article number 3413282

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	200 m ²	250 m ²	290 m ²	400 m ²	450 m ²	650 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405486
-------------	---------



- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

RASARRO 36/34

PXC battery voltage	2x 18 V
Battery charging time 18 V / 3.0 Ah	60 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	300 m ²
Cutting width	34 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	30 l
Wheel diameter front / rear	150 mm / 180 mm
Housing material	Plastic
Product weight	13.9 kg
Incl. 2 batteries (18 V 3.0 Ah Li-Ion) and 2 chargers	Article number 3413222
	4 006825 668605

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	150 m ²	200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405452
	4 006825 610611

- » Mulching function
- » Integrated carry handle
- » Brushless motor
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/43 Li M Brushless

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	600 m ²
Cutting width	43 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	63 l
Wheel diameter front / rear	160 mm / 250 mm
Housing material	Plastic
Product weight	13.2 kg (excl. battery)
Incl. 2 batteries (18 V 4.0 Ah Li-Ion) and 2 chargers	Article number 3413240
	4 006825 645866
Without batteries / chargers	Article number 3413246
	4 006825 648720

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	225 m ²	300 m ²	350 m ²	450 m ²	600 m ²	750 m ²	900 m ²	1200 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405451
	4 006825 610604

- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/37 Li

PXC battery voltage	2x 18 V
Cutting width	37 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	45 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	13.5 kg
Article only available without batteries / chargers	Article number 3413172



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	200 m²	250 m²	290 m²	400 m²	450 m²	650 m²	800 m²	900 m²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade 3405486



- » Integrated carry handle
- » Brushless motor
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/36 Li Brushless

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	400 m²
Cutting width	36 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	40 l
Wheel diameter front / rear	145 mm / 220 mm
Housing material	Plastic
Product weight	13.4 kg
Incl. 2 batteries (18 V 4.0 Ah Li-Ion) and 2 chargers	Article number 3413230



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	175 m²	250 m²	270 m²	350 m²	400 m²	600 m²	700 m²	960 m²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade 3405485





- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn

CORDLESS LAWN MOWER

GE-CM 36/34-1 Li

PXC battery voltage	2x 18 V
Cutting width	33.5 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	30 l
Wheel diameter front / rear	150 mm / 180 mm
Housing material	Plastic
Product weight	11.9 kg
Article only available without batteries / chargers	Article number 3413226



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	150 m²	200 m²	250 m²	300 m²	400 m²	500 m²	600 m²	800 m²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405452



- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn

CORDLESS LAWN MOWER

GE-CM 36/33 Li

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	50 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	250 m²
Cutting width	33 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	30 l
Wheel diameter front / rear	150 mm / 180 mm
Housing material	Plastic
Product weight	11.6 kg
Incl. 2 batteries (18 V 2.5 Ah Li-Ion) and 2 chargers	Article number 3413210



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	150 m²	200 m²	250 m²	300 m²	400 m²	500 m²	600 m²	800 m²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405452





- » Integrated carry handle
- » Brushless motor
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn

CORDLESS LAWN MOWER

GE-CM 18/33 Li Brushless

PXC battery voltage	18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	200 m ²
Cutting width	33 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	30 l
Wheel diameter front / rear	150 mm / 180 mm
Housing material	Plastic
Product weight	10.1 kg (excl. battery)
Incl. 1 battery (18 V 4.0 Ah Li-Ion) and 1 charger	Article number 3413260
	4 006825 646856
Without battery / charger	Article number 3413266
	4 006825 647686

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	50 m ²	100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405452



- » Integrated carry handle
- » Brushless motor
- » Folding handlebar
- » Wide wheels exert less stress on the lawn

CORDLESS LAWN MOWER

GE-CM 18/32 Li Brushless

PXC battery voltage	18 V
Cutting width	32 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial
Grass box capacity	25 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
Product weight	8.5 kg
Article only available without battery / charger	Article number 3413256
	4 006825 645712

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	50 m ²	100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405453



- » Integrated carry handle
- » Brushless motor
- » Folding handlebar
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 18/30 Li Brushless

PXC battery voltage	18 V
Battery charging time 18 V / 3.0 Ah	60 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	150 m ²
Cutting width	30 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial
Grass box capacity	25 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
Product weight	8.9 kg (excl. battery)
Incl. 1 battery (18 V 3.0 Ah Li-Ion) and 1 charger	Article number 3413155
Without battery / charger	Article number 3413157

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 m ²	70 m ²	100 m ²	150 m ²	210 m ²	270 m ²	300 m ²	420 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3404553
-------------	---------

- » Mulching function
- » Brushless motor
- » Height-adjustable handlebar
- » Folding handlebar
- » Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/48 Li M Brushless

PXC battery voltage	2x 18 V
Cutting width	48 cm
Cutting height adjustment	6 levels / 30 - 75 mm / axial
Wheel diameter front / rear	180 mm / 180 mm
Housing material	Steel
Product weight	16.9 kg
Article only available without batteries / chargers	Article number 3413054

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	150 min	250 m ²	260 m ²	300 m ²	500 m ²	600 m ²	700 m ²	1000 m ²
 ³⁾	300 m ²	500 m ²	520 m ²	600 m ²	1000 m ²	1200 m ²	1400 m ²	2000 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

Spare blade	3405456
-------------	---------



- » Highwheels
- » Self-propelling
- » Electric start function with PXC battery (18 V)
- » Mulching function
- » Height-adjustable long handle with soft grip
- » Grass box with level indicator

PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)

GC-PM 51/3 S HW-E Li

Engine / displacement	4-stroke engine / 170 cm ³	
Power / working speed	2.7 kW / 2900 min ⁻¹	
PXC battery voltage	1x 18 V / 2.0 Ah	
Battery charging time 18 V / 2.0 Ah	2.5 h	
Cutting width	51 cm	
Cutting height adjustment	6 levels / 30 - 80 mm / central	
Grass box capacity	70 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1800 m ²	
Product weight	29.6 kg	
Incl. 1 battery (18 V 2.0 Ah Li-Ion) and 1 charger	Article number 3404870	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	130 starts	174 starts	218 starts	261 starts	347 starts	452 starts	522 starts	695 starts

¹⁾ Battery capacity

²⁾ Number of starts per battery charge - the possible number of starts depends on various influences, e.g. temperature of the engine, ambient temperature, etc.

Spare blade	3405660	
Combination blade	3405650	



- » Mulching function
- » Height-adjustable handlebar
- » Folding handlebar
- » Wide wheels exert less stress on the lawn

CORDLESS CYLINDER LAWN MOWER

GE-HM 18/38 Li

PXC battery voltage	18 V	
Cutting width	38 cm	
Cutting height adjustment	4 levels / 14 - 38 mm	
Grass box capacity	45 l	
Number of mowing blades	5	
Mowing spindle diameter	125 mm	
Product weight	10.5 kg	
Article only available without battery / charger	Article number 3414200	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	100 m ²	150 m ²	190 m ²	250 m ²	300 m ²	400 m ²	450 m ²	600 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

- » Electronic speed control (6-stage)
- » Flow rate adjustment (6-stage)
- » Individually adjustable spread width
- » Soft grip
- » Suitable for gritting material



CORDLESS MULTIPURPOSE SPREADER

GE-SR 18/22 Li

PXC battery voltage	18 V
Capacity	22 l
Spread width	max. 6 m
Suitable for	Fertiliser, lawn seeds, salt
Product weight	6.2 kg
Article only available without battery / charger	Article number 3415430
4 006825 673142	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	3 h	4 h	5 h	7 h	8 h	10 h	11 h	15 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge

- » Electronic speed control (6-stage)
- » Flow rate adjustment (8-stage)
- » Individually adjustable spread width
- » Soft grip
- » Suitable for gritting material



CORDLESS UNIVERSAL SPREADER

GE-US 18 Li

PXC battery voltage	18 V
Capacity	3.3 l
Spread width	max. 5 m
Suitable for	Fertiliser, lawn seeds, salt
Product weight	1.2 kg
Article only available without battery / charger	Article number 3415410
4 006825 638356	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge

- » Wide wheels exert less stress on the lawn
- » Brushless motor
- » Height-adjustable handlebar + parking position
- » Folding handlebar
- » Scarifier roller / aerator roller
- » Integrated carry handle
- » Quick fasteners
- » Toolless roller change
- » Catch bag



CORDLESS SCARIFIER/AERATOR

GE-SA 36/35 Li Brushless

PXC battery voltage	2x 18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	550 m ²
Working width	35 cm
Working depth adjustment	3 levels (central) + transport position
Number of blades	16 pcs
Wheel diameter front / rear	160 mm / 160 mm
Housing material	Easy maintenance plastic housing
Product weight	11.3 kg
Number of aerator claws	24 pcs
Article only available without batteries / chargers	Article number 3420685
4 006825 662375	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	100 m ²	150 m ²	190 m ²	225 m ²	300 m ²	400 m ²	450 m ²	550 m ²

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Catch bag	3405960	4 006825 667523
Aerator Roller	3405961	4 006825 667516
Scarifier Roller	3405962	4 006825 667509

- » Wide wheels exert less stress on the lawn
- » Brushless motor
- » Height-adjustable handlebar + parking position
- » Folding handlebar
- » Scarifier roller / aerator roller (optionally expandable)
- » Integrated carry handle
- » Quick fasteners
- » Toolless roller change
- » Catch bag (optionally expandable)



CORDLESS SCARIFIER/AERATOR

GE-SC 36/35 Li Brushless

PXC battery voltage	2x 18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	550 m ²
Working width	35 cm
Working depth adjustment	3 levels (central) + transport position
Number of blades	16 pcs
Wheel diameter front / rear	160 mm / 160 mm
Housing material	Easy maintenance plastic housing
Product weight	9.9 kg
Article only available without batteries / chargers	Article number 3420680
	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	100 m ²	150 m ²	190 m ²	225 m ²	300 m ²	400 m ²	450 m ²	550 m ²

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Catch bag	3405960	
Aerator Roller	3405961	
Scarifier Roller	3405962	

- » Wide wheels exert less stress on the lawn
- » Height-adjustable handlebar
- » Folding handlebar
- » Scarifier roller / aerator roller (optionally expandable)
- » Integrated carry handle
- » Catch bag (optionally expandable)



CORDLESS SCARIFIER/AERATOR

GC-SC 36/31 Li

PXC battery voltage	2x 18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Working width	31 cm
Working depth adjustment	3 levels + parking position
Number of blades	8 double-knives
Wheel diameter front / rear	180 mm / 100 mm
Housing material	Plastic
Product weight	8.0 kg
Article only available without batteries / chargers	Article number 3420660
	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	80 m ²	100 m ²	130 m ²	200 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Catch bag	3405577	
Aerator Roller	3405572	
Scarifier Roller	3405582	

- » Wide wheels exert less stress on the lawn
- » Brushless motor
- » Height-adjustable handlebar
- » Folding handlebar
- » Scarifier roller / aerator roller (optionally expandable)
- » Integrated carry handle
- » Catch bag (optionally expandable)



CORDLESS SCARIFIER/AERATOR

GC-SC 18/28 Li Brushless

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	350 m ²
Working width	28 cm
Working depth adjustment	3 levels + parking position
Number of blades	12 pcs
Wheel diameter front / rear	150 mm / 100 mm
Housing material	Plastic
Product weight	6.6 kg
Article only available without battery / charger	Article number 3420604
	4 006825 655223

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	60 m ²	80 m ²	100 m ²	120 m ²	160 m ²	210 m ²	240 m ²	350 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Catch bag	3405940	4 006825 658798
Aerator Roller	3405941	4 006825 658804
Scarifier Roller	3405942	4 006825 658811

- » Wide wheels exert less stress on the lawn
- » Brushless motor
- » Height-adjustable handlebar
- » Folding handlebar
- » Scarifier roller / aerator roller (optionally expandable)
- » Integrated carry handle
- » Catch bag (optionally expandable)



CORDLESS SCARIFIER/AERATOR

GC-SC 18/28 DS Li Brushless

PXC battery voltage	18 V (+ 18 V)
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m ²
Working width	28 cm
Working depth adjustment	3 levels + parking position
Number of blades	12 pcs
Wheel diameter front / rear	150 mm / 100 mm
Housing material	Plastic
Product weight	6.7 kg
Article only available without battery / charger	Article number 3420625
	4 006825 682496

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	120 m ²	160 m ²	200 m ²	240 m ²	320 m ²	420 m ²	480 m ²	700 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Catch bag	3405940	4 006825 658798
Aerator Roller	3405941	4 006825 658804
Scarifier Roller	3405942	4 006825 658811

- » Height-adjustable wheels for easy transportation
- » Folding handlebar
- » Brake shoe
- » Two-point-safety switch
- » Soft grip



CORDLESS TILLER

GE-CR 30 Li

PXC battery voltage	2x 18 V	
Working width	30 cm	
Working depth	200 mm	
Number of blades	4 pcs	
Cultivator blade diameter	200 mm	
Housing material	Plastic	
Product weight	11.0 kg	
Article only available without batteries / chargers	Article number 3431200	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge

- » Folding handle (split shaft)
- » Electronic speed control
- » Integrated carrying handle
- » Two-point-safety switch
- » Soft grip



CORDLESS TILLER

GE-CR 18/20 Li E

PXC battery voltage	18 V	
Working width	20 cm	
Working depth	200 mm	
Number of blades	4 pcs	
Cultivator blade diameter	155 mm	
Housing material	Plastic	
Product weight	3.9 kg	
Article only available without battery / charger	Article number 3431210	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20-25 min	20-35 min	30-40 min	40-50 min	50-70 min	70-90 min	80-100 min	100-140 min

¹⁾ Battery capacity

²⁾ Max. running time per battery charge - depending on the selected speed

- » Brushless motor
- » Snow ejection direction adjustable
- » Electronic speed control
- » Battery cover
- » Additional handle
- » Integrated carrying handle
- » Soft grip
- » Self-standing
- » Two-point-safety switch



CORDLESS SNOW THROWER

GE-ST 36/40 Li E Brushless

PXC battery voltage	2x 18 V	
Working width	40 cm	
Max. snow height	20 cm	
Throwing distance max.	6 m	
Housing material	Plastic	
Product weight	6.5 kg	
Article only available without batteries / chargers	Article number 3417011	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

For best performance select batteries with at least 4.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)

- » Brushless motor
- » Spindle lock
- » Adjustable handle
- » Split shaft
- » Bike handle
- » Electronic speed control
- » Automatic jog line feed
- » Wall bracket



CORDLESS SCYTHE

AGILLO 36/255

PXC battery voltage	2x 18 V	
Cutting width (blade)	25.5 cm	
Cutting width (thread)	30 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	6.1 kg	
Blades	•	
Thread spool	•	
Comfort harness	•	
Article only available without batteries / chargers	Article number 3411320	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
 ³⁾	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (blade)

³⁾ Max. operating time per battery charge in idle mode (thread spool)

- » Spindle lock
- » Adjustable handle
- » Split shaft
- » Bike handle
- » Electronic speed control
- » Automatic jog line feed
- » Wall bracket



CORDLESS SCYTHE

AGILLO 18/200

PXC battery voltage	18 V	
Cutting width (blade)	20 cm	
Cutting width (thread)	30 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	6.5 kg	
Blades	•	
Thread spool	•	
Comfort harness	•	
Article only available without battery / charger	Article number 3411310	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
 ³⁾	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min


For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode (blade)

³⁾ Max. operating time per battery charge in idle mode (thread spool)

Cordless Scythes Accessories

Spare Line Spool	Article number 3405096	
Special Grass Blade 230	Article number 3436660	
Thicket Blade 255	Article number 3405082	
Thicket Blade 200	Article number 3405083	
Grass Blade 255	Article number 3404996	
Grass Blade 230	Article number 3436661	

- » Infinitely adjustable long handle
- » Flower guard
- » Automatic jog line feed
- » Split shaft
- » Electronic speed control
- » Soft grip
- » Wall bracket



- » Long handle with ergonomic double bend
- » Infinitely adjustable long handle
- » Flower guard
- » Automatic jog line feed
- » Split shaft
- » 2-step electronic speed control
- » Battery Protector
- » Soft grip



Tested and recommended by Forum: Gesunder Rücken - besser leben e.V. and Bundesverband deutscher Rückenschulen (BdR) e.V.

More information available from: AGR e.V., Stader Str. 6, 27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr-ev.de



- » Motor head rotatable (90°) / tiltable (6 settings)
- » Flower guard
- » Automatic jog line feed
- » Soft grip
- » Telescopic long handle, infinitely adjustable

CORDLESS LAWN TRIMMER

GE-CT 36/30 Li E

PXC battery voltage	2x 18 V	
Cutting width	30 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	3.1 kg	
Thread spool	•	
Carrying strap	•	
Article only available without batteries / chargers	Article number 3411300	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode

Spare line spool	3405096	
------------------	---------	---

CORDLESS LAWN TRIMMER

GE-CT 18/33 Li E

PXC battery voltage	18 V	
Cutting width	33 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	2.7 kg	
Thread spool	•	
Carrying strap	•	
Article only available without battery / charger	Article number 3411270	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

Spare line spool	3405096	
------------------	---------	---

CORDLESS LAWN TRIMMER

GE-CT 18/30 Li

PXC battery voltage	18 V	
Cutting width	30 cm	
Thread diameter	1.6 mm	
Thread length	5 m	
Product weight	2.1 kg	
Thread spool	•	
Article only available without battery / charger	Article number 3411250	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

Spare line spool	3405117	
------------------	---------	---

- » Adjustable handle
- » Telescopic long handle
- » Motor head rotatable (180°) / tiltable (3 settings)
- » Flower guard
- » Soft grip
- » Incl. Trimmer Cart
- » Automatic feeding line spool



CORDLESS LAWN TRIMMER

GE-CT 18/28 Li TC

PXC battery voltage	18 V
Cutting width	28 cm
Thread diameter	1.6 mm
Thread length	5 m
Product weight	4.9 kg
Article only available without battery / charger	Article number 3411212
4 006825 654967	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

Spare line spool	3405116
4 006825 655216	

- » Adjustable handle
- » Telescopic long handle
- » Motor head rotatable (180°) / tiltable (3 settings)
- » Flower guard
- » Soft grip
- » Automatic feeding line spool



CORDLESS LAWN TRIMMER

GE-CT 18/28 Li

PXC battery voltage	18 V
Cutting width	28 cm
Thread diameter	1.6 mm
Thread length	5 m
Product weight	2.3 kg
Article only available without battery / charger	Article number 3411242
4 006825 655193	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

Spare line spool	3405116
4 006825 655216	

- » Infinitely adjustable long handle
- » Telescopic long handle, infinitely adjustable
- » Motor head rotatable (+/- 90°) / tiltable (5 settings)
- » Flower guard
- » Storage compartment for spare blades
- » Soft grip



CORDLESS LAWN TRIMMER

GE-CT 18 Li

PXC battery voltage	18 V
Battery charging time 18 V / 2.5 Ah	50 min
Max. running time	65 min
Cutting width	24 cm
Product weight	1.8 kg (excl. battery)
Plastic blades included	• (20 pcs)
Incl. 1 battery (18 V 2.5 Ah Li-Ion) and 1 charger	Article number 3411219
4 006825 680812	
Without battery / charger	Article number 3411172
4 006825 588255	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

20-piece spare blade set	3405730
4 006825 560404	
50-piece spare blade box	3405736
4 006825 646283	

NEW

- » Infinitely adjustable long handle
- » Telescopic long handle, infinitely adjustable
- » Motor head rotatable (180°) / tilttable (3 settings)
- » Flower guard
- » Storage compartment for spare blades
- » Soft grip
- » Change of cutting mode possible (thread spool available as accessory)
- » Innovative blade technology



NEW

- » Infinitely adjustable long handle
- » Telescopic long handle, infinitely adjustable
- » Motor head rotatable (180°) / tilttable (3 settings)
- » Flower guard
- » Storage compartment for spare blades
- » Soft grip
- » Two cutting modes (blade and thread spool)
- » Innovative blade technology



- » Infinitely adjustable long handle
- » Telescopic long handle, infinitely adjustable
- » Flower guard



CORDLESS LAWN TRIMMER

GE-CT 18/25 Li

PXC battery voltage	18 V	
Cutting width	25 cm	
Product weight	2.0 kg	
Plastic blades included	• (20 pcs)	
Article only available without battery / charger	Article number 3411255	4 006825 680416

Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode (blade) ²⁾	32 min	42 min	53 min	63 min	84 min	110 min	126 min	168 min
Max. operating time per battery charge in idle mode (thread spool) ³⁾	30 min	40 min	50 min	60 min	80 min	104 min	120 min	160 min

- ¹⁾ Battery capacity
²⁾ Max. operating time per battery charge in idle mode (blade)
³⁾ Max. operating time per battery charge in idle mode (thread spool)

Spare line spool	3405113	4 006825 680393
20-piece spare blade set	3405738	4 006825 681130
50-piece spare blade box	3405739	4 006825 681147
Thread head set	3405175	4 006825 680454

CORDLESS LAWN TRIMMER

GE-CT 18/25-1

PXC battery voltage	18 V	
Cutting width	25 cm	
Product weight	2.0 kg	
Plastic blades included	• (20 pcs)	
Thread Head Set	•	
Article only available without battery / charger	Article number 3411256	4 006825 684117

Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode (blade) ²⁾	32 min	42 min	53 min	63 min	84 min	110 min	126 min	168 min
Max. operating time per battery charge in idle mode (thread spool) ³⁾	30 min	40 min	50 min	60 min	80 min	104 min	120 min	160 min

- ¹⁾ Battery capacity
²⁾ Max. operating time per battery charge in idle mode (blade)
³⁾ Max. operating time per battery charge in idle mode (thread spool)

Spare line spool	3405113	4 006825 680393
20-piece spare blade set	3405738	4 006825 681130
50-piece spare blade box	3405739	4 006825 681147

CORDLESS LAWN TRIMMER

GC-CT 18/24 Li

PXC battery voltage	18 V	
Cutting width	24 cm	
Product weight	1.3 kg	
Plastic blades included	• (20 pcs)	
Article only available without battery / charger	Article number 3411123	4 006825 626582

Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode ²⁾	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

- ¹⁾ Battery capacity
²⁾ Max. operating time per battery charge in idle mode

20-piece spare blade set	3405730	4 006825 560404
50-piece spare blade box	3405736	4 006825 646283



- » Additional handle
- » Housing and additional handle made of impact-resistant plastic

CORDLESS LAWN TRIMMER

GC-CT 18/24 Li P

PXC battery voltage	18 V	
Battery charging time 18 V / 1.5 Ah	120 min	
Max. running time	40 min	
Cutting width	24 cm	
Product weight	1.2 kg (excl. battery)	
Plastic blades included	• (20 pcs)	
Incl. 1 battery (18 V 1.5 Ah Li-Ion) and 1 charger	Article number 3411102	
Without battery / charger	Article number 3411104	

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

20-piece spare blade set	3405730	
50-piece spare blade box	3405736	

NEW



- » Motor head rotatable 180°
- » Soft grip
- » Innovative blade technology

CORDLESS LAWN TRIMMER

GC-CT 18/2411 Li P

PXC battery voltage	18 V	
Cutting width	24 cm	
Product weight	1.2 kg	
Plastic blades included	• (20 pcs)	
Article only available without battery / charger	Article number 3411115	

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	35 min	46 min	58 min	69 min	92 min	120 min	138 min	184 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

20-piece spare blade set	3405738	
50-piece spare blade box	3405739	



- » Infinitely adjustable long handle
- » Split shaft
- » Cutting depth adjustment
- » Rollers
- » Soft grip

CORDLESS LAWN EDGE TRIMMER

GE-LE 18/190 Li

PXC battery voltage	18 V	
Min. cutting depth	34 mm	
Max. cutting depth	38 mm	
Blade length	178 mm	
Product weight	3.0 kg	
Article only available without battery / charger	Article number 3424300	

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

Spare blade	3405101	
-------------	---------	--

NEW

Summer 2025

- » Electronic speed control
- » Height-adjustable guide wheel
- » Infinitely adjustable long handle
- » Adjustable additional handle incl. brush storage compartment
- » Brush change without tools



- » Garden hose connection inclusive water control valve
- » Forward/reverse running
- » Electronic speed control
- » Brush change without tools
- » Telescopic long handle, infinitely adjustable
- » 2-in-1 function: wet and dry cleaning

CORDLESS GROUT CLEANER**GE-CC 18/110 Li E**

PXC battery voltage	18 V
Diameter of brush	110 mm
Product weight	2.3 kg
Incl. steel brush (15 mm wide)	•
Incl. nylon brush (10 mm wide)	•
Article only available without battery / charger	Article number 3424070

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40-55 min	55-70 min	70-85 min	80-110 min	110-140 min	140-165 min	165-220 min	220-280 min

¹⁾ Battery capacity²⁾ Max. operating time per battery charge in idle mode - depending on the selected speed

Spare brush steel (15 mm)	3424140	
Spare brush nylon (10 mm)	3424145	
Spare brush set (steel 10 mm/nylon 6 mm)	3424150	

CORDLESS SURFACE BRUSH**PICOBELLA 18/215**

PXC battery voltage	18 V
Max. working width	215 mm
Diameter of brush	115 mm
Idle speed	800 - 1400 min ⁻¹
Product weight	4.1 kg
Incl. surface brush	MEDIUM (smooth stone, e.g. tiles and concrete)
Article only available without battery / charger	Article number 3424200

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8-25 min	10-30 min	12-34 min	17-46 min	20-55 min	25-70 min	29-90 min	40-110 min

¹⁾ Battery capacity²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed**Surface Brush PICOBELLA 18/215 Accessories**

Type	Article number	EAN	Material	Working width	Diameter of brush	Suitable for
 Surface Brush SOFT	3424121		Nylon	195 mm	115 mm	Wood, artificial turf
 Surface Brush MEDIUM (incl. side brush)	3424120		Nylon	215 mm	115 mm	stone
 Surface Brush ULTRA	3424122		Steel	195 mm	115 mm	stone (robust)
 Surface Brush ULTRA (incl. side brush)	3424126		Steel	215 mm	115 mm	stone (robust)



CORDLESS SURFACE BRUSH

PICOBELLA 18/90

PXC battery voltage	18 V
Working width	90-170 mm
Bristle length	20-50 mm
Idle speed	190 - 350 min ⁻¹
Product weight	1.5 kg
Brushes included	SOFT 120/50 + MEDIUM 90/20
Pad set included	• (melamine, microfibre, kitchen fibre - 1 of each)
Wall mount included	•
Article only available without battery / charger	Article number 3424220



¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	110-160 min	150-210 min	190-260 min	225-315 min	300-420 min	390-550 min	450-630 min	600-840 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

- » Splash water protection IPX4
- » Electronic speed control (2 settings)
- » Toolless brush/pad change
- » Battery cover
- » Splash guard brush cover (removable)
- » Multifunctional application for indoor/outdoor, for furniture, car, garden, kitchen/bathroom

Surface Brush PICOBELLA 18/90 Accessories



Type	Article number	EAN	Material	Working width	Bristle length	Suitable for
Brush SOFT 170/40	3424130	4 006825 673081	Nylon	170 mm	40 mm	Sensitive surfaces
Brush SOFT 120/50	3424131	4 006825 673098	Nylon	120 mm	50 mm	Sensitive surfaces
Brush MEDIUM 90/20	3424132	4 006825 673104	Nylon	90 mm	20 mm	Robust surfaces
Brush ULTRA 95/25 (brass)	3424133	4 006825 673111	Brass	95 mm	25 mm	Stubborn soiling
Pad Set (6 pcs)	3424134	4 006825 673128	Melamine / microfibre / kitchen fibre pad (2 of each)	100 mm	-	Melamine pad for smooth surfaces (e.g. plastic/glass/walls/doors), microfibre pad for sensitive surfaces (e.g. glass/fittings/sinks/hobs), kitchen pad for resistant surfaces (e.g. tempered glass/cast iron)



- » Turnable rear handle
- » Ergonomic front handle thanks to micro switches
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GE-CH 36/65 Li

PXC battery voltage	2x 18 V
Bar length	720 mm
Cutting length	650 mm
Spacing between teeth	30 mm
Product weight	4.0 kg
Protective cover with wall mount	•
Article only available without batteries / chargers	Article number 3410960
	4 006825 639018

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode



- » Ergonomic front handle thanks to micro switches
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GE-CH 36/61 Li

PXC battery voltage	2x 18 V
Bar length	670 mm
Cutting length	610 mm
Spacing between teeth	26 mm
Product weight	2.8 kg
Protective cover with wall mount	•
Article only available without batteries / chargers	Article number 3410965
	4 006825 662382

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode



- » Turnable rear handle
- » Ergonomic front handle thanks to micro switches
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GE-CH 18/60 Li

PXC battery voltage	18 V
Bar length	670 mm
Cutting length	600 mm
Spacing between teeth	22 mm
Product weight	2.8 kg
Protective cover with wall mount	•
Article only available without battery / charger	Article number 3410930
	4 006825 635942

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- » Ergonomic front handle thanks to micro switches
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

ARCURRA 18/55

PXC battery voltage	18 V
Bar length	620 mm
Cutting length	550 mm
Spacing between teeth	18 mm
Product weight	2.7 kg
Protective cover with wall mount	*
Article only available without battery / charger	Article number 3410920
	4 006825 635935

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- » Turnable rear handle
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 1855/1 Li

PXC battery voltage	18 V
Battery charging time 18 V / 2.5 Ah	50 min
Max. running time	100 min
Bar length	620 mm
Cutting length	550 mm
Spacing between teeth	18 mm
Product weight	2.3 kg
Protective cover with wall mount	*
Incl. 1 battery (18 V 2.5 Ah Li-Ion) and 1 charger	Article number 3410506
	4 006825 661910
Without battery / charger	Article number 3410502
	4 006825 615937

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- » Turnable rear handle
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 18/50 Li

PXC battery voltage	18 V
Bar length	550 mm
Cutting length	500 mm
Spacing between teeth	17 mm
Product weight	2.2 kg
Protective cover with wall mount	*
Article only available without battery / charger	Article number 3410945
	4 006825 664522

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 1846 Li

PXC battery voltage	18 V	
Bar length	520 mm	
Cutting length	460 mm	
Spacing between teeth	15 mm	
Product weight	2.0 kg	
Protective cover with wall mount	•	
Article only available without battery / charger	Article number 3410642	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 18/40 Li

PXC battery voltage	18 V	
Bar length	475 mm	
Cutting length	400 mm	
Spacing between teeth	13 mm	
Product weight	2.0 kg	
Protective cover with wall mount	•	
Article only available without battery / charger	Article number 3410940	 4 006825 661125

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



Maintenance Spray

Suitable for	Hedge trimmers, grass and shrub shears
Article number	3403099
EAN	



- » Continuously adjustable telescopic aluminium handle
- » Additional handle
- » Additional holding area
- » Changeable carbon pins

CORDLESS OLIVE AND FRUIT HARVESTER

GE-FS 18/53 Li

PXC battery voltage	18 V	
Max. working width	53 cm	
Min. working width	28 cm	
Pin length	31 cm	
Product weight	4.4 kg	
Article only available without battery / charger	Article number 3411400	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20-34 min	27-45 min	34-56 min	40-68 min	54-90 min	69-117 min	80-136 min	108-181 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode - depending on the selected speed

Spare pins for PXC Olive and Fruit Harvester, 4 pcs

3405231



- » Brushless motor
- » Telescopic aluminium handle with extension
- » Laser-cut and diamond-ground blades
- » Cutting unit (Hedge Trimmer) tiltable
- » OREGON quality bar and chain
- » Automatic chain lubrication
- » Automatic jog line feed
- » Adjustable second handle
- » Carrying belt with quick release



FITTED WITH
OREGON
CHAIN AND BAR

CORDLESS MULTIFUNCTIONAL TOOL

GE-LM 36/4in1 Li Brushless

PXC battery voltage	2x 18 V
Bar length (chainsaw)	200 mm
Chain cutting speed	10 m/s
Blade length of hedge trimmer	450 mm
Spacing between teeth (hedge trimmer)	24 mm
Cutting width (blade)	255 mm
Cutting width (thread)	330 mm
Max. working height of elevated tools	3.5 m (pruner) / 3.5 m (hedge trimmer)
Product weight	9.0 kg (incl. all attachments)
Protective cover with wall mount	•
Article only available without batteries / chargers	Article number 3410901



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➤ ¹⁾	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
➤ ²⁾	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
➤ ³⁾	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
➤ ⁴⁾	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (scythe)

³⁾ Max. operating time per battery charge in idle mode (lawn trimmer)

⁴⁾ Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

⁵⁾ Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

Spare chain 20cm 1,1 33T 3/8	4500187	
Spare bar 20 cm 1,1	4500117	
Thicket blade 255 mm	3405082	
Spare spool	3405102	

- » Continuously adjustable telescopic aluminium handle
- » Main handle + motor head tiltable by several settings
- » OREGON quality bar and chain
- » Toolless chain tensioning and changing
- » Pivotal attachment for effortless horizontal cuts
- » Automatic chain lubrication
- » Laser-cut and diamond-ground blades
- » Adjustable second handle



FITTED WITH
OREGON
CHAIN AND BAR

CORDLESS MULTIFUNCTIONAL TOOL

GE-HC 18 Li T

PXC battery voltage	18 V
Battery charging time 18 V / 3.0 Ah	60 min
Max. running time	40 min
Bar length (chainsaw)	200 mm
Chain cutting speed	3.76 m/s
Max. bar length (hedge trimmer)	450 mm
Spacing between teeth (hedge trimmer)	16 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	6.2 kg (incl. all attachments, excl. battery)
Incl. 1 battery (18 V 3.0 Ah Li-Ion) and 1 charger	Article number 3410805
Without battery / charger	Article number 3410800



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➤ ¹⁾	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
➤ ²⁾	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

³⁾ Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

Spare chain 20cm 1,3 33T 3/8	4500188	
Spare bar 20cm 1,3	4500168	

FITTED WITH
OREGON
CHAIN AND BAR

- » Continuously adjustable telescopic aluminium handle
- » Main handle + motor head tiltable by several settings
- » OREGON quality bar and chain
- » Toolless chain tensioning and changing
- » Pivotal attachment for effortless horizontal cuts
- » Automatic chain lubrication
- » Claw stop
- » Metal gear box
- » Adjustable second handle



CORDLESS POLE-MOUNTED PRUNER

GE-LC 18 Li T

PXC battery voltage	18 V
Bar length	200 mm
Cutting length	170 mm
Cutting speed	3.76 m/s
Max. working height	4.0 m
Product weight	4.0 kg
Article only available without battery / charger	Article number 3410810
	4 006825 604337

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 20cm 1,3 33T 3/8	4500188	4 006825 606355
Spare bar 20cm 1,3	4500168	4 006825 606348

Hedge Trimmer

Can be used for	GE-LC 18 Li T
Product weight	1.4 kg
Article number	3410818
EAN	4 006825 624649



- » Telescopic aluminium handle with extension
- » OREGON quality bar and chain
- » Chain tensioning and changing with tools
- » Automatic chain lubrication
- » Claw stop
- » Metal gear box
- » Additional holding area



CORDLESS POLE-MOUNTED PRUNER

GC-LC 18/20 Li T

PXC battery voltage	18 V
Bar length	200 mm
Cutting length	195 mm
Cutting speed	5.5 m/s
Max. working height	4.0 m
Product weight	3.4 kg
Article only available without battery / charger	Article number 3410581
	4 006825 652123

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	37 pcs	50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 20cm 1,1 33T 3/8	4500187	4 006825 615463
Spare bar 20 cm 1,1	4500117	4 006825 569100

- » Continuously adjustable telescopic aluminium handle
- » Motor head tiltable by multiple settings
- » Main handle tiltable by multiple settings
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Adjustable second handle



CORDLESS TELESCOPIC HEDGE TRIMMER

GE-HH 18/45 Li T

PXC battery voltage	18 V
Bar length	450 mm
Cutting length	400 mm
Spacing between teeth	16 mm
Max. working height	3.5 m
Product weight	4.3 kg
Article only available without battery / charger	Article number 3410866
	4 006825 630602

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

FITTED WITH
OREGON
CHAIN AND BAR



Pole Pruner

Can be used for	GE-HH 18/45 Li T
Product weight	1.2 kg
Article number	3410835
EAN	4 006825 624656

- » Telescopic aluminium handle with extension
- » Motor head tiltable by multiple settings
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Swivelling main handle
- » Additional holding area



CORDLESS TELESCOPIC HEDGE TRIMMER

GC-HH 18/45 Li T

PXC battery voltage	18 V
Bar length	450 mm
Cutting length	410 mm
Spacing between teeth	18 mm
Max. working height	3.5 m
Product weight	3.0 kg
Article only available without battery / charger	Article number 3410585
	4 006825 652130

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- » Brushless motor
- » OREGON quality bar and chain
- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Adjustable chain speed (High/Eco)
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip
- » Large oil filler opening

NEW

Autumn 2025



- » Brushless motor
- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip
- » Large oil filler opening



- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip
- » Large oil filler opening

CORDLESS CHAINSAW

FORTEXXA 18/30

PXC battery voltage	18 V	
Petrol equivalence class	up to 2.0 hp	
Bar length	300 mm	
Cutting length	270 mm	
Cutting speed	8.9 / 6 m/s	
Oil tank capacity	160 ml	
Product weight	4.0 kg	
Protective cover	•	
Article only available without battery / charger	Article number 4600010	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
 ³⁾	59 pcs	78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge in HIGH POWER mode

³⁾ Max. cuts through 70 x 70 mm square timber per battery charge in ECO mode

Spare chain 30cm 1,1 45T 3/8	4500192	
Spare bar 30cm 1,1	4500191	

CORDLESS CHAINSAW

GE-LC 18/25 Li Brushless

PXC battery voltage	18 V	
Petrol equivalence class	up to 2.0 hp	
Bar length	250 mm	
Cutting length	230 mm	
Cutting speed	7.0 m/s	
Oil tank capacity	150 ml	
Product weight	3.5 kg	
Protective cover	•	
Article only available without battery / charger	Article number 4600070	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	34 pcs	44 pcs	67 pcs	71 pcs	100 pcs	145 pcs	181 pcs	242 pcs

For best performance select a battery with at least 4.0 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 25cm 1,1 40T 3/8	4501754	
Spare bar 25cm 1,1	4501753	

CORDLESS CHAINSAW

GE-LC 18/25-1 Li

PXC battery voltage	18 V	
Petrol equivalence class	up to 1.5 hp	
Battery charging time 18 V / 3.0 Ah	60 min	
Bar length	250 mm	
Cutting length	230 mm	
Cutting speed	4.5 m/s	
Oil tank capacity	200 ml	
Product weight	2.9 kg	
Protective cover	•	
Incl. 1 battery (18 V 3.0 Ah Li-Ion) and 1 charger	Article number 4501760	
Without battery / charger	Article number 4501761	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 25cm 1,1 40T 3/8	4501754	
Spare bar 25cm 1,1	4501753	



- » Brushless motor
- » Metal gear box
- » Toolless guide bar and chain change
- » High-quality guide bar and chain set
- » Hand guard and folding chain cover
- » Storage surface for use with both hands
- » Soft grip

CORDLESS PRUNING CHAINSAW

GE-PS 18/15 Li Brushless

PXC battery voltage	18 V
Bar length	158 mm
Cutting length	125 mm
Cutting speed	4.8 m/s
Product weight	1.1 kg
Protective cover	•
Measuring help for oiling the chain	•
Hexagon key for retensioning the chain	•
Article only available without battery / charger	Article number 4600040
4 006825 671612	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	95 pcs	127 pcs	158 pcs	190 pcs	254 pcs	329 pcs	380 pcs	506 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through soft roundwood (ø 50 mm)

Spare chain 15cm 1,0 28T 7,62	4500174	4 006825 673647
Spare bar 15cm 1,0	4500163	4 006825 672503



Chainsaw Trestle

Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	4 006825 548693



Chainsaw Trestle 2.5

Profile thickness	2.5 mm
Maximum load capacity	200 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	8.9 kg
Article number	4500690
EAN	4 006825 678826



Forest Safety Helmet

Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	4 006825 544565

- » Depth stop
- » Scale for precise setting of the grinding angle
- » LED light
- » Clamping device



CORDLESS CHAIN SHARPENER

GE-CS 18 Li

PXC battery voltage	18 V
Grinding wheel diameter (inside)	23 mm
Grinding wheel diameter (outside)	108 mm
Grinding wheel thickness	3.2 mm
Product weight	1.7 kg
Article only available without battery / charger	Article number 4499940
4 006825 613858	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

Spare grinding wheel 3.2 mm	4500076	4 006825 548860
Spare grinding wheel 4.5 mm	4500071	4 006825 548853

- » Blade change without tools
- » Removable branch handle
- » Vibration-decoupled battery holder
- » Long-life metal gearing
- » Soft grip
- » Belt clip



CORDLESS PRUNING SAW

GE-GS 18/150 Li

PXC battery voltage	18 V	
Saw blade length	151 mm	
Cutting capacity with branch handle	80 mm	
Cutting capacity without branch handle	100 mm	
Product weight	1.1 kg	
Article only available without battery / charger	Article number 3408290	4 006825 666649

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through roundwood (ø 60 mm)

Saw blade set, 3-piece, wood/metal	49576105	4 009315 761053
------------------------------------	----------	-----------------

- » Bypass blades
- » Belt clip
- » ON/OFF sliding switch
- » Sturdy plastic cover
- » Ergonomic handle with soft grip



CORDLESS PRUNING SHEARS

GE-LS 18 Li

PXC battery voltage	18 V	
Max. branch diameter	28 mm	
Product weight	0.8 kg	
Article only available without battery / charger	Article number 3408300	4 006825 652727

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	1070 pcs	1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through round dry beech wood (ø 15 mm)



- » Multi-part pipe with bayonet mount
- » Electronic speed control (LED)
- » 3-in-1: leaf blower, workshop blower or barbecue lighting aid

CORDLESS UNIVERSAL BLOWER

GE-UB 18/250 Li E

PXC battery voltage	18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
Max. running time	20-130 min	
Max. blow velocity	250 km/h	
Max. blowing air flow	120 m³/h	
Idle speed	4500 - 15000 min ⁻¹	
Product weight	1.1 kg (excl. battery)	
Incl. 1 battery (18 V 4.0 Ah Li-Ion) and 1 charger	Article number 3433560	
Without battery / charger	Article number 3433542	

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	7-48 min	10-65 min	12-80 min	14-96 min	20-130 min	24-166 min	28-192 min	40-260 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed



- » Electronic speed control
- » Soft grip
- » Lightweight and handy design

CORDLESS LEAF BLOWER

GC-CL 18 Li E

PXC battery voltage	18 V	
Max. blow velocity	210 km/h	
Max. blowing air flow	105 m³/h	
Idle speed	1400 - 12000 min ⁻¹	
Product weight	1.3 kg	
Article only available without battery / charger	Article number 3433532	

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	10-180 min	14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min	52-960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

- » Toolless change-over between suction and blowing function
- » Brushless motor
- » Electronic speed control
- » Additional handle
- » Guiding wheels
- » Debris bag with window
- » Carrying strap
- » Soft grip



CORDLESS LEAF VACUUM

VENTURRO 18/210

PXC battery voltage	18 V	
Max. blow velocity	210 km/h	
Max. suction power	500 m³/h	
Idle speed	8000 - 14000 min ⁻¹	
Shredding function	10:1	
Debris bag volume	45 l	
Product weight	3.0 kg	
Article only available without battery / charger	Article number 3433625	

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	0-12 min	0-14 min	5-18 min	7-20 min	9-30 min	11-42 min	15-45 min	18-60 min
³⁾	3-10 min	4-15 min	5-19 min	7-22 min	9-32 min	13-40 min	14-48 min	18-64 min

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

- » Toolless change-over between suction and blowing function
- » Brushless motor
- » Electronic speed control
- » Additional handle (adjustable)
- » Guiding wheels
- » Debris bag with window
- » Carrying strap
- » Soft grip



CORDLESS LEAF VACUUM

GE-CL 36 Li E Brushless

PXC battery voltage	2x 18 V
Max. blow velocity	210 km/h
Max. suction power	720 m³/h
Idle speed	8000 - 13000 min⁻¹
Shredding function	10:1
Debris bag volume	45 l
Product weight	3.4 kg
Article only available without batteries / chargers	Article number 3433600



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➤ ²⁾	9-20 min	10-30 min	13-35 min	17-45 min	22-65 min	27-90 min	30-100 min	44-130 min
➤ ³⁾	10-30 min	13-35 min	16-40 min	21-60 min	27-75 min	32-105 min	39-120 min	54-150 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed



- » Toolless change-over between suction and blowing function
- » Turbo function
- » Electronic speed control
- » Additional handle (adjustable)
- » Guiding wheels (height adjustable)
- » Debris bag with window
- » Carrying strap
- » Soft grip

CORDLESS LEAF VACUUM

GE-CL 36/230 Li E

PXC battery voltage	2x 18 V
Max. blow velocity	230 km/h
Max. suction power	700 m³/h
Idle speed	8000 - 14000 min⁻¹
Shredding function	10:1
Debris bag volume	45 l
Product weight	3.1 kg (blow) / 4.4 kg (vacuum)
Article only available without batteries / chargers	Article number 3433630



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➤ ²⁾	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
➤ ³⁾	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
➤ ⁴⁾	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
➤ ⁵⁾	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

⁴⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

⁵⁾ Max. operating time per battery charge in idle mode (TURBO blowing mode)

- » Foldable cover to protect the batteries
- » Motor protection switch
- » 3 reversible blades made of special steel
- » Fold-down hopper with safety lock
- » Generous funnel opening
- » Transport wheels
- » Transport handle



CORDLESS KNIFE SHREDDER

REDAXXO 36/25

PXC battery voltage	2x 18 V
Idle speed	3000 min⁻¹
Max. branch diameter	25 mm
Debris bag volume	55 l
Product weight	10.5 kg
Prodner incl.	•
Garden rubbish bag	•
Article only available without batteries / chargers	Article number 3430710



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
➤ ²⁾	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

For best performance select batteries with at least 5.2 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode

Spare blade

3405931



- » Blade change without tools
- » Laser-cut blades
- » Covered gearbox
- » Soft grip
- » Telescopic handle



CORDLESS GRASS AND SHRUB SHEARS

GE-CG 18/100 Li T

PXC battery voltage	18 V	
Cutting width with grass shear blade	100 mm	
Cutting length with shrub cutting blade	200 mm	
Spacing between teeth of shrub cutting blade	8 mm	
Product weight	1.9 kg (excl. battery)	
Incl. 1 battery (18 V 2.5 Ah Li-Ion) and 1 charger	Article number 3410316	
Without battery / charger	Article number 3410310	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Blade change without tools
- » Laser-cut blades
- » Covered gearbox
- » Soft grip



CORDLESS GRASS AND SHRUB SHEARS

GE-CG 18/100 Li

PXC battery voltage	18 V	
Cutting width with grass shear blade	100 mm	
Cutting length with shrub cutting blade	200 mm	
Spacing between teeth of shrub cutting blade	8 mm	
Product weight	0.7 kg	
Article only available without battery / charger	Article number 3410313	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Blade change without tools
- » Laser-cut blades
- » Metal gear box
- » Soft grip



CORDLESS GRASS AND SHRUB SHEARS

GC-CG 18 Li

PXC battery voltage	18 V	
Cutting width with grass shear blade	100 mm	
Cutting length with shrub cutting blade	200 mm	
Spacing between teeth of shrub cutting blade	8 mm	
Product weight	0.7 kg	
Article only available without battery / charger	Article number 3410370	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Blade change without tools
- » Laser-cut blades
- » Metal gear box
- » Soft grip



CORDLESS GRASS AND SHRUB SHEARS

GC-CG 18/1 Li

PXC battery voltage	18 V	
Cutting width with grass shear blade	100 mm	
Product weight	0.7 kg	
Article only available without battery / charger	Article number 3410382	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Individually adjustable brass nozzle
- » Battery cover – provides protection against water ingress
- » Spray lance with lockable operating button
- » Padded carrying strap
- » Large filler opening



CORDLESS PRESSURE SPRAYER

GE-WS 18/150 Li

PXC battery voltage	18 V
Filling capacity of the tank	15 l
Max. spraying pressure	4.5 bar
Pressure hose length	1400 mm
Max. liquid temperature	40°C
Product weight	4.7 kg
Article only available without battery / charger	Article number 3425230
4 006825 651362	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Individually adjustable brass nozzle
- » Telescopic lance made of stainless steel
- » Battery cover – provides protection against water ingress
- » Spray lance with lockable operating button
- » Large clips on the tank – easy opening and closing
- » Padded carrying strap



CORDLESS PRESSURE SPRAYER

GE-WS 18/75 Li

PXC battery voltage	18 V
Filling capacity of the tank	7.5 l
Max. spraying pressure	2.5 bar
Pressure hose length	1400 mm
Max. liquid temperature	40°C
Product weight	2.4 kg
Article only available without battery / charger	Article number 3425220
4 006825 646368	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Individually adjustable brass nozzle
- » Telescopic lance made of stainless steel
- » Battery cover – provides protection against water ingress
- » Spray lance with lockable operating button
- » Large clips on the tank – easy opening and closing
- » Padded carrying strap



CORDLESS PRESSURE SPRAYER


GE-WS 18/35 Li

PXC battery voltage	18 V
Filling capacity of the tank	3.5 l
Max. spraying pressure	2.5 bar
Pressure hose length	1400 mm
Max. liquid temperature	40°C
Product weight	2.2 kg
Article only available without battery / charger	Article number 3425210
4 006825 645774	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



Pressure Sprayer Accessory Kit

Telescopic spray lance	1 - 2 m
Product weight	0.25 kg
Article number	3425205
EAN	4 006825 664003



Tank 7.5 litres

Filling capacity of the tank	7.5 l
Product weight	0.8 kg
Article number	3425206
EAN	4 006825 664065

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Individually adjustable brass nozzle
- » Large clips on the tank – easy opening and closing



CORDLESS PRESSURE SPRAYER

GE-WS 18/10 Li

PXC battery voltage	18 V
Filling capacity of the tank	1.0 l
Max. spraying pressure	1.3 bar
Max. liquid temperature	40°C
Product weight	0.6 kg
Article only available without battery / charger	Article number 3425240
4 006825 669909	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 h	16 h	20 h	24 h	32 h	42 h	48 h	64 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- » Locking switch
- » Suitable for deflation
- » Two valve adapters
- » LED
- » Suitable for inflating rubber dinghies/ air mattresses/other leisure articles



CORDLESS AIR PUMP

CE-AP 18 Li

PXC battery voltage	18 V
Air rate	670 l/min
max. pressure	0.05 bar
Product weight	0.4 kg (excl. battery)
Article only available without battery / charger	Article number 2070110
4 006825 658996	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

NEW

- » The light head can be rotated (290°) and tilted (300°)
- » Carry handle
- » Fastening clamp



CORDLESS OUTDOOR LIGHT

GC-OL 18/1500 Li

PXC battery voltage	18 V
Luminosity	309 / 825 / 1500 lm
Colour temperature	7000 K
Number of LEDs	36
Product weight	0.5 kg
Article only available without battery / charger	Article number 2320120
4 006825 680423	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	2.4 h	3.2 h	4 h	4.8 h	6.4 h	8.3 h	9.6 h	12.8 h
 ³⁾	7.2 h	9.6 h	12 h	14.4 h	19.2 h	25 h	28.8 h	38.4 h

¹⁾ Battery capacity

²⁾ Luminous period per battery charge at max. brightness setting

³⁾ Luminous period per battery charge at min. brightness setting

NEW

- » Fan head rotation angle: +/- 60°
- » Telescopic stand
- » Timer 1-8 h
- » Tilttable fan head



CORDLESS FAN

GE-CF 18/320 P Li

PXC battery voltage	18 V	
Idle speed	330 / 460 / 760 / 910 min ⁻¹	
Wind speed	15000 m/h	
Fan diameter	320 mm	
Product weight	3.4 kg	
Article only available without battery / charger	Article number 3408071	4 006825 679298

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	14,0 h	15,8 h	22,4 h	27,2 h	36,6 h	43,6 h	54,3 h	73,0 h
 ³⁾	4,4 h	5,4 h	7,0 h	8,3 h	11,0 h	13,7 h	16,5 h	22,0 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge at min. speed

³⁾ Max. operating time per battery charge at max. speed

- » Fan head rotation angle: 0°-360°
- » Carry handle
- » Several fastening options



CORDLESS FAN

GE-CF 18/2200 Li

PXC battery voltage	18 V	
Idle speed	1200 / 1700 / 2200 min ⁻¹	
Wind speed	15000 m/h	
Fan diameter	180 mm	
Product weight	1.2 kg	
Article only available without battery / charger	Article number 3408035	4 006825 665253

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	5,3 h	7 h	8,8 h	10,6 h	14 h	18,3 h	21,2 h	28 h
 ³⁾	2 h	2,6 h	3,3 h	4 h	5,3 h	7 h	8 h	10,6 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge at min. speed

³⁾ Max. operating time per battery charge at max. speed

NEW

- » Fan head can be rotated (290°) and tilted (300°)
- » Carry handle
- » Fastening clamp



CORDLESS FAN

GC-CF 18/110 Li

PXC battery voltage	18 V	
Idle speed	1700 / 2500 / 3400 min ⁻¹	
Wind speed	15000 m/h	
Fan diameter	110 mm	
Product weight	0.5 kg	
Article only available without battery / charger	Article number 3408061	4 006825 677645

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	19,5 h	26 h	32 h	38,5 h	51 h	67 h	77 h	102 h
 ³⁾	4 h	5,3 h	6,6 h	8 h	11 h	14 h	16 h	21,2 h

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge at min. speed

³⁾ Max. operating time per battery charge at max. speed

- » Padded carrying strap
- » Large buckle for easy opening and closing
- » Cable hook
- » Second battery pocket removable



BATTERY BELT

GE-PB 36/18 Li

PXC battery voltage	Suitable for 18 V appliances and 36 V (2x 18 V) appliances	
Number of battery pockets	2 pcs	
Cable length	150 cm	
Length of hip belt	150 cm	
Product weight	1.7 kg	
Article only available without batteries / chargers	Article number 3408310	



- » Housing made of stainless steel
- » Heating jacket made of galvanized steel sheet
- » Piezo ignition
- » On/Off switch for fan
- » Backfire guard + piezo-electric flame guard
- » Solenoid valve + gas valve button
- » Only for use in Germany and Austria

GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY

GE-HG 18/370 Niro Li

PXC battery voltage	18 V	
Heating output	37 kW	
Hot air flow	1000 m³/h	
Max. gas consumption	2693 g/h	
Max. operating pressure	1.5 bar	
Gas bottle	5 kg - 11 kg propane-butane	
Gas type	Propane, butane or propane-butane-mixtures	
Product weight	4.7 kg	
Accessories	Pressure regulator 1500 mbar + gas hose	
Article only available without battery / charger	Article number 2330805	

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	90 min	140 min	160 min	180 min	280 min	330 min	380 min	560 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge

NEW

- » Wall mount incl. dowels and screws
- » Garden hose (30 m)
- » Garden sprayer (cone and fan jet)
- » Carrying handle and recessed grips
- » Drip stop
- » Patented hose guide system
- » Stepless hose extraction
- » Cleaning brushes on the feeder
- » Maintenance flap
- » Residual water drain

CORDLESS HOSE REEL (WATER)**GE-HR 18/30-1 Li**

PXC battery voltage	18 V
Garden hose length	30 m
Garden hose diameter	12.5 mm (1/2")
Connecting hose length	1.5 m
Connecting hose diameter	12.5 mm (1/2")
Swivelling range	180°
Product weight	12.1 kg
Article only available without battery / charger	Article number 4173773



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	25x	33x	42x	50x	66x	86x	100x	132x
	17x	22x	28x	34x	44x	57x	68x	88x

¹⁾ Battery capacity²⁾ Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")³⁾ Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")**NEW**

- » Wall mount incl. dowels and screws
- » Carrying handle and recessed grips
- » Drip stop
- » Patented hose guide system
- » Stepless hose extraction
- » Cleaning brushes on the feeder
- » Maintenance flap
- » Residual water drain

CORDLESS HOSE REEL (WATER)**GE-HR 18/30-1 WH Li**

PXC battery voltage	18 V
Garden hose length	[30 m]*
Garden hose diameter	[12.5 mm (1/2")]*
Connecting hose length	1.5 m
Connecting hose diameter	12.5 mm (1/2")
Swivelling range	180°
Product weight	8.5 kg
Article only available without battery / charger	Article number 4173774



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	25x	33x	42x	50x	66x	86x	100x	132x
	17x	22x	28x	34x	44x	57x	68x	88x

¹⁾ Battery capacity²⁾ Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")³⁾ Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")

* Garden hose not included in scope of delivery

Hose and Transport Trolley

Max. load	50 kg
Support surface	28 x 34 cm
Wheel diameter	170 mm
Garden waste bag volume	75 l
Product weight	4.8 kg
Article number	4173772
EAN	4 006825 674231





- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode
- » Battery capacity indicator LED
- » Pre-filter
- » Non-return valve
- » Water filling / dirt indicator
- » Suction indicator
- » Automatic mode
- » Dry running protection

CORDLESS AUTOMATIC GARDEN PUMP

AQUINNA 36/38 F LED AUTOMATIC

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3800 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.8 kg	
Article only available without batteries / chargers	Article number 4180420	 4 006825 668391

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
 ³⁾	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge

NEW



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode
- » Battery capacity indicator LED
- » Pre-filter
- » Non-return valve
- » Water filling / dirt indicator
- » Suction indicator
- » Automatic mode
- » Dry running protection

CORDLESS AUTOMATIC GARDEN PUMP

AQUINNA 18/30 F LED AUTOMATIC

PXC battery voltage	18 V (+ 18 V)	
Max. delivery capacity / height	3000 l/h / 28 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.3 kg	
Article only available without battery / charger	Article number 4180460	 4 006825 681512

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
 ³⁾	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
 ⁴⁾	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
 ⁵⁾	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

¹⁾ Battery capacity

²⁾ Max. operating time in BOOST mode with 1x 18 V battery per battery charge

³⁾ Max. operating time in ECO mode with 1x 18 V battery per battery charge

⁴⁾ Max. operating time in BOOST mode with 2x 18 V batteries per battery charge

⁵⁾ Max. operating time in ECO mode with 2x 18 V batteries per battery charge



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode
- » Battery capacity indicator LED
- » Pre-filter
- » Non-return valve
- » Water filling / dirt indicator

CORDLESS GARDEN PUMP

AQUINNA 36/38 F LED

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3800 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.3 kg	
Article only available without batteries / chargers	Article number 4180410	 4 006825 668384

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
 ³⁾	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode
- » Water filling indicator

CORDLESS GARDEN PUMP

AQUINNA 36/34

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3400 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.8 kg	
Article only available without batteries / chargers	Article number 4180450	 4 006825 673975

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
 ³⁾	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode



CORDLESS GARDEN PUMP

AQUINNA 36/30

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3000 l/h / 26 m	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.3 kg	
Accessories	Adapter 33.3 mm (1") ET	
Article only available without batteries / chargers	Article number 4180400	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
 ³⁾	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge

NEW



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode
- » Suction hose included



CORDLESS GARDEN PUMP

AQUINNA 36/30 Set

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3000 l/h / 26 m	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.3 kg	
Accessories	Suction hose (4 m)	
Article available without batteries / chargers, with suction hose (4 m)	Article number 4180401	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
 ³⁾	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode
- » Battery capacity indicator LED
- » Pre-filter
- » Non-return valve
- » Water filling / dirt indicator

CORDLESS GARDEN PUMP

AQUINNA 18/30 F LED

PXC battery voltage	18 V (+ 18 V)	
Max. delivery capacity / height	3000 l/h / 28 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.9 kg	
Article only available without battery / charger	Article number 4180430	 4 006825 668513

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
 ³⁾	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
 ⁴⁾	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
 ⁵⁾	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

¹⁾ Battery capacity

²⁾ Max. operating time in BOOST mode with 1x 18 V battery per battery charge

³⁾ Max. operating time in ECO mode with 1x 18 V battery per battery charge

⁴⁾ Max. operating time in BOOST mode with 2x 18 V batteries per battery charge

⁵⁾ Max. operating time in ECO mode with 2x 18 V batteries per battery charge



- » Water filler screw
- » Water drain screw
- » Power level switch: ECO and BOOST mode

CORDLESS GARDEN PUMP

AQUINNA 18/28

PXC battery voltage	18 V	
Max. delivery capacity / height	2800 l/h / 25 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	2.4 kg	
Article only available without battery / charger	Article number 4180440	 4 006825 668711

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 min	14 min	17 min	20 min	28 min	36 min	40 min	56 min
 ³⁾	14 min	18 min	22 min	27 min	36 min	47 min	54 min	72 min

¹⁾ Battery capacity

²⁾ Max. operating time in BOOST mode per battery charge

³⁾ Max. operating time in ECO mode per battery charge

Surface Pumps Accessories

Suction Hose (7 m) with Brass Connectors	Article number 4173640	 4 006825 549171
Suction Hose (4 m) with Brass Connectors	Article number 4173630	 4 006825 549133
Suction Hose (7 m) with Plastic Connectors	Article number 4173645	 4 006825 549102
Suction Hose (4 m) with Plastic Connectors	Article number 4173635	 4 006825 549058
Coarse Filter 25 cm	Article number 4173851	 4 006825 549195
Coarse Filter 12 cm	Article number 4173801	 4 006825 549188
Adapter 33.3 mm (1") ET	Article number 4173761	 4 006825 662733



- » Mobile battery box
- » Integrated cable rewind
- » Integrated wall mount
- » Suspension device made from stainless steel
- » Telescopic extension tube
- » Flexible gooseneck

CORDLESS SUBMERSIBLE PRESSURE PUMP

GE-PP 18 RB Li

PXC battery voltage	18 V
Max. delivery capacity / height	3000 l/h / 20 m
Max. immersion depth	4 m
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight excl. / incl. accessories	2.5 / 2.8 kg
Article only available without battery / charger	Article number 4170429



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge when pumping water



- » Mobile battery box
- » Dry running protection
- » Integrated cable rewind
- » Integrated wall mount
- » Suspension device made from stainless steel
- » Low Level function: down to 1 mm

CORDLESS CLEAR WATER PUMP

GE-SP 18 LL Li

PXC battery voltage	18 V
Max. delivery capacity / height	4500 l/h / 8 m
Max. immersion depth	4 m
Suction down to	1 mm
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight	2.2 kg
Article only available without battery / charger	Article number 4181560



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	25 min	30 min	40 min	60 min	70 min	80 min	120 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge when pumping water

Pool Cover Pump Plate

4181563



- » Mobile battery box
- » Dry running protection
- » Integrated cable rewind
- » Integrated wall mount
- » Suspension device made from stainless steel

CORDLESS CLEAR WATER PUMP

GE-SP 18 Li

PXC battery voltage	18 V
Max. delivery capacity / height	5000 l/h / 8 m
Max. immersion depth	4 m
Suction down to	15 mm
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight	2.6 kg
Article only available without battery / charger	Article number 4181500



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge when pumping water



- » Mobile battery box
- » Dry running protection
- » Integrated cable rewind
- » Integrated wall mount
- » Suspension device made from stainless steel
- » Power level switch: ECO and BOOST mode

CORDLESS DIRTY WATER PUMP

GE-DP 18/25 Li

PXC battery voltage	18 V	
Max. delivery capacity / height	7500 l/h / 5 m	
Max. immersion depth	4 m	
Suction down to	35 mm	
Max. size of foreign particle	25 mm	
Hose connection	42 mm (1½") ET	
Connection cable	5 m	
Product weight	3.3 kg	
Universal hose adapter	•	
Article only available without battery / charger	Article number 4181580	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
 ³⁾	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge when pumping water in BOOST mode

³⁾ Max. operating time per battery charge when pumping water in ECO mode



- » Mobile battery box
- » Dry running protection
- » Integrated cable rewind
- » Integrated wall mount
- » Suspension device made from stainless steel
- » Low Level function: down to 1 mm
- » Power level switch: ECO and BOOST mode
- » Suction level control

CORDLESS DIRTY WATER PUMP

GE-DP 18/25 LL Li

PXC battery voltage	18 V	
Max. delivery capacity / height	7000 l/h / 5 m	
Max. immersion depth	4 m	
Suction down to	1 mm	
Max. size of foreign particle	25 mm	
Hose connection	42 mm (1½") ET	
Connection cable	5 m	
Product weight	3.4 kg	
Universal hose adapter	•	
Article only available without battery / charger	Article number 4181590	

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
 ³⁾	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge when pumping water in BOOST mode

³⁾ Max. operating time per battery charge when pumping water in ECO mode



- » Locking System for connecting stacked cases
- » 2x fold-in ergonomic handles for comfortable carrying


Set of Plastic Compartments

Suitable for	E-Case S-F
Items supplied	2x long, 3x medium, 4x short dividers
Article number	4540012
EAN	4 006825 654004

SYSTEM CASES E-CASE
E-Case S-F

Items supplied	1x System Case + 1x Foam Insert for devices	
Internal dimensions	415 x 280 x 95 mm	
External dimensions	444 x 330 x 131 mm	
Load capacity	90 kg	
Product weight	1.7 kg	
Article number	4540011	 4 006825 653991


Grid Foam

Suitable for	E-Case S-F
Items supplied	1x adjustable grid foam inlay
Article number	4540013
EAN	4 006825 656749



- » Locking System for connecting stacked cases
- » Inner height of 25 cm is optimized for bulky einhell products
- » Foldable + ergonomic handle for comfortable carrying

SYSTEM CASES E-CASE
E-Case M

Items supplied	1x E-Case M + 1x hand tool insert		
Internal dimensions	415 x 280 x 250 mm		
External dimensions	444 x 330 x 295 mm		
Load capacity	90 kg		
Product weight	2.9 kg		
Article number	4540021		

SYSTEM CASES E-CASE
E-Case Tower

Items supplied	1x E-Case S + 1x foam insert for devices, 1x E-Case S + 1x set of plastic compartments, 1x E-Case L + 1x hand tool insert + 2x spacer clips	
Internal dimensions	415 x 280 x 95 mm (E-Case S), 415 x 273 x 320 mm (E-Case L)	
External dimensions (incl. telescopic handle)	444 x 368 x 700 mm	
Load capacity	120 kg	
Product weight	10.1 kg	
Plastic compartments	2x long, 3x medium, 4x short dividers	
Article number	4540015	 4 006825 660609

- » Complete modular storage solution for the ambitious handyman





- » Locking System for connecting stacked cases
- » Large 15 cm all-terrain rubberized wheels
- » For storing and transporting large tools

SYSTEM CASES E-CASE

E-Case L

Items supplied	1x E-Case L + 1x hand tool insert + 2x spacer clips	
Internal dimensions	415 x 273 x 320 mm	
External dimensions (incl. telescopic handle)	444 x 406 x 355 mm	
Load capacity	120 kg	
Product weight	6.3 kg	
Article number	4540014	



- » Locking System for connecting stacked cases
- » Ergonomic side handles for carrying comfort
- » On-top stacking possible

SYSTEM CASES E-CASE

E-Case Toolbox

Items supplied	1x E-Case Toolbox	
External dimensions	444 x 320 x 210 mm	
Internal dimensions	403 x 290 x 195 mm	
Load capacity	90 kg	
Product weight	1.7 kg	
Article number	4540037	



- » Part of the modular E-Case system from Einhell
- » Large outside pockets for storing, e.g. batteries and chargers
- » Spirit level clips

SYSTEM CASES E-CASE

E-Case Bag

Items supplied	1x E-Case Bag	
External dimensions	440 x 220 x 330 mm	
Internal dimensions	430 x 210 x 290 mm	
Load capacity	30 kg	
Product weight	1.5 kg	
Article number	4540036	



- » Locking system for connecting the roller board and case
- » Additional locking mechanism for half size e-cases
- » Lashing strap fastening for transporting larger objects
- » Large support surface adapted for transporting drinks crates
- » Integrated foot brakes

SYSTEM CASES E-CASE

E-Case Rolling Base

Items supplied	1x E-Case Rolling Base	
Dimensions	403 x 290 mm	
Load capacity	120 kg	
Product weight	3.6 kg	
Article number	4540041	

SYSTEM CASES E-CASE

E-Case Drawer

Items supplied	1x E-Case with 3 drawers + 12x sorting boxes + set of plastic compartments	
External dimensions	444 x 322 x 340 mm	
Load capacity	60 kg	
Product weight	7.4 kg	
Plastic Compartments	•	
Sorting boxes	•	
Article number	4540047	

SYSTEM CASES E-CASE

E-Case Adapter Plate

Items supplied	1x E-Case Adapter Plate	
Total payload when mounted on the E-Case or floor	90 kg	
Total payload when mounted on the wall	25 kg	
Product weight	0.8 kg	
Article number	4540043	

SYSTEM CASES E-CASE

E-Case Half Size Organizer

Items supplied	1x E-Case Half Size Organizer + 3x sorting boxes + 1x large box + 2x dividers	
Dimensions	300 x 262 x 78 mm	
Load capacity	12.5 kg	
Product weight	1.0 kg	
Sorting boxes	•	
Article number	4540048	

NEW



- » Locking System for connecting stacked cases
- » Additional locking mechanism for half size e-cases
- » Ergonomic carrying handle for transport
- » 2 smaller and 1 larger drawer for flexible storage
- » Lockable

NEW



- » Locking System for connecting stacked cases
- » Connecting element between E-Case and Half Size Organizer
- » Can also be used as a wall mount

NEW



- » Part of the modular E-Case system from Einhell
- » Additional half-size components can be stacked
- » High-quality transparent lid
- » Ergonomic carrying handle for transport

NEW


- » Part of the modular E-Case system from Einhell
- » Large area for working
- » Storage compartments for screws, wall plugs, screwdrivers, etc.

SYSTEM CASES E-CASE

E-Case Worktable

Items supplied	1x E-Case Worktable	
Dimensions	500 x 360 x 42 mm	
Product weight	1.7 kg	
Article number	4540049	

ACCESSORIES – CASES + BAGS

E-Box L70



Items supplied	1 universal case
Internal dimensions	670 x 190 x 300 mm
External dimensions	700 x 250 x 350 mm
Load capacity	50 kg
Product weight	4.1 kg
Article number	4530054
EAN	

Einhell Bag 56/29



Items supplied	1 universal bag
Internal dimensions	520 x 290 x 250 mm
External dimensions	520 x 290 x 300 mm
Load capacity	25 kg
Product weight	1.7 kg
Article number	4530078
EAN	

E-Box M55



Items supplied	1 universal case
Internal dimensions	510 x 327 x 124 mm
External dimensions	550 x 400 x 150 mm
Load capacity	30 kg
Product weight	3.0 kg
Article number	4530049
EAN	

Einhell Bag 45/29



Items supplied	1 universal bag
Internal dimensions	420 x 270 x 200 mm
External dimensions	450 x 290 x 220 mm
Load capacity	20 kg
Product weight	1.2 kg
Article number	4530074
EAN	

E-Box S35



Items supplied	1 universal case
Internal dimensions	310 x 250 x 89.5 mm
External dimensions	350 x 330 x 110 mm
Load capacity	12 kg
Product weight	1.6 kg
Article number	4530045
EAN	

Einhell Bag 45/22



Items supplied	1 universal bag
Internal dimensions	390 x 200 x 190 mm
External dimensions	450 x 220 x 350 mm
Load capacity	15 kg
Product weight	0.9 kg
Article number	4530037
EAN	



**DUST
PROTECTED** **WATER
PROTECTED**



ACCESSORIES – BATTERIES

4.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage	18 V / 4.0 Ah
Battery power	max. 900 W
Product weight	0.58 kg
Article number	4511627
EAN	4 006825 673227

3.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage	18 V / 3.0 Ah
Battery power	max. 900 W
Product weight	0.57 kg
Article number	4511618
EAN	4 006825 672794



SEALED TECHNOLOGY.
NO CHANCE FOR DUST AND WATER.

Officially tested to IP57 protection class.*

WHAT DOES IP57 MEAN?

DUST 5

Protected from all types of foreign bodies and dust – be it wood, brick or metal.



7 WATER

Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.



In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

* Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery.




PLUS TECHNOLOGY

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors – at 100 % power and running time.


Results: Light-weight all-rounders energy-intensive applications such as in cordless chainsaws.



MULTI-AH TECHNOLOGY

Thanks to MULTI-Ah technology, switching over from a 5.0 Ah battery to a 8.0 Ah battery is really easy and can be done with just the push of a button.

The 5.0 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamps or cordless screwdrivers). The 8.0 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).



ONE BATTERY FOR ALL DEVICES – TWIN-PACK TECHNOLOGY

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.

ACCESSORIES – BATTERIES

One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger)

Less weight and size PXC Batteries More power and runtime

						 NEW
	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	3.0 Ah PLUS	3.0 Ah SEALED
Solo (1 battery)	Only available in Starter Kits	4511395	Only available in Starter Kits	Only available in Kits	4511501	4511618
EAN	-		-	-		
Power	max. 450 W	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W
Weight	400 g	400 g	460 g	650 g	585 g	595 g
Features						
PLUS – Extra Power					✓	✓
SEALED						✓
Multi-Ah						

Less weight and size PXC Batteries More power and runtime

			 NEW			
	4.0 Ah	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Solo (1 battery)	4511396	4511553	4511627	4511437	4511502	4511600
EAN						
Power	max. 900 W	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	670 g	595 g	605 g	890 g	1020 g	1050 g
Features						
PLUS – Extra Power		✓	✓	✓	✓	✓
SEALED			✓			
Multi-Ah					✓	✓

				
	3.0 Ah PLUS	4.0 Ah	4.0 Ah PLUS	5.2 Ah
Twin-Pack (2 batteries)	4511631	4511489	4511629	4511526
EAN				

ACCESSORIES – STARTER KITS

Getting started is easy – with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:

					
	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
Article number (1 battery + 1 charger)	4512097	4512042	4512159	4512114	4512143
EAN					
Article number (2 batteries + 1 Twincharger)	-	4512112	-	-	-
EAN	-		-	-	-
Charger (More information in the charger table)	3 A Charger	3 A Charger / 3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
Ready to go	50 min	75 min	75 min	80 min	60 min

ACCESSORIES – CHARGERS

One charger for all batteries – 100% compatibility

					
	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger
Article number	Only available in Starter Kits	4512113	4512103	Only available in Starter Kits	4512155
EAN	-			-	
Charging current	3 A	3 A	4 A	6 A	8 A
Number of ports for PXC batteries	1	1	1	1	1

			
	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
Article number	4512069	4512161	4512102
EAN			
Charging current	3 A (per port)	4 A (per port)	4 A (per port) (parallel charging of 2x2 batteries)
Number of ports for PXC batteries	2	2	4

NEW



- » Endless extendable
- » Tongue and groove connection
- » Snap-in function for secure fastening

PXC ACCESSORIES

Battery Mounting Gadget

Items supplied	2 battery mounting gadgets, 4 screws, 4 dowels	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Special feature	The batteries latch in place and are secure in every position	
Article number	4514155	



- » Protects the battery against dust and moisture

PXC ACCESSORIES

Battery Protector

Items supplied	1 battery cover	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Can be used for (devices)	HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li	
Special feature	Protects the battery against dust and moisture	
Article number	4140151	

BATTERY CHARGING TIME TABLE

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	
Power X-Charger 3 A									
Power X-Twincharger 3 A (parallel charging of 2 batteries)	30 min	40 min	50 min	60 min	75 min	100 min	120 min	160 min	
Power X-Car Charger 3 A									
Power X-Fastcharger 4 A									
Power X-Twincharger 4 A (parallel charging of 2 batteries)	24 min	30 min	37 min	45 min	60 min	80 min	90 min	120 min	
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)									
Power X-Boostcharger 6 A *	24 min	30 min	27 min	32 min	40 min	50 min	60 min	80 min	
Power X-Boostcharger 8 A **	24 min	30 min	27 min	32 min	40 min	40 min	45 min	60 min	

* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

** Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.

 **Einhell**
CORDLESS EXCELLENCE

***EINHELL IS
OFFICIAL HOME & GARDEN EXPERT
OF FC BAYERN!***

 **Einhell**

Official Home & Garden Expert

- » Wide wheels exert less stress on the lawn
- » Parking position
- » Height-adjustable handlebar
- » Contactless cutting technology
- » Incl. grass catch box



HAND LAWN MOWER

GE-HM 38 S-F

Cutting width	38 cm	
Cutting height adjustment	4 levels / 13 - 38 mm	
Grass box capacity	26 l	
Number of mowing blades	5	
Mowing spindle diameter	125 mm	
Wheel diameter	220 mm	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	250 m²	
Product weight	8.4 kg	
Article number	3414161	

Grass catch box	3421112	
-----------------	---------	---

- » Wide wheels exert less stress on the lawn
- » Parking position
- » Height-adjustable handlebar
- » Contactless cutting technology



HAND LAWN MOWER

GE-HM 38 S

Cutting width	38 cm	
Cutting height adjustment	4 levels / 13 - 38 mm	
Number of mowing blades	5	
Mowing spindle diameter	125 mm	
Wheel diameter	220 mm	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	250 m²	
Product weight	7.8 kg	
Article number	3414165	

Grass catch box	3421112	
-----------------	---------	---



- » Wide wheels exert less stress on the lawn
- » Parking position
- » Incl. grass catch box

HAND LAWN MOWER

GC-HM 400

Cutting width	40 cm	
Cutting height adjustment	4 levels / 13 - 37 mm	
Grass box capacity	27 l	
Number of mowing blades	5	
Mowing spindle diameter	125 mm	
Wheel diameter	215 mm	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	250 m²	
Product weight	7.5 kg	
Article number	3414129	



- » Wide wheels exert less stress on the lawn
- » Parking position
- » Incl. grass catch box

HAND LAWN MOWER

GC-HM 300

Cutting width	30 cm	
Cutting height adjustment	4 levels / 13 - 37 mm	
Grass box capacity	16 l	
Number of mowing blades	5	
Mowing spindle diameter	125 mm	
Wheel diameter	215 mm	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	150 m²	
Product weight	6.5 kg	
Article number	3414114	

- » Highwheels
- » Integrated carry handle
- » Cable-relief clip
- » Height-adjustable handlebar
- » Folding handlebar
- » Quick clamping function
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



ELECTRIC LAWN MOWER

GC-EM 1800/43

Mains connection / rated input	230 - 240 V ~ 50 Hz / 1800 W
Cutting width	43 cm
Cutting height adjustment	6 levels / 20 - 65 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	800 m ²
Product weight	12.1 kg
Article number	3400090



Spare blade

3405445



- » Highwheels
- » Integrated carry handle
- » Cable-relief clip
- » Height-adjustable handlebar
- » Folding handlebar
- » Quick clamping function
- » Grass box with level indicator
- » Wide wheels exert less stress on the lawn



ELECTRIC LAWN MOWER

GC-EM 1600/37

Mains connection / rated input	230 - 240 V ~ 50 Hz / 1600 W
Cutting width	37 cm
Cutting height adjustment	5 levels / 20 - 60 mm / central
Grass box capacity	38 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m ²
Product weight	10.7 kg
Article number	3400080



Spare blade

3405435



- » Integrated carry handle
- » Cable-relief clip
- » Wide wheels exert less stress on the lawn



ELECTRIC LAWN MOWER

GC-EM 1000/32

Mains connection / rated input	220 - 240 V ~ 50 Hz / 1000 W
Cutting width	32 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial
Grass box capacity	30 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	300 m ²
Product weight	7.9 kg
Article number	3400070



Spare blade

3405415



- » 5-in-1 function
- » Highwheels
- » Self-propelling
- » Lawn comb and built-in lifting handle
- » Cleaning and storage position
- » Vortex Technology deck
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator



PETROL LAWN MOWER

GC-PM 56/2 S HW

Engine / displacement	4-stroke engine / 173 cm³	
Power / working speed	2.8 kW / 2850 min ⁻¹	
Cutting width	56 cm	
Cutting height adjustment	6 levels / 25 - 70 mm / central	
Grass box capacity	80 l	
Wheel diameter front / rear	200 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	2200 m²	
Product weight	38.3 kg	
Cleaning tool	•	
Article number	3404860	 4 006825 646450

Spare blade

3405830



- » Highwheels
- » Self-propelling
- » Electric start function
- » Lawn comb
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator



PETROL LAWN MOWER

GC-PM 46 S HW-E

Engine / displacement	4-stroke engine / 149 cm³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	46 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	65 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1400 m²	
Product weight	28.9 kg	
Article number	3407570	

Combination blade

3405670



- » Side ejector
- » Mulching function
- » Highwheels
- » Self-propelling
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator



PETROL LAWN MOWER

GC-PM 51/3 S HW

Engine / displacement	4-stroke engine / 171 cm³	
Power / working speed	2.7 kW / 2900 min ⁻¹	
Cutting width	51 cm	
Cutting height adjustment	6 levels / 30 - 80 mm / central	
Grass box capacity	70 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1800 m²	
Product weight	28.3 kg	
Article number	3404333	 4 006825 655261

Spare blade

3405660



Combination blade

3405650





- » Self-propelling
- » Height-adjustable handlebar
- » Folding handlebar
- » Grass box with level indicator

PETROL LAWN MOWER

GC-PM 46/5 S

Engine / displacement	4-stroke engine / 132 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	46 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	65 l	
Wheel diameter front / rear	178 mm / 204 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1400 m ²	
Product weight	26.0 kg	
Article number	3407550	

Combination blade	3405670	
-------------------	---------	---



- » Self-propelling
- » Folding handlebar
- » Grass box with level indicator

PETROL LAWN MOWER

GC-PM 40/2 S

Engine / displacement	4-stroke engine / 132 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	40 cm	
Cutting height adjustment	7 levels / 25 - 75 mm / central	
Grass box capacity	45 l	
Wheel diameter front / rear	178 mm / 203 mm	
Housing material	Plastic	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1000 m ²	
Product weight	19.9 kg	
Article number	3404823	

Spare blade	3405850	
-------------	---------	---



- » Folding handlebar
- » Grass box with level indicator

PETROL LAWN MOWER

GC-PM 40/2

Engine / displacement	4-stroke engine / 132 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	40 cm	
Cutting height adjustment	3 levels / 25 - 60 mm / single	
Grass box capacity	45 l	
Wheel diameter front / rear	152 mm / 152 mm	
Housing material	Plastic	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	800 m ²	
Product weight	17.3 kg	
Article number	3404833	

Spare blade	3405850	
-------------	---------	---

- » Integrated carry handle
- » Height-adjustable handlebar + parking position
- » Folding handlebar
- » Quick fasteners
- » Wide wheels exert less stress on the lawn



ELECTRIC SCARIFIER/AERATOR

GE-SA 1640

Mains connection / rated input	230 V ~ 50 Hz / 1600 W	
Working width	400 mm	
Working depth adjustment	4 levels (central) + transport position	
Number of blades (ball bearing)	20 pcs	
Number of aerating claws (ball bearing)	30 pcs	
Wheel diameter front / rear	220 mm / 175 mm	
Housing material	Plastic	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	800 m²	
Product weight	13.7 kg	
Catch bag	•	
Aerator roller and scarifier roller	•	
Article number	3420590	 4 006825 595642

Spare aerator roller	3421135	4 006825 606331
Spare scarifier roller	3421130	4 006825 606324

- » Integrated carry handle
- » Height-adjustable handlebar + parking position
- » Folding handlebar
- » Quick fasteners
- » Wide wheels exert less stress on the lawn
- » Toolless roller change



ELECTRIC SCARIFIER/AERATOR

GE-SA 1435/1

Mains connection / rated input	230 V ~ 50 Hz / 1400 W	
Working width	350 mm	
Working depth adjustment	3 levels (central) + parking position	
Number of blades (ball bearing)	16 pcs	
Number of aerating claws (ball bearing)	24 pcs	
Wheel diameter front / rear	160 mm / 160 mm	
Housing material	Easy maintenance plastic housing	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	550 m²	
Product weight	10.2 kg	
Catch bag	•	
Aerator roller and scarifier roller	•	
Article number	3420690	 4 006825 661422

Catch bag	3405960	4 006825 667523
Aerator Roller	3405961	4 006825 667516
Scarifier Roller	3405962	4 006825 667509

- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Wide wheels exert less stress on the lawn



ELECTRIC SCARIFIER/AERATOR

GC-SA 1231/1

Mains connection / rated input	230 V ~ 50 Hz / 1200 W	
Working width	310 mm	
Working depth adjustment	3 levels + parking position	
Number of blades (ball bearing)	8 double-knives	
Number of aerating claws (ball bearing)	45 pcs	
Wheel diameter front / rear	180 mm / 100 mm	
Housing material	Plastic	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	300 m²	
Product weight	8.5 kg	
Catch bag	•	
Aerator roller and scarifier roller	•	
Article number	3420640	 4 006825 628272

Catch bag	3405577	4 006825 629699
Aerator Roller	3405572	4 006825 629675
Scarifier Roller	3405582	4 006825 629682

- » Integrated carry handle
- » Height-adjustable handlebar
- » Folding handlebar
- » Wide wheels exert less stress on the lawn



ELECTRIC SCARIFIER

GC-ES 1231/1

Mains connection / rated input	230 V ~ 50 Hz / 1200 W	
Working width	310 mm	
Working depth adjustment	3 levels + parking position	
Number of blades (ball bearing)	8 double-knives	
Wheel diameter front / rear	180 mm / 100 mm	
Housing material	Plastic	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	300 m²	
Product weight	8.0 kg	
Scarifier roller	•	
Article number	3420630	 4 006825 628289

Catch bag	3405577	
Aerator Roller	3405572	
Scarifier Roller	3405582	

- » Folding handlebar
- » Wide wheels exert less stress on the lawn



PETROL SCARIFIER

GC-SC 4240 P

Engine / displacement	4-stroke engine / 212 cm³	
Power rating	4.2 kW	
Working width	400 mm	
Working depth adjustment	8 levels (central) + transport position	
Number of blades (ball bearing)	18 pcs	
Wheel diameter front / rear	180 mm / 180 mm	
Housing material	Metal	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1200 m²	
Product weight	31.4 kg	
Catch bag	•	
Scarifier roller	•	
Article number	3420019	

Spare scarifier roller	3420021	
------------------------	---------	---

- » Can be filled with sand and water



GARDEN ROLLER

GC-GR 57

Working width	57 cm	
Roller diameter	32 cm	
Filling quantity	46 l	
Housing material	Coated metal	
Product weight	10.5 kg	
Article number	3415302	

- » Double push-bar
- » Spreading volume adjuster
- » Corrosion-resistant roller
- » Spring lock – device dismountable without tools



MULTI-PURPOSE SPREADER

GC-SR 12

Spread width	45 cm	
Capacity of grit box	12 l	
Wheel diameter	200 mm	
Product weight	2.5 kg	
Article number	3415238	4  006825 635065

- » Additional handle
- » Telescopic long handle
- » Cable-relief clip
- » Motor head rotatable 180°
- » Motor head can be tilted to 4 settings
- » Flower guard
- » Fully automatic line feed



ELECTRIC LAWN TRIMMER

GC-ET 4530 Set

Mains connection / rated input	230 V ~ 50 Hz / 450 W	
Cutting width (thread)	300 mm	
Thread diameter / length	1.4 mm / 1000 cm	
Single / twin line cutting	Twin line cutting	
Housing material	Plastic	
Product weight	2.6 kg	
Thread spool	• (3 pcs)	
Article number	3402022	4  006825 610505

Spare line spool	3405685	4 006825 610680
------------------	---------	-----------------

- » Additional handle
- » Cable-relief clip
- » Automatic jog line feed



ELECTRIC LAWN TRIMMER

GC-ET 3023

Mains connection / rated input	230 V ~ 50 Hz / 300 W	
Cutting width (thread)	230 mm	
Thread diameter / length	1.5 mm / 600 cm	
Single / twin line cutting	Single line cutting	
Housing material	Plastic	
Product weight	1.5 kg	
Thread spool	•	
Article number	3402050	 4 006825 598162

Spare line spool	3405695	4 006825 599213
------------------	---------	-----------------

- » Additional handle
- » Cable-relief clip
- » Automatic jog line feed



ELECTRIC LAWN TRIMMER

GC-ET 2522

Mains connection / rated input	230 - 240 V ~ 50 Hz / 250 W	
Cutting width (thread)	220 mm	
Thread diameter / length	1.2 mm / 600 cm	
Single / twin line cutting	Twin line cutting	
Housing material	Plastic	
Product weight	1.1 kg	
Thread spool	•	
Article number	3402040	

Spare line spool	3405075	
------------------	---------	---

- » Shaped long handle made of aluminium
- » Split shaft
- » Quick Start
- » Autochoke
- » Centrifugal clutch for cutting tool
- » Automatic jog line feed



PETROL LAWN TRIMMER

GC-PT 2538/1 I AS

Engine / displacement	2-stroke engine / 25.4 cm ³	
Power rating	0.6 kW	
Cutting width (thread)	380 mm	
Thread diameter / length	2 mm / 400 cm	
Single / twin line cutting	Twin line cutting	
Housing material	Plastic	
Product weight	5.5 kg	
Article number	3401938	

Spare line spool	3405220	
------------------	---------	---

- » Extendable handle
- » Long handle made of aluminium tube
- » Split shaft
- » Autochoke
- » Digital ignition - stable engine run
- » Automatic jog line feed
- » Cutting unit (Hedge Trimmer) tiltable
- » OREGON quality bar and chain
- » Automatic chain lubrication
- » Adjustable handle
- » Protective cover
- » Carrying belt with quick release



FITTED WITH
OREGON
CHAIN AND BAR

PETROL MULTIFUNCTIONAL TOOL

GC-MM 52 I AS

Engine / displacement	2-stroke engine / 51.7 cm ³	
Power rating	1.5 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Cutting length chainsaw	255 mm	
Chain cutting speed	21.3 m/s	
Blade length of hedge trimmer	395 mm	
Spacing between teeth (hedge trimmer)	31 mm	
Max. working height of elevated tools	3.5 m (pruner) / 3.5 m (hedge trimmer)	
Article number	3436555	

Spare chain 25cm 1,3 39T 3/8	4500364	
Spare bar 25cm 1,3	4500363	
Spare line spool	3405086	
Grass Blade 255	3404996	
Thicket Blade 255	3405082	

- » Handle with all control elements
- » Long handle made of aluminium tube
- » Split shaft
- » Quick Start System
- » Digital ignition – stable engine run
- » Automatic jog line feed
- » Comfort harness



PETROL SCYTHE

GC-BC 36-4 S

Engine / displacement	4-stroke engine / 37.7 cm ³	
Power rating	1.0 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Housing material	Aluminium/plastics	
Product weight	7.9 kg	
Blade + thread spool	•	
Article number	3436560	

Spare line spool

3405240



- » Handle with all control elements
- » Long handle made of aluminium tube
- » Split shaft
- » Quick Start System + Autochoke
- » Digital ignition – stable engine run
- » Automatic jog line feed
- » Comfort harness



PETROL SCYTHE

GC-BC 52 I AS

Engine / displacement	2-stroke engine / 51.7 cm ³	
Power rating	1.5 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Housing material	Aluminium/plastics	
Product weight	8.5 kg	
Blade + thread spool	•	
Article number	3436540	

Spare line spool

3405086



- » Handle with all control elements
- » Long handle made of aluminium tube
- » Split shaft
- » Quick Start System + Autochoke
- » Digital ignition – stable engine run
- » Automatic jog line feed
- » Comfort harness



PETROL SCYTHE

GH-BC 43 AS

Engine / displacement	2-stroke engine / 42.7 cm ³	
Power rating	1.25 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Housing material	Aluminium/plastics	
Product weight	8.9 kg	
Blade + thread spool	•	
Article number	3401973	

Spare line spool

3405086



- » Handle with all control elements
- » Long handle made of aluminium tube
- » Split shaft
- » Quick Start System + Autochoke
- » Digital ignition – stable engine run
- » Automatic jog line feed
- » Comfort harness



PETROL SCYTHE

GC-BC 30/1 I AS

Engine / displacement	2-stroke engine / 29.7 cm ³	
Power rating	1.0 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.0 mm / 400 cm	
Cutting width (blade)	230 mm	
Housing material	Aluminium/plastics	
Product weight	7.6 kg	
Blade + thread spool	•	
Article number	3436525	

Spare line spool

3405086



PETROL SCYTHE

GC-BC 25/1 I AS

Engine / displacement	2-stroke engine / 25.4 cm ³	
Power rating	0.75 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.0 mm / 400 cm	
Cutting width (blade)	230 mm	
Housing material	Aluminium/plastics	
Product weight	6.3 kg	
Blade + thread spool	•	
Article number	3401957	

Spare line spool


3405086



Accessories (fit all Einhell scythes)

Type	Article number	EAN	Suitable for
Mowing line Basic Line 1,3	3436650		-
Mowing line Basic Line 1,6	3436651		-
Mowing line Basic Line 2,0	3406652		-
Mowing line Super Cut Line 2,0	3436653		-
Mowing line Super Cut Line 2,4	3436654		-
Mowing line Super Cut Line 3,0	3436656		-
Mowing line Low Noise Line 2,4	3436655		-
Mowing line Low Noise Line 3,0	3436657		-
Special Grass Blade 230	3436660		grass and light vegetation
Thicket Blade 255	3405082		wild growth, scrup and thicket
Thicket Blade 200	3405083		wild growth, scrup and thicket
Grass Blade 255	3404996		tough grass and strong vegetation
Grass Blade 230	3436661		tough grass and strong vegetation

- » Side limiting discs
- » Swivelling guide wheel
- » Quick Start
- » Cultivator blade stopped by dead man's circuit
- » Ergonomic handlebar
- » Height adjustable steady grips
- » Height adjustable brake shoe



PETROL TILLER

GC-MT 2560 LD

Engine / displacement	4-stroke engine / 150 cm³	
Power / working speed	2.5 kW / 3400 min ⁻¹	
Working width	600 mm	
Working depth	230 mm	
Number of blades	6	
Cultivator blade diameter	260 mm	
Fuel tank capacity	1.2 l	
Product weight	35.0 kg	
Article number	3430281	 4 006825 646351

- » Swivelling guide wheel
- » Quick Start
- » Cultivator blade stopped by dead man's circuit
- » Ergonomic handlebar
- » Height adjustable steady grips
- » Height adjustable brake shoe



PETROL TILLER

GC-MT 2236

Engine / displacement	4-stroke engine / 140 cm ³	
Power / working speed	2.2 kW / 3200 min ⁻¹	
Working width	360 mm	
Working depth	220 mm	
Number of blades	4	
Cultivator blade diameter	260 mm	
Fuel tank capacity	2.0 l	
Product weight	28.8 kg	
Article number	3431501	

- » Cable-relief clip
- » Overload protection
- » Height-adjustable wheels for easy transportation
- » Ergonomic handlebar
- » Folding handlebar



ELECTRIC TILLER

GC-RT 1545 M

Mains connection / rated input	230 - 240 V ~ 50 Hz / 1500 W	
Working width	450 mm	
Working depth	220 mm	
Number of blades	6	
Cultivator blade diameter	200 mm	
Product weight	10.4 kg	
Article number	3431060	4  006825 652598

- » Cable-relief clip
- » Ergonomic handlebar
- » Folding handlebar



ELECTRIC TILLER

GC-RT 7530

Mains connection / rated input	230 V ~ 50 Hz / 750 W	
Working width	300 mm	
Working depth	200 mm	
Number of blades	4	
Cultivator blade diameter	220 mm	
Product weight	7.4 kg	
Article number	3431050	</



- » Turnable rear handle
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters
- » Protection shield
- » Cable-relief clip

ELECTRIC HEDGE TRIMMER

GE-EH 7067

Mains connection / rated input	220 - 240 V ~ 50 Hz / 700 W	
Bar length	710 mm	
Cutting length	670 mm	
Spacing between teeth	30 mm	
Cuts per minute	3000 min ⁻¹	
Product weight	3.7 kg	
Protective cover with wall mount	•	
Article number	3403340	



- » Turnable rear handle
- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters
- » Protection shield
- » Cable-relief clip

ELECTRIC HEDGE TRIMMER

GE-EH 6560

Mains connection / rated input	220 - 240 V ~ 50 Hz / 650 W	
Bar length	660 mm	
Cutting length	600 mm	
Spacing between teeth	30 mm	
Cuts per minute	3000 min ⁻¹	
Product weight	3.7 kg	
Protective cover with wall mount	•	
Article number	3403330	 4 006825 616163



- » Cutting collector
- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters
- » Protection shield
- » Cable-relief clip

ELECTRIC HEDGE TRIMMER

GC-EH 6055/1

Mains connection / rated input	220 - 240 V ~ 50 Hz / 600 W	
Bar length	610 mm	
Cutting length	550 mm	
Spacing between teeth	26 mm	
Cuts per minute	2800 min ⁻¹	
Product weight	3.5 kg	
Protective cover with wall mount	•	
Article number	3403320	



- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters
- » Protection shield
- » Cable-relief clip

ELECTRIC HEDGE TRIMMER

GC-EH 4550

Mains connection / rated input	230 V ~ 50 Hz / 450 W	
Bar length	560 mm	
Cutting length	500 mm	
Spacing between teeth	16 mm	
Cuts per minute	3200 min ⁻¹	
Product weight	2.5 kg	
Protective cover with wall mount	•	
Article number	3403370	



- » Laser-cut and diamond-ground blades
- » Metal gear box
- » Soft grip
- » Aluminium cover over cutters
- » Protection shield
- » Cable-relief clip

ELECTRIC HEDGE TRIMMER

GH-EH 4245

Mains connection / rated input	230 V ~ 50 Hz / 420 W	
Bar length	510 mm	
Cutting length	450 mm	
Spacing between teeth	16 mm	
Cuts per minute	3200 min ⁻¹	
Product weight	2.5 kg	
Protective cover with wall mount	•	
Article number	3403460	



- » Swivel handle
- » Ergonomic handle
- » Anti-vibration system
- » Autochoke – Quick Start System
- » Laser-cut blades
- » Protection shield
- » Safety switch

PETROL HEDGE TRIMMER

GE-PH 2555 A

Power rating	0.85 kW	
Engine displacement	24.5 cm³	
Bar length	610 mm	
Cutting length	550 mm	
Spacing between teeth	28 mm	
Cuts per minute	2050 min ⁻¹	
Product weight	5.4 kg	
Protective cover	•	
Article number	3403835	



Maintenance Spray

Suitable for	Hedge trimmers, grass and shrub shears
Article number	3403099
EAN	



- » Blade change without tools
- » Telescopic handle
- » Large wheels
- » Soft grip

CORDLESS GRASS AND SHRUB SHEARS

GC-CG 3,6/70 Li

Li-Ion Battery Pack	3.6 V / 2.0 Ah	
Charging time	3-5 h	
Operating time per battery charge	60 min	
Cutting width with grass shear blade	70 mm	
Cutting length with shrub cutting blade	110 mm	
Spacing between teeth of shrub cutting blade	8 mm	
Product weight	1.0 kg	
Article number	3410360	 4 006825 665161

CORDLESS GRASS AND SHRUB SHEARS

GC-CG 3,6/70 Li WT

Li-Ion Battery Pack	3.6 V / 2.0 Ah	
Charging time	3-5 h	
Operating time per battery charge	60 min	
Cutting width with grass shear blade	70 mm	
Cutting length with shrub cutting blade	110 mm	
Spacing between teeth of shrub cutting blade	8 mm	
Product weight	0.6 kg	
Article number	3410365	

- » Blade change without tools
- » Soft grip





- » Extendable handle
- » Toolless chain tensioning
- » Automatic chain lubrication
- » Large oil filler opening

ELECTRIC POLE-MOUNTED PRUNER

GC-EC 7520 T

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	750 W	
Bar length	200 mm	
Cutting length	180 mm	
Cutting speed	11 m/s	
Max. working height	3.0 m	
Product weight	3.6 kg	
Protective cover	•	
Carrying belt with quick release	•	
Article number	4501240	 4 006825 665277

Spare chain 20cm 16Z	4500124	4 006825 666632
Spare bar 20 cm 1,1	4500154	4 006825 666625



- » Cutting head tiltable
- » Turnable rear handle
- » Laser-cut and diamond-ground blades
- » Metal gear box

ELECTRIC TELESCOPIC HEDGE TRIMMER

GC-HH 9046

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	900 W	
Bar length	460 mm	
Cutting length	412 mm	
Spacing between teeth	20 mm	
Max. working height	3.0 m	
Product weight	4.9 kg	
Protective cover	•	
Carrying belt with quick release	•	
Article number	3403880	 4 006825 666663



- » Extendable handle
- » Cutting head tiltable
- » Laser-cut and diamond-ground blades
- » Metal gear box

ELECTRIC TELESCOPIC HEDGE TRIMMER

GC-HH 5056

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	500 W	
Bar length	560 mm	
Cutting length	470 mm	
Spacing between teeth	20 mm	
Max. working height	3.0 m	
Product weight	4.2 kg	
Protective cover	•	
Carrying belt with quick release	•	
Article number	3403870	 4 006825 666656



FITTED WITH
OREGON
CHAIN AND BAR

- » Cutting head tiltable
- » Turnable rear handle
- » OREGON quality bar and chain
- » Automatic chain lubrication
- » Laser-cut and diamond-ground blades

ELECTRIC MULTIFUNCTIONAL TOOL

GC-HC 90/2046 T

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	900 W	
Bar length (chainsaw)	200 mm	
Chain cutting speed	11 m/s	
Blade length of hedge trimmer	412 mm	
Spacing between teeth (hedge trimmer)	20 mm	
Max. working height	3.0 m (pruner) / 3.0 m (hedge trimmer)	
Product weight	6.9 kg (incl. all attachments)	
Protective cover	•	
Carrying belt with quick release	•	
Article number	4501290	 4 006825 666915

Spare chain 20cm 1,1 33T 3/8	4500187	
Spare bar 20cm 1,2	4500167	



- » Metal gearing
- » OREGON quality bar and chain
- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip
- » Soft start

ELECTRIC CHAINSAW

GE-EC 2240

Mains connection	220 - 240 V ~ 50/60 Hz	
Rated input	2200 W	
Bar length	406 mm	
Cutting length	375 mm	
Cutting speed	15 m/s	
Oil tank capacity	150 ml	
Product weight	5.6 kg	
Protective cover	•	
Article number	4501740	

Spare chain 40cm (56T)	4500320	
Spare bar	4500332	



- » Metal gearing
- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip

ELECTRIC CHAINSAW

GC-EC 2040

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	2000 W	
Bar length	400 mm	
Cutting length	375 mm	
Cutting speed	15.5 m/s	
Oil tank capacity	160 ml	
Product weight	5.0 kg	
Protective cover	•	
Article number	4501230	

Spare chain 40cm 1,3 57T 3/8 (PJ)	4500313	
Spare bar	4500332	



- » Metal gearing
- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip

ELECTRIC CHAINSAW

GC-EC 1935

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	1900 W	
Bar length	350 mm	
Cutting length	325 mm	
Cutting speed	15.5 m/s	
Oil tank capacity	160 ml	
Product weight	4.7 kg	
Protective cover	•	
Article number	4501220	

Spare chain 35cm 1,3 52T 3/8 (PJ)	4500173	
Spare bar 35cm 1,3	4500158	



- » Metal gearing
- » Toolless chain tensioning and changing
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with mechanical instant chain brake
- » Chain catch bolt
- » Soft grip

ELECTRIC CHAINSAW

GH-EC 1835


Mains connection	230 - 240 V ~ 50 Hz	
Rated input	1800 W	
Bar length	350 mm	
Cutting length	325 mm	
Cutting speed	13.5 m/s	
Oil tank capacity	160 ml	
Product weight	5.4 kg	
Protective cover	•	
Article number	4501710	

Spare chain 35cm 1,3 52T 3/8	4500171	
Spare bar	4500344	



Chainsaw Trestle

Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	



Chainsaw Trestle 2.5

Profile thickness	2.5 mm
Maximum load capacity	200 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	8.9 kg
Article number	4500690
EAN	



Forest Safety Helmet

Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	



FITTED WITH
OREGON
CHAIN AND BAR

- » OREGON quality bar and chain
- » Digital ignition – stable engine run
- » Autochoke – Quick Start System + Primer
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with instant chain brake

PETROL CHAINSAW

GC-PC 2040 I

Power rating	2.0 kW / 2.7 PS	
Engine displacement	50.4 cm³	
Bar length	400 mm	
Cutting length	390 mm	
Cutting speed	21 m/s	
Fuel tank capacity	540 ml	
Oil tank capacity	240 ml	
Product weight	6.5 kg	
Protective cover	•	
Petrol/oil mixing bottle	•	
Article number	4501851	 4 006825 613278

Spare chain 40cm (57T) Petrol	4500176	4 006825 548839
-------------------------------	---------	-----------------

Spare bar 40cm 1,3	4500156	4 006825 548778
--------------------	---------	-----------------



FITTED WITH
OREGON
CHAIN AND BAR

- » OREGON quality bar and chain
- » Digital ignition – stable engine run
- » Autochoke – Quick Start System + Primer
- » Automatic chain lubrication
- » Sturdy stop claws made of metal
- » Kickback protection with instant chain brake

PETROL CHAINSAW

GC-PC 1335/1 I

Power rating	1.3 kW / 1.7 PS	
Engine displacement	37.2 cm³	
Bar length	350 mm	
Cutting length	345 mm	
Cutting speed	21.9 m/s	
Fuel tank capacity	300 ml	
Oil tank capacity	170 ml	
Product weight	5.3 kg	
Protective cover	•	
Petrol/oil mixing bottle	•	
Article number	4501870	 4 006825 641738

Spare chain 35cm 1,3 53T 3/8	4500172	4 006825 600926
------------------------------	---------	-----------------

Spare bar 35cm 1,3	4500151	4 006825 548907
--------------------	---------	-----------------



Chainsaw Trestle

Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	4 006825 548693



Chainsaw Trestle 2.5

Profile thickness	2.5 mm
Maximum load capacity	200 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	8.9 kg
Article number	4500690
EAN	4 006825 678826



Forest Safety Helmet

Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	4 006825 544565



Combination Canister

Product weight	0.9 kg
Petrol tank capacity	3 l
Oil tank capacity	1.25 l
Article number	4501325
EAN	4 006825 542851



- » Depth stop
- » Scale for precise setting of the grinding angle
- » Clamping device
- » Pivoting grinding head for setting the roof angle
- » Light
- » Transparent window

ELECTRIC CHAIN SHARPENER

GC-CS 235 E

Mains connection	230 V ~ 50 Hz	
Rated input	235 W	
Grinding wheel diameter (inside)	22 mm	
Grinding wheel diameter (outside)	145 mm	
Grinding wheel thickness	3.2 mm	
Product weight	5.8 kg	
Article number	4499910	

Spare grinding wheel 3,2 mm Pro	4599990	
Spare grinding wheel 4,5 mm Profi	4599980	



- » Depth stop
- » Scale for precise setting of the grinding angle
- » Clamping device

ELECTRIC CHAIN SHARPENER

GC-CS 85 E

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	85 W	
Grinding wheel diameter (inside)	23 mm	
Grinding wheel diameter (outside)	108 mm	
Grinding wheel thickness	3.2 mm	
Product weight	1.9 kg	
Article number	4499920	

Spare grinding wheel 3.2 mm	4500076	
Spare grinding wheel 4.5 mm	4500071	

- » Toolless change-over between suction and blowing function
- » Electronic speed control
- » Additional handle (adjustable)
- » Aluminum blower impeller
- » Guiding wheels (height adjustable)
- » Debris bag with window
- » Carrying strap
- » Soft grip



ELECTRIC LEAF VACUUM

GC-EL 3000 E

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	3000 W	
Max. blow velocity	300 km/h	
Max. suction power	840 m³/h	
Idle speed	8000 - 15000 min⁻¹	
Shredding function	15:1	
Debris bag volume	45 l	
Product weight	3.0 kg (blow) / 4.2 kg (vacuum)	
Article number	3433320	

- » Toolless change-over between suction and blowing function
- » Electronic speed control
- » Additional handle
- » Guiding wheels
- » Debris bag with window
- » Carrying strap



ELECTRIC LEAF VACUUM

GC-EL 3024 E

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	3000 W	
Max. blow velocity	240 km/h	
Max. suction power	650 m³/h	
Idle speed	7000 - 13500 min⁻¹	
Shredding function	10:1	
Debris bag volume	40 l	
Product weight	3.1 kg	
Article number	3433370	

- » Transport wheels
- » Transport handle
- » Generous funnel opening
- » Motor protection switch



GARDEN SHREDDER

GC-KS 2540 CB

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	2500 W (P40) / 2000 W	
Idle speed	3800 min⁻¹	
Max. branch diameter	40 mm	
Capacity of catch box	55 l	
Product weight	13.0 kg	
Prodler incl.	•	
Debris box	•	
Article number	3430400	

Spare blade

3405930



- » Transport wheels
- » Transport handle
- » Generous funnel opening
- » Motor protection switch



GARDEN SHREDDER

GC-KS 2540

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	2500 W (P40) / 2000 W	
Idle speed	3800 min ⁻¹	
Max. branch diameter	40 mm	
Product weight	10.2 kg	
Prodler incl.	•	
Garden rubbish bag	•	
Article number	3430330	

Spare blade	3405930	
-------------	---------	--

- » Transport wheels
- » Transport handle
- » Reverse running switch
- » Generous funnel opening
- » Safety switch



ELECTRIC ROLLER SHREDDER

GC-RS 60 CB

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	2800 W (P40) / 2300 W	
Idle speed	40 min ⁻¹	
Max. branch diameter	45 mm	
Capacity of catch box	60 l	
Product weight	29.5 kg	
Debris box	•	
Article number	3430635	

- » Transport wheels
- » Transport handle
- » Reverse running switch
- » Generous funnel opening



ELECTRIC ROLLER SHREDDER

GC-RS 2540

Mains connection	230 V ~ 50 Hz	
Rated input	2500 W (P40) / 2000 W	
Idle speed	40 min ⁻¹	
Max. branch diameter	40 mm	
Product weight	24.9 kg	
Garden rubbish bag	•	
Article number	3430620	

- » Aqua Sensor Technology
- » Permanent mode without sensor start
- » Non-return valve
- » High-quality mechanical sealing
- » Carry handle
- » Suspension eye
- » ECO Power



'AQUA SENSOR' CLEAR WATER PUMP

GE-SP 4390 N-A LL ECO

Mains voltage	230 V ~ 50 Hz
Rated input	430 W
Max. delivery capacity / height	9000 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	1 mm
Pump start during continuous operation	5 mm
Sensor start heights 1 / 2 / 3	5 / 56 / 103 mm
Suction down to	1 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	4.9 kg
Universal hose adapter	*
Article number	4171440



Quick connector

4173764



- » Aqua Sensor Technology
- » Permanent mode without sensor start
- » Non-return valve
- » High-quality mechanical sealing
- » Integrated cable rewind
- » Carry handle
- » Suspension eye
- » ECO Power



'AQUA SENSOR' DIRTY WATER PUMP

GE-DP 7935 N-A ECO

Mains voltage	230 V ~ 50 Hz
Rated input	790 W
Max. delivery capacity / height	19000 l/h / 9 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Pump start during continuous operation	50 mm
Sensor start heights 1 / 2 / 3	70 / 135 / 188 mm
Suction down to	40 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	6.2 kg
Universal hose adapter	*
Article number	4171460



Quick connector

4173764



- » Aqua Sensor Technology
- » Permanent mode without sensor start
- » Non-return valve
- » High-quality mechanical sealing
- » Integrated cable rewind
- » Carry handle
- » Suspension eye
- » ECO Power



'AQUA SENSOR' DIRTY WATER PUMP

GE-DP 6935 A ECO

Mains voltage	230 V ~ 50 Hz
Rated input	690 W
Max. delivery capacity / height	17500 l/h / 9 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Pump start during continuous operation	50 mm
Sensor start heights 1 / 2 / 3	70 / 135 / 188 mm
Suction down to	40 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	5.7 kg
Universal hose adapter	*
Article number	4171450



Quick connector

4173764



- » 3-in-1 function: Pumping of clear water, dirty water and Aquasensor
- » Aqua Sensor Technology
- » Permanent mode without sensor start
- » Patented suction level control
- » Non-return valve
- » High-quality mechanical sealing
- » Integrated cable rewind
- » Carry handle
- » Suspension eye
- » ECO Power



MULTI-PURPOSE PUMP

GE-DP 7935 N-A LL ECO

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	790 W	
Max. delivery capacity / height	19500 l/h / 9 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Sensor start heights 1 / 2 / 3 in clear water mode	15 / 100 / 150 mm	
Sensor start heights 1 / 2 / 3 in dirt water mode	50 / 130 / 180 mm	
Starting of pump from water level of	15 mm	
Suction down to	1 mm	
Hose connection	47.8 mm (1½") ET	
Power cord	10 m	
Product weight	6.3 kg	
Universal hose adapter	•	
Quick Connector	•	
Article number	4171465	 4 006825 673357

Quick connector	4173764	
-----------------	---------	--

- » 2-in-1 function: Pumping of clear water and dirty water
- » Float switch
- » Patented suction level control
- » Non-return valve
- » High-quality mechanical sealing
- » Integrated cable rewind
- » Carry handle
- » Suspension eye
- » ECO Power



MULTI-PURPOSE PUMP

GE-DP 7535 N LL ECO

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	750 W	
Max. delivery capacity / height	18500 l/h / 9 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Starting of pump from water level of	15 mm	
Suction down to	1 mm	
Hose connection	47.8 mm (1½") ET	
Power cord	10 m	
Product weight	6.3 kg	
Universal hose adapter	•	
Quick Connector	•	
Article number	4181600	 4 006825 673364

Quick connector	4173764	
-----------------	---------	--

NEW



- » 2-in-1 function: Pumping of clear water and dirty water
- » Float switch
- » Patented suction level control
- » Non-return valve
- » High-quality mechanical sealing
- » Integrated cable rewind
- » Carry handle
- » Suspension eye
- » ECO Power
- » Hinged filter box
- » Quick couplings
- » Fabric Hose



MULTI-PURPOSE PUMP

Flood Set GE-DP 7535 N LL ECO

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	750 W	
Max. delivery capacity / height	18500 l/h / 9 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Starting of pump from water level of	15 mm	
Suction down to	1 mm	
Hose connection	47.8 mm (1½") ET	
Power cord	10 m	
Product weight	12 kg	
Universal hose adapter	•	
Quick Connector	•	
Fabric hose (10 m)	•	
Plastic box	•	
Article number	4181515	

Quick connector	4173764	
-----------------	---------	--

- » Float switch
- » Patented suction level control
- » Non-return valve
- » High-quality mechanical sealing
- » Integrated cable rewind
- » Carry handle



MULTI-PURPOSE PUMP

GC-DP 7035 LL

Mains voltage	230 V ~ 50 Hz	
Rated input	700 W	
Max. delivery capacity / height	16000 l/h / 8 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Starting of pump from water level of	10 mm	
Suction down to	1 mm	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Product weight	4.5 kg	
Universal hose adapter	•	
Article number	4181570	

Quick connector	4173764	
-----------------	---------	---

- » Integrated suspension eye
- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Integrated cable rewind
- » ECO Power
- » Carry handle



SUBMERSIBLE PUMP DIRTY/CLEAR WATER ECO

GE-DP 3925 ECO

Suitable for	Dirty water	
Mains voltage	230 V ~ 50 Hz	
Rated input	390 W	
Max. delivery capacity / height	10000 l/h / 6 m	
Max. immersion depth	7 m	
Min. water level for pump start	50 mm	
Max. size of foreign particle	25 mm	
Hose connection	47.8 mm (1½") ET	
Power cord	10 m	
Product weight	4.5 kg	
Universal hose adapter	•	
Article number	4170710	

Quick connector	4173764	
-----------------	---------	---

- » High-quality mechanical sealing
- » Floating switch (automatic mode)
- » Cast iron housing
- » Carry handle



DIRTY WATER PUMP

GC-DP 1340 G

Mains voltage	230 V ~ 50 Hz	
Rated input	1300 W	
Max. delivery capacity / height	23000 l/h / 10 m	
Max. immersion depth	5 m	
Max. size of foreign particle	40 mm	
Hose connection	59.6 mm (2") IT	
Power cord	10 m	
Product weight	19.3 kg	
Universal hose adapter	•	
Lowering rope (6 m)	•	
Article number	4170742	 4 006825 597882

- » High-quality mechanical sealing
- » Floating switch (automatic mode)
- » Cast iron housing
- » Carry handle
- » Cutting unit system



DIRTY WATER PUMP

GE-DP 900 Cut

Mains voltage	230 V ~ 50 Hz	
Rated input	900 W	
Max. delivery capacity / height	16000 l/h / 11.5 m	
Max. immersion depth	7 m	
Hose connection	59.6 mm (2") IT	
Power cord	10 m	
Product weight	17.0 kg	
Universal hose adapter	•	
Article number	4181550	

- » High-quality mechanical sealing
- » Floating switch (automatic mode)
- » Carry handle



DIRTY WATER PUMP

GC-DP 5010 G

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	500 W	
Max. delivery capacity / height	12000 l/h / 8 m	
Max. immersion depth	5 m	
Max. size of foreign particle	10 mm	
Hose connection	42 mm (1½") IT	
Power cord	10 m	
Product weight	10.6 kg	
Universal hose adapter	•	
Article number	4171421	

- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Integrated cable rewind
- » Carry handle



DIRTY WATER PUMP

GC-DP 9040 N

Mains voltage	230 V ~ 50 Hz	
Rated input	900 W	
Max. delivery capacity / height	22000 l/h / 9 m	
Max. immersion depth	7 m	
Max. size of foreign particle	40 mm	
Hose connection	59.6 mm (2") IT	
Power cord	10 m	
Product weight	7.5 kg	
Universal hose adapter	•	
Article number	4181510	

NEW

- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Integrated cable rewind
- » Carry handle
- » ECO-PLUS technology



DIRTY WATER PUMP

GC-DP 7035 N ECO PLUS

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	700 W	
Max. delivery capacity / height	19000 l/h / 8 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Product weight	5.0 kg	
Universal hose adapter	•	
Article number	4170765	

Quick connector	4173764	
-----------------	---------	---

- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Integrated cable rewind
- » Carry handle



DIRTY WATER PUMP

GC-DP 7835

Mains voltage	230 V ~ 50 Hz	
Rated input	780 W	
Max. delivery capacity / height	15700 l/h / 8 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Product weight	5.2 kg	
Universal hose adapter	•	
Quick Connector	•	
Article number	4170682	

Quick connector	4173764	
-----------------	---------	---

- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Integrated cable rewind
- » Carry handle



DIRTY WATER PUMP

GC-DP 6315 N

Mains voltage	230 V ~ 50 Hz	
Rated input	630 W	
Max. delivery capacity / height	17000 l/h / 8 m	
Max. immersion depth	5 m	
Max. size of foreign particle	15 mm	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Product weight	4.7 kg	
Universal hose adapter	•	
Article number	4170491	

Quick connector	4173764	
-----------------	---------	---

- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Carrying handle (foldable)



DIRTY WATER PUMP

GC-DP 3325

Mains voltage	230 V ~ 50 Hz	
Rated input	330 W	
Max. delivery capacity / height	9500 l/h / 6 m	
Max. immersion depth	7 m	
Max. size of foreign particle	25 mm	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Product weight	3.6 kg	
Universal hose adapter	•	
Article number	4181530	

Quick connector	4173764	
-----------------	---------	---



- » Integrated float switch (automatic + manual mode)
- » Carry handle

CLEAR WATER PUMP

GC-SP 5511 IF

Mains voltage	230 V ~ 50 Hz	
Rated input	550 W	
Max. delivery capacity / height	11000 l/h / 8.5 m	
Max. immersion depth	7 m	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Min. water level for pump start	60 mm	
Suction down to	5 mm	
Product weight	4.4 kg	
Universal hose adapter	•	
Article number	4170463	 4 006825 623581

Quick connector

4173764

4 006825 673166



- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Integrated cable rewind
- » Carry handle

CLEAR WATER PUMP

GC-SP 3580 LL

Mains voltage	230 V ~ 50 Hz	
Rated input	350 W	
Max. delivery capacity / height	8000 l/h / 7.5 m	
Max. immersion depth	7 m	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Min. water level for pump start	8 mm	
Suction down to	1 mm	
Product weight	3.1 kg	
Universal hose adapter	•	
Quick Connector	•	
Article number	4170445	 4 006825 615197

Quick connector

4173764

4 006825 673166



- » High-quality mechanical sealing
- » Floating switch (automatic + manual mode)
- » Carrying handle (foldable)

CLEAR WATER PUMP

GC-SP 2275

Mains voltage	230 V ~ 50 Hz	
Rated input	220 W	
Max. delivery capacity / height	7500 l/h / 6 m	
Max. immersion depth	7 m	
Hose connection	47.8 mm (1½") IT	
Power cord	10 m	
Suction down to	8 mm	
Product weight	3.4 kg	
Universal hose adapter	•	
Article number	4181520	4  006825 655070

Quick connector

4173764

4 006825 673166



- » Infinitely adjustable floating switch
- » Integrated cable rewind
- » Carry handle
- » Flexible gooseneck
- » Storage compartment for extensions

RAIN BARREL PUMP

GE-SP 3546 RB

Mains voltage	230 V ~ 50 Hz	
Rated input	350 W	
Max. delivery capacity / height	4600 l/h / 11 m	
Max. immersion depth	7 m	
Max. size of foreign particle	2.5 mm	
Hose connection	26.4 mm (¾") ET	
Power cord	10 m	
Product weight	5.0 kg	
Article number	4170438	 4 006825 623598



- » Automatic mode
- » Dry running protection
- » 4-stage pump impeller
- » High-quality mechanical sealing
- » Overload protection
- » Integrated non-return valve
- » Stainless steel dirt screen
- » High-quality stainless steel pump housing
- » Carry handle

SUBMERSIBLE PRESSURE PUMP

GE-PP 1100 N-A

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1100 W	
Max. delivery capacity / height	6000 l/h / 45 m	
Max. immersion depth	12 m	
Hose connection	33.3 mm (1") IT	
Power cord	15 m	
Product weight	8.7 kg	
Article number	4171430	



- » Float switch
- » 3-stage pump impeller
- » High-quality mechanical sealing
- » Overload protection
- » High-quality stainless steel pump housing

SUBMERSIBLE PRESSURE PUMP

GC-PP 900 N

Mains voltage	230 V ~ 50 Hz	
Rated input	900 W	
Max. delivery capacity / height	6000 l/h / 32 m	
Max. immersion depth	7 m	
Hose connection	33.3 mm (1") IT	
Power cord	10 m	
Product weight	8.9 kg	
Article number	4170964	 4 006825 597752



- » Automatic mode
- » Dry running protection
- » 2-stage pump impeller
- » High-quality mechanical sealing
- » Overload protection
- » Integrated non-return valve
- » Integrated cable rewind
- » Carry handle
- » Telescopic extension tube
- » Flexible gooseneck

SUBMERSIBLE PRESSURE PUMP

GE-PP 5555 RB-A

Mains voltage	230 - 240 V ~ 50 Hz	
Rated input	550 W	
Max. delivery capacity / height	5500 l/h / 20 m	
Max. immersion depth	7 m	
Hose connection	33.3 mm (1") ET	
Power cord	10 m	
Product weight	5.0 kg	
Article number	4170425	 4 006825 648690



- » Automatic mode
- » Dry running protection
- » 8-stage pump impeller
- » High-quality mechanical sealing
- » Overload protection
- » Integrated non-return valve
- » Stainless steel dirt screen
- » High-quality stainless steel pump housing

DEEP WELL PUMP

GE-DW 1155 N-A

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1100 W	
Max. delivery capacity / height	6000 l/h / 55 m	
Max. immersion depth	19 m	
Hose connection	33.3 mm (1") IT	
Power cord	22 m	
Pump diameter	98 mm	
Product weight	9.8 kg	
Lowering rope (22 m)	•	
Article number	4170937	4 006825 660876



- » 10-stage pump impeller
- » High-quality mechanical sealing
- » Overload protection
- » Integrated non-return valve
- » Stainless steel dirt screen
- » High-quality stainless steel pump housing



DEEP WELL PUMP

GC-DW 1300 N

Mains voltage	230 V ~ 50 Hz	
Rated input	1300 W	
Max. delivery capacity / height	5000 l/h / 65 m	
Max. immersion depth	20 m	
Hose connection	47.8 mm (1½") IT	
Power cord	2 m / 23 m	
Pump diameter	102 mm	
Product weight	15.5 kg	
External switchbox	•	
Lowering rope (20 m)	•	
Article number	4170944	4 006825 597875



- » 6-stage pump impeller
- » High-quality mechanical sealing
- » Overload protection
- » Integrated non-return valve
- » Stainless steel dirt screen
- » High-quality stainless steel pump housing

DEEP WELL PUMP

GC-DW 1045 N

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1000 W	
Max. delivery capacity / height	6500 l/h / 45 m	
Max. immersion depth	19 m	
Hose connection	42 mm (1¼") IT	
Power cord	22 m	
Pump diameter	98 mm	
Product weight	7.7 kg	
Lowering rope (22 m)	•	
Article number	4170955	4 006825 616446



- » Water filler screw
- » Water filling / dirt / suction indicators
- » Integrated pre-filter with non-return valve
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » Water flow recognition sensor / dry running protection / scalding protection

GARDEN PUMP 'PLUS'

GE-GP 1246 N FS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	4600 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	14.0 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180360



- » Water filler screw
- » Water filling / dirt / suction indicators
- » Integrated pre-filter with non-return valve
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » ECO Power

GARDEN PUMP 'PLUS'

GE-GP 1145 ECO

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	14.0 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180370



NEW



- » Water filler screw
- » Water filling indicator
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » ECO-PLUS technology
- » High pumping capacity with low power consumption

GARDEN PUMP 'PLUS'

GC-GP 1170 ECO PLUS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	7000 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	9.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180220





- » Water filler screw
- » Water filling indicator
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection

GARDEN PUMP 'PLUS'

GC-GP 1250 N/1

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1200 W	
Max. delivery capacity / height	5000 l/h / 50 m	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	9.7 kg	
Incl. adapter 33.3 mm (1") ET	•	
Article number	4180350	4 006825 637281



- » Water filler screw
- » Water filling indicator
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection

GARDEN PUMP 'PLUS'

GC-GP 1045

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1050 W	
Max. delivery capacity / height	4500 l/h / 48 m	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	9.5 kg	
Incl. adapter 33.3 mm (1") ET	•	
Article number	4180340	4 006825 637274

NEW



- » Water filler screw
- » Water filling indicator
- » Folding carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » ECO-PLUS technology
- » High pumping capacity with low power consumption

GARDEN PUMP 'PLUS'

GC-GP 6050 ECO PLUS

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	600 W	
Max. delivery capacity / height	5000 l/h / 40 m	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	6.5 kg	
Incl. adapter 33.3 mm (1") ET	•	
Article number	4180210	4 006825 679786



- » Water filler screw
- » Water filling indicator
- » Folding carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » ECO Power

GARDEN PUMP 'PLUS'

GC-GP 6040 ECO

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	600 W	
Max. delivery capacity / height	4000 l/h / 36 m	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	6.1 kg	
Incl. adapter 33.3 mm (1") ET	•	
Article number	4180320	



- » Water filler screw
- » Water drain screw
- » High-quality mechanical seal
- » Carry handle

GARDEN PUMP

GC-GP 6538

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	650 W	
Max. delivery capacity / height	3800 l/h / 36 m	
Max. suction height	8 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") ET	
Power cord	1.4 m	
Product weight	6.1 kg	
Pump without accessories (GC-GP 6538)	Article number 4180280	
Pump with suction hose (7 m) (GC-GP 6538 Set)	Article number 4180283	
Pump with suction hose (4 m), garden hose (20 m) and sprayer (GC-GP 6538 Set/I)	Article number 4180286	



- » Water filler screw
- » Water drain screw
- » Carry handle

GARDEN PUMP

GC-GP 6036

Mains voltage	230 V ~ 50 Hz	
Rated input	600 W	
Max. delivery capacity / height	3600 l/h / 40 m	
Max. suction height	8 m	
Suction connection	33.3 mm (1") IT	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	7.4 kg	
Article number	4180269	



- » Water filler screw
- » Water drain screw

PERIPHERAL PUMP

GC-TP 4622

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	460 W	
Max. delivery capacity / height	2250 l/h / 37 m	
Suction connection	33.3 mm (1") IT	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	6.1 kg	
Article number	4183400	 4 006825 643947



- » Automatic mode
- » Timer function
- » Water filler screw
- » Water filling / dirt / suction indicators
- » Integrated pre-filter with non-return valve
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » Water flow recognition sensor / dry running protection / scalding protection

AUTOMATIC HOME AND GARDEN PUMP 'PLUS'

GE-AW 1246 N FS

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1200 W	
Max. delivery capacity / height	4600 l/h / 50 m	
Max. pressure	5.0 bar	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Additional pressure side connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	15.0 kg	
Incl. adapter 33.3 mm (1") ET	•	
Article number	4177020	 4 006825 642476



- » Automatic mode
- » Water filler screw
- » Water filling / dirt / suction indicators
- » Integrated pre-filter with non-return valve
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » Water flow recognition sensor / dry running protection / scalding protection

AUTOMATIC HOME AND GARDEN PUMP 'PLUS'

GE-AW 1042 FS

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1050 W	
Max. delivery capacity / height	4200 l/h / 48 m	
Max. pressure	4.8 bar	
Max. suction height	8 m	
Suction connection	42 mm (1¼") ET	
Pressure connection	33.3 mm (1") IT	
Additional pressure side connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	15.0 kg	
Incl. adapter 33.3 mm (1") ET	•	
Article number	4177010	 4 006825 642469




- » App (GSM / Smart)
- » Programmable operating time for each specific day
- » Schedule calculation based on current weather data
- » Networkable with all Einhell SMART devices
- » Automatic mode
- » Dry running protection
- » LED indicator
- » Water filler screw
- » Water drain screw
- » Pre-filter + non-return valve
- » Thermo protection

AUTOMATIC HOME AND GARDEN PUMP SMART

GE-AW 1144 SMART

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1100 W	
Max. delivery capacity / height	4400 l/h / 48 m	
Max. pressure	4.8 bar	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	11.4 kg	
Article number	4180380	



CAN BE CONTROLLED FROM EVERYWHERE

The smart pump can now be controlled from anywhere* using a smartphone, thanks to the device's mobile internet connection.



SCHEDULE MODE

The pump's operating times can be set to the minute using the Schedule Mode.




SMART MODE

In smart mode, the pump automatically creates a schedule that is optimally adapted to the weather, customer preferences and behaviour. The pump learns the customer's behaviour based on the application (using AI).



NETWORKABLE WITH EINHELL SMART TOOLS

Einhell Smart Tools work together automatically in Smart Mode.



CONSIDERATION OF WEATHER FORECASTS

In Smart Mode, the pump adapts to the local weather conditions thanks to weather forecasts in order to achieve the optimum result.



NO WIFI OR BLUETOOTH NEEDED

Unlimited range thanks to communication via the mobile phone network.

* Prerequisite:
Available mobile network coverage; within the European Union

Another SMART tool from the Einhell range:
PROFESSIONAL Robot Lawn Mower FREELEXO SMART 750



- » Automatic mode
- » Dry running protection
- » LED indicator
- » Water filler screw
- » Water drain screw
- » Pre-filter with integrated non-return valve
- » Carry handle

AUTOMATIC HOME AND GARDEN PUMP

GC-AW 6333

Mains voltage	230 V ~ 50 Hz	
Rated input	630 W	
Max. delivery capacity / height	3300 l/h / 36 m	
Max. pressure	3.6 bar	
Max. suction height	8 m	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	7.8 kg	
Article number	4176730	 4 006825 609226



- » Water filler screw
- » Water filling / dirt / suction indicators
- » Integrated pre-filter with non-return valve
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection
- » Water flow recognition sensor / dry running protection / scalding protection

WATER WORK 'PLUS'

GE-WW 1246 N FS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	4600 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	19.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4173530



- » Water filler screw
- » Water filling / dirt / suction indicators
- » Integrated pre-filter with non-return valve
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection

WATER WORK 'PLUS'

GE-WW 1145 ECO

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	19.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4173540



- » Water filler screw
- » Water filling indicator
- » Comfort carrying handle
- » Frost protection due to a water drain screw
- » Thermo protection

WATER WORK 'PLUS'

GC-WW 1045 N

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1050 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	17.3 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4173520





- » Overload protection
- » Water filler screw
- » Water drain screw
- » High-quality mechanical seal
- » INOX stainless steel pressure tank
- » Pressure gauge

WATER WORK

GC-WW 1250 NN


Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1200 W	
Max. delivery capacity / height	5000 l/h / 50 m	
Max. suction height	8 m	
Tank volume	20 l	
Max. activation / cut off pressure	1.5 bar / 3 bar	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	14.7 kg	
Article number	4173490	 4 006825 616316



- » Overload protection
- » Water filler screw
- » Water drain screw
- » High-quality mechanical seal
- » Pressure gauge

WATER WORK

GC-WW 6538

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	650 W	
Max. delivery capacity / height	3800 l/h / 36 m	
Max. suction height	8 m	
Tank volume	20 l	
Max. activation / cut off pressure	1.5 bar / 3 bar	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") ET	
Power cord	1.4 m	
Product weight	10.5 kg	
Water Work without suction hose (7 m) (GC-WW 6538 Set)	Article number 4173190	 4 006825 603484
Water Work with suction hose (7 m) (GC-WW 6538 Set)	Article number 4173193	 4 006825 611175



- » Overload protection
- » Water filler screw
- » Pressure gauge

WATER WORK

GC-WW 6036

Mains voltage	230 V ~ 50 Hz	
Rated input	600 W	
Max. delivery capacity / height	3600 l/h / 40 m	
Max. suction height	8 m	
Tank volume	20 l	
Max. activation / cut off pressure	1.5 bar / 3 bar	
Suction connection	33.3 mm (1") IT	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	14.3 kg	
Article number	4173118	4 006825 623574



- » Non-return valve
- » Sturdy steel tube frame
- » Water filler port
- » Water drain screw
- » Oil filling screw
- » Low oil stop

PETROL WATER PUMP

GE-PW 46

Engine	Four-stroke	
Power rating	4.6 / 6.3 kW	
Max. delivery capacity / height	23000 l/h / 26 m	
Max. suction height	6.5 m	
Max. speed	3600 min ⁻¹	
Suction connection	59.6 mm (2") ET	
Pressure connection	59.6 mm (2") ET	
Fuel tank capacity	3.6 l	
Product weight	21.8 kg	
Incl. hose adapter	2x 50.8 mm (2")	
Incl. intake cage	• (2")	
Incl. reducer section	2x 47.8 mm (1.5") ET, 2x 33.3 mm (1") ET	
Article number	4171372	 4 006825 643978



- » Non-return valve
- » Water filler port
- » Water drain screw
- » Oil filling screw
- » Low oil stop

PETROL WATER PUMP

GC-PW 16

Engine	Four-stroke	
Power rating	1.8 / 2.4 kW	
Max. delivery capacity / height	14000 l/h / 28 m	
Max. suction height	7.0 m	
Max. speed	3600 min ⁻¹	
Suction connection	47.8 mm (1½") ET	
Pressure connection	47.8 mm (1½") ET	
Fuel tank capacity	1.3 l	
Product weight	12.0 kg	
Incl. hose adapter	2x 38.1 mm (1.5")	
Incl. intake cage	• (1.5")	
Article number	4190530	 4 006825 644678

Surface Pumps Accessories

Suction Hose (7 m) with Brass Connectors	Article number 4173640	
Suction Hose (4 m) with Brass Connectors	Article number 4173630	
Suction Hose (7 m) with Plastic Connectors	Article number 4173645	
Suction Hose (4 m) with Plastic Connectors	Article number 4173635	
Coarse Filter 25 cm	Article number 4173851	
Coarse Filter 12 cm	Article number 4173801	
Electronic Flow Switch	Article number 4174230	

MORE POWER FOR PROS.



NO COMPROMISES. EXTENDED WARRANTY FOR PROFESSIONAL TOOLS.

Einhell delivers the quality expected of tools for commercial use. This is why we also offer an extended warranty for all PROFESSIONAL tools:

Regular guarantee period	1 year
Extension upon registration	2 years
Total guarantee period	3 years (1+2)



THIS IS HOW:

1. **Inform** yourself on einhell.de
2. **Register** in your customer account
3. **Apply** for the guarantee – within 30 days of the date of purchase

www.einhell.de/en/services/warranties/



OUR PROMISE TO DIY PROFESSIONALS AND EXPERTS

True Pros always give MORE.
Because every step demands perfection.
Where precision is a must.
And every second counts.
Professionals also expect more from their tools.
NOW EINHELL GIVES THEM MORE.

MORE PERFORMANCE.*

MORE ENDURANCE.*

MORE WARRANTY.**

MORE LIFETIME.*

MORE FUNCTIONALITY.*

* Approximate values compared to carbon brush motor

** On Brushless Motors after online registering

WITH BRUSHLESS MOTOR

25% MORE power*


50% MORE endurance*

100% MORE lifetime*

» 10 years warranty**

* Approximate values compared to carbon brush motor

** On Brushless Motors after online registering



PROFESSIONAL ROBOT LAWN MOWER





- » PXC SYSTEM BATTERY
- » SMART CONNECTIVITY (GSM/NB-IOT)
- » CAN BE CONTROLLED FROM ANYWHERE VIA APP – NO WIFI OR BLUE-TOOTH REQUIRED
- » SMART MODE - AUTOMATIC SCHEDULE CREATION, OPTIMISED FOR WEATHER, GARDEN SIZE AND CUSTOMER PREFERENCES
- » NETWORKABLE WITH ALL EINHELL SMART DEVICES
- » LCD DISPLAY
- » MULTI AREA MOWING
- » SPOT MOWING



FREELEXO SMART 750

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	750 m ²
Cutting width	18 cm
Cutting height adjustment	stepless / 20 - 60 mm / central
Suitable for slopes up to	35 %
Supplied with perimeter wire	175 m
Supplied with fastening hooks	245 pcs
Supplied with accessories	3 connecting clamps, 3 blades
Incl. 1 battery (18 V 3.0 Ah Li-ion)	Article number 3413811 

Robot Lawn Mowers without Perimeter Wire - Accessories

	Robot Lawn Mower Garage	Article number 3414024	
	Perimeter Wire	Article number 3414021	
	Spare Blades	Article number 3414020	
	Repair Kit	Article number 3414026	
	Connection Clamps	Article number 3414022	
	Fastening Hooks	Article number 3414023	
	Cleaning Set	Article number 3414025	

**CAN BE CONTROLLED FROM EVERYWHERE**

Thanks to mobile internet connectivity, a smartphone now lets you care for your lawn from wherever you might be.

**NETWORKABLE WITH EINHELL SMART TOOLS**

Einhell Smart Tools work together automatically in Smart Mode.

**SMART MODE**

In Smart Mode the robot lawn mower automatically draws up a work schedule that is optimally coordinated with the weather, the size of the garden and the customer's preferences.

**YOU DON'T NEED WIFI OR BLUETOOTH**

Unlimited range thanks to communication via the mobile phone network.*

* Prerequisite: Available mobile network coverage; within the European Union.

**WEATHER FORECASTS TAKEN INTO ACCOUNT**

In Smart Mode the robot lawn mower takes weather forecasts into account when adjusting to local weather conditions in order to achieve the best possible results.

Another SMART device from the Einhell range:
**Automatic Home and Garden Pump
GE-AW 1144 SMART**



PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » MULCHING FUNCTION
- » INTEGRATED CARRY HANDLE
- » HEIGHT-ADJUSTABLE (TELESCOPIC) HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN



RASARRO 36/42

PXC battery voltage	2x 18 V
Battery charging time 18 V / 5.2 Ah	100 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	725 m²
Cutting width	42 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	17.2 kg
Incl. 2 batteries (18 V 5.2 Ah Li-Ion) and 1 Twincharger	Article number 3413272
	4 006825 669138

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1)	250 m²	300 m²	350 m²	450 m²	550 m²	725 m²	875 m²	1100 m²

For best performance select batteries with at least 2.5 Ah

1) Battery capacity (2x batteries required)

2) Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405454

4 006825 651386

PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » INTEGRATED CARRY HANDLE
- » HEIGHT-ADJUSTABLE HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN



RASARRO 36/40

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m²
Cutting width	40 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	17.4 kg
Incl. 2 batteries (18 V 4.0 Ah Li-Ion) and 1 Twincharger	Article number 3413278



1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	220 m²	280 m²	330 m²	425 m²	500 m²	700 m²	850 m²	1000 m²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405454



PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » MULCHING FUNCTION
- » INTEGRATED CARRY HANDLE
- » HEIGHT-ADJUSTABLE (TELESCOPIC) HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN



RASARRO 36/38

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	450 m ²
Cutting width	38 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	45 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	15.5 kg
Incl. 2 batteries (18 V 4.0 Ah Li-Ion) and 1 Twincharger	Article number 3413180
	4 006825 635867

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	250 m ²	300 m ²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405486

4 006825 635843

PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » HEIGHT-ADJUSTABLE HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » INTEGRATED CARRY HANDLE
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN



GP-CM 36/41 Li Brushless

PXC battery voltage	2x 18 V
Cutting width	41 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	15.2 kg
Article only available without batteries / chargers	Article number 3413275



Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. lawn area ²⁾	220 m ²	280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405454



PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » ECO MODE + BATTERY CHARGE INDICATOR
- » MULCHING FUNCTION
- » SIDE EJECTOR
- » HEIGHT-ADJUSTABLE HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN
- » VARIABLE WHEELDRIVE



GP-CM 36/52 S Li Brushless

PXC battery voltage	4x 18 V
Battery charging time 18 V / 5.2 Ah	100 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	1200 m²
Cutting width	52 cm
Cutting height adjustment	9 levels / 25 - 80 mm / central
Grass box capacity	65 l
Wheel diameter front / rear	204 mm / 280 mm
Housing material	Steel
Product weight	29.7 kg
Incl. 4 batteries (18 V 5.2 Ah Li-Ion) and 2 Twinchargers	Article number 3413320



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	225 m²	275 m²	315 m²	350 m²	450 m²	600 m²	700 m²	800 m²
» ³⁾	450 m²	550 m²	630 m²	700 m²	900 m²	1200 m²	1400 m²	1600 m²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405980



PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » ECO MODE + BATTERY CHARGE INDICATOR
- » MULCHING FUNCTION
- » SIDE EJECTOR
- » HEIGHT-ADJUSTABLE HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN
- » VARIABLE WHEELDRIVE



GP-CM 36/47 S Li Brushless

PXC battery voltage	4x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m ²
Cutting width	47 cm
Cutting height adjustment	9 levels / 25 - 80 mm / central
Grass box capacity	65 l
Wheel diameter front / rear	204 mm / 280 mm
Housing material	Steel
Product weight	29.6 kg
Incl. 4 batteries (18 V 4.0 Ah Li-Ion) and 2 Twinchargers	Article number 3413310



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ¹⁾	125 m ²	175 m ²	215 m ²	250 m ²	350 m ²	500 m ²	600 m ²	700 m ²
» ³⁾	250 m ²	350 m ²	430 m ²	500 m ²	700 m ²	1000 m ²	1200 m ²	1400 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405970



PROFESSIONAL CORDLESS LAWN MOWER

- » BRUSHLESS MOTOR
- » MULCHING FUNCTION
- » SIDE EJECTOR
- » HEIGHT-ADJUSTABLE HANDLEBAR
- » FOLDING HANDLEBAR
- » GRASS BOX WITH LEVEL INDICATOR
- » WIDE WHEELS EXERT LESS STRESS ON THE LAWN
- » VARIABLE WHEELDRIVE



GP-CM 36/47 S HW Li Brushless

PXC battery voltage	4x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m ²
Cutting width	47 cm
Cutting height adjustment	6 levels / 30 - 65 mm / central
Grass box capacity	75 l
Wheel diameter front / rear	200 mm / 280 mm
Housing material	Steel
Product weight	31.0 kg
Cleaning tool	•
Incl. 4 batteries (18 V 4.0 Ah Li-Ion) and 2 Twinchargers	Article number 3413200



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
¹⁾	125 m ²	175 m ²	215 m ²	250 m ²	350 m ²	500 m ²	600 m ²	700 m ²
²⁾	250 m ²	350 m ²	430 m ²	500 m ²	700 m ²	1000 m ²	1200 m ²	1400 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

Spare blade

3405455



PROFESSIONAL CORDLESS TILLER

- » BRUSHLESS MOTOR
- » HEIGHT-ADJUSTABLE WHEELS FOR EASY TRANSPORTATION
- » ROBUST METAL BLADES
- » ELECTRONIC SPEED CONTROL
- » FOLDING HANDLEBAR
- » BRAKE SHOE
- » TOOLLESS BLADE CHANGE
- » TWO-POINT-SAFETY SWITCH
- » LED BATTERY LEVEL INDICATOR
- » OPERATION WITH FOUR OR SIX BLADES



GP-CR 36/45 Li E Brushless

PXC battery voltage	4x 18 V
Working width	30 - 45 cm
Working depth	230 mm
Number of blades	4 - 6 pcs
Cultivator blade diameter	245 mm
Housing material	Metal
Product weight	23.8 kg
Article only available without batteries / chargers	Article number 3431220



Battery ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2 ²⁾	6-8 min	8-10 min	10-13 min	13-16 min	16-20 min	22-28 min	24-32 min	32-40 min
3 ³⁾	12-16 min	16-20 min	20-26 min	26-32 min	32-40 min	44-56 min	48-64 min	64-80 min

For best performance select batteries with at least 4.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

³⁾ Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

PROFESSIONAL CORDLESS SNOW THROWER

- » BRUSHLESS MOTOR
- » ELECTRONIC DIRECTIONAL CHUTE
- » ROBUST METAL AUGER
- » ELECTRONIC SPEED CONTROL
- » FOLDING HANDLEBAR
- » LED LIGHT
- » TWO-POINT-SAFETY SWITCH
- » LED BATTERY LEVEL INDICATOR
- » INCLUDES CLEANING SCRAPER

NEW

Winter 2025



**DOUBLE
TWINPACK
TECHNOLOGY**

GP-ST 36/53 Li E Brushless

PXC battery voltage	2x 18 V
Working width	53 cm
Max. snow height	33 cm
Throwing distance max.	8 m
Housing material	Plastic
Product weight	20.4 kg
Article only available without batteries / chargers	Article number 3417021



Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge with 2 identical batteries ²⁾	5 min	6 min	7 min	10 min	12 min	15 min	20 min	24 min
Max. operating time per battery charge with 4 identical batteries ³⁾	10 min	12 min	14 min	20 min	24 min	30 min	40 min	48 min

For best performance select batteries with at least 4.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

³⁾ Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

PROFESSIONAL CORDLESS EARTH AUGER

- » BRUSHLESS MOTOR
- » DRILL BIT CHANGE WITHOUT TOOLS
- » METAL FRAME
- » CLOCKWISE / COUNTER-CLOCKWISE OPERATION
- » SOFT GRIP



GP-EA 18/150 Li Brushless

PXC battery voltage	18 V
Drilling diameter	150 mm
Drill bit length	800 mm
Speed	125 min ⁻¹
Product weight	6.0 kg
Article only available without batteries / chargers	Article number 3437000
	4 006825 659023

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 pcs	15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. number of drill holes (depth 40 cm, mixed soil) per battery charge

CORDLESS EARTH AUGERS ACCESSORIES

NEW



Earth Auger 200 mm

Suitable for	GP-EA 18/150 Li Brushless
Article number	3437022
EAN	4 006825 682960



Mortar Mixer

Suitable for	GP-EA 18/150 Li Brushless
Article number	3437011
EAN	4 006825 659047



Earth Auger 120 mm

Suitable for	GP-EA 18/150 Li Brushless
Article number	3437010
EAN	4 006825 659030

Extension

Suitable for	GP-EA 18/150 Li Brushless
Article number	3437012
EAN	4 006825 659054

PROFESSIONAL CORDLESS SCYTHE

- » BRUSHLESS MOTOR
- » 2-STEP ELECTRONIC SPEED CONTROL
- » BATTERY CAPACITY INDICATOR
- » SPINDLE LOCK
- » SPLIT SHAFT
- » DOUBLE THREAD SPOOL
- » ADJUSTABLE HANDLE
- » BATTERY PROTECTION BAR
- » WALL BRACKET

NEW



GP-BC 36/430 Li Brushless

PXC battery voltage	2x 18 V
Cutting width (blade)	25.5 cm
Cutting width (thread)	43 cm
Thread diameter	2.0 mm
Thread length	6 m
Product weight	6.8 kg
Double thread spool	•
3-tooth blade	•
Carrying strap	Backpack carrying strap
Article only available without batteries / chargers	Article number 3411340



Battery capacity	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge with blade in idle mode (dependent on the selected speed)	18-30 min	22-36 min	28-45 min	34-55 min	42-70 min	55-95 min	68-110 min	90-140 min
Max. operating time per battery charge with thread spool in idle mode (dependent on the selected speed)	12-18 min	14-22 min	18-28 min	22-34 min	28-45 min	36-60 min	45-68 min	56-86 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge with blade in idle mode (dependent on the selected speed)

³⁾ Max. operating time per battery charge with thread spool in idle mode (dependent on the selected speed)

Spare double thread spool, thread Ø 2.0 mm 3405103



PROFESSIONAL CORDLESS SCYTHE

- » BRUSHLESS MOTOR
- » 2-STEP ELECTRONIC SPEED CONTROL
- » SPINDLE LOCK
- » SPLIT SHAFT
- » DOUBLE THREAD SPOOL
- » ADJUSTABLE HANDLE
- » BATTERY PROTECTION BAR
- » WALL BRACKET

NEW

GP-BC 36/430 Li P Brushless

PXC battery voltage	2x 18 V
Cutting width (blade)	25.5 cm
Cutting width (thread)	43 cm
Thread diameter	2.0 mm
Thread length	6 m
Product weight	6.2 kg
Double thread spool	•
3-tooth blade	•
Carrying strap	One-shoulder harness
Article only available without batteries / chargers	Article number 3411345



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1)								
2)	18-30 min	22-36 min	28-45 min	34-55 min	42-70 min	55-95 min	68-110 min	90-140 min
3)	12-18 min	14-22 min	18-28 min	22-34 min	28-45 min	36-60 min	45-68 min	60-86 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge with blade in idle mode (dependent on the selected speed)

³⁾ Max. operating time per battery charge with thread spool in idle mode (dependent on the selected speed)

Spare double thread spool, thread Ø 2.0 mm	3405103
--	---------



Cordless Scythes Accessories

Special Grass Blade 230	Article number 3436660
Thicket Blade 255	Article number 3405082
Thicket Blade 200	Article number 3405083
Grass Blade 255	Article number 3404996
Grass Blade 230	Article number 3436661



PROFESSIONAL CORDLESS LAWN TRIMMER

- » LONG HANDLE WITH ERGONOMIC DOUBLE BEND
- » INFINITELY ADJUSTABLE LONG HANDLE
- » FLOWER GUARD
- » AUTOMATIC JOG LINE FEED
- » SPLIT SHAFT
- » ELECTRONIC SPEED CONTROL
- » BATTERY PROTECTOR
- » SOFT GRIP



Tested and recommended by
Forum: Gesunder Rücken - besser
leben e.V. and Bundesverband deut-
scher Rückenschulen (BdR) e.V.

More information available from:
AGR e.V., Stader Str. 6, 27432 Bre-
mervörde, Tel. +49 4761/92 63 580,
www.agr-ev.de

GP-CT 36/35 Li Brushless

PXC battery voltage	2x 18 V
Cutting width	35 cm
Thread diameter	2.0 mm
Thread length	8 m
Product weight	3.5 kg
Thread spool	•
Carrying strap	•
Article only available without batte- ries / chargers	Article number 3411330



Battery capacity (2x batteries required)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in ECO mode per battery charge	25 min	30 min	35 min	45 min	60 min	70 min	95 min	120 min
Max. operating time in BOOST mode per battery charge	15 min	20 min	25 min	35 min	45 min	55 min	65 min	90 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time in ECO mode per battery charge

³⁾ Max. operating time in BOOST mode per battery charge

Spare line spool

3405096



PROFESSIONAL CORDLESS HEDGE TRIMMER



- » ANTI-BLOCKING SYSTEM
- » 2-STEP SPEED REGULATION
- » TURNABLE REAR HANDLE
- » ERGONOMIC FRONT HANDLE THANKS TO MICRO SWITCHES
- » CUTTING COLLECTOR
- » LASER-CUT AND DIAMOND-GROUND BLADES
- » METAL GEAR BOX
- » SOFT GRIP
- » ALUMINIUM COVER OVER CUTTERS

GP-CH 18/61 Li Brushless

PXC battery voltage	18 V
Bar length	670 mm
Cutting length	610 mm
Spacing between teeth	26 mm
Product weight	2.7 kg
Protective cover with wall mount	•
Article only available without battery / charger	Article number 3410935



Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in ECO mode per battery charge ²⁾	29.5 min	39 min	49 min	59 min	78 min	102 min	118 min	156 min
Max. operating time in BOOST mode per battery charge ³⁾	20 min	27 min	33 min	40 min	53 min	69 min	80 min	106 min

¹⁾ Battery capacity

²⁾ Max. operating time in ECO mode per battery charge

³⁾ Max. operating time in BOOST mode per battery charge

PROFESSIONAL CORDLESS HEDGE TRIMMER

- » ANTI-BLOCKING SYSTEM
- » 2-STEP SPEED REGULATION
- » ERGONOMIC FRONT HANDLE THANKS TO MICRO SWITCHES
- » CUTTING COLLECTOR
- » LASER-CUT AND DIAMOND-GROUND BLADES
- » METAL GEAR BOX
- » SOFT GRIP
- » ALUMINIUM COVER OVER CUTTERS



GP-CH 18/50 Li Brushless

PXC battery voltage	18 V
Bar length	560 mm
Cutting length	500 mm
Spacing between teeth	20 mm
Product weight	2.5 kg
Protective cover with wall mount	•
Article only available without battery / charger	Article number 3410950



Battery capacity	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in ECO mode per battery charge	29.5 min	39 min	49 min	59 min	78 min	102 min	118 min	156 min
Max. operating time in BOOST mode per battery charge	20 min	27 min	33 min	40 min	53 min	69 min	80 min	106 min

¹⁾ Battery capacity

²⁾ Max. operating time in ECO mode per battery charge

³⁾ Max. operating time in BOOST mode per battery charge

PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL

- » CONTINUOUSLY ADJUSTABLE TELESCOPIC ALUMINIUM HANDLE
- » OREGON QUALITY BAR AND CHAIN
- » AUTOMATIC CHAIN LUBRICATION
- » LASER-CUT AND DIAMOND-GROUND BLADES
- » ANTI-BLOCKING SYSTEM
- » MOTOR HEAD TILTABLE BY MULTIPLE SETTINGS
- » METAL GEAR BOX
- » ADDITIONAL HOLDING AREA

FITTED WITH

 CHAIN AND BAR

NEW

GP-HC 18/5020 Li T Brushless

PXC battery voltage	18 V
Bar length (chainsaw)	200 mm
Chain cutting speed	7 m/sec
Blade length of hedge trimmer	500 mm
Spacing between teeth (hedge trimmer)	25 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	5.9 kg (incl. all attachments)
Article only available without battery / charger	Article number 3410970
	 4 006825 681093

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
 ³⁾	27 pcs	39 pcs	54 pcs	73 pcs	99 pcs	127 pcs	148 pcs	198 pcs

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge – hedge trimmer

³⁾ Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

Spare chain 20cm 1,1 33T 3/8	4500193	 4 006825 664577
Spare bar	4500117	 4 006825 569100

PROFESSIONAL CORDLESS POLE-MOUNTED PRUNER

- » CONTINUOUSLY ADJUSTABLE TELESCOPIC ALUMINIUM HANDLE
- » OREGON QUALITY BAR AND CHAIN
- » AUTOMATIC CHAIN LUBRICATION
- » CLAW STOP
- » METAL GEAR BOX
- » ADDITIONAL HOLDING AREA

FITTED WITH
OREGON
CHAIN AND BAR

NEW

GP-LC 18/20 Li T Brushless

PXC battery voltage	18 V
Bar length	200 mm
Cutting length	180 mm
Cutting speed	7 m/s
Max. working height	4.0 m
Product weight	3.7 kg
Article only available without battery / charger	Article number 3410971



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	27 pcs	39 pcs	54 pcs	73 pcs	99 pcs	127 pcs	148 pcs	198 pcs

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 20cm 1,1 33T 3/8	4500193	
Spare bar	4500117	

PROFESSIONAL CORDLESS TELESCOPIC HEDGE TRIMMER

- » CONTINUOUSLY ADJUSTABLE TELESCOPIC ALUMINIUM HANDLE
- » MOTOR HEAD TILTABLE BY MULTIPLE SETTINGS
- » LASER-CUT AND DIAMOND-GROUND BLADES
- » ANTI-BLOCKING SYSTEM
- » METAL GEAR BOX
- » ADDITIONAL HOLDING AREA

NEW

GP-HH 18/50 Li T Brushless

PXC battery voltage	18 V
Bar length	550 mm
Cutting length	500 mm
Spacing between teeth	25 mm
Max. working height	3.5 m
Product weight	4.2 kg
Article only available without battery / charger	Article number 3410972



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min


¹⁾ Battery capacity

²⁾ Max. operating time per battery charge – hedge trimmer

HEDGE TRIMMERS ACCESSORIES

Maintenance Spray

Suitable for	Hedge trimmers, grass and shrub shears
Article number	3403099
EAN	4 006825 654608



PROFESSIONAL CORDLESS CHAINSAW

- » BRUSHLESS MOTOR
- » OREGON QUALITY BAR AND CHAIN
- » TOOLLESS CHAIN TENSIONING AND CHANGING
- » AUTOMATIC CHAIN LUBRICATION
- » STURDY STOP CLAWS MADE OF METAL
- » KICKBACK PROTECTION WITH MECHANICAL INSTANT CHAIN BRAKE
- » CHAIN CATCH BOLT
- » SOFT GRIP
- » LARGE OIL FILLER OPENING



FITTED WITH
OREGON
CHAIN AND BAR

GP-LC 36/40 Li Brushless

PXC battery voltage	2x 18 V
Petrol equivalence class	up to 3.0 hp
Bar length	400 mm
Cutting length	380 mm
Cutting speed	19 m/s
Oil tank capacity	230 ml
Product weight	4.7 kg
Protective cover	•
Article only available without batteries / chargers	Article number 4600050



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	81 pcs	108 pcs	134 pcs	159 pcs	212 pcs	276 pcs	319 pcs	425 pcs

For best performance select batteries with at least 5.2 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 40cm 1.3 56T 3/8	4500367	
Spare bar 40cm 1,3	4500156	

PROFESSIONAL CORDLESS CHAINSAW

- » BRUSHLESS MOTOR
- » OREGON QUALITY BAR AND CHAIN
- » TOOLLESS CHAIN TENSIONING AND CHANGING
- » AUTOMATIC CHAIN LUBRICATION
- » STURDY STOP CLAWS MADE OF METAL
- » KICKBACK PROTECTION WITH MECHANICAL INSTANT CHAIN BRAKE
- » CHAIN CATCH BOLT
- » SOFT GRIP
- » LARGE OIL FILLER OPENING



FITTED WITH
OREGON
CHAIN AND BAR

GP-LC 36/35 Li Brushless

PXC battery voltage	2x 18 V
Petrol equivalence class	up to 2.5 hp
Bar length	350 mm
Cutting length	330 mm
Cutting speed	15 m/s
Oil tank capacity	115 ml
Product weight	4.0 kg
Protective cover	•
Article only available without batteries / chargers	Article number 4501780



Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Chainsaw capacity ²⁾	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 35cm 1,1 52T 3/8	4500196	
Spare bar 35cm 1,1	4500197	

PROFESSIONAL TOP-HANDLED CORDLESS CHAINSAW

- » BRUSHLESS MOTOR
- » OREGON QUALITY BAR AND CHAIN
- » TOOLLESS CHAIN TENSIONING AND CHANGING
- » AUTOMATIC CHAIN LUBRICATION
- » STURDY STOP CLAWS MADE OF METAL
- » KICKBACK PROTECTION WITH MECHANICAL INSTANT CHAIN BRAKE
- » CHAIN CATCH BOLT
- » ERGONOMIC HANDLE WITH SOFT GRIP
- » LARGE OIL FILLER OPENING
- » TIP GUARD



FITTED WITH
OREGON
CHAIN AND BAR

FORTEXXA 18/20 TH

PXC battery voltage	18 V
Petrol equivalence class	up to 1.5 hp
Bar length	200 mm
Cutting length	140 mm
Cutting speed	7 m/s
Oil tank capacity	75 ml
Product weight	2.5 kg
Protective cover	•
Article only available without battery / charger	Article number 4600020 4 006825 663099

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	210 pcs	240 pcs	320 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

Spare chain 20cm 1,1 33T 3/8	4500193	4 006825 664577
Spare bar 20cm 1,2	4500194	4 006825 664560

WARNING: This chainsaw may only be used by trained tree careworkers. Misactions in compliance with safety instructions may cause serious injuries.

WOODWORKING ACCESSORIES



Forest Safety Helmet

Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	4 006825 544565

PROFESSIONAL CORDLESS PRUNING CHAINSAW

- » BRUSHLESS MOTOR
- » AUTOMATIC CHAIN LUBRICATION
- » METAL GEAR BOX
- » TOOLLESS GUIDE BAR AND CHAIN CHANGE
- » HIGH-QUALITY GUIDE BAR AND CHAIN SET
- » HAND GUARD AND FOLDING CHAIN COVER
- » STORAGE SURFACE FOR USE WITH BOTH HANDS
- » SOFT GRIP

NEW

Autumn 2025



GP-PS 18/20 Li Brushless

PXC battery voltage	18 V
Bar length	192 mm
Cutting length	150 mm
Cutting speed	8 m/s
Oil tank capacity	70 ml
Product weight	1.2 kg
Protective cover	•
Article only available without battery / charger	Article number 4600080



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	100 pcs	134 pcs	168 pcs	201 pcs	268 pcs	348 pcs	402 pcs	536 pcs

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through soft roundwood (ø 50 mm)

Spare chain 20cm 1,1 32T 7,62	4501746	
Spare bar 20cm 1,1 SP6	4501755	

WOODWORKING ACCESSORIES



Chainsaw Trestle

Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	



Chainsaw Trestle 2.5

Profile thickness	2.5 mm
Maximum load capacity	200 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	8.9 kg
Article number	4500690
EAN	

PROFESSIONAL CORDLESS LEAF BLOWER

- » BRUSHLESS MOTOR
- » AXIAL FAN TECHNOLOGY
- » TURBO FUNCTION
- » ELECTRONIC SPEED CONTROL WITH LED INDICATION
- » ANGLE-ADJUSTABLE BLOWER HEAD
- » BALANCE HANDLE WITH SOFT GRIP
- » DUAL OPERATING MODE WITH ADDITIONAL NOZZLE ATTACHMENT
- » SOFT GRIP

NEW

Autumn 2025



GP-LB 36/270 Li E Brushless

PXC battery voltage	2x 18 V
Max. blow velocity	270 km/h
Max. blowing air flow	1100 m³/h
Idle speed	10000 - 22300 min⁻¹
Product weight	2.2 kg
Article only available without batteries / chargers	Article number 3433570



Battery capacity	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode – dependent on the selected speed	4-21 min	6-26 min	9-33 min	11-41 min	12-52 min	18-69 min	23-81 min	25-104 min
Max. operating time per battery charge in idle mode in TURBO mode	3 min	5 min	6 min	8 min	10 min	13 min	16 min	19 min

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode in TURBO mode

PROFESSIONAL CORDLESS LEAF BLOWER

- » BRUSHLESS MOTOR
- » TUBE LENGTH ADJUSTABLE WITHOUT TOOLS (3 LEVELS)
- » TURBO FUNCTION
- » ELECTRONIC SPEED CONTROL
- » RUGGED METAL RING FOR REMOVING WET LEAVES
- » INTEGRATED WALL MOUNT
- » BALANCE HANDLE WITH SOFT GRIP
- » INCL. CARRYING STRAP

NEW



GP-LB 36/230 Li E Brushless

PXC battery voltage	2x 18 V
Max. blow velocity	230 km/h
Max. blowing air flow	890 m³/h
Idle speed	10000 - 22300 min⁻¹
Product weight	2.3 kg
Article only available without batteries / chargers	Article number 3433650
	4 006825 682168

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
» ³⁾	3 min	4 min	5 min	8 min	10 min	12 min	13 min	17 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode in TURBO mode

PROFESSIONAL CORDLESS LEAF BLOWER

- » BRUSHLESS MOTOR
- » AXIAL FAN TECHNOLOGY
- » TURBO FUNCTION
- » ELECTRONIC SPEED CONTROL WITH LED INDICATION
- » BALANCE HANDLE WITH SOFT GRIP
- » GUTTER CLEANING SET (only GP-LB 18/200 Li GK Brushless)



GP-LB 18/200 Li GK Brushless // GP-LB 18/200 Li E Brushless

PXC battery voltage	18 V	
Max. blow velocity	200 km/h	
Max. blowing air flow	670 m³/h	
Idle speed	13000 - 18000 min ⁻¹	
Product weight	2.2 kg	
Article incl. gutter cleaning set, without battery / charger (GP-LB 18/200 Li GK Brushless)	Article number 34.335.50	4  006825 658965
Article without gutter cleaning set, without battery / charger (GP-LB 18/200 Li E Brushless)	Article number 34.335.55	4  006825 660616

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
» ³⁾	–	–	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode in TURBO mode

CORDLESS LEAF BLOWERS ACCESSORIES



Gutter Cleaning Set, 5 pieces

Suitable for	GP-LB 18/200 Li GK Brushless and GP-LB 18/200 Li E Brushless
Article number	3433559
EAN	4 006825 660906

PROFESSIONAL CORDLESS LEAF VACUUM

- » BRUSHLESS MOTOR
- » TOOLLESS CHANGEOVER FROM BLOWER AND SUCTION FUNCTION
- » TURBO FUNCTION
- » ELECTRONIC SPEED CONTROL WITH LED INDICATION
- » ADDITIONAL HANDLE
- » CLEANING OPENING WITH SAFETEY SWITCH
- » HEIGHT-ADJUSTABLE GUIDING WHEELS
- » QUALITY DEBRIS BAG WITH WINDOW FOR CHECKING THE FILLING LEVEL
- » SHREDDING WHEEL WITH CLEANING OPENING
- » SOFT GRIP
- » INCL. CARRYING STRAP



VENTURRO 36/240

PXC battery voltage	2x 18 V
Max. blow velocity	240 km/h
Max. suction power	740 m³/h
Idle speed	8000 - 15000 min⁻¹
Shredding function	10:1
Debris bag volume	45 l
Product weight	3.6 kg
Article only available without batteries / chargers	Article number 3433640



Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed ²⁾	7-17 min	9-23 min	10-27 min	14-35 min	17-46 min	21-56 min	27-70 min	34-92 min
Max. operating time per battery charge in idle mode (TURBO vacuuming mode) ³⁾	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min
Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed ⁴⁾	7-19 min	9-25 min	10-28 min	14-37 min	18-49 min	21-58 min	28-74 min	36-98 min
Max. operating time per battery charge in idle mode (TURBO blowing mode) ⁵⁾	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

⁴⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

⁵⁾ Max. operating time per battery charge in idle mode (TURBO blowing mode)

PROFESSIONAL CORDLESS PRUNING SHEARS



- » BRUSHLESS MOTOR
- » 2-IN-1: CONVENIENT PRUNING SCISSORS AND TELESCOPIC SCISSORS
- » ADJUSTABLE BLADE ANGLE (14/28 MM)
- » SWIVELLING TELESCOPIC HANDLE
- » BYPASS BLADES MADE FROM SK5 STEEL
- » BELT CLIP
- » METAL HOOK
- » STURDY PLASTIC COVER

GP-LS 18/28 Li T Brushless

PXC battery voltage	18 V
Min. branch diameter	14 mm
Max. branch diameter	28 mm
Max. working height	3.8 m
Product weight	1.9 kg
Article only available without battery / charger	Article number 3408330



	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	1080 pcs	1450 pcs	1830 pcs	2175 pcs	2900 pcs	3860 pcs	4350 pcs	5800 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through round dry beech wood (ø 15 mm)

PROFESSIONAL CORDLESS PRUNING SHEARS

- » BRUSHLESS MOTOR
- » ADJUSTABLE BLADE ANGLE (14/28 MM)
- » BYPASS BLADES MADE FROM SK5 STEEL
- » BELT CLIP
- » STURDY PLASTIC COVER



GP-LS 18/28 Li Brushless

PXC battery voltage	18 V
Min. branch diameter	14 mm
Max. branch diameter	28 mm
Product weight	0.8 kg
Article only available without battery / charger	Article number 3408320



Battery capacity ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. cuts per battery charge ²⁾	1080 pcs	1450 pcs	1830 pcs	2175 pcs	2900 pcs	3860 pcs	4350 pcs	5800 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through round dry beech wood (ø 15 mm)



**DUST
PROTECTED** **WATER
PROTECTED**



ACCESSORIES – BATTERIES

4.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage	18 V / 4.0 Ah
Battery power	max. 900 W
Product weight	0.58 kg
Article number	4511627
EAN	4 006825 673227

3.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage	18 V / 3.0 Ah
Battery power	max. 900 W
Product weight	0.57 kg
Article number	4511618
EAN	4 006825 672794



SEALED TECHNOLOGY. NO CHANCE FOR DUST AND WATER.

Officially tested to IP57 protection class.*

WHAT DOES IP57 MEAN?

DUST 5

Protected from all types of foreign bodies and dust – be it wood, brick or metal.



7 WATER

Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.



In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

* Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery.




PLUS TECHNOLOGY

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors – at 100 % power and running time.


Results: Light-weight all-rounders energy-intensive applications such as in cordless chainsaws.



MULTI-AH TECHNOLOGY

Thanks to MULTI-Ah technology, switching over from a 5.0 Ah battery to a 8.0 Ah battery is really easy and can be done with just the push of a button.

The 5.0 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamps or cordless screwdrivers). The 8.0 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mowers or cordless wet and dry vacuum cleaners).



ONE BATTERY FOR ALL DEVICES – TWIN-PACK TECHNOLOGY

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.

ACCESSORIES – BATTERIES

One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger)

	Less weight and size		PXC Batteries		More power and runtime	
						 NEW
	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	3.0 Ah PLUS	3.0 Ah SEALED
Solo (1 battery)	Only available in Starter Kits	4511395	Only available in Starter Kits	Only available in Kits	4511501	4511618
EAN	-		-	-		
Power	max. 450 W	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W
Weight	400 g	400 g	460 g	650 g	585 g	595 g
Features						
PLUS – Extra Power					✓	✓
SEALED						✓
Multi-Ah						

	Less weight and size		PXC Batteries		More power and runtime	
			 NEW			
	4.0 Ah	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Solo (1 battery)	4511396	4511553	4511627	4511437	4511502	4511600
EAN						
Power	max. 900 W	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	670 g	595 g	605 g	890 g	1020 g	1050 g
Features						
PLUS – Extra Power		✓	✓	✓	✓	✓
SEALED			✓			
Multi-Ah					✓	✓

				
	3.0 Ah PLUS	4.0 Ah	4.0 Ah PLUS	5.2 Ah
Twin-Pack (2 batteries)	4511631	4511489	4511629	4511526
EAN				

ACCESSORIES – STARTER KITS

Getting started is easy – with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:

					
	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
Article number (1 battery + 1 charger)	4512097	4512042	4512159	4512114	4512143
EAN					
Article number (2 batteries + 1 Twincharger)	-	4512112	-	-	-
EAN	-		-	-	-
Charger (More information in the charger table)	3 A Charger	3 A Charger / 3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
Ready to go	50 min	75 min	75 min	80 min	60 min

ACCESSORIES – CHARGERS

One charger for all batteries – 100% compatibility

					
	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger
Article number	Only available in Starter Kits	4512113	4512103	Only available in Starter Kits	4512155
EAN	-			-	
Charging current	3 A	3 A	4 A	6 A	8 A
Number of ports for PXC batteries	1	1	1	1	1

			
	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
Article number	4512069	4512161	4512102
EAN			
Charging current	3 A (per port)	4 A (per port)	4 A (per port) (parallel charging of 2x2 batteries)
Number of ports for PXC batteries	2	2	4

NEW



- » Endless extendable
- » Tongue and groove connection
- » Snap-in function for secure fastening

PXC ACCESSORIES

Battery Mounting Gadget

Items supplied	2 battery mounting gadgets, 4 screws, 4 dowels	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Special feature	The batteries latch in place and are secure in every position	
Article number	4514155	4 006825 658774



- » Protects the battery against dust and moisture

PXC ACCESSORIES

Battery Protector

Items supplied	1 battery cover	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Can be used for (devices)	HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li	
Special feature	Protects the battery against dust and moisture	
Article number	4140151	4 006825 670844

BATTERY CHARGING TIME TABLE

	1,5 Ah	2,0 Ah	2,5 Ah	3,0 Ah	4,0 Ah	5,2 Ah	6,0 Ah	8,0 Ah
Power X-Charger 3 A								
Power X-Twincharger 3 A (parallel charging of 2 batteries)	30 min	40 min	50 min	60 min	75 min	100 min	120 min	160 min
Power X-Car Charger 3 A								
Power X-Twincharger 4 A								
Power X-Fastcharger 4 A	24 min	30 min	37 min	45 min	60 min	80 min	90 min	120 min
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)								
Power X-Boostcharger 6 A *	24 min	30 min	27 min	32 min	40 min	50 min	60 min	80 min
Power X-Boostcharger 8 A **	24 min	30 min	27 min	32 min	40 min	40 min	45 min	60 min

Shorter charging time

-25%

-50%

-60%

* Only 2,5 Ah - 8,0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

** Only 5,2 Ah - 8,0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.



***EINHELL IS
OFFICIAL HOME & GARDEN EXPERT
OF FC BAYERN!***



Official Home & Garden Expert



Einhell
PROFESSIONAL

***GARDEN
2025***