

Uncaught TYPO3 Exception

**Undeclared arguments passed to ViewHelper TYPO3\CMS\Fluid\ViewHelpers\FlashMessagesViewHelper: class**

TYPO3Fluid\Fluid\Core\ViewHelper\Exception thrown in file  
 W:\server\typo3\vendor\typo3fluid\fluid\src\Core\ViewHelper\AbstractViewHelper.php in line 456.

29 TYPO3Fluid\Fluid\Core\ViewHelper\AbstractViewHelper::validateAdditionalArguments(*array*)

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\SyntaxTree\ViewHelperNode.php:

```
00194:     }
00195:     $this->abortIfRequiredArgumentsAreMissing($argumentDefinitions, $argumentsObjectTree);
00196:     $this->uninitializedViewHelper->validateAdditionalArguments($additionalArguments);
00197: }
00198:
```

28 TYPO3Fluid\Fluid\Core\Parser\SyntaxTree\ViewHelperNode::validateArguments(*array*, *array*)

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\SyntaxTree\ViewHelperNode.php:

```
00064:     $this->argumentDefinitions = $resolver->getArgumentDefinitionsForViewHelper($this->uninitializedViewHelper);
00065:     $this->rewriteBooleanNodesInArgumentsObjectTree($this->argumentDefinitions, $this->arguments);
00066:     $this->validateArguments($this->argumentDefinitions, $this->arguments);
00067: }
00068:
```

27 TYPO3Fluid\Fluid\Core\Parser\SyntaxTree\ViewHelperNode::\_\_construct(*TYPO3\CMS\Fluid\Core\Rendering\RenderingContext*, "f", "flashMessages", *array*, *TYPO3Fluid\Fluid\Core\Parser\ParsingState*)

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\TemplateParser.php:

```
00353:     }
00354:     $currentViewHelperNode = new ViewHelperNode(
00355:         $this->renderingContext,
00356:         $namespaceIdentifier,
00357:         $methodIdentifier,
```

26 TYPO3Fluid\Fluid\Core\Parser\TemplateParser::initializeViewHelperAndAddItToStack(*TYPO3Fluid\Fluid\Core\Parser\ParsingState*, "f", "flashMessages", *array*)

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\TemplateParser.php:

```
00319:         $namespaceIdentifier,
00320:         $methodIdentifier,
00321:         $this->parseArguments($arguments)
00322:     );
00323:
```

25 TYPO3Fluid\Fluid\Core\Parser\TemplateParser::openingViewHelperTagHandler(*TYPO3Fluid\Fluid\Core\Parser\ParsingState*, "f", "flashMessages", " class="powermail\_message powermail\_message\_error" ", *boolean*, "<f:flashMessages class="powermail\_message powermai

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\TemplateParser.php:

```
00280:         $matchedVariables['MethodIdentifier'],
00281:         $matchedVariables['Attributes'],
00282:         ($matchedVariables['Selfclosing'] === ' ' ? false : true),
00283:         $templateElement
00284:     )) {
```

24 TYPO3Fluid\Fluid\Core\Parser\TemplateParser::buildObjectTree(*array*, 2)

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\TemplateParser.php:

```
00123:     }
00124:     $splitTemplate = $this->splitTemplateAtDynamicTags($templateString);
00125:     $parsingState = $this->buildObjectTree($splitTemplate, self::CONTEXT_OUTSIDE_VIEWHELPER_ARGUMENTS);
00126:     } catch (Exception $error) {
00127:         throw $this->createParsingRelatedExceptionWithContext($error, $templateIdentifier);
```

23 TYPO3Fluid\Fluid\Core\Parser\TemplateParser::parse("{namespace vh=In2code\Powermail\ViewHelpers}<f:la\_or\_no\_form" />< /f:else>< /f:if>< /f:section>", "Form\_action\_form\_f23d309e4fce34a783da93be3347921e365c2e34")

W:\server\typo3\vendor\typo3fluid\fluid\src\Core\Parser\TemplateParser.php:

```
00169:     } else {
00170:         $parsedTemplate = $this->parse(
00171:             $templateSourceClosure($this, $this->renderingContext->getTemplatePaths()),
00172:             $templateIdentifier
00173:         );
```

22 TYPO3Fluid\Fluid\Core\Parser\TemplateParser::getOrParseAndStoreTemplate("Form\_action\_form\_f23d309e4fce34a783da93be3347921e365c2e34", *Closure*)

W:\server\typo3\vendor\typo3fluid\fluid\src\View\AbstractTemplateView.php:

```

00360:         function($parent, TemplatePaths $paths) use ($controllerName, $actionName) {
00361:             return $paths->getTemplateSource($controllerName, $actionName);
00362:         }
00363:     };
00364:     if ($parsedTemplate->isCompiled()) {

21 TYPO3Fluid\Fluid\View\AbstractTemplateView::getCurrentParsedTemplate()

W:\server\typo3\vendor\typo3fluid\fluid\src\View\AbstractTemplateView.php:
00176:     }
00177:     try {
00178:         $parsedTemplate = $this->getCurrentParsedTemplate();
00179:     } catch (PassthroughSourceException $error) {
00180:         return $error->getSource();

20 TYPO3Fluid\Fluid\View\AbstractTemplateView::render()

W:\server\typo3\typo3\sysext\extbase\Classes\Mvc\Controller\ActionController.php:
00349:
00350:         if ($actionResult === null && $this->view instanceof ViewInterface) {
00351:             $this->response->appendContent($this->view->render());
00352:         } elseif (is_string($actionResult) && $actionResult !== '') {
00353:             $this->response->appendContent($actionResult);

19 TYPO3\CMS\Extbase\Mvc\Controller\ActionController::callActionMethod()

W:\server\typo3\typo3\sysext\extbase\Classes\Mvc\Controller\ActionController.php:
00175:         $this->initializeView($this->view);
00176:     }
00177:     $this->callActionMethod();
00178:     $this->renderAssetsForRequest($request);
00179: }

18 TYPO3\CMS\Extbase\Mvc\Controller\ActionController::processRequest(TYPO3\CMS\Extbase\Mvc\Web\Request, TYPO3\CMS\Extbase\Mvc\Web\Response)

W:\server\typo3\typo3\sysext\extbase\Classes\Mvc\Dispatcher.php:
00084:         $controller = $this->resolveController($request);
00085:         try {
00086:             $controller->processRequest($request, $response);
00087:         } catch (\TYPO3\CMS\Extbase\Mvc\Exception\StopActionException $ignoredException) {
00088:         }

17 TYPO3\CMS\Extbase\Mvc\Dispatcher::dispatch(TYPO3\CMS\Extbase\Mvc\Web\Request, TYPO3\CMS\Extbase\Mvc\Web\Response)

W:\server\typo3\typo3\sysext\extbase\Classes\Mvc\Web\FrontendRequestHandler.php:
00089:         /** @var $response \TYPO3\CMS\Extbase\Mvc\ResponseInterface */
00090:         $response = $this->objectManager->get(\TYPO3\CMS\Extbase\Mvc\Web\Response::class);
00091:         $this->dispatcher->dispatch($request, $response);
00092:         return $response;
00093:     }

16 TYPO3\CMS\Extbase\Mvc\Web\FrontendRequestHandler::handleRequest()

W:\server\typo3\typo3\sysext\extbase\Classes\Core\Bootstrap.php:
00204:         $requestHandler = $requestHandlerResolver->resolveRequestHandler();
00205:
00206:         $response = $requestHandler->handleRequest();
00207:         // If response is NULL after handling the request we need to stop
00208:         // This happens for instance, when a USER object was converted to a USER_INT

15 TYPO3\CMS\Extbase\Core\Bootstrap::handleRequest()

W:\server\typo3\typo3\sysext\extbase\Classes\Core\Bootstrap.php:
00191:     {
00192:         $this->initialize($configuration);
00193:         return $this->handleRequest();
00194:     }
00195: }

14 TYPO3\CMS\Extbase\Core\Bootstrap::run("", array)

13 call_user_func_array(array, array)

W:\server\typo3\typo3\sysext\frontend\Classes\ContentObject\ContentObjectRenderer.php:
06628:         ], [
06629:             $content,

```

```

06630:             $conf
06631:         });
06632:     } else {

12 TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer::callUserFunction("TYPO3\CMS\Extbase\Core\Bootstrap->run", array, "")

W:\server\typo3\typo3\sys_ext\frontend\Classes\ContentObject\UserContentObject.php:
00039:     $this->cObj->setUserObjectType(ContentObjectRenderer::OBJECTTYPE_USER);
00040: }
00041: $tempContent = $this->cObj->callUserFunction($conf['userFunc'], $conf, '');
00042: if ($this->cObj->doConvertToUserIntObject) {
00043:     $this->cObj->doConvertToUserIntObject = false;

11 TYPO3\CMS\Frontend\ContentObject\UserContentObject::render(array)

W:\server\typo3\typo3\sys_ext\frontend\Classes\ContentObject\ContentObjectRenderer.php:
00825:     // Render content
00826:     try {
00827:         $content .= $contentObject->render($configuration);
00828:     } catch (ContentRenderingException $exception) {
00829:         // Content rendering Exceptions indicate a critical problem which should not be

10 TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer::render(TYPO3\CMS\Frontend\ContentObject\UserContentObject, array)

W:\server\typo3\typo3\sys_ext\frontend\Classes\ContentObject\ContentObjectRenderer.php:
00741:     $contentObject = $this->getContentObject($name);
00742:     if ($contentObject) {
00743:         $content .= $this->render($contentObject, $conf);
00744:     } else {
00745:         // Call hook functions for extra processing

9 TYPO3\CMS\Frontend\ContentObject\ContentObjectRenderer::cObjGetSingle("USER", array)

W:\server\typo3\typo3\sys_ext\frontend\Classes\Controller\TypoScriptFrontendController.php:
03404:         break;
03405:     case 'FUNC':
03406:         $incContent = $INTiS_cObj->cObjGetSingle('USER', $INTiS_config[$INTiS_key]['conf']);
03407:         break;
03408:     case 'POSTUSERFUNC':

8 TYPO3\CMS\Frontend\Controller\TypoScriptFrontendController::INTincScript_process(array)

W:\server\typo3\typo3\sys_ext\frontend\Classes\Controller\TypoScriptFrontendController.php:
03365:     do {
03366:         $INTiS_config = $this->config['INTincScript'];
03367:         $this->INTincScript_process($INTiS_config);
03368:         // Check if there were new items added to INTincScript during the previous execution:
03369:         $INTiS_config = array_diff_assoc($this->config['INTincScript'], $INTiS_config);

7 TYPO3\CMS\Frontend\Controller\TypoScriptFrontendController::recursivelyReplaceIntPlaceholdersInContent()

W:\server\typo3\typo3\sys_ext\frontend\Classes\Controller\TypoScriptFrontendController.php:
03332:     }
03333: }
03334: $this->recursivelyReplaceIntPlaceholdersInContent();
03335: $this->getTimeTracker()->push('Substitute header section');
03336: $this->INTincScript_loadJSCode();

6 TYPO3\CMS\Frontend\Controller\TypoScriptFrontendController::INTincScript()

W:\server\typo3\typo3\sys_ext\frontend\Classes\Http\RequestHandler.php:
00228:     if ($this->controller->isINTincScript()) {
00229:         $this->timeTracker->push('Non-cached objects, ');
00230:         $this->controller->INTincScript();
00231:         $this->timeTracker->pull();
00232:     }

5 TYPO3\CMS\Frontend\Http\RequestHandler::handleRequest(TYPO3\CMS\Core\Http\ServerRequest)

W:\server\typo3\typo3\sys_ext\core\Classes\Core\Bootstrap.php:
00308:
00309:     // Execute the command which returns a Response object or NULL
00310:     $this->response = $requestHandler->handleRequest($request);
00311:     return $this;
00312: }

```

```
4 TYPO3\CMS\Core\Bootstrap::handleRequest(TYPO3\CMS\Core\Http\ServerRequest)
w:\server\typo3\typo3\sysext\frontend\Classes\Http\Application.php:
00078:     public function run(callable $execute = null)
00079:     {
00080:         $this->bootstrap->handleRequest(\TYPO3\CMS\Core\Http\ServerRequestFactory::fromGlobals());
00081:
00082:         if ($execute !== null) {

3 TYPO3\CMS\Frontend\Http\Application::run()

w:\server\typo3\typo3\sysext\frontend\Resources\Private\Php\frontend.php:
00021:     call_user_func(function () {
00022:         $classLoader = require __DIR__ . '/../../../../../vendor/autoload.php';
00023:         (new \TYPO3\CMS\Frontend\Http\Application($classLoader)->run());
00024:     });

2 {closure}()

w:\server\typo3\typo3\sysext\frontend\Resources\Private\Php\frontend.php:
00022:     $classLoader = require __DIR__ . '/../../../../../vendor/autoload.php';
00023:     (new \TYPO3\CMS\Frontend\Http\Application($classLoader)->run());
00024: });

1 require("w:\server\typo3\typo3\sysext\frontend\Resources\Private\Php\frontend.php")

w:\server\htdocs\handspinning\ide\typo3_src\index.php:
00001: <?php
00002:
00003: require __DIR__ . '/typo3/sysext/frontend/Resources/Private/Php/frontend.php';
```