Uploaded HTML Report

Date: 31/07/2025, 12:28:06

Overall Accessibility Score: 77%

Scores by Disability Group

- 👁️ Visual: 68%
- 🖐️ Motor: 64%
- 🧠 Cognitive: 100%

Visual Group

❌ Failed Checks

color-contrast [Serious]
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-allowed-attr?application=axeAPI"
target="_blank">Elements must only use supported ARIA attributes</a>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/accesskeys?application=axeAPI"
target="_blank">accesskey attribute value should be unique</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/area-alt?application=axeAPI"
target="_blank">Active <area> elements must have alternative text</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-braille-equivalent?application=axeAPI"
target="_blank">aria-braille attributes must have a non-braille equivalent</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI"
target="_blank">ARIA dialog and alertdialog nodes should have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-input-field-name?application=axeAPI"
target="_blank">ARIA input fields must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-meter-name?application=axeAPI"
target="_blank">ARIA meter nodes must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-progressbar-name?application=axeAPI"
target="_blank">ARIA progressbar nodes must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-children?application=axeAPI"
target="_blank">Certain ARIA roles must contain particular children</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-parent?application=axeAPI"
target="_blank">Certain ARIA roles must be contained by particular parents</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-text?application=axeAPI"
target="_blank">"role=text" should have no focusable descendants</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-toggle-field-name?application=axeAPI"
target="_blank">ARIA toggle fields must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-tooltip-name?application=axeAPI"
target="_blank">ARIA tooltip nodes must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-treeitem-name?application=axeAPI"
target="_blank">ARIA treeitem nodes should have an accessible name</a>
```

```
<div class="rule-tags">Tags: forms</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/autocomplete-valid?application=axeAPI"
target="_blank">autocomplete attribute must be used correctly</a>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<blink> elements are deprecated and must not be used</blink>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<dl> elements must only directly contain properly-ordered <dt> and </dt><dd> groups, <script>,
<template> or <div> elements</a></div>
                    </script></dd></dl>
```

```
<dt> and </dt>
```

```
<dd> groups, <script>, <template> or <div> elements</a></div>
                    </script></dd>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<dt> and </dt>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI" target="_blank">
elements must be contained by a </a>
```

```
<div class="rule-tags">Tags: parsing</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/duplicate-id-aria?application=axeAPI"
target="_blank">IDs used in ARIA and labels must be unique</a>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/empty-table-header?application=axeAPI"
target="_blank">Table header text should not be empty</a>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: language</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/html-xml-lang-mismatch?application=axeAPI"
target="_blank">HTML elements with lang and xml:lang must have the same base language</a>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-button-name?application=axeAPI"
target="_blank">Input buttons must have discernible text</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-image-alt?application=axeAPI"
target="_blank">Image buttons must have alternative text</a>
```

```
<div class="rule-tags">Tags: semantics</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/landmark-complementary-is-top-level?
application=axeAPI" target="_blank">Aside should not be contained in another landmark</a>
```

```
<div class="rule-tags">Tags: parsing</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/meta-refresh?application=axeAPI"
target="_blank">Delayed refresh under 20 hours must not be used</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/role-img-alt?application=axeAPI"
target="_blank">[role="img"] elements must have an alternative text</a>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/scope-attr-valid?application=axeAPI"
target="_blank">scope attribute should be used correctly</a>
```

```
<div class="rule-tags">Tags: forms</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/select-name?application=axeAPI"
target="_blank">Select element must have an accessible name</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/server-side-image-map?application=axeAPI"
target="_blank">Server-side image maps must not be used</a>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/skip-link?application=axeAPI"
target="_blank">The skip-link target should exist and be focusable</a>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/summary-name?application=axeAPI"
target="_blank">Summary elements must have discernible text</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/table-duplicate-name?application=axeAPI" target="_blank">Tables should not have the same summary and caption</a>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/td-headers-attr?application=axeAPI" target="_blank">Table cells that use the headers attribute must only refer to cells in the same table</a>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/th-has-data-cells?application=axeAPI" target="_blank">Table headers in a data table must refer to data cells</a>
```

```
<div class="rule-tags">Tags: language</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/valid-lang?application=axeAPI" target="_blank">lang attribute must have a valid value</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

heading-order [Moderate]
Ensure the order of headings is semantically correct

```
<h4>Affected Elements:</h4>
```

input-image-alt [Critical]
Ensure Submit *elements have alternative text*

```
<input type="image">
```

Passed Checks

color-contrast
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

```
<h1>Accessibility Analysis Report</h1>
```

```
<p><strong>URL:</strong> https://www.uonbi.ac.ke/</p>
```

```
<strong>URL:</strong>
```

```
<p><strong>Scanned At:</strong> 30/07/2025, 10:19:35</p>
```

```
<strong>Scanned At:</strong>
```

```
<h2>Passes</h2>
```

```
<div class="rule-id">aria-allowed-attr</div>
```

```
<div class="description">Ensure an element's role supports its ARIA attributes</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-allowed-attr?application=axeAPI" target="_blank">Elements must only use supported ARIA attributes</a>
</div>
```

```
<h4>Affected Elements:</h4>
```

```
<pre class="html-snippet">&lt;div aria-live="polite" class="intercom-lightweight-app"&gt;</pre>
```

```
<h2>Inapplicable</h2>
```

```
<div class="rule-id">accesskeys</div>
```

Ensure every accesskey attribute value is unique

Help: accesskey attribute value should be unique

area-alt

Ensure <area> elements of image maps have alternative text

Help: Active <area> elements must have alternative text

aria-braille-equivalent

Ensure aria-braillelabel and aria-brailleroledescription have a non-braille equivalent

Help: aria-braille attributes must have a non-braille equivalent

aria-dialog-name

Ensure every ARIA dialog and alertdialog node has an accessible name

Help: ARIA dialog and alertdialog nodes should have an accessible name

aria-input-field-name

Ensure every ARIA input field has an accessible name

Help: ARIA input fields must have an accessible name

aria-meter-name

Ensure every ARIA meter node has an accessible name

Help: ARIA meter nodes must have an accessible name

aria-progressbar-name

Ensure every ARIA progressbar node has an accessible name

Help: ARIA progressbar nodes must have an accessible name

aria-required-children

Ensure elements with an ARIA role that require child roles contain them

Help: Certain ARIA roles must contain particular children

aria-required-parent

Ensure elements with an ARIA role that require parent roles are contained by them

Help: Certain ARIA roles must be contained by particular parents

aria-text

Ensure role="text" is used on elements with no focusable descendants

Help: "role=text" should have no focusable descendants

aria-toggle-field-name

Ensure every ARIA toggle field has an accessible name

Help: ARIA toggle fields must have an accessible name

aria-tooltip-name

Ensure every ARIA tooltip node has an accessible name

Help: ARIA tooltip nodes must have an accessible name

aria-treeitem-name

Ensure every ARIA treeitem node has an accessible name

Help: ARIA treeitem nodes should have an accessible name

autocomplete-valid

Ensure the autocomplete attribute is correct and suitable for the form field

Help: autocomplete attribute must be used correctly

blink

Ensure <blink> elements are not used</blink>

<blink> elements are not used</blink>

Help: <blink> elements are deprecated and must not be used</blink>

definition-list

Ensure <dl> elements are structured correctly</dl>

<dl> elements are structured correctly</dl>

dlitem

Ensure <dt> and </dt><dd> elements are contained by a <dl></dl></dd>

<dt> and </dt>

<dd> elements are contained by a <dl></dl></dd>

duplicate-id-aria

Ensure every id attribute value used in ARIA and in labels is unique

Help: IDs used in ARIA and labels must be unique

empty-table-header

Ensure table headers have discernible text

Help: Table header text should not be empty

frame-focusable-content

frame-tested

frame-title-unique

frame-title

html-xml-lang-mismatch

Ensure that HTML elements with both valid lang and xml:lang attributes agree on the base language of the page

Help: HTML elements with lang and xml:lang must have the same base language

input-button-name

Ensure input buttons have discernible text

Help: Input buttons must have discernible text

input-image-alt

Ensure <input type="image"> elements have alternative text

Help: Image buttons must have alternative text

landmark-complementary-is-top-level

Ensure the complementary landmark or aside is at top level

Help: Aside should not be contained in another landmark

marquee

<marquee> elements are not used
Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI" target="_blank">
<marquee> elements are deprecated and must not be used
</marquee> </marquee>

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/marquee?
application=axeAPI" target="_blank"><marquee> elements are deprecated and must not be used
</marquee>

meta-refresh

Ensure <meta http-equiv="refresh"> is not used for delayed
refresh

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/meta-refresh?
application=axeAPI" target="_blank">Delayed refresh under 20 hours must not be used

object-alt

role-img-alt

Ensure [role="img"] elements have alternative text

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/role-img-alt?
application=axeAPI" target="_blank">[role="img"] elements must have an alternative text

scope-attr-valid

Ensure the scope attribute is used correctly on tables

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/scope-attr-
valid?application=axeAPI" target="_blank">scope attribute should be used correctly

select-name

Ensure select element has an accessible name

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/select-name?
application=axeAPI" target="_blank">Select element must have an accessible name

server-side-image-map

Ensure that server-side image maps are not used

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/server-side-
image-map?application=axeAPI" target="_blank">Server-side image maps must not be used

skip-link

Ensure all skip links have a focusable target

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/skip-link?
application=axeAPI" target="_blank">The skip-link target should exist and be focusable

summary-name

Ensure summary elements have discernible text

Help: <a href="https://dequeuniversity.com/rules/axe/4.10/summary-name?

application=axeAPI" target="_blank">Summary elements must have discernible text

svg-img-alt

Ensure <svg> elements with an img, graphics-document or graphics-symbol role have an accessible text</svg>

Help: <svg> elements with an img role must have an alternative text</svg>

table-duplicate-name

Ensure the element does not contain the same text as the summary attribute

Help: Tables should not have the same summary and caption

td-headers-attr

Ensure that each cell in a table that uses the headers attribute refers only to other cells in that table

Help: Table cells that use the headers attribute must only refer to cells in the same table

th-has-data-cells

Ensure that elements and elements with role=columnheader/rowheader have data cells they describe

Help: Table headers in a data table must refer to data cells

valid-lang

Ensure lang attributes have valid values

Help: lang attribute must have a valid value

video-caption

Ensure <video> elements have captions</video>

Help: <video> elements must have captions</video>

no-autoplay-audio

Ensure <video> or <audio> elements do not autoplay audio for more than 3 seconds without a control mechanism to stop or mute the audio</audio></video>

Help: <video> or <audio> elements must not play automatically</audio></video>

document-title
Ensure each HTML document contains a non-empty