Uploaded HTML Report

Date: 31/07/2025, 13:07:47

Overall Accessibility Score: 77%

Scores by Disability Group

- 👁️ Visual: 68%
- 🖐️ Motor: 64%
- 🧠 Cognitive: 100%

Visual Group

❌ Failed Checks

color-contrast [Serious]
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-allowed-attr?application=axeAPI" target="_blank">Elements must only use supported ARIA attributes</a>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/accesskeys?application=axeAPI" target="_blank">accesskey attribute value should be unique</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/area-alt?application=axeAPI" target="_blank">Active <area> elements must have alternative text</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-braille-equivalent?application=axeAPI" target="_blank">aria-braille attributes must have a non-braille equivalent</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI" target="_blank">ARIA dialog and alertdialog nodes should have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-input-field-name?application=axeAPI" target="_blank">ARIA input fields must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-meter-name?application=axeAPI"
target="_blank">ARIA meter nodes must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-progressbar-name?
application=axeAPI" target="_blank">ARIA progressbar nodes must have an accessible
name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-children?
application=axeAPI" target="_blank">Certain ARIA roles must contain particular
children</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-parent?
application=axeAPI" target="_blank">Certain ARIA roles must be contained by particular
parents</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-text?application=axeAPI"
target="_blank">"role=text" should have no focusable descendants</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-toggle-field-name?
application=axeAPI" target="_blank">ARIA toggle fields must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-tooltip-name?
application=axeAPI" target="_blank">ARIA tooltip nodes must have an accessible name</a>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-treeitem-name?
application=axeAPI" target="_blank">ARIA treeitem nodes should have an accessible
name</a>
```

```
<div class="rule-tags">Tags: forms</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/autocomplete-valid?
application=axeAPI" target="_blank">autocomplete attribute must be used correctly</a>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<blink> elements are deprecated and must not be used</blink>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<dl> elements must only directly contain properly-ordered <dt> and </dt><dd> groups,
<script>, <template> or <div> elements</a></div>
                    </script></dd></dl>
```

```
<dt> and </dt>
```

```
<dd> groups, <script>, <template> or <div> elements</a></div>
                    </script></dd>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<dt> and </dt>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"> elements must be contained by a </a>
```

```
<div class="rule-tags">Tags: parsing</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/duplicate-id-aria?
application=axeAPI" target="_blank">IDs used in ARIA and labels must be unique</a>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/empty-table-header?
application=axeAPI" target="_blank">Table header text should not be empty</a>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: language</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/html-xml-lang-mismatch?
application=axeAPI" target="_blank">HTML elements with lang and xml:lang must have the
same base language</a>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-button-name?
application=axeAPI" target="_blank">Input buttons must have discernible text</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-image-alt?application=axeAPI"
target="_blank">Image buttons must have alternative text</a>
```

```
<div class="rule-tags">Tags: semantics</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/landmark-complementary-is-top-
level?application=axeAPI" target="_blank">Aside should not be contained in another
landmark</a>
```

```
<div class="rule-tags">Tags: parsing</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/meta-refresh?application=axeAPI"
target="_blank">Delayed refresh under 20 hours must not be used</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/role-img-alt?application=axeAPI"
target="_blank">[role="img"] elements must have an alternative text</a>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/scope-attr-valid?
application=axeAPI" target="_blank">scope attribute should be used correctly</a>
```

```
<div class="rule-tags">Tags: forms</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/select-name?application=axeAPI"
target="_blank">Select element must have an accessible name</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/server-side-image-map?
application=axeAPI" target="_blank">Server-side image maps must not be used</a>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/skip-link?application=axeAPI"
target="_blank">The skip-link target should exist and be focusable</a>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/summary-name?application=axeAPI"
target="_blank">Summary elements must have discernible text</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/table-duplicate-name?
application=axeAPI" target="_blank">Tables should not have the same summary and
caption</a>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/td-headers-attr?application=axeAPI"
target="_blank">Table cells that use the headers attribute must only refer to cells in
the same table</a>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/th-has-data-cells?
application=axeAPI" target="_blank">Table headers in a data table must refer to data
cells</a>
```

```
<div class="rule-tags">Tags: language</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/valid-lang?application=axeAPI"
target="_blank">lang attribute must have a valid value</a>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

heading-order [Moderate]
Ensure the order of headings is semantically correct

```
<h4>Affected Elements:</h4>
```

input-image-alt [Critical]
Ensure <input type="image"> elements have alternative text

```
<input type="image">
```

✅ Passed Checks

color-contrast

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

```
<h1>Accessibility Analysis Report</h1>
```

```
<p><strong>URL:</strong> https://www.uonbi.ac.ke/</p>
```

```
<strong>URL:</strong>
```

```
<p><strong>Scanned At:</strong> 30/07/2025, 10:19:35</p>
```

```
<strong>Scanned At:</strong>
```

```
<h2>Passes</h2>
```

```
<div class="rule-id">aria-allowed-attr</div>
```

```
<div class="description">Ensure an element's role supports its ARIA attributes</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-allowed-attr?application=axeAPI" target="_blank">Elements must only use supported ARIA attributes</a></div>
```

```
<h4>Affected Elements:</h4>
```

```
<pre class="html-snippet">&lt;div aria-live="polite" class="intercom-lightweight-app"&gt;</pre>
```

```
<h2>Inapplicable</h2>
```

```
<div class="rule-id">accesskeys</div>
```

```
<div class="description">Ensure every accesskey attribute value is unique</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/accesskeys?application=axeAPI" target="_blank">accesskey attribute value should be unique</a></div>
```

```
<div class="rule-id">area-alt</div>
```

```
<div class="description">Ensure <area> elements of image maps have alternative text</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/area-alt?application=axeAPI" target="_blank">Active <area> elements must have alternative text</a></div>
```

```
<div class="rule-id">aria-braille-equivalent</div>
```

```
<div class="description">Ensure aria-braillelabel and aria-brailleroledescription have a non-braille equivalent</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-braille-equivalent?application=axeAPI" target="_blank">aria-braille attributes must have a non-braille equivalent</a></div>
```

```
<div class="rule-id">aria-dialog-name</div>
```

```
<div class="description">Ensure every ARIA dialog and alertdialog node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?application=axeAPI" target="_blank">ARIA dialog and alertdialog nodes should have an accessible name</a></div>
```

```
<div class="rule-id">aria-input-field-name</div>
```

```
<div class="description">Ensure every ARIA input field has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-input-field-name?application=axeAPI" target="_blank">ARIA input fields must have an accessible name</a></div>
```

```
<div class="rule-id">aria-meter-name</div>
```

```
<div class="description">Ensure every ARIA meter node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-meter-name?application=axeAPI" target="_blank">ARIA meter nodes must have an accessible name</a></div>
```

```
<div class="rule-id">aria-progressbar-name</div>
```

```
<div class="description">Ensure every ARIA progressbar node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-progressbar-name?application=axeAPI" target="_blank">ARIA progressbar nodes must have an accessible name</a></div>
```

```
<div class="rule-id">aria-required-children</div>
```

```
<div class="description">Ensure elements with an ARIA role that require child roles contain them</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-children?application=axeAPI" target="_blank">Certain ARIA roles must contain particular children</a></div>
```

```
<div class="rule-id">aria-required-parent</div>
```

```
<div class="description">Ensure elements with an ARIA role that require parent roles are contained by them</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-parent?application=axeAPI" target="_blank">Certain ARIA roles must be contained by particular parents</a></div>
```

```
<div class="rule-id">aria-text</div>
```

```
<div class="description">Ensure role="text" is used on elements with no focusable descendants</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-text?application=axeAPI" target="_blank">"role=text" should have no focusable descendants</a></div>
```

```
<div class="rule-id">aria-toggle-field-name</div>
```

```
<div class="description">Ensure every ARIA toggle field has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-toggle-field-name?application=axeAPI" target="_blank">ARIA toggle fields must have an accessible name</a></div>
```

```
<div class="rule-id">aria-tooltip-name</div>
```

```
<div class="description">Ensure every ARIA tooltip node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-tooltip-name?application=axeAPI" target="_blank">ARIA tooltip nodes must have an accessible name</a></div>
```

```
<div class="rule-id">aria-treeitem-name</div>
```

```
<div class="description">Ensure every ARIA treeitem node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-treeitem-name?application=axeAPI" target="_blank">ARIA treeitem nodes should have an accessible name</a></div>
```

```
<div class="rule-id">autocomplete-valid</div>
```

```
<div class="description">Ensure the autocomplete attribute is correct and suitable for the form field</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/autocomplete-valid?application=axeAPI" target="_blank">autocomplete attribute must be used correctly</a></div>
```

```
<div class="rule-id">blink</div>
```

```
<div class="description">Ensure <blink> elements are not used</blink></div>
```

```
<blink> elements are not used</blink>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/blink?application=axeAPI" target="_blank"><blink> elements are deprecated and must not be used</blink></a></div>
```

```
<div class="rule-id">definition-list</div>
```

```
<div class="description">Ensure <dl> elements are structured correctly</dl></div>
```

```
<dl> elements are structured correctly</dl>
```

```
<div class="help-url">
```

```
<div class="rule-id">dlitem</div>
```

```
<div class="description">Ensure <dt> and </dt><dd> elements are contained by a <dl></dl></dd></div>
```

```
<dt> and </dt>
```

```
<dd> elements are contained by a <dl></dl></dd>
```

```
<div class="help-url">
```

```
<div class="rule-id">duplicate-id-aria</div>
```

```
<div class="description">Ensure every id attribute value used in ARIA and in labels is unique</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/duplicate-id-aria?application=axeAPI" target="_blank">IDs used in ARIA and labels must be unique</a></div>
```

```
<div class="rule-id">empty-table-header</div>
```

```
<div class="description">Ensure table headers have discernible text</div>
```

Help: Table header text should not be empty

frame-focusable-content

frame-tested

frame-title-unique

frame-title

html-xml-lang-mismatch

Ensure that HTML elements with both valid lang and xml:lang attributes agree on the base language of the page

Help: HTML elements with lang and xml:lang must have the same base language

input-button-name

Ensure input buttons have discernible text

Help: Input buttons must have discernible text

input-image-alt

Ensure <input type="image"> elements have alternative text

Help: Image buttons must have alternative text

landmark-complementary-is-top-level

Ensure the complementary landmark or aside is at top level

Help: Aside should not be contained in another landmark

marquee

<marquee> elements are not used
Help: <a href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI"

```
target="_blank"><marquee> elements are deprecated and must not be used
                    </marquee></a></div></marquee>
```

```
<div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI"
target="_blank"><marquee> elements are deprecated and must not be used
                    </marquee></a></div>
```

```
<div class="rule-id">meta-refresh</div>
```

```
<div class="description">Ensure <meta http-equiv="refresh"> is not used for delayed
refresh</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/meta-
refresh?application=axeAPI" target="_blank">Delayed refresh under 20 hours must not be
used</a></div>
```

```
<div class="rule-id">object-alt</div>
```

```
<div class="description">
```

```
<div class="rule-id">role-img-alt</div>
```

```
<div class="description">Ensure [role="img"] elements have alternative text</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/role-
img-alt?application=axeAPI" target="_blank">[role="img"] elements must have an
alternative text</a></div>
```

```
<div class="rule-id">scope-attr-valid</div>
```

```
<div class="description">Ensure the scope attribute is used correctly on tables</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/scope-
attr-valid?application=axeAPI" target="_blank">scope attribute should be used
correctly</a></div>
```

```
<div class="rule-id">select-name</div>
```

```
<div class="description">Ensure select element has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/select-
name?application=axeAPI" target="_blank">Select element must have an accessible
name</a></div>
```

```
<div class="rule-id">server-side-image-map</div>
```

```
<div class="description">Ensure that server-side image maps are not used</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/server-
side-image-map?application=axeAPI" target="_blank">Server-side image maps must not be
used</a></div>
```

```
<div class="rule-id">skip-link</div>
```

```
<div class="description">Ensure all skip links have a focusable target</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/skip-
link?application=axeAPI" target="_blank">The skip-link target should exist and be
focusable</a></div>
```

```
<div class="rule-id">summary-name</div>
```

```
<div class="description">Ensure summary elements have discernible text</div>
```

```
<div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/summary-name?application=axeAPI"
target="_blank">Summary elements must have discernible text</a></div>

<div class="rule-id">svg-img-alt</div>

<div class="description">Ensure <svg> elements with an img, graphics-document or
graphics-symbol role have an accessible text</svg></div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/svg-
img-alt?application=axeAPI" target="_blank"><svg> elements with an img role must have
an alternative text</svg></a></div>

<div class="rule-id">table-duplicate-name</div>

<div class="description">Ensure the  element does not contain the same text as the
summary attribute</div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/table-
duplicate-name?application=axeAPI" target="_blank">Tables should not have the same
summary and caption</a></div>

<div class="rule-id">td-headers-attr</div>

<div class="description">Ensure that each cell in a table that uses the headers
attribute refers only to other cells in that table</div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/td-
headers-attr?application=axeAPI" target="_blank">Table cells that use the headers
attribute must only refer to cells in the same table</a></div>

<div class="rule-id">th-has-data-cells</div>

<div class="description">Ensure that  elements and elements with
role=columnheader/rowheader have data cells they describe</div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/th-has-
data-cells?application=axeAPI" target="_blank">Table headers in a data table must refer
to data cells</a></div>

<div class="rule-id">valid-lang</div>

<div class="description">Ensure lang attributes have valid values</div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/valid-
lang?application=axeAPI" target="_blank">lang attribute must have a valid value</a>
</div>

<div class="rule-id">video-caption</div>

<div class="description">Ensure <video> elements have captions</video></div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/video-
caption?application=axeAPI" target="_blank"><video> elements must have captions</video>
</a></div>

<div class="rule-id">no-autoplay-audio</div>

<div class="description">Ensure <video> or <audio> elements do not autoplay audio for
more than 3 seconds without a control mechanism to stop or mute the audio</audio>
</video></div>

<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/no-
autoplay-audio?application=axeAPI" target="_blank"><video> or <audio> elements must not
```

```
play automatically</audio></video></a></div>
```

document-title
Ensure each HTML document contains a non-empty <title> element

```
<html lang="en">
```

heading-order
Ensure the order of headings is semantically correct

```
<h1>Accessibility Analysis Report</h1>
```

```
<h2>Passes</h2>
```

```
<h2>Inapplicable</h2>
```

html-has-lang
Ensure every HTML document has a lang attribute

```
<html lang="en">
```

Motor Group

❌ Failed Checks

landmark-one-main [Moderate]
Ensure the document has a main landmark

```
<html lang="en">
```

link-name [Serious]
Ensure links have discernible text

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/object-alt?application=axeAPI"
target="_blank"><object> elements must have alternative text
                    </object></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/svg-img-alt?application=axeAPI"
target="_blank"><svg> elements with an img role must have an alternative text</svg></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/video-caption?application=axeAPI"
target="_blank"><video> elements must have captions</video></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/no-autoplay-audio?
application=axeAPI" target="_blank"><video> or <audio> elements must not play
automatically</audio></video></a>
```

region [Moderate]
Ensure all page content is contained by landmarks

```
<div class="container">
```

✅ Passed Checks

bypass
Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content

```
<html lang="en">
```

link-name

Ensure links have discernible text

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-allowed-attr?
application=axeAPI" target="_blank">Elements must only use supported ARIA
attributes</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/accesskeys?application=axeAPI"
target="_blank">accesskey attribute value should be unique</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/area-alt?application=axeAPI"
target="_blank">Active <area> elements must have alternative text</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-braille-equivalent?
application=axeAPI" target="_blank">aria-braille attributes must have a non-braille
equivalent</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?
application=axeAPI" target="_blank">ARIA dialog and alertdialog nodes should have an
accessible name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-input-field-name?
application=axeAPI" target="_blank">ARIA input fields must have an accessible name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-meter-name?application=axeAPI"
target="_blank">ARIA meter nodes must have an accessible name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-progressbar-name?
application=axeAPI" target="_blank">ARIA progressbar nodes must have an accessible
name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-children?
application=axeAPI" target="_blank">Certain ARIA roles must contain particular
children</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-parent?
application=axeAPI" target="_blank">Certain ARIA roles must be contained by particular
parents</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-text?application=axeAPI"
target="_blank">"role=text" should have no focusable descendants</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-toggle-field-name?
application=axeAPI" target="_blank">ARIA toggle fields must have an accessible name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-tooltip-name?
application=axeAPI" target="_blank">ARIA tooltip nodes must have an accessible name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-treeitem-name?
application=axeAPI" target="_blank">ARIA treeitem nodes should have an accessible
name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/autocomplete-valid?
application=axeAPI" target="_blank">autocomplete attribute must be used correctly</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/blink?application=axeAPI"
target="_blank"><blink> elements are deprecated and must not be used</blink></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/definition-list?application=axeAPI"
target="_blank"><dl> elements must only directly contain properly-ordered <dt> and
</dt><dd> groups, <script>, <template> or <div> elements</a></div>
                    </script></dd></dl></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"><dt> and </dt></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"> elements must be contained by a </a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/duplicate-id-aria?
application=axeAPI" target="_blank">IDs used in ARIA and labels must be unique</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/empty-table-header?
application=axeAPI" target="_blank">Table header text should not be empty</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/html-xml-lang-mismatch?
application=axeAPI" target="_blank">HTML elements with lang and xml:lang must have the
same base language</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-button-name?
application=axeAPI" target="_blank">Input buttons must have discernible text</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-image-alt?application=axeAPI"
target="_blank">Image buttons must have alternative text</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/landmark-complementary-is-top-
level?application=axeAPI" target="_blank">Aside should not be contained in another
landmark</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI"
target="_blank"><marquee> elements are deprecated and must not be used
                    </marquee></a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/meta-refresh?application=axeAPI"
target="_blank">Delayed refresh under 20 hours must not be used</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/role-img-alt?application=axeAPI"
target="_blank">[role="img"] elements must have an alternative text</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/scope-attr-valid?
application=axeAPI" target="_blank">scope attribute should be used correctly</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/select-name?application=axeAPI"
target="_blank">Select element must have an accessible name</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/server-side-image-map?
application=axeAPI" target="_blank">Server-side image maps must not be used</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/skip-link?application=axeAPI"
target="_blank">The skip-link target should exist and be focusable</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/summary-name?application=axeAPI"
target="_blank">Summary elements must have discernible text</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/table-duplicate-name?
application=axeAPI" target="_blank">Tables should not have the same summary and
caption</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/td-headers-attr?application=axeAPI"
target="_blank">Table cells that use the headers attribute must only refer to cells in
the same table</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/th-has-data-cells?
application=axeAPI" target="_blank">Table headers in a data table must refer to data
cells</a>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/valid-lang?application=axeAPI"
```

```
target="_blank">lang attribute must have a valid value</a>
```

region

Ensure all page content is contained by landmarks

```
<h1>Accessibility Analysis Report</h1>
```

```
<div id="summary-info" class="analysis-summary">
                <p><strong>URL:</strong> https://www.uonbi.ac.ke/</p>
                <p><strong>Scanned At:</strong> 30/07/2025, 10:19:35</p>
            </div>
```

```
<p><strong>URL:</strong> https://www.uonbi.ac.ke/</p>
```

```
<strong>URL:</strong>
```

```
<p><strong>Scanned At:</strong> 30/07/2025, 10:19:35</p>
```

```
<strong>Scanned At:</strong>
```

```
<div id="results-container" class="results-section">
```

```
<div class="category-group passes">
```

```
<h2>Passes</h2>
```

```
<div class="rule-item passes">
```

```
<div class="rule-id">aria-allowed-attr</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure an element's role supports its ARIA attributes</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-
allowed-attr?application=axeAPI" target="_blank">Elements must only use supported ARIA
attributes</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-allowed-attr?
application=axeAPI" target="_blank">Elements must only use supported ARIA
attributes</a>
```

```
<div class="affected-nodes"><h4>Affected Elements:</h4><pre class="html-
snippet">&lt;div aria-live="polite" class="intercom-lightweight-app"&gt;</pre></div>
```

```
<h4>Affected Elements:</h4>
```

```
<pre class="html-snippet">&lt;div aria-live="polite" class="intercom-lightweight-
app"&gt;</pre>
```

```
<div class="category-group inapplicable">
```

```
<h2>Inapplicable</h2>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">accesskeys</div>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<div class="description">Ensure every accesskey attribute value is unique</div>
```

```
<div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/accesskeys?application=axeAPI"
```

```
target="_blank">accesskey attribute value should be unique</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/accesskeys?application=axeAPI"
target="_blank">accesskey attribute value should be unique</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">area-alt</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">Ensure <area> elements of image maps have alternative
text</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/area-
alt?application=axeAPI" target="_blank">Active <area> elements must have alternative
text</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/area-alt?application=axeAPI"
target="_blank">Active <area> elements must have alternative text</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-braille-equivalent</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure aria-braillelabel and aria-brailleroledescription have
a non-braille equivalent</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-
braille-equivalent?application=axeAPI" target="_blank">aria-braille attributes must
have a non-braille equivalent</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-braille-equivalent?
application=axeAPI" target="_blank">aria-braille attributes must have a non-braille
equivalent</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-dialog-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA dialog and alertdialog node has an
accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-
dialog-name?application=axeAPI" target="_blank">ARIA dialog and alertdialog nodes
should have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-dialog-name?
application=axeAPI" target="_blank">ARIA dialog and alertdialog nodes should have an
accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-input-field-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA input field has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-input-field-name?application=axeAPI" target="_blank">ARIA input fields must have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-input-field-name?application=axeAPI" target="_blank">ARIA input fields must have an accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-meter-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA meter node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-meter-name?application=axeAPI" target="_blank">ARIA meter nodes must have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-meter-name?application=axeAPI" target="_blank">ARIA meter nodes must have an accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-progressbar-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA progressbar node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-progressbar-name?application=axeAPI" target="_blank">ARIA progressbar nodes must have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-progressbar-name?application=axeAPI" target="_blank">ARIA progressbar nodes must have an accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-required-children</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure elements with an ARIA role that require child roles contain them</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-children?application=axeAPI" target="_blank">Certain ARIA roles must contain particular children</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-children?application=axeAPI" target="_blank">Certain ARIA roles must contain particular children</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-required-parent</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure elements with an ARIA role that require parent roles are contained by them</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-parent?application=axeAPI" target="_blank">Certain ARIA roles must be contained by particular parents</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-required-parent?application=axeAPI" target="_blank">Certain ARIA roles must be contained by particular parents</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-text</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure role="text" is used on elements with no focusable descendants</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-text?application=axeAPI" target="_blank">"role=text" should have no focusable descendants</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-text?application=axeAPI" target="_blank">"role=text" should have no focusable descendants</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-toggle-field-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA toggle field has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-toggle-field-name?application=axeAPI" target="_blank">ARIA toggle fields must have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-toggle-field-name?application=axeAPI" target="_blank">ARIA toggle fields must have an accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-tooltip-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA tooltip node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-tooltip-name?application=axeAPI" target="_blank">ARIA tooltip nodes must have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-tooltip-name?application=axeAPI" target="_blank">ARIA tooltip nodes must have an accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">aria-treeitem-name</div>
```

```
<div class="rule-tags">Tags: aria</div>
```

```
<div class="description">Ensure every ARIA treeitem node has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/aria-treeitem-name?application=axeAPI" target="_blank">ARIA treeitem nodes should have an
```

```
accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/aria-treeitem-name?
application=axeAPI" target="_blank">ARIA treeitem nodes should have an accessible
name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">autocomplete-valid</div>
```

```
<div class="rule-tags">Tags: forms</div>
```

```
<div class="description">Ensure the autocomplete attribute is correct and suitable for
the form field</div>
```

```
<div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/autocomplete-valid?application=axeAPI"
target="_blank">autocomplete attribute must be used correctly</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/autocomplete-valid?
application=axeAPI" target="_blank">autocomplete attribute must be used correctly</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">blink</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<div class="description">Ensure <blink> elements are not used</blink></div>
```

```
<blink> elements are not used</blink>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/blink?
application=axeAPI" target="_blank"><blink> elements are deprecated and must not be
used</blink></a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/blink?application=axeAPI"
target="_blank"><blink> elements are deprecated and must not be used</blink></a>
```

```
<blink> elements are deprecated and must not be used</blink>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">definition-list</div>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<div class="description">Ensure <dl> elements are structured correctly</dl></div>
```

```
<dl> elements are structured correctly</dl>
```

```
<div class="help-url">
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/definition-list?application=axeAPI"
target="_blank"><dl> elements must only directly contain properly-ordered <dt> and
</dt><dd> groups, <script>, <template> or <div> elements</a></div>
                    </script></dd></dl></a>
```

```
<dl> elements must only directly contain properly-ordered <dt> and </dt><dd> groups,
<script>, <template> or <div> elements</a></div>
                    </script></dd></dl>
```

```
<dt> and </dt>
```

```
<dd> groups, <script>, <template> or <div> elements</a></div>
                    </script></dd>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">dlitem</div>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<div class="description">Ensure <dt> and </dt><dd> elements are contained by a <dl>
</dl></dd></div>
```

```
<dt> and </dt>
```

```
<dd> elements are contained by a <dl></dl></dd>
```

```
<dl></dl>
```

```
<div class="help-url">
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"><dt> and </dt></a>
```

```
<dt> and </dt>
```

```
<dd><a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"> elements must be contained by a </a><dl><a
href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"></a></dl></dd>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"> elements must be contained by a </a>
```

```
<dl><a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"></a></dl>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/dlitem?application=axeAPI"
target="_blank"></a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">duplicate-id-aria</div>
```

```
<div class="rule-tags">Tags: parsing</div>
```

```
<div class="description">Ensure every id attribute value used in ARIA and in labels is
unique</div>
```

```
<div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/duplicate-id-aria?application=axeAPI"
target="_blank">IDs used in ARIA and labels must be unique</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/duplicate-id-aria?
application=axeAPI" target="_blank">IDs used in ARIA and labels must be unique</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">empty-table-header</div>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<div class="description">Ensure table headers have discernible text</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/empty-table-header?application=axeAPI" target="_blank">Table header text should not be empty</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/empty-table-header?application=axeAPI" target="_blank">Table header text should not be empty</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">frame-focusable-content</div>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<div class="description">
```

```
<iframe>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">frame-tested</div>
```

```
<div class="rule-tags">Tags: structure</div>
```

```
<div class="description">
```

```
<iframe> and <frame> elements contain the axe-core script</div>
                        <div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/frame-tested?application=axeAPI" target="_blank">Frames should be tested with axe-core</a></div>
                    </iframe>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">frame-title-unique</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">
```

```
<iframe>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">frame-title</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">
```

```
<iframe> and <frame> elements have an accessible name</div>
                        <div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/frame-title?application=axeAPI" target="_blank">Frames must have an accessible name</a></div>
                    </iframe>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">html-xml-lang-mismatch</div>
```

```
<div class="rule-tags">Tags: language</div>
```

```
<div class="description">Ensure that HTML elements with both valid lang and xml:lang attributes agree on the base language of the page</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/html-xml-lang-mismatch?application=axeAPI" target="_blank">HTML elements with lang and xml:lang must have the same base language</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/html-xml-lang-mismatch?application=axeAPI" target="_blank">HTML elements with lang and xml:lang must have the same base language</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">input-button-name</div>
```

```
<div class="rule-tags">Tags: name-role-value</div>
```

```
<div class="description">Ensure input buttons have discernible text</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/input-button-name?application=axeAPI" target="_blank">Input buttons must have discernible text</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-button-name?application=axeAPI" target="_blank">Input buttons must have discernible text</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">input-image-alt</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">Ensure <input type="image"> elements have alternative text</div>
```

```
<input type="image">
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/input-image-alt?application=axeAPI" target="_blank">Image buttons must have alternative text</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/input-image-alt?application=axeAPI" target="_blank">Image buttons must have alternative text</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">landmark-complementary-is-top-level</div>
```

```
<div class="rule-tags">Tags: semantics</div>
```

```
<div class="description">Ensure the complementary landmark or aside is at top level</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/landmark-complementary-is-top-level?application=axeAPI" target="_blank">Aside should not be contained in another landmark</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/landmark-complementary-is-top-level?application=axeAPI" target="_blank">Aside should not be contained in another landmark</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">marquee</div>
```

```
<div class="rule-tags">Tags: parsing</div>
```

```
<div class="description">
```

```
<marquee> elements are not used
                        <div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI"
target="_blank"><marquee> elements are deprecated and must not be used
                    </marquee></a></div></marquee>
```

```
<div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI"
target="_blank"><marquee> elements are deprecated and must not be used
                    </marquee></a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/marquee?application=axeAPI"
target="_blank"><marquee> elements are deprecated and must not be used
                    </marquee></a>
```

```
<marquee> elements are deprecated and must not be used
                    </marquee>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">meta-refresh</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<div class="description">Ensure <meta http-equiv="refresh"> is not used for delayed
refresh</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/meta-
refresh?application=axeAPI" target="_blank">Delayed refresh under 20 hours must not be
used</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/meta-refresh?application=axeAPI"
target="_blank">Delayed refresh under 20 hours must not be used</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">object-alt</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">
```

```
<object> elements have alternative text
                        <div class="help-url">Help: <a
href="https://dequeuniversity.com/rules/axe/4.10/object-alt?application=axeAPI"
target="_blank"><object> elements must have alternative text
                    </object></a></div></object>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/object-
alt?application=axeAPI" target="_blank"><object> elements must have alternative text
                    </object></a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/object-alt?application=axeAPI"
target="_blank"><object> elements must have alternative text
                    </object></a>
```

```
<object> elements must have alternative text
                    </object>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">role-img-alt</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">Ensure [role="img"] elements have alternative text</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/role-img-alt?application=axeAPI" target="_blank">[role="img"] elements must have an alternative text</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/role-img-alt?application=axeAPI" target="_blank">[role="img"] elements must have an alternative text</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">scope-attr-valid</div>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<div class="description">Ensure the scope attribute is used correctly on tables</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/scope-attr-valid?application=axeAPI" target="_blank">scope attribute should be used correctly</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/scope-attr-valid?application=axeAPI" target="_blank">scope attribute should be used correctly</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">select-name</div>
```

```
<div class="rule-tags">Tags: forms</div>
```

```
<div class="description">Ensure select element has an accessible name</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/select-name?application=axeAPI" target="_blank">Select element must have an accessible name</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/select-name?application=axeAPI" target="_blank">Select element must have an accessible name</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">server-side-image-map</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">Ensure that server-side image maps are not used</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/server-side-image-map?application=axeAPI" target="_blank">Server-side image maps must not be used</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/server-side-image-map?application=axeAPI" target="_blank">Server-side image maps must not be used</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">skip-link</div>
```

```
<div class="rule-tags">Tags: keyboard</div>
```

```
<div class="description">Ensure all skip links have a focusable target</div>
```

Help: The skip-link target should exist and be focusable

The skip-link target should exist and be focusable

summary-name

Tags: name-role-value

Ensure summary elements have discernible text

Help: Summary elements must have discernible text

Summary elements must have discernible text

svg-img-alt

Tags: text-alternatives

Ensure <svg> elements with an img, graphics-document or graphics-symbol role have an accessible text</svg>

<svg> elements with an img, graphics-document or graphics-symbol role have an accessible text</svg>

Help: <svg> elements with an img role must have an alternative text</svg>

<svg> elements with an img role must have an alternative text</svg>

<svg> elements with an img role must have an alternative text</svg>

table-duplicate-name

Tags: tables

Ensure the element does not contain the same text as the summary attribute

Help: Tables should not have the same summary and caption

Tables should not have the same summary and caption

td-headers-attr

```
<div class="rule-tags">Tags: tables</div>
```

```
<div class="description">Ensure that each cell in a table that uses the headers
attribute refers only to other cells in that table</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/td-
headers-attr?application=axeAPI" target="_blank">Table cells that use the headers
attribute must only refer to cells in the same table</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/td-headers-attr?application=axeAPI"
target="_blank">Table cells that use the headers attribute must only refer to cells in
the same table</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">th-has-data-cells</div>
```

```
<div class="rule-tags">Tags: tables</div>
```

```
<div class="description">Ensure that  elements and elements with
role=columnheader/rowheader have data cells they describe</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/th-has-
data-cells?application=axeAPI" target="_blank">Table headers in a data table must refer
to data cells</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/th-has-data-cells?
application=axeAPI" target="_blank">Table headers in a data table must refer to data
cells</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">valid-lang</div>
```

```
<div class="rule-tags">Tags: language</div>
```

```
<div class="description">Ensure lang attributes have valid values</div>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/valid-
lang?application=axeAPI" target="_blank">lang attribute must have a valid value</a>
</div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/valid-lang?application=axeAPI"
target="_blank">lang attribute must have a valid value</a>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">video-caption</div>
```

```
<div class="rule-tags">Tags: text-alternatives</div>
```

```
<div class="description">Ensure <video> elements have captions</video></div>
```

```
<video> elements have captions</video>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/video-
caption?application=axeAPI" target="_blank"><video> elements must have captions</video>
</a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/video-caption?application=axeAPI"
target="_blank"><video> elements must have captions</video></a>
```

```
<video> elements must have captions</video>
```

```
<div class="rule-item inapplicable">
```

```
<div class="rule-id">no-autoplay-audio</div>
```

```
<div class="rule-tags">Tags: time-and-media</div>
```

```
<div class="description">Ensure <video> or <audio> elements do not autoplay audio for more than 3 seconds without a control mechanism to stop or mute the audio</audio></video></div>
```

```
<video> or <audio> elements do not autoplay audio for more than 3 seconds without a control mechanism to stop or mute the audio</audio></video>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/no-autoplay-audio?application=axeAPI" target="_blank"><video> or <audio> elements must not play automatically</audio></video></a></div>
```

```
<a href="https://dequeuniversity.com/rules/axe/4.10/no-autoplay-audio?application=axeAPI" target="_blank"><video> or <audio> elements must not play automatically</audio></video></a>
```

```
<video> or <audio> elements must not play automatically</audio></video>
```

Cognitive Group

❌ Failed Checks

None 🎉

✅ Passed Checks

html-lang-valid

Ensure the lang attribute of the <html> element has a valid value

```
<html lang="en">
```

page-has-heading-one

Ensure that the page, or at least one of its frames contains a level-one heading

```
<html lang="en">
```

🔍 Manual Review Needed

color-contrast

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds

```
<object> elements have alternative text
                        <div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/object-alt?application=axeAPI" target="_blank"><object> elements must have alternative text
                    </object></a></div></object>
```

```
<div class="help-url">Help: <a href="https://dequeuniversity.com/rules/axe/4.10/object-alt?application=axeAPI" target="_blank"><object> elements must have alternative text
                    </object></a></div>
```

```
<object> elements must have alternative text
                    </object>
```

frame-tested

Ensure 