

WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.

1		2		3		4		5		6		7		8																																																												
A																																																																										
B																																																																										
C																																																																										
D																																																																										
E																																																																										
F																																																																										
UniSec Medium Voltage Switchgear PT MULTIMAS NABATI ASAHAN MVD-29 & MVD-30 20kV Centralized Panel Room WICA SCHEMATIC DIAGRAM SBC-W OUTGOING H02,H03,H04																																																																										
<table><tr><td></td><td></td><td></td><td></td><td>Date Prep.</td><td>15.11.2018</td><td colspan="2">PROJECT TITLE</td><td rowspan="2">ABB</td><td rowspan="2">EPMV</td><td rowspan="3">COVER SHEET</td><td>Scale</td><td>NTS</td><td colspan="2">= H02,H03,H04</td></tr><tr><td></td><td></td><td></td><td></td><td>Prepared</td><td>YR</td><td colspan="2">MV Switchgear for MNA Serang Plant</td><td colspan="2">MVD-29 & MVD-30 20kV Centralized Panel Room WICA</td><td>Customer</td><td>PT Multimas Nabati Asahan</td><td colspan="2">& 306</td></tr><tr><td>00</td><td>Issued for Approval</td><td>16.01.19</td><td>YR</td><td>Checked</td><td>AW</td><td colspan="2"></td><td colspan="2">PT. ABB Sakti Industri</td><td>SCHEMATIC DIAGRAM</td><td>Drawing Nbr.</td><td>18.042-MNA-306.10</td><td>Sh.</td><td>1</td></tr><tr><td>Ind.</td><td>Revision</td><td>Date</td><td>Name</td><td>Approved</td><td>AI</td><td colspan="2">Based on: BE318042</td><td colspan="2"></td><td>SBC-W OUTGOING</td><td>Customer Doc. Nbr.</td><td></td><td>Cont.</td><td>27</td></tr></table>																				Date Prep.	15.11.2018	PROJECT TITLE		ABB	EPMV	COVER SHEET	Scale	NTS	= H02,H03,H04						Prepared	YR	MV Switchgear for MNA Serang Plant		MVD-29 & MVD-30 20kV Centralized Panel Room WICA		Customer	PT Multimas Nabati Asahan	& 306		00	Issued for Approval	16.01.19	YR	Checked	AW			PT. ABB Sakti Industri		SCHEMATIC DIAGRAM	Drawing Nbr.	18.042-MNA-306.10	Sh.	1	Ind.	Revision	Date	Name	Approved	AI	Based on: BE318042				SBC-W OUTGOING	Customer Doc. Nbr.		Cont.	27
				Date Prep.	15.11.2018	PROJECT TITLE		ABB	EPMV	COVER SHEET	Scale	NTS	= H02,H03,H04																																																													
				Prepared	YR	MV Switchgear for MNA Serang Plant					MVD-29 & MVD-30 20kV Centralized Panel Room WICA		Customer	PT Multimas Nabati Asahan	& 306																																																											
00	Issued for Approval	16.01.19	YR	Checked	AW			PT. ABB Sakti Industri			SCHEMATIC DIAGRAM	Drawing Nbr.	18.042-MNA-306.10	Sh.	1																																																											
Ind.	Revision	Date	Name	Approved	AI	Based on: BE318042				SBC-W OUTGOING	Customer Doc. Nbr.		Cont.	27																																																												
1		2		3		4		5		6		7		8																																																												

WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.

SHEET INDEX

PAGE	PAGE NAME	REVISION		
==MVD-29_MVD-30=H02,H03,H04&306/1	COVER SHEET	00		
==MVD-29_MVD-30=H02,H03,H04&306/2	Index of Sheet	00		
==MVD-29_MVD-30=H02,H03,H04&306/3	REFERENCE DESIGNATIONS	00		
==MVD-29_MVD-30=H02,H03,H04&306/4	REFERENCE DESIGNATIONS	00		
==MVD-29_MVD-30=H02,H03,H04&306/5	REFERENCE DESIGNATIONS	00		
==MVD-29_MVD-30=H02,H03,H04&306/6	REFERENCE DESIGNATIONS	00		
==MVD-29_MVD-30=H02,H03,H04&306/7	DISTRIBUTION OF AUXILIARY CIRCUITS	00		
==MVD-29_MVD-30=H02,H03,H04&306/8	AUXILIARY SUPPLY CIRCUIT	00		
==MVD-29_MVD-30=H02,H03,H04&306/9	CIRCUIT BREAKER CONTROL	00		
==MVD-29_MVD-30=H02,H03,H04&306/10	AUXILIARY MOTOR & RELAY	00		
==MVD-29_MVD-30=H02,H03,H04&306/11	DIGITAL INPUT/OUPUT RELAY	00		
==MVD-29_MVD-30=H02,H03,H04&306/12	SPARE CONTACT	00		
==MVD-29_MVD-30=H02,H03,H04&306/13	CURRENT TRANSFOMER	00		
==MVD-29_MVD-30=H02,H03,H04&306/14	VOLTAGE TRANSFORMER	00		
==MVD-29_MVD-30=H02,H03,H04&306/15	LV DOOR LAYOUT	00		
==MVD-29_MVD-30=H02,H03,H04&306/16	LV BOX LAYOUT	00		
==MVD-29_MVD-30=H02,H03,H04&306/17	PART LIST	00		
==MVD-29_MVD-30=H02,H03,H04&306/18	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDA			
==MVD-29_MVD-30=H02,H03,H04&306/19	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDB1			
==MVD-29_MVD-30=H02,H03,H04&306/20	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDC1			
==MVD-29_MVD-30=H02,H03,H04&306/21	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDC2			
==MVD-29_MVD-30=H02,H03,H04&306/22	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDI			
==MVD-29_MVD-30=H02,H03,H04&306/23	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDI2			
==MVD-29_MVD-30=H02,H03,H04&306/24	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDI3			
==MVD-29_MVD-30=H02,H03,H04&306/25	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDI6			
==MVD-29_MVD-30=H02,H03,H04&306/26	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDV			
==MVD-29_MVD-30=H02,H03,H04&306/27	Terminal diagram ==MVD-29_MVD-30=H02,H03,H04+-XDX			

			Date Prep.	15.11.2018	PROJECT TITLE MV Switchgear for MNA Serang Plant	ABB	EPMV	Index of Sheet MVD-29 & MVD-30 20kV Centralized Panel Room WICA	Scale	NTS	= H02,H03,H04
			Prepared	YR					Customer	PT Multimas Nabati Asahan	& 306
00	Issued for Approval	16.01.19	YR	Checked		AW	PT. ABB Sakti Industri	SCHEMATIC DIAGRAM SBC-W OUTGOING	Drawing Nbr.	18.042-MNA-306.10	Sh. 2
nd.	Revision	Date	Name	Approved	AI	Based on: BE318042			Customer Doc. Nbr.		Cont. 27


(IN COMPLIANCE WITH STANDARD IEC 81346-2 AND ABB TECHNICAL STANDARD 2NBA000001)

	DESIGNATION				DESCRIPTION										
B	-AA	MULTIFUNCTION UNIT (CENTRAL UNIT)			-BGB1...-BGB3	POSITION SWITCHES OF CIRCUIT-BREAKER			B						
	-BAD1,-BAD4	CAPACITIVE VOLTAGE DIVIDER LOCATED ON PHASE L1			-BGB12	PROXIMITY SWITCH SIGNALLING CIRCUIT-BREAKER IN OPEN POSITION									
	-BAD2,-BAD5	CAPACITIVE VOLTAGE DIVIDER LOCATED ON PHASE L2			-BGB13	PROXIMITY SWITCH SIGNALLING CIRCUIT-BREAKER IN CLOSED POSITION									
	-BAD3,-BAD6	CAPACITIVE VOLTAGE DIVIDER LOCATED ON PHASE L3			-BGD	POSITION SWITCH OF L.V. INSTRUMENT COMPARTMENT DOOR.									
	-BAR	VOLTAGE PROTECTION RELAY			-BGD1	POSITION SWITCH OF CIRCUIT-BREAKER COMPARTMENT DOOR									
	-BAS1	VOLTAGE SENSOR LOCATED ON PHASE L1			-BGD2	POSITION SWITCH OF CABLE COMPARTMENT DOOR									
	-BAS2	VOLTAGE SENSOR LOCATED ON PHASE L2			-BGE1	POSITION SWITCHES SIGNALLING EARTHING SWITCH -QCE IN OPEN POSITION									
	-BAS3	VOLTAGE SENSOR LOCATED ON PHASE L3			-BGE2	POSITION SWITCHES SIGNALLING EARTHING SWITCH -QCE IN CLOSED POSITION									
	-BAT1	VOLTAGE TRANSFORMER LOCATED ON PHASE L1			-BGE3	POSITION SWITCHES SIGNALLING EARTHING SWITCH -QCE IN OPEN POSITION AND NOT IN OPERATION (OPERATING LEVER NOT INSERTED)									
C	-BAT2	VOLTAGE TRANSFORMER LOCATED ON PHASE L2			-BGE4	POSITION SWITCHES OF OPERATION OF EARTHING SWITCH -QCE ACTUATED BY ELECTRIC MOTOR			C						
	-BAT3	VOLTAGE TRANSFORMER LOCATED ON PHASE L3			-BGE5	POSITION SWITCHES OF OPERATION OF EARTHING SWITCH -QCE1 OR -QCE2 ACTUATED BY ELECTRIC MOTOR									
	-BAT4	VOLTAGE TRANSFORMER IN BUSBAR COMPARTMENT LOCATED ON PHASE L1			-BGE7	POSITION SWITCH SIGNALLING EARTHING SWITCH NOT IN MANUAL OPERATION									
	-BAT5	VOLTAGE TRANSFORMER IN BUSBAR COMPARTMENT LOCATED ON PHASE L2			-BGE8	POSITION SWITCHES OF EARTHING SWITCH -QCE SUPPLIED TOGETHER WITH SWITCH- DISCONNECTOR -QBS									
	-BAT6	VOLTAGE TRANSFORMER IN BUSBAR COMPARTMENT LOCATED ON PHASE L3			-BGE11	POSITION SWITCHES SIGNALLING EARTHING SWITCH -QCE1 OR -QCE2 IN OPEN POSITION									
	-BCD	DIFFERENTIAL PROTECTIVE RELAY			-BGE12	POSITION SWITCHES SIGNALLING EARTHING SWITCH -QCE1 OR -QCE2 IN CLOSED POSITION									
	-BCF	FEEDER PROTECTION RELAY			-BGE13	POSITION SWITCHES SIGNALLING EARTHING SWITCH -QCE1 OR -QCE2 IN OPEN POSITION AND NOT IN OPERATION (OPERATING LEVER NOT INSERTED)									
	-BCG	GENERATOR PROTECTION RELAY			-BGE14, -BGE15	POSITION SWITCHES FOR OPERATION OF EARTHING SWITCH -QCE SUPPLIED TOGETHER WITH SWITCH-DISCONNECTOR -QBS, ACTUATED BY ELECTRIC MOTOR									
	-BCM	MOTOR PROTECTION RELAY			-BGF	POSITION SWITCHES OF MEDIUM VOLTAGE FUSES									
D	-BCN	NEUTRAL (RESIDUAL) CURRENT TRANSFORMER			-BGI1	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD IN OPEN POSITION			D						
	-BCP	TRANSFORMER PROTECTION RELAY			-BGI2	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD IN CLOSED POSITION									
	-BCR	CURRENT PROTECTION RELAY			-BGI3	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD IN OPEN POSITION AND NOT IN OPERATION (OPERATING LEVER NOT INSERTED)									
	-BCS1	CURRENT SENSOR LOCATED ON PHASE L1			-BGI4	POSITION SWITCHES OF OPERATION OF DISCONNECTOR -QBD1 ACTUATED BY ELECTRIC MOTOR									
	-BCS2	CURRENT SENSOR LOCATED ON PHASE L2			-BGI5	POSITION SWITCHES OF OPERATION OF DISCONNECTOR -QBD2 ACTUATED BY ELECTRIC MOTOR									
	-BCS3	CURRENT SENSOR LOCATED ON PHASE L3			-BGI6	POSITION SWITCH SIGNALLING DISCONNECTOR (OR SWITCH-DISCONNECTOR) -QBD NOT IN EMERGENCY MANUAL OPERATION									
	-BCT1	CURRENT TRANSFORMER LOCATED ON PHASE L1			-BGI7	POSITION SWITCH SIGNALLING DICONNECTOR (OR SWITCH-DISCONNECTOR) -QBD NOT IN MANUAL OPERATION									
	-BCT2	CURRENT TRANSFORMER LOCATED ON PHASE L2			-BGI8	POSITION SWITCHES OF SWITCH-DISCONNECTOR -QBS									
	-BCT3	CURRENT TRANSFORMER LOCATED ON PHASE L3			-BGI9	POSITION SWITCHES OF OPERATION OF SWITCH-DISCONNECTOR -QBS ACTUATED BY ELECTRIC MOTOR									
E	-BCT4,-BCT7	CURRENT TRANSFORMER LOCATED ON PHASE L1			-BGI11	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD1 IN OPEN POSITION			E						
	-BCT5,-BCT8	CURRENT TRANSFORMER LOCATED ON PHASE L2			-BGI12	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD1 IN CLOSED POSITION									
	-BCT6,-BCT9	CURRENT TRANSFORMER LOCATED ON PHASE L3			-BGI13	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD1 IN OPEN POSITION AND NOT IN OPERATION (OPERATING LEVER NOT INSERTED)									
	-BCZ	DISTANCE PROTECTION RELAY			-BGI14, -BGI15	POSITION SWITCHES OF OPERATION OF DISCONNECTOR -QBD1 ACTUATED BY ELECTRIC MOTOR									
	-BEF	FREQUENCY PROTECTION RELAY			-BGI21	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD2 IN OPEN POSITION									
	-BER	SUPERVISION RELAYS			-BGI22	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD2 IN CLOSED POSITION									
	-BES	SYNCHRONIZING RELAY			-BGI23	POSITION SWITCHES SIGNALLING DISCONNECTOR -QBD2 IN OPEN POSITION AND NOT IN OPERATION (OPERATING LEVER NOT INSERTED)									
	-BET	THERMAL PROTECTION RELAY			-BGI24, -BGI25	POSITION SWITCHES OF OPERATION OF DISCONNECTOR -QBD2 ACTUATED BY ELECTRIC MOTOR									
	-BGA1	POSITION SWITCH FOR DETECTION OF INTERNAL ARCING IN CIRCUIT-BREAKER COMPARTMENT													
F	-BGA2	POSITION SWITCH FOR DETECTION OF INTERNAL ARCING IN BUSBAR COMPARTMENT (SINGLE BUSBAR SYSTEM) OR IN FRONT BUSBAR COMPARTMENT (DOUBLE BUSBAR SYSTEM)							F						
	-BGA3	POSITION SWITCH FOR DETECTION OF INTERNAL ARCING IN CABLE COMPARTMENT													
	-BGA4	POSITION SWITCH FOR DETECTION OF INTERNAL ARCING IN REAR BUSBAR COMPARTMENT (DOUBLE BUSBAR SYSTEM)													
	-BGB1...-BGB3	POSITION SWITCHES OF CIRCUIT-BREAKER													
	-BGB4	POSITION SWITCH OF CIRCUIT-BREAKER: PASSING CONTACT CLOSING MOMENTARILY WHEN THE BREAKER OPENS													
				Date Prep.	15.11.2018	PROJECT TITLE				REFERENCE DESIGNATIONS		Scale	NTS		= H02,H03,H04
				Prepared	YR	MV Switchgear for MNA Serang Plant				MVD-29 & MVD-30 20kV Centralized Panel Room WICA	Customer	PT Multimas Nabati Asahan		& 306	
00	Issued for Approval	16.01.19	YR	Checked	AW			PT. ABB Sakti Industri		SCHEMATIC DIAGRAM		Drawing Nbr.	18.042-MNA-306.10		Sh. 3
Ind.	Revision	Date	Name	Approved	AI	Based on: BE318042				SBC-W OUTGOING		Customer Doc. Nbr.			Cont. 27
1		2		3		4		5		6		7		8	


WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.

1		2		3		4		5		6		7		8		
A	-TFA	ACTIVE POWER TRANSDUCERS						-XDI1	TERMINAL BLOCK FOR INTERCONNECTIONS OF CONTROL CIRCUITS							A
	-TFC	CURRENT TRANSDUCERS						-XDI2	TERMINAL BLOCK FOR INTERCONNECTIONS OF CIRCUITS OF MOTOR FOR CIRCUIT-BREAKER SPRINGS CHARGING							
	-TFF	FREQUENCY TRANSDUCERS						-XDI3	TERMINAL BLOCK FOR INTERCONNECTIONS OF CIRCUITS OF MOTOR FOR SWITCH-DISCONNECTOR OPERATION							
	-TFJ	ACTIVE ENERGY TRANSDUCERS						-XDI4	TERMINAL BLOCK FOR INTERCONNECTIONS OF A.C. AUXILIARY CIRCUITS							
	-TFK	REACTIVE ENERGY TRANSDUCERS						-XDI6	TERMINAL BLOCK FOR INTERCONNECTION (CONNECTION BETWEEN PANELS) OF VOLTAGE CIRCUITS							
B	-TFM	MULTIFUNCTION TRANSDUCERS						-XDI7	TERMINAL BLOCK FOR INTERCONNECTION OF MOD-BUS							B
	-TFP	POWER-FACTOR TRANSDUCERS						-XDI8	TERMINAL BLOCK FOR INTERCONNECTIONS OF CURRENT CIRCUITS							
	-TFQ	REACTIVE POWER TRANSDUCERS						-XDI9	TERMINAL BLOCK FOR SPECIAL USE							
	-TFS	SIGNAL CONVERTERS						-XDJ	TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF DISCONNECTORS -QBD							
	-TFV	VOLTAGE TRANSDUCERS						-XDJ1	TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF SWITCH-DISCONNECTOR -QBS							
C	-WA	BUSBARS						-XDM	SEALABLE TERMINAL BLOCK FOR MEASUREMENT							C
	-WBC	POWER CABLES						-XDS	CURRENT SOCKETS							
	-WE	EARTHING CABLES FOR L.V. INSTRUMENT COMPARTMENT.						-XDT	TERMINAL BLOCK FOR POSITION CONTACTS OF TRUCK AND OF CONNECTOR -XDB							
	-WGC	CONTROL CABLES						-XDU	CONNECTOR FOR ISOLATION OF CIRCUITS OF LOWER VOLTAGE TRANSFORMER TRUCK							
	-WGS	COMMUNICATION CABLES (SHIELDED TWISTED PAIRS)						-XDU1	TERMINAL BLOCK FOR CIRCUITS OF LOWER VOLTAGE TRANSFORMER TRUCK							
D	-WH	OPTICAL FIBRES						-XDV	TERMINAL BLOCK FOR CIRCUITS OF VOLTAGE TRANSFORMERS							D
	-XDA	TERMINAL BLOCK FOR CIRCUITS OF CURRENT TRANSFORMERS						-XDV1	CONNECTOR FOR CIRCUITS OF VOLTAGE TRANSFORMERS LOCATED ON PHASE L1							
	-XDA1	CONNECTOR FOR CIRCUITS OF CURRENT TRANSFORMERS LOCATED ON PHASE L1						-XDV2	CONNECTOR FOR CIRCUITS OF VOLTAGE TRANSFORMERS LOCATED ON PHASE L2							
	-XDA2	CONNECTOR FOR CIRCUITS OF CURRENT TRANSFORMERS LOCATED ON PHASE L2						-XDV3	CONNECTOR FOR CIRCUITS OF VOLTAGE TRANSFORMERS LOCATED ON PHASE L3							
	-XDA3	CONNECTOR FOR CIRCUITS OF CURRENT TRANSFORMERS LOCATED ON PHASE L3						-XDV4	CONNECTOR FOR CIRCUITS OF ANTIFERRORESONANCE RESISTOR							
E	-XDA5	CONNECTOR FOR CIRCUITS OF NEUTRAL (RESIDUAL) CURRENT TRANSFORMER						-XDX	SUPPORT TERMINAL BLOCK							E
	-XDB	CONNECTOR FOR ISOLATION OF CIRCUIT-BREAKER (OR UPPER VOLTAGE TRANSFORMER TRUCK) AUXILIARY CIRCUITS						-XE1	EARTHING TERMINAL BLOCKS FOR LV COMPARTMENT, LEFT SIDE							
	-XDB1	CONNECTOR FOR AUXILIARY CIRCUITS OF CIRCUIT-BREAKER (OR UPPER VOLTAGE TRANSFORMER TRUCK)						-XE2	EARTHING TERMINAL BLOCKS FOR LV COMPARTMENT, RIGHT SIDE							
	-XDB2	CONNECTOR FOR ADDITIONAL AUXILIARY CIRCUITS OF CIRCUIT-BREAKER						-XE5	EARTHING TERMINAL BLOCKS FOR MV COMPARTMENT, VOLTAGE INDICATOR SIDE							
	-XDB10...-XDB89	CONNECTOR FOR CIRCUIT-BREAKER INTERNAL CIRCUITS						-XE6	EARTHING TERMINAL BLOCKS FOR MV COMPARTMENT, REAR BOTTOM SIDE							
F	-XDB7	CONNECTOR FOR TRUCK POSITION CONTACTS						-XE7	EARTHING TERMINAL BLOCKS FOR MV COMPARTMENT, LEFT SIDE							F
	-XDB91	CONNECTOR FOR OPENING RELEASE CIRCUITS OF SWITCH-DISCONNECTOR						-XE8	EARTHING TERMINAL BLOCKS FOR MV COMPARTMENT, FRONT BOTTOM SIDE							
	-XDB92	CONNECTOR FOR CLOSING RELEASE CIRCUITS OF SWITCH-DISCONNECTOR						-XE9	EARTHING TERMINAL BLOCK FOR TRANSFORMERS IN BUSBAR COMPARTMENT							
	-XDB93	CONNECTOR FOR POSITION SWITCHES OF SWITCH-DISCONNECTOR														
	-XDB95	CONNECTOR FOR CIRCUITS OF EARTHING SWITCH LOCKING MAGNET														
G	-XDC	CUSTOMER TERMINAL BLOCK														G
	-XDC1	CUSTOMER TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF CIRCUIT BREAKER														
	-XDC2	CUSTOMER TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF SWITCH-DISCONNECTOR														
	-XDC3	CUSTOMER TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF PROTECTION RELAY AND MULTIFUNCTION UNIT														
	-XDC4	CUSTOMER TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF VOLTAGE TRANSFORMERS														
H	-XDC5	CUSTOMER TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF MINIATURE CIRCUIT BREAKER														H
	-XDE	TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF EARTHING SWITCH -QCE														
	-XDE1	TERMINAL BLOCK FOR INTERNAL CIRCUITS OF EARTHING SWITCH -QCE														
	-XDE2	TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF EARTHING SWITCH -QCE1 OR -QCE2														
	-XDE3	TERMINAL BLOCK FOR INTERNAL CIRCUITS OF EARTHING SWITCH -QCE1 OR -QCE2														
I	-XDF	TERMINAL BLOCK FOR AUXILIARY CIRCUITS OF FORCED COOLING VENTILATORS														I
	-XDF1	CONNECTOR FOR ISOLATION OF CIRCUITS OF FRONT VENTILATOR														
	-XDF2	CONNECTOR FOR REAR VENTILATOR CIRCUITS														
	-XDF3	CONNECTOR FOR FRONT VENTILATOR CIRCUITS														
	-XDH	TERMINAL BLOCK FOR VARIOUS CIRCUITS (HEATERS, POSITION SWITCHES DETECTING INTERNAL ARCING, ETC.)														
J	-XDI	TERMINAL BLOCK FOR INTERCONNECTION (CONNECTION BETWEEN PANELS)														J
					Date Prep.	15.11.2018	PROJECT TITLE MV Switchgear for MNA Serang Plant		ABB EPMV	REFERENCE DESIGNATIONS MVD-29 & MVD-30 20kV Centralized Panel Room WICA		Scale	NTS	= H02,H03,H04		
					Prepared	YR						Customer	PT Multimas Nabati Asahan	& 306		
	00	Issued for Approval	16.01.19	YR	Checked	AW						Drawing Nbr.	18.042-MNA-306.10	Sh. 6		
	Ind.	Revision	Date	Name	Approved	AI	Based on:	BE318042	PT. ABB Sakti Industri		SCHEMATIC DIAGRAM SBC-W OUTGOING		Customer Doc. Nbr.		Cont. 27	


WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.



WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.




WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.




				Date Prep.	15.11.2018	PROJECT TITLE MV Switchgear for MNA Serang Plant		ABB EPMV	CIRCUIT BREAKER CONTROL MVD-29 & MVD-30 20kV Centralized Panel Room WICA		Scale	NTS	= H02,H03,H04
				Prepared	YR						Customer	PT Multimas Nabati Asahan	& 306
00 Issued for Approval		16.01.19	YR	Checked	AW						Drawing Nbr.	18.042-MNA-306.10	Sh. 9
Ind.	Revision	Date	Name	Approved	AI	Based on:	BE318042	PT. ABB Sakti Industri	SCHEMATIC DIAGRAM SBC-W OUTGOING		Customer Doc. Nbr.		Cont. 27

WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.




WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.




				Date Prep.	15.11.2018	PROJECT TITLE MV Switchgear for MNA Serang Plant	ABB	EPMV	DIGITAL INPUT/OUTPUT RELAY MVD-29 & MVD-30 20kV Centralized Panel Room WICA SCHEMATIC DIAGRAM SBC-W OUTGOING	Scale	NTS	= H02,H03,H04
				Prepared	YR					PT. ABB Sakti Industri	Customer	PT Multimas Nabati Asahan
00	Issued for Approval	16.01.19	YR	Checked	AW		Drawing Nbr.	18.042-MNA-306.10			Sh. 11	
Ind.	Revision	Date	Name	Approved	AI	Based on: BE318042	Customer Doc. Nbr.			Cont. 27		


WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.



WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.




WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.



				Date Prep.	15.11.2018	PROJECT TITLE MV Switchgear for MNA Serang Plant			VOLTAGE TRANSFORMER MVD-29 & MVD-30 20kV Centralized Panel Room WICA		Scale	NTS	= H02,H03,H04
				Prepared	YR						Customer	PT Multimas Nabati Asahan	& 306
00		Issued for Approval		16.01.19	YR						Drawing Nbr.	18.042-MNA-306.10	Sh. 14
Ind.	Revision	Date	Name	Approved	AI	Based on:	BE318042			SBC-W OUTGOING		Customer Doc. Nbr.	Cont. 27

No.	EQUIPMENT DESCRIPTION	ENGRAVING
1	-SFS (LOCAL-OFF-REMOTE SELECTOR SWITCH, K&N)	-SFS, LOCAL-OFF-REMOTE
2	-SFC (PUSH BUTTON CB CLOSE, GREEN, ABB)	-SFC, CB CLOSE
3	-SFO (PUSH BUTTON CB OPEN, RED, ABB)	-SFO, CB OPEN
4	-PFY1 (LAMP INDICATION FOR CB TRIP, YELLOW, ABB)	-PFY1, CB TRIP
5	-PFR1 (LAMP INDICATION FOR CB CLOSE, RED, ABB)	-PFR1, CB CLOSE
6	-PFG1 (LAMP INDICATION FOR CB OPEN, GREEN, ABB)	-PFG1, CB OPEN
7	-PGJ (DIGITAL MEASUREMENT, CEWE 448)	-PGJ, DIGITAL MEASUREMENT
8	-BCF (FEEDER PROTECTION RELAY, REF615J, ABB)	-BCF, RELAY PROTECTION
9	-XTA1, XTA2 (TEST BLOCK , YONGSUNG)	-XTA, CURRENT TEST BLOCK

[illegible]

				Date Prep.	15.11.2018	PROJECT TITLE MV Switchgear for MNA Serang Plant	 	LV BOX LAYOUT MVD-29 & MVD-30 20kV Centralized Panel Room WICA SCHEMATIC DIAGRAM SBC-W OUTGOING	Scale	NTS	= H02,H03,H0
				Prepared	YR				Customer	PT Multimas Nabati Asahan	& 306
00	Issued for Approval	16.01.19	YR	Checked	AW				Drawing Nbr.	18.042-MNA-306.10	Sh. 16
Ind.	Revision	Date	Name	Approved	AI	Based on: BE318042	PT. ABB Sakti Industri		Customer Doc. Nbr.		Cont. 27

WE RESERVE ALL RIGHTS IN THIS DOCUMENT AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, USE OR DISCLOSURE TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY IS STRICTLY FORBIDDEN.

	1	2	3	4	5	6	7	8
A	Summarized parts list							
	IDABB_F02_005-IDABB							
	Carry over: 0.00							
	TAG ID	DESCRIPTION	MANUFACTUR/BRAND	PART NUMBER	QUANTITY	REMARKS		
	-BCF	Feeder Management Relay REF611HBAABC1NN11G	ABB	REF611HBAABC1NN11G	1	/8.2:C		
	-EB	HEATER 230VAC, 50W	SANYANG	CDXN010033P0009	1	/7.6:E		
	-FCM2	MCB S202-C10 MCB. 2P, 10A	ABB	2CDS252001R0104	1	/7.2:C		
	-FCM3;-FCM9	MCB S202-C6 MCB. 2P, 6A	ABB	2CDS252001R0064	2	/7.5:C;/7.6:C		
	-FCM60	MCB S203-C6 MCB. 3P, 6A	ABB	2CDS253001R0064	1	/14.5:C		
	-KFA1	Auxiliary Relay 230AC 4COS	PHOENIX	1YRA3DL266230001	1	/9.7:E		
B	-PFG1	PILOT LIGHT GREEN #CL-523G#230VAC CL-523G	ABB	1SFA619402R5232	1	/8.5:E		
	-PFR1	PILOT LIGHT RED #CL-523R#230VAC CL-523R	ABB	1SFA619402R5231	1	/8.4:E		
	-PFY1	PILOT LIGHT YELLOW #CL-523Y#230VAC CL-523Y	ABB	1SFA619402R5233	1	/8.6:E		
	-PGM1	POWER METER CEWE 448 Class : 0.5s; CT Input : 1A; VT Input : 57.7-240V (L-N); Aux. Voltage: 80-300VAC/DC	CEWE	1YRA4EA0350001	1	/8.3:C		
	-SFC	PUSH BUTTON, YW1B-M1E10-G GREEN COLOUR	IDEC	1YRA3DA14700001	1	/9.2:B		
C	-SFO	PUSH BUTTON, YW1B-M1E10-R RED COLOUR	IDEC	1YRA3DA14700002	1	/9.4:B		
	-SFS	LOCAL/REMOTE Selector Switch Type : S0-CA10-A723-600-E; 4NC (for LOCAL Position) & 4NO (for REMOTE Position)	K&N	1YRA3DA17940011	1	/9.2:B		
	-XTA1;-XTA2	Current Test Block Rated Current : 10A, 250V; Mounting : Flush Mounting	YONGSUNG	YSCTT-04C	2	/13.4:C;/13.4:D		
D								
E								
F								

				Date Prep.	15.11.2018	PROJECT TITLE		ABB	EPMV	PART LIST	Scale	NTS	= H02,H03,H04		
				Prepared	YR	MV Switchgear for MNA Serang Plant					MVD-29 & MVD-30 20kV Centralized Panel Room WICA	Customer	PT Multimas Nabati Asahan	& 306	
00	Issued for Approval	16.01.19	YR	Checked	AW			PT. ABB Sakti Industri	SCHEMATIC DIAGRAM	SBC-W OUTGOING	Drawing Nbr.	18.042-MNA-306.10	Sh. 17		
Ind.	Revision	Date	Name	Approved	AI	Based on: BE318042					Customer Doc. Nbr.		Cont. 27		
1		2		3		4		5		6		7		8	

[illegible]

F		E		D		C		B		A			
==MVD-29_MVD-30=H02,H03,H04+-XDI		REMARK	CABLE	EQUIPMENT	Wire No	Terminal number	TYPE	WIRE NO.	EQUIPMENT	CABLE	REMARK		
												-FCM9:1	-PREVIOUS_PNL-XDI:2
												-NEXT_PNL-XDI:1	
												-FCM9:3	-PREVIOUS_PNL-XDI:4
												-NEXT_PNL-XDI:3	
												-FCM2:1	-PREVIOUS_PNL-XDI:6
												-NEXT_PNL-XDI:5	
												-FCM2:3	-PREVIOUS_PNL-XDI:8
												-NEXT_PNL-XDI:7	
REMARK: ☆ INTERPANEL LIGHT BUS,OFFERED TOGETHER WITH PANELS. △ OUTGOING CONTROL CABLE (Supply by Customer). ● BRIDGE BAR. ✕ PARTITION PLATE. (TEST JUMPER.													

Ind.	Revision	Date	Name	Approved	AI	Based on:	BE318042	PROJECT TITLE	MV Switchgear for MNA Serang Plant	ABB	EPMV	PT. ABB Sakti Industri	Terminal diagram	Scale		= H02,H03,H04
				Prepared	YR									Customer	PT Multimas Nabati Asahan	& 306
				Checked	AW									Drawing Nbr.		Sh. 22
														Customer Doc. Nbr.		Cont. 27

[illegible]

[illegible]

[illegible]

F										E										D										C										B										A																																																																																																																																	
Ind. Revision Date Name Approved										Date Prep. 15.11.2018 Prepared YR Checked AW AI										PROJECT TITLE MV Switchgear for MNA Serang Plant Based on: BE318042										ABB EPMV PT. ABB Sakti Industri										Terminal diagram										Scale Customer PT Multimas Nabati Asahan Drawing Nbr. Customer Doc. Nbr.										= H02,H03,H04 & 306 Sh. 26 Cont. 27										REMARK: ☆ INTERPANEL LIGHT BUS,OFFERED TOGETHER WITH PANELS. △ OUTGOING CONTROL CABLE (Supply by Customer). ● BRIDGE BAR. ✕ PARTITION PLATE. (TEST JUMPER.										REMARK BK 1,5 mm² BK 1,5 mm² BK 1,5 mm² BK 1,5 mm²										CABLE										EQUIPMENT -PGM:V1 -PGM:V2 -PGM:V3 -PGM:N										Wire No										Terminal number 1 2 3 4										TYPE PT 2.5 PT 2.5 PT 2.5 PT 2.5										WIRE NO.										EQUIPMENT -FCM60:2 -FCM60:4 -FCM60:6 -XDI6:8										CABLE										REMARK BK 1,5 mm² BK 1,5 mm² BK 1,5 mm² 1,5 mm²									
1										2										3										4										5										6										7										8																																																																																																													

[illegible]