D - Voice - Precancerous Lesions

Please complete the survey below.

Thank you!

| 1. Gold Standard Diagnosis | |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Does the participant have a precancerous vocal fold lesion? | YesNoNot certain |
| How was this confirmed? Select all that apply: | ☐ Laryngoscopy/Stroboscopy☐ Biopsy/Pathology Report |
| 2. Disease Subtype | |
| What is the diagnosis? (Select all that apply). | ☐ Keratosis☐ Leukoplakia☐ Erythroplakia☐ Other |
| Keratosis | ○ With dysplasia○ Without dysplasia |
| Keratosis with dysplasia | Low gradeModerate gradeHigh grade |
| Leukoplakia | ○ With dysplasia○ Without dysplasia |
| Leukoplakia with dysplasia | Low gradeModerate gradeHigh grade |
| Erythroplakia | ○ With dysplasia○ Without dysplasia |
| Erythroplakia with dysplasia | Low gradeModerate gradeHigh grade |
| Other, please specify | |
| 3. Etiology | |
| Does the participant have the following risk factors? (Select all that apply). | ☐ Past or present smoking☐ Laryngopharyngeal reflux☐ Other irritants |
| Other irritants | |
| | |



| 4. Disease Severity | | |
|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| Location of lesion(s) (Select all that apply). | ☐ Right vocal fold ☐ Left vocal fold ☐ Both vocal folds ☐ Ventricular folds (right or left) ☐ Subglottal areas | |
| Degree of dysphonia | | |
| Clinician places slider between 0 and 100; indicates C or are free text. Comments about resonance: Indicate norm | | sponses |
| Legend: C- Sonsistent I = Intermittent MI = Mildly Deviant MO = Moderately Deviant SE = Severely Deviant | | |
| Overall Severity | MI MO | SE |
| | (Place a mark on the scale above) | |
| Overall Severity | ○ Consistent ○ Intermittent | |
| Roughness | MI MO (Place a mark on the scale above) | SE |
| Roughness | ○ Consistent ○ Intermittent | |
| Breathiness | MI MO | SE |
| | (Place a mark on the scale above) | |
| Breathiness | ○ Consistent ○ Intermittent | |
| Strain | MI MO | SE |
| | (Place a mark on the scale above) | |
| Strain | ○ Consistent ○ Intermittent | |
| Pitch | MI MO (Place a mark on the scale above) | SE |
| Pitch (Indicate the nature of the abnormality): | | |
| Pitch | ○ Consistent ○ Intermittent | |
| Loudness | MI MO | SE |
| | (Place a mark on the scale above) | |
| Loudness (Indicate the nature of the abnormality): | | |



Page 3

| Loudness | ○ Consistent ○ Intermittent |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Comments about resonance | ○ Normal ○ Other |
| Please specify | |
| Additional Features | |
| (for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms): | |
| 5. Treatment obtained | |
| Has the participant undergone any treatment for this condition? | |
| What treatments did the participant undergo? (Select all that apply): | ☐ Surveillance only (previous diagnosis) ☐ Laser resection ☐ Laser ablation ☐ Microlaryngeal surgery without laser ☐ Radiotherapy for persistent or recurrent lesions ☐ Voice/speech therapy ☐ Other |
| Other, please specify | |
| | |
| Deprecated Fields | |
| [DEPRECATED] Does the participant have a precancerous vocal fold lesion confirmed by laryngoscopy/stroboscopy? | ○ Yes○ No○ Not certain |
| [DEPRECATED] Does the participant have a precancerous vocal fold lesion confirmed by biopsy/pathology? | ○ Yes○ No○ Not certain |

