

D - Voice - Muscle Tension Dysphonia (MTD)

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have Muscle Tension Dysphonia (MTD)?

- ☐ Yes
☐ No
☐ Not certain

How was this confirmed? Select all that apply:

- ☐ Laryngoscopy/Stroboscopy
☐ Voice Evaluation

Did the participant have any of the following assessments? (Select all that apply)

- ☐ Detailed case history
☐ Aural-perceptual evaluation
☐ Flexible/Rigid laryngoscopy
☐ Voice/speech evaluation

2. Disease Subtype

- ☐ Primary MTD - neck muscles are tense with no abnormality in the larynx
☐ Secondary MTD - abnormality in larynx causes the patient to overuse other muscles involved in voice production

3. Etiology

What is the etiology? (Select all that apply)

- ☐ Psychological and/or personality factors
☐ Environmental irritants
☐ Vocal misuse and abuse
☐ Compensation for underlying disease
☐ Other

Please specify

4. Disease Severity

Degree of dysphonia

CAPE-V scale

Legend: C- Consistent I = Intermittent

MI = Mildly Deviant

MO = Moderately Deviant

SE = Severely Deviant

Overall Severity

MI MO SE

=====

(Place a mark on the scale above)

Overall Severity

☐ Consistent ☐ Intermittent

Roughness

MI MO SE

=====

(Place a mark on the scale above)

Roughness	<input type="radio"/> Consistent <input type="radio"/> Intermittent
Breathiness	<div style="display: flex; justify-content: space-between; width: 100%;">MIMOSE</div> <div style="border-top: 1px solid black; height: 10px; width: 100%; margin-top: 2px;"></div> <p style="text-align: center; font-size: small;">(Place a mark on the scale above)</p>
Breathiness	<input type="radio"/> Consistent <input type="radio"/> Intermittent
Strain	<div style="display: flex; justify-content: space-between; width: 100%;">MIMOSE</div> <div style="border-top: 1px solid black; height: 10px; width: 100%; margin-top: 2px;"></div> <p style="text-align: center; font-size: small;">(Place a mark on the scale above)</p>
Strain	<input type="radio"/> Consistent <input type="radio"/> Intermittent
Pitch	<div style="display: flex; justify-content: space-between; width: 100%;">MIMOSE</div> <div style="border-top: 1px solid black; height: 10px; width: 100%; margin-top: 2px;"></div> <p style="text-align: center; font-size: small;">(Place a mark on the scale above)</p>
Pitch (Indicate the nature of the abnormality):	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em;"></div>
Pitch	<input type="radio"/> Consistent <input type="radio"/> Intermittent
Loudness	<div style="display: flex; justify-content: space-between; width: 100%;">MIMOSE</div> <div style="border-top: 1px solid black; height: 10px; width: 100%; margin-top: 2px;"></div> <p style="text-align: center; font-size: small;">(Place a mark on the scale above)</p>
Loudness (Indicate the nature of the abnormality):	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em;"></div>
Pitch	<input type="radio"/> Consistent <input type="radio"/> Intermittent
Comments about resonance	<input type="radio"/> Normal <input type="radio"/> Other
Please specify	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em;"></div>
Additional Features (for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms):	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em;"></div>

5. Treatment obtained

Has the participant undergone any treatment for this condition?

- ☐ Yes
☐ No

Select all that apply:

- ☐ Vocal hygiene and patient education
☐ Voice/speech therapy
☐ Circumlaryngeal manual therapy
☐ Surgery for secondary organic lesions
☐ Other medical treatment

Please specify

Deprecated Fields

[DEPRECATED]

Determined by (Select all that apply):

- ☐ Laryngologist
- ☐ Speech-Language Pathology