D - Voice - Laryngeal Cancer

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have Laryngeal Cancer?	◯ Yes ◯ No ◯ Not certain
How was this confirmed? Check all that apply	☐ Laryngoscopy/Stroboscopy ☐ Biopsy/Pathology Report
[DEPRECATED] Does the participant have laryngeal cancer confirmed by biopsy/pathology report?	◯ Yes ◯ No ◯ Not certain
[DEPRECATED] Did the participant get a laryngoscopy/stroboscopy confirming the presence of a suspicious laryngeal lesion?	◯ Yes ◯ No ◯ Not certain
Did the participant undergo other types of scans? (Select all that apply).	☐ CT of the neck ☐ CT of the chest ☐ MRI of the neck ☐ PET-CT ☐ Ultrasound of the neck

2. Disease Subtype

Which laryngeal structures are/were involved? (Select all that apply).	☐ Right vocal fold ☐ Left vocal fold ☐ Both vocal folds ☐ Anterior commissure ☐ Ventricular folds (right or left) ☐ Subglottal areas

3. Etiology

Check any risk factors of this participant in relation to their laryngeal cancer. (Select all that apply).	☐ Smoking ☐ Alcohol ☐ Family history ☐ Human Papilloma Virus (HPV) ☐ Exposure to other harmful substances

Please specify:

_____

4. Disease Severity

What is the T stage of the cancer based on the AJCC Classification?	◯ Tis (carcinoma in situ)
	◯ T1a
	◯ T1b
	◯ T2
	◯ T3
	◯ T4a
	◯ T4b
	◯ Unknown yet

Please see the table for reference:

What is the N stage of the cancer based on the AJCC Classification?	◯ N0
	◯ N1
	◯ N2a
	◯ N2b
	◯ N2c
	◯ N3
	◯ Unknown yet

Please see Table for reference:

| What is the M stage of the cancer based on the AJCC Classification? | ◯ M0: no distant metastasis |
| | ◯ M1: Any distant metastasis |

What is the degree of dysphonia?

Clinician places slider between 0 and 100; indicates C or I. "Indicate the nature.." and Additional features responses are free text. Comments about resonance: Indicate normal or Other, if other then free text

Legend: C- Sonsistent I = Intermittent
MI = Mildly Deviant
MO = Moderately Deviant
SE = Severely Deviant

| Overall Severity | MI   MO   SE |
| | *(Place a mark on the scale above)* |

| Overall Severity | ◯ Consistent   ◯ Intermittent |

| Roughness | MI   MO   SE |
| | *(Place a mark on the scale above)* |

| Roughness | ◯ Consistent   ◯ Intermittent |

| Breathiness | MI   MO   SE |
| | *(Place a mark on the scale above)* |

| Breathiness | ◯ Consistent   ◯ Intermittent |

| Strain | MI   MO   SE |
| | *(Place a mark on the scale above)* |

Strain	○ Consistent ○ Intermittent

Pitch	MI MO SE
	_____
	(Place a mark on the scale above)

Pitch (Indicate the nature of the abnormality):	_____

Pitch	○ Consistent ○ Intermittent

Loudness	MI MO SE
	_____
	(Place a mark on the scale above)

Loudness (Indicate the nature of the abnormality):	_____

Loudness	○ Consistent ○ Intermittent

Comments about resonance	○ Normal ○ Other

Please specify	_____

Additional Features (for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms):	_____

Is the cancer causing stridor at rest?	○ No, the patient does not have stridor ○ Yes, mild stridor ○ Yes, moderate stridor ○ Yes, severe stridor

5. Treatment obtained

Has the participant undergone any treatment for their condition?	○ Yes ○ No

Select all that apply:	☐ Radiation ☐ Chemotherapy ☐ Immunotherapy ☐ Surgery ☐ Voice/Speech therapy ☐ Other

Surgery	☐ Endoscopic laser ☐ Partial laryngectomy

Other, please specify	_____