

D - Voice - Benign Lesions

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have a benign lesion confirmed by laryngoscopy/stroboscopy?

- ☐ Yes
☐ No
☐ Not certain

2. Disease Subtype

What is the benign lesion diagnosis?

- ☐ Anterior glottic web
☐ Fibrous masse (s)
☐ Recurrent respiratory papilloma
☐ Reinke's edema
☐ Rheumatoid nodules
☐ Vocal fold cyst
☐ Vocal fold nodules
☐ Vocal fold polyp
☐ Vocal fold scarring
☐ Vocal fold ulcers
☐ Other

Please specify

3. Etiology

What is the etiology?

- ☐ Phonotrauma
☐ HPV virus (RRP)
☐ Other

Please specify

4. Disease Severity

Location of lesion(s)

- ☐ Right vocal fold
☐ Left vocal fold
☐ Both vocal folds

Degree of dysphonia

CAPE-V scale

Legend: C- Consistent I = Intermittent
MI = Mildly Deviant
MO = Moderately Deviant
SE = Severely Deviant

Overall Severity

MI MO SE

(Place a mark on the scale above)

06.03.2026 17:57

5. Treatment obtained

Has the participant undergone any treatment for this condition?

- ☐ Yes
☐ No

Select all that apply:

- ☐ Voice/speech therapy
☐ Laryngeal microsurgery
☐ Voice rest
☐ Other

Other, please specify

Laryngeal microsurgery

- ☐ With laser
☐ Without laser