

D - Voice - Glottic Insufficiency Presbyphonia

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have glottic insufficiency confirmed by laryngoscopy/stroboscopy?

- ☐ Yes
☐ No
☐ Not certain

2. Disease Subtype/etiology

What is the glottic insufficiency diagnosis?

- ☐ Vocal fold atrophy related to aging (Presbyphonia)
☐ Vocal fold atrophy related to other cause
☐ Bilateral sulcus
☐ Other

Please specify

What is the glottic insufficiency diagnosis?

- ☐ Severe illness
☐ Rapid weight loss
☐ Hormonal changes
☐ Other

Please specify

3. Disease Severity

Please assess degree of glottic gap:

- ☐ Small
☐ Moderate
☐ Large

Please assess shape/location of glottic gap. Choose all that apply.


- ☐ Spindle shaped
☐ Anterior Glottic gap
☐ Posterior glottic gap
☐ Asymmetric

Degree of dysphonia

CAPE-V scale

Legend: C- Consistent I = Intermittent
MI = Mildly Deviant
MO = Moderately Deviant
SE = Severely Deviant


Overall Severity



Overall Severity

- ☐ Consistent ☐ Intermittent

Roughness



Roughness	☐ Consistent ☐ Intermittent
Breathiness	MI MO SE (Place a mark on the scale above)
Breathiness	☐ Consistent ☐ Intermittent
Strain	MI MO SE (Place a mark on the scale above)
Strain	☐ Consistent ☐ Intermittent
Pitch	MI MO SE (Place a mark on the scale above)
Pitch (Indicate the nature of the abnormality):	
Pitch	☐ Consistent ☐ Intermittent
Loudness	MI MO SE (Place a mark on the scale above)
Loudness (Indicate the nature of the abnormality):	
Loudness	☐ Consistent ☐ Intermittent
Comments about resonance	☐ Normal ☐ Other
Please specify	
Additional Features (for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms):	

4. Treatment obtained

Has the participant undergone any treatment for their condition?	☐ Yes ☐ No
Select all that apply:	☐ Voice/speech therapy ☐ Injection laryngoplasty ☐ Bilateral medialization thyroplasty ☐ Other
Other, please specify	