

D - Voice - Muscle Tension Dysphonia (MTD)

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have Muscle Tension Dysphonia (MTD)?

- ☐ Yes
☐ No
☐ Not certain

How was this confirmed? Select all that apply:

- ☐ Laryngoscopy/Stroboscopy
☐ Voice Evaluation

Did the participant have any of the following assessments? (Select all that apply)

- ☐ Detailed case history
☐ Aural-perceptual evaluation
☐ Flexible/Rigid laryngoscopy
☐ Voice/speech evaluation

2. Disease Subtype

- ☐ Primary MTD - neck muscles are tense with no abnormality in the larynx
☐ Secondary MTD - abnormality in larynx causes the patient to overuse other muscles involved in voice production

3. Etiology

What is the etiology? (Select all that apply)

- ☐ Psychological and/or personality factors
☐ Environmental irritants
☐ Vocal misuse and abuse
☐ Compensation for underlying disease
☐ Other

Please specify

4. Disease Severity


Degree of dysphonia

CAPE-V scale

Legend: C- Consistent I = Intermittent
MI = Mildly Deviant
MO = Moderately Deviant
SE = Severely Deviant

Overall Severity

MI MO SE




(Place a mark on the scale above)

Overall Severity

☐ Consistent ☐ Intermittent

Roughness

MI MO SE



(Place a mark on the scale above)

5. Treatment obtained	
Has the participant undergone any treatment for this condition?	☐ Yes ☐ No
Select all that apply:	☐ Vocal hygiene and patient education ☐ Voice/speech therapy ☐ Circumlaryngeal manual therapy ☐ Surgery for secondary organic lesions ☐ Other medical treatment
Please specify	

Deprecated Fields

[DEPRECATED]

Determined by (Select all that apply):

- ☐ Laryngologist
- ☐ Speech-Language Pathology