

D - Voice - Precancerous Lesions

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have a precancerous vocal fold lesion?

- ☐ Yes
☐ No
☐ Not certain

How was this confirmed? Select all that apply:

- ☐ Laryngoscopy/Stroboscopy
☐ Biopsy/Pathology Report

2. Disease Subtype

What is the diagnosis?
 (Select all that apply).

- ☐ Keratosis
☐ Leukoplakia
☐ Erythroplakia
☐ Other

Keratosis

- ☐ With dysplasia
☐ Without dysplasia

Keratosis with dysplasia

- ☐ Low grade
☐ Moderate grade
☐ High grade

Leukoplakia

- ☐ With dysplasia
☐ Without dysplasia

Leukoplakia with dysplasia

- ☐ Low grade
☐ Moderate grade
☐ High grade

Erythroplakia

- ☐ With dysplasia
☐ Without dysplasia

Erythroplakia with dysplasia

- ☐ Low grade
☐ Moderate grade
☐ High grade

Other, please specify

3. Etiology

Does the participant have the following risk factors?
 (Select all that apply).

- ☐ Past or present smoking
☐ Laryngopharyngeal reflux
☐ Other irritants

Other irritants

4. Disease Severity

Location of lesion(s)
(Select all that apply).

- ☐ Right vocal fold
☐ Left vocal fold
☐ Both vocal folds
☐ Ventricular folds (right or left)
☐ Subglottal areas


Degree of dysphonia

Clinician places slider between 0 and 100; indicates C or I. "Indicate the nature.." and Additional features responses are free text. Comments about resonance: Indicate normal or Other, if other then free text

Legend: C- Consistent I = Intermittent
 MI = Mildly Deviant
 MO = Moderately Deviant
 SE = Severely Deviant

Overall Severity

MI MO SE




(Place a mark on the scale above)

Overall Severity

☐ Consistent ☐ Intermittent

Roughness

MI MO SE




(Place a mark on the scale above)

Roughness

☐ Consistent ☐ Intermittent

Breathiness

MI MO SE




(Place a mark on the scale above)

Breathiness

☐ Consistent ☐ Intermittent

Strain

MI MO SE



(Place a mark on the scale above)

Strain

☐ Consistent ☐ Intermittent

Pitch

MI MO SE



(Place a mark on the scale above)


Pitch
(Indicate the nature of the abnormality):

Pitch

☐ Consistent ☐ Intermittent

Loudness

MI MO SE



(Place a mark on the scale above)

Loudness
(Indicate the nature of the abnormality):

Loudness

☐ Consistent ☐ Intermittent

Comments about resonance

☐ Normal ☐ Other

Please specify

Additional Features

(for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms):

5. Treatment obtained

Has the participant undergone any treatment for this condition?

☐ Yes
☐ No

What treatments did the participant undergo? (Select all that apply):

- ☐ Surveillance only (previous diagnosis)
 - ☐ Laser resection
 - ☐ Laser ablation
 - ☐ Microlaryngeal surgery without laser
 - ☐ Radiotherapy for persistent or recurrent lesions
 - ☐ Voice/speech therapy
 - ☐ Other
-

Other, please specify

Deprecated Fields

[DEPRECATED]

Does the participant have a precancerous vocal fold lesion confirmed by laryngoscopy/stroboscopy?

☐ Yes
☐ No
☐ Not certain

[DEPRECATED]

Does the participant have a precancerous vocal fold lesion confirmed by biopsy/pathology?

☐ Yes
☐ No
☐ Not certain