

Android Enterprise Fully Managed with Intune - Corporate-Owned Android Phone Playbook

Purpose. A complete procedure for provisioning a business Android phone as a corporate-owned, fully managed device in Microsoft Intune: managed Google Play bound with an Entra account, an enrollment profile with QR-code provisioning, enrollment-time grouping, a baseline device restrictions policy, and a carrier eSIM added after enrollment.

Reader. A technician who has administrator access to a Microsoft 365 tenant and a phone to provision, and who has not done this before.

Reference build. Every step was executed on a Google Pixel 8a, in a Microsoft 365 Business Premium tenant. Where the phone or the product behaved differently from the documentation, the step says so in a **Reference build** note. Those notes are the reason this playbook exists.

Placeholders. <ORG> is a short organization prefix. contoso.com is the tenant domain. user@contoso.com is the person who will use the device. Replace all three before use. Serial numbers, device names, IMEI and EID values, tenant identifiers, and the enrollment QR code appear nowhere in this document.

Version 1.0 · October 2026

Written against Android 17 (September 2026 patch), Intune admin center as of 2 October 2026, Microsoft 365 Business Premium

Author Evan Ireland, in collaboration with Claude (Anthropic)

Companion case study evanireland.tech/projects/android-enterprise-intune-endpoint/

Companion write-up evanireland.tech/posts/android-enterprise-intune-work-phone/

Companion playbook Entra Join, Autopilot & Intune - Cloud-Native Windows Endpoint Playbook (same tenant pattern, Windows)

Contents

1. Concepts & Terminology
2. Prerequisites, Kit & Decisions
3. Tenant Preparation
4. Apps & Baseline Policy
5. Device Intake, Patching & Enrollment
6. Verification
7. Carrier Line, eSIM & Hotspot
8. Hardening Backlog
9. Troubleshooting Reference
10. Documenting the Build Safely

Sources follow Part 10.

1. Concepts & Terminology

1.1 Why enrollment only happens from the setup wizard

Fully managed and corporate work profile both make a management app the **Device Owner**. Android allows that only **before the first user is set up**. This is a deliberate security design: it stops an app from taking over a phone someone is already using. A phone sitting at its home screen must be **factory reset** before it can be enrolled as a corporate-owned device.

The only path from a phone that is already set up is a *personal* work profile (BYOD). That path marks the device as personally owned and gives up whole-device control, which is the wrong template for a company asset.

1.2 Who does what

Component	Role
Intune admin center	The console where policy, apps, and enrollment profiles are created.
Android Management API	Google's service that carries Intune's policy to the device.
Android Device Policy	The Google app on the phone that is the Device Owner and enforces the policy.
Microsoft Intune app	What the user sees: sign-in, compliance status, sync.
Managed Google Play	The work app store. Intune cannot manage Android Enterprise at all until the tenant is bound to it (Section 3.2).

1.3 Fully managed, and the alternatives

Fully managed (corporate-owned, single user, "COBO") gives the organization control of the whole device. It suits a work-only phone where the owner carries a separate personal phone, so there is no personal side to protect. **Corporate work profile (COPE)** is the alternative when staff will not carry two phones. **Personal work profile** is BYOD and is not covered here.

1.4 Patch before you provision

A factory reset erases data, not the OS version. The build on the phone at reset is the build you enroll on. A phone months behind on patches, enrolled with an automatic system update policy, can start a large update in the middle of enrollment and reboot itself. That restart is the one Microsoft warns breaks registration.

Reference build. Patching first took the phone from Android 16 (May 2026 build) to Android 17 (September 2026 patch) before management touched it.

1.5 The eSIM goes on after enrollment, never before

Carrier eSIM QR codes are typically single-use, and a factory reset can delete a downloaded eSIM. The order is: patch, reset, enroll, then eSIM. Once the phone is enrolled, an Intune wipe **preserves eSIMs by default** on corporate-owned Android modes.

1.6 Fully managed means approved apps only

The regular Play Store is replaced by the *work* Play Store, which shows only apps the administrator approved and assigned. Fully managed setup also **disables most preinstalled apps**. They are disabled, not deleted, and can be re-enabled by package name (Section 6.2).

1.7 Enrollment-time grouping

The enrollment profile can place the new phone into a security group during setup, so everything assigned to that group applies at once. A dynamic group would have to wait for rule evaluation, which can take many minutes.

Intune can write that membership only when the **Intune Provisioning Client** service principal (App ID `f1346770-5b25-470b-88bd-d5744ab7952c`) is an **owner** of the group. This is a Microsoft first-party identifier, not a tenant secret. Only the default fully managed token supports enrollment-time grouping; the staging token does not.

1.8 Documentation lags the portal

Two portal differences from Microsoft Learn were found on 2 October 2026: the system-app path moved under a new "Category" picker (Section 6.2), and the Copilot app listed in managed Google Play is now simply "Microsoft Copilot" (Section 4.1). Portal paths in this playbook are dated 2 October 2026. If one has moved, search the admin center for the feature name.

2. Prerequisites, Kit & Decisions

2.1 Time budget and stopping points

Phase	Hands-on	Safe to stop after?
3 Tenant preparation (binding, group, profile)	30-45 min, more if a Google identity already exists	Yes
4 Apps and baseline policy	30-60 min, scales with the app list	Yes
5 Device intake, patching, and enrollment	30-45 min including patching. Enrollment itself took about six minutes	Not mid-enrollment. Never restart the phone during Section 5.6
6 Verification and system apps	20-30 min	Yes
7 Carrier line, eSIM, hotspot	30-45 min	Yes

The six-minute figure is color, not a performance claim. It describes one phone on one network on one day.

2.2 Kit

- The phone, charged, **no SIM inserted**, and a Wi-Fi network that is not a guest or isolated VLAN.
- An administrator workstation for the Intune admin center. The QR code is displayed on its screen.
- The purchase receipt, for warranty and origin.
- A password manager open to the **business** vault, for the carrier account and hotspot password.
- For the carrier step: the phone's **IMEI 1** and **EID** (Settings, About phone).

2.3 Decisions made in this playbook

Change these before you start, not mid-build.

Decision	Choice	Why
Management mode	Fully managed (COBO)	Single-user, work-only phone. COPE is the alternative when staff refuse to carry two phones.
Provisioning method	QR code from the enrollment profile	No zero-touch reseller was involved. QR is Microsoft's recommended method for most scenarios.
Token type	Corporate-owned, fully managed (default)	The staging token does not support enrollment-time grouping.
Device name	<ORG>-{{SERIAL}}	Same pattern as the Windows laptop. Android has no 15-character name limit.
Device group	SG-AE-FullyManaged-Devices , Assigned , owner Intune Provisioning Client	Enrollment-time grouping requires a static group the provisioning service owns.
Enrollment profile	<ORG>-AE-FullyManaged-v1	Versioned so a v2 can be built beside it.

Required apps	A short core list (mail, chat, browser, storage, password manager), to the device group	Installs during setup and cannot be uninstalled by the user.
Other apps	Available , to the device group	Fully managed is an exception to the user-group rule for Available assignments (Microsoft Learn, assign apps to groups).
Baseline policy	<ORG>-AE-FM-Baseline-v1: PIN required, biometrics disabled, automatic system updates, tethering left allowed deliberately	A security floor delivered at enrollment. Compliance and Conditional Access belong to the hardening work (Part 8).
Sign-in	PIN only, no biometrics	The owner's standing rule, enforced by policy rather than habit.

3. Tenant Preparation

Everything in this part happens on the administrator workstation, in a browser.

3.1 Check for an existing Google identity on the domain

Before binding, find out whether the domain already has a Google organization. Anyone who ever signed up for a Google service with an address at the domain, started a Workspace trial, or used "Sign in with Microsoft" on a Google service may have created one. Sign in at **admin.google.com** with the administrator's work address.

- **Admin console loads:** note Account, Domains (Verified?) and Billing, Subscriptions.
- **No access:** stop and resolve Google-side administrator rights before binding.

Reference build. The domain already had a free Google Workspace Essentials Starter team with sign-in federated to Microsoft. Domain verification (a TXT record at the apex and a CNAME) succeeded. Google then gated "unlock admin features" behind a **paid** upgrade, with a banner saying another administrator could claim the domain after a deadline. The upgrade was declined because it was not needed, and the binding in Section 3.2 attached to the existing identity without error. Leave the verification records in DNS.

3.2 Bind Intune to managed Google Play

1. Intune admin center, **Devices, Enrollment, Android** tab, Prerequisites, **Managed Google Play**.
2. **I agree.** This consents to sending user and device data to Google.
3. **Connect to Google now** (button text as of 2 October 2026), then sign in with the administrator's **Entra** account ("Sign in with Microsoft"). The account must have a mailbox, because Google validates by email. Since August 2024 an Entra account replaces the old enterprise Gmail binding.
4. **Allow** ("binding your managed Google account to Microsoft Intune").
5. Back in Intune the status shows **Setup**, with the linked account and registration date. **Upgrade** greyed out means the domain is already a managed Google domain, not a legacy Gmail binding.
6. **Change Organization Name** (toolbar on the same pane, also under Tenant administration, Connectors and tokens, Managed Google Play) to the business's real name.

Reference build. The organization name auto-generated from the administrator's name and domain. That name appears on the phone during setup and in the work Play Store, so fix it before enrolling anything.

Client rule. Bind with the **client's** administrator account, never the technician's, and add a second owner in the Google Admin console. Google recommends two.

3.3 Create the enrollment-time device group

Groups, New group: Security, name `SG-AE-FullyManaged-Devices`, membership type **Assigned**, Entra roles can be assigned: No, and **Owner = Intune Provisioning Client** (App ID `f1346770-5b25-470b-88bd-d5744ab7952c`). In a new tenant the service principal may not exist yet. The Windows playbook (Section 3.4) shows how to create it with `New-MgServicePrincipal`. Put the profile name and the reason for the owner in the group description, so the next administrator knows why it matters.

3.4 Create the fully managed enrollment profile

Devices, Enrollment, Android, **Corporate-owned, fully managed user devices, Create policy**. Ignore the auto-created *Default Fully Managed Profile*, which has no name template and no group.

- Name `<ORG>-AE-FullyManaged-v1`. Token type **Corporate-owned, fully managed (default)**.
- Apply device name template **Yes**, `<ORG>-{{SERIAL}}`.
- Device group: `SG-AE-FullyManaged-Devices` (a **device** group).
- The profile's **Token** page shows the QR code.

Treat the QR code as a key. Anyone who holds it can enroll a device into the tenant. Never publish it, never paste it into a ticket or chat, and revoke and replace the token if it leaks. It does not appear anywhere in this playbook or in the write-ups that go with it.

4. Apps & Baseline Policy

4.1 Approve and assign apps

Apps, All apps (or Android), **Create**, Category **Store app, Managed Google Play app**. The embedded work Play Store opens. **Select** each app, checking the publisher because look-alike apps exist. Press **Sync** once at the end, then **Refresh**. Forgetting Sync is the usual cause of "my app isn't there."

Assign per app under Properties, Assignments:

Intent	Group	Apps
Required	SG-AE-FullyManaged-Devices	A short core list: mail (Outlook), chat (Teams), Microsoft Copilot, storage (OneDrive), browser (Edge), and a password manager. Add anything the owner insists on.
Available for enrolled devices	SG-AE-FullyManaged-Devices	The rest of the working set: Office apps, collaboration apps, a PDF reader, the carrier's app, and any others the business uses.
Installed by Intune on its own	-	Microsoft Intune, Microsoft Authenticator, and Company Portal. Do not add them.
Leave unassigned	-	Managed Home Screen and Microsoft Launcher , which are added automatically at binding. They are launchers for kiosks and locked-down fleets.

Copilot

Microsoft has merged its Copilot apps. There is now one app, called **Microsoft Copilot**, that signs in with a personal account or a work account, and the work and personal sides stay separate. Signed in with the work account, it is the work app. Do not go looking for "Microsoft 365 Copilot" in the store.

Reference build. Only "Microsoft Copilot" appeared in the managed Google Play search. The name looks like the consumer app, which is the only reason it gets a note here. It was not a problem.

Authenticators

Microsoft Authenticator is mandatory. It installs at enrollment, it cannot be uninstalled on a fully managed phone, and it later holds the Entra passkey. Keep other one-time-code accounts in a single app. **Codes stored only on a managed phone die with a wipe.** Turn on sync, or keep an encrypted export off the device.

Personal and financial apps

A fully managed phone can still pass Play Integrity, and the administrator can see *that* an app is installed, not what is in it. Personal banking and similar accounts belong on the personal phone anyway.

AI apps

Only Copilot, signed in with the work account, sits inside the Microsoft 365 data protection boundary. Treat every other AI app as outside it and keep client data out.

4.2 Baseline device restrictions profile

Devices, Configuration, Create, New policy. Platform **Android Enterprise**, profile type **Fully Managed, Dedicated, and Corporate-Owned Work Profile**, Templates, **Device restrictions**.

Setting	Value	Note
General, System update	Automatic	Monthly patches install without waiting on the user.
General, Tethering and access to hotspots	Not configured, deliberately	Microsoft's "high security (level 3)" fully managed example blocks tethering. Copying a baseline blindly would kill the hotspot the carrier plan was bought for. Say so in the policy description.
Device password, Required password type	Numeric complex	Blocks repeating and sequential PINs.
Device password, Minimum length	6	
Device password, Disabled lock screen features	Face, Fingerprint, Iris	Intune labels fingerprint "(work profile-level)", but on a fully managed device it applied device-wide.
Wipe after N failed sign-ins	Not configured	Choose a number deliberately in the hardening work.

Name the policy `<ORG>-AE-FM-Baseline-v1` and assign it to `SG-AE-FullyManaged-Devices`.

Reference build. After enrollment the phone showed fingerprint and face unlock as "Disabled by admin" (Section 6.1, check 6.1.4), which confirms the label's "work profile-level" wording did not limit it to a work profile on a fully managed device.

5. Device Intake, Patching & Enrollment

5.1 Record the as-received state, and check the model first

Do this before anything on the phone changes.

- **Model number and warranty region.** Settings, About phone, **Regulatory labels** gives the model number. The manufacturer's warranty check by IMEI gives the **warranty region**. A region mismatch means doubtful local warranty service and possibly different radio bands.
- Settings, About phone: model, Android version, build number, EID, and IMEI 1 and 2. These are private, so redact them before publishing anything.
- Note whether the phone has ever been online and whether a Google account was ever added. A Google account added before a reset means Factory Reset Protection.

Reference build. The warranty check was done *after* enrollment and found that the phone is the **Japan-region model (G576D)**, bought online without checking the model number. The consequences were no US warranty service and a carrier rejection (Section 7.2). The unit was kept as an accepted risk. Do the check at intake and you will know before you spend an hour on the build. Buy phones from the carrier, the manufacturer, or an authorized reseller.

5.2 Patch to current

1. Connect to Wi-Fi. **Do not sign in to a Google account.** Skip every prompt.
2. Settings, System, Software updates, System update. Install, and **repeat until the phone is up to date.**
3. The Google Play system update (Mainline) **requires a Google account on an unmanaged phone.** Skip it. It continues through the device's managed Play account after enrollment (verify in Section 6.1, check 6.1.9).
4. Record the new security patch level and build number.

Reference build. The OS update moved the phone from Android 16 to Android 17, and the Play system update date from November 2025 to May 2026, before any enrollment.

5.3 Show the QR code

Intune, the enrollment profile, **Token**, then display the QR code on the workstation screen. Zoom the browser in if the phone will not scan it.

5.4 Factory reset

Settings, System, Reset options, **Erase all data (factory reset)**. Resetting from Settings signs out any Google account first, which clears Factory Reset Protection. Stop at the welcome screen.

5.5 Provision

1. On the welcome screen, tap the same blank spot **about six times**. QR setup opens.
2. Join Wi-Fi: the main network, not a guest network.

3. **Scan the QR code.** Note the time from the workstation clock, because the phone's clock is not set yet.
4. Accept the "this device belongs to your organization" disclosure, and check that it names the organization you set in Section 3.2.
5. Skip any "add a SIM" or "download a SIM" screen.

5.6 Enroll (do not restart the phone at any point)

1. The **Intune Web Company Portal** opens in a browser tab. Sign in with the work account and complete MFA.
2. **Install work apps.** Two apps sit under Required: Microsoft Intune and Microsoft Authenticator, which Microsoft puts on every fully managed phone. The apps you assigned to the device group appear as well. When your own apps show up here, that is the proof the phone joined the enrollment-time group during setup.
3. **Set up access, Register your device.** This is Entra registration through the Intune app.
4. Screen lock: set a PIN that meets Section 4.2. **No biometric option is offered** if the baseline applied.
5. Home screen. Note the time.

Reference build. The Install work apps screen showed two Required apps and nine more under Additional, the nine being the apps assigned to the group. QR scan to home screen took six minutes.

6. Verification

6.1 Prove state on the device

The portal reports *delivery*. These checks prove what the phone actually does.

#	Check	Where	Pass
6.1.1	Device record	Intune, Devices, Android	Name <ORG>-<serial> , ownership Corporate , Android (fully managed), primary user correct
6.1.2	Enrollment-time grouping	Groups, SG-AE-FullyManaged-Devices , Members	The phone is a member
6.1.3	Policy delivered	Device, Device configuration	Baseline shows Succeeded
6.1.4	Policy in effect	Phone: Settings, Security & privacy, Device unlock, Fingerprint / Face	Disabled by admin
6.1.5	Hotspot not blocked	Phone: Settings, Network & internet, Hotspot & tethering	Opens normally
6.1.6	Entra object	Entra, Devices, All devices	Microsoft Entra registered , MDM Intune. Android registers. "Entra joined" is a Windows and macOS concept
6.1.7	Disclosure	Phone: Settings, search "managed", Managed device info	Capture it. It is what staff will ask about
6.1.8	Compliance	Device record	"Compliant" means nothing until a compliance policy exists . The tenant default marks unassigned devices Compliant (Part 8)
6.1.9	Play system update	Phone: Settings, System, Software updates	Date moves past the pre-enrollment value within a day or so
6.1.10	Disabled system apps	App drawer	See Section 6.2
6.1.11	Time zone	Phone: Settings, System, Date & time	Automatic time and time zone on

Reference build. The device record showed Corporate ownership and Android (fully managed). The Entra object showed Microsoft Entra registered with MDM Intune. The tenant reported the phone Compliant with no compliance policy assigned at all. That is the tenant default, not evidence of anything. The tenant owner's daily account was also a Global Administrator, a lab compromise recorded as a compromise, not a recommendation.

6.2 Re-enable disabled system apps

Fully managed setup disables most preinstalled apps. To re-enable one: Apps, Create, Category **Referenced app, Android Enterprise system app**. Enter the name, publisher, and **package name**. Assign it **Required** (Required means enabled, Uninstall means disabled) to the device group, then sync from the Intune app on the phone.

Reference build. After provisioning, Gmail, Photos, YouTube, Maps, Calendar, Clock, and Calculator were disabled. Contacts, Files, Phone, Messages, Camera, Chrome, and Settings remained. Microsoft Learn on that date still described the path as "Other, Android Enterprise system app", while the portal showed a Category picker with **Referenced app**.

"Built-in app" is a different type that is not supported on Android Enterprise. Do not use it. You also cannot create a system-app entry for an app that is already approved in managed Google Play.

App	Package name
Google Clock	com.google.android.deskclock
Google Calculator	com.google.android.calculator
Google Maps	com.google.android.apps.maps

7. Carrier Line, eSIM & Hotspot

7.1 Choose the plan and account type

	Consumer account under the business email	Business account
Account holder	The owner	The company, verified with its tax ID
Number ownership and invoices	The owner	The company
Fits when	A one-person company, where deductibility follows business use rather than the name on the account	Staff lines are coming, or the number must belong to the company

Move to a business account when staff lines arrive. **Check coverage first**, on the carrier's coverage map, for every address that matters: the office, the clients, the job sites. The checkout page is the authority on hotspot allowances. Third-party figures conflict.

7.2 Purchase the line

- **Network.** Compatibility is checked by IMEI, which identifies the **model**. Use IMEI 1.
- **Area code.** Choose a local one if offered.
- **Account.** Use the business email, a password generated in the business vault, **a passkey and 2FA**, and a **port-out PIN or number lock if offered** as SIM-swap defense. Ask carrier support if you cannot find a customer-set port-out PIN.
- **Expect a card decline or a 3-D Secure code** on a first prepaid-telecom purchase. Bank fraud models score it as high risk (new merchant, instant digital delivery, lump sum). It is not a sign the carrier is illegitimate. Approve the bank's fraud alert.
- File the receipt with the business records and record the expense.

Reference build. The carrier's Verizon-based network reported the phone as an incompatible device. The first guess was that IMEI 2 had been entered, but the cause was the Japan-region model (Section 5.1). According to a third-party spec database, its band list has no LTE band 13, Verizon's primary coverage band, so the rejection was correct. The line went on the carrier's AT&T-based network instead, which also includes an unlimited hotspot. The same database lists no LTE band 14, so rural and in-building coverage is weaker than on a US-model unit. The band data comes from a third-party source because the manufacturer's own page no longer lists this model.

7.3 Install the eSIM

On Wi-Fi: Settings, Network & internet, **SIMs, Add SIM, Download a SIM instead**. Scan the carrier's QR code from the workstation. If the option is greyed out or says "Disabled by admin", stop. Something is restricting mobile network configuration. Rename the SIM (for example <ORG> - Carrier), set it as the default for calls, SMS, and data, and turn on **Wi-Fi Calling**.

7.4 Prove the line

Turn Wi-Fi off. Load a web page. Call and text the personal phone **in both directions**, and confirm that About phone shows the number. Turn Wi-Fi back on and repeat a call to prove Wi-Fi Calling.

7.5 Configure the hotspot

Settings, Network & internet, Hotspot & tethering, Wi-Fi hotspot.

- **Name:** neutral, for example `HS-01`. A broadcast name is visible to everyone at a client site, so it should not identify the business.
- **Security:** WPA3-Personal. Use the WPA2/WPA3 transition mode only if an old client device needs it.
- **Password:** generated and stored in the business vault.
- **Turn off hotspot automatically:** On.

On the workstation, connect, then open Wi-Fi, the hotspot, Properties, and set **Metered connection: On**. That stops feature updates and large background downloads over the hotspot.

8. Hardening Backlog

None of these belong in the first session. Each is its own piece of work.

#	Item	Why it waits
8.1	Compliance policy for Android fully managed, and set "Mark devices with no compliance policy assigned as" to Not compliant	Required before Conditional Access. Until then "Compliant" means nothing (check 6.1.8)
8.2	Conditional Access, report-only first, with <code>breakglass@contoso.com</code> excluded	Exclude the Microsoft Intune cloud app from any compliant-device policy that covers all apps on Android and browsers. Enrollment authenticates in a browser tab and would be locked out
8.3	Wipe after N failed unlocks, screen timeout, developer options, USB data	Each needs a deliberate number or choice
8.4	Entra passkey in Microsoft Authenticator, using the device PIN with no biometrics	Depends on the PIN-only rule being in force
8.5	Decide whether personal devices may Entra-register	In the reference tenant a personal workstation had registered with MDM None. Registration alone does not give control of anything
8.6	Microsoft Defender for Endpoint on Android	Its own onboarding and verification exercise
8.7	Replace the Japan-region phone with a US-model unit	Accepted risk for now. Revisit when revenue supports replacement hardware
8.8	Ask the carrier about a customer-set port-out PIN	Open item

9. Troubleshooting Reference

Symptom	Most likely cause	Check
Tapping the welcome screen does nothing	Not on the first welcome screen, too slow, or tapping a button	Six quick taps on a blank area
QR will not scan	Browser zoom or glare	Zoom in and dim the screen
"Domain already in use" at binding	Another Google organization owns the domain	Resolve Google-side administrator rights first (Section 3.1)
Organization name wrong on the phone	Auto-generated at binding	Section 3.2 step 6, before enrollment
Required app not installed during setup	Not assigned Required, not synced, or assigned to a user group only	Section 4.1. App install status on the device record
App missing from the work Play Store	Approved but not synced, or not assigned	Sync, and check the Available assignment
Device enrolled but no policy	The phone was restarted during enrollment	Wipe and re-enroll
Device not in the device group	Provisioning Client is not owner, or the staging token was used	Section 3.3. Devices, Monitor, Enrollment time grouping failures
Gmail, Maps, Clock, and others missing	Disabled at provisioning	Section 6.2
No "Android Enterprise system app" type	The new Category picker	Category Referenced app
Store shows only "Microsoft Copilot"	The Copilot apps were merged	It is the work app when signed in with the work account (Section 4.1)
Google Play system update wants a Google account	Unmanaged phone	Skip it. It updates after enrollment
Carrier reports "incompatible device"	The regional model lacks the carrier's bands (here the Japan-region G576D has no LTE band 13 for Verizon's network), or the wrong IMEI was entered	Check the model number under Regulatory labels, then use IMEI 1 (Sections 5.1, 7.2)
Card declined at carrier checkout	Bank fraud scoring of prepaid telecom	Approve the alert and expect 3-D Secure
eSIM option greyed out or "Disabled by admin"	A policy restricts mobile network configuration	Device configuration profiles assigned to the phone
Biometric option still offered	Baseline not applied at setup	Checks 6.1.2 and 6.1.3. Device group membership

10. Documenting the Build Safely

These rules apply to anything written from a build like this one, including this playbook.

- **Redact before anything leaves your records:** the serial number and every device name, the EID and IMEIs, MAC and Bluetooth addresses, tenant and object IDs, DNS verification values, the phone number, any home or client address (a coverage map shows one), card digits, receipts, and **the enrollment QR code**. The QR code should never be captured at all.
- **Label lab compromises as compromises.** A Global Administrator on a daily account, and compliance showing Compliant by tenant default, are both things to say out loud rather than hide.
- **Do not publish timing as performance.** "About six minutes" is color, not a service-level promise.
- **Assert only what was verified on the device.** The portal reports delivery. The phone is what proves it.

Sources

- Microsoft Learn - Connect Intune to managed Google Play: learn.microsoft.com/intune/device-enrollment/android/connect-managed-google-play
- Microsoft Learn - Set up fully managed enrollment: learn.microsoft.com/intune/device-enrollment/android/setup-fully-managed
- Microsoft Learn - Enroll corporate-owned Android Enterprise devices (QR, token, FRP table): learn.microsoft.com/intune/device-enrollment/android/ref-corporate-methods
- Microsoft Learn - Enrollment time grouping: learn.microsoft.com/intune/device-enrollment/setup-time-grouping
- Microsoft Learn - Add managed Google Play apps: learn.microsoft.com/intune/app-management/deployment/add-managed-google-play
- Microsoft Learn - Assign apps to groups: learn.microsoft.com/intune/app-management/deployment/assign-groups
- Microsoft Learn - Manage Android Enterprise system apps: learn.microsoft.com/intune/app-management/configuration/manage-system-apps-android
- Microsoft Learn - Android Enterprise device restrictions: learn.microsoft.com/intune/device-configuration/templates/ref-device-restrictions-android-enterprise
- Microsoft Learn - Wipe (eSIM preserved by default): learn.microsoft.com/intune/device-management/actions/wipe
- Microsoft Learn - Android fully managed security configurations: learn.microsoft.com/intune/device-security/security-configurations/android-fully-managed
- Microsoft Support - Copilot app changes for personal, work and school accounts: support.microsoft.com/en-us/microsoft-365-copilot/learning/changes-microsoft-copilot-app