Dataset		
Subject	astronomy	
Xmlns:xlink		
Title	Proper Motions of Stars in the Zone Catalogue -40 to -52 degrees of 20843 Stars for 1900	
Altname		
Type	ADC	
Content	1005	
Tumo	lene	
Type     Content	CDS	
Conten	IIIo	
<ul> <li>Type</li> </ul>	brief	
	Proper Motions in Cape Zone Catalogue -40/-52	
Reference		
Source		
Oth		
	Title Proper Motions of Stars in the Zone Catalogue -40 to -52 degrees of 20843 Stars for 1900	
	Author  • Initial	
	Initial     Entry J	
	· Entry	
	• Entry H	
	Lastname   Spencer	
	• Initial	
	• Entry	
	Lastname Jackson	
	Name His Majesty's Stationery Office, London	
	Publisher ???	
	City ???	
	Date	
	Year 1936	
_	Bibcode	
	rnal	
Related		
Keywords	sturl http://messier.gsfc.nasa.gov/xml/keywordlists/adc_keywords.html	
Keywor		
	u. ki.khef   Positional_data.html	
	tent Positional data	
	k:href Proper_motions.html	
	tent Proper motions	
Descriptions		
Descrip Par		
	a Entry	
Details	Entry	
Par	a	
Tablehead	_	
<ul> <li>Tableling</li> </ul>	ıks	
Tak	olelink	
	Xlink:href czc.dat	
	Title The catalogue	
Fields		
Fie		
•	Name	
	Definition Contest	
	Content	
	Footnote Units	
•	Name CZC	
	Definition	
	Content	
	Footnote	
	Units	
•	Name Vmag	
	Definition	

Content Footnote
Units mag

	Name RAh
	Definition
	Content
	Footnote
	Units  h
	Unitsiii
•	Name RAm
	Definition
	Content
	Footnote
	Units min
	Name RACS
	Definition
	Content
	Footnote
	Units 0.01s
	Name DE-
	Definition
	Content
	Footnote
	Units
	Name DEd
	Definition
	Content
	Footnote
	Units deg
•	Name DEm
	Definition
	Content
	Footnote
	Units   arcmin
	onto paroner
•	Name DEds
	Definition
	Content
	Footnote
	Units 0.1arcsec 0.1arcsec
	Units    U. Tarcsec
•	Name   Ep-1900
	Definition Definition
	Content
	Footnote
	Units cyr
	Name CPDZone
	Definition
	Content
	Footnote
	Units
	N. Jopen
	Name CPDNo
	Definition
	Content
	Footnote
	Units
	Name Pmag
	Definition
	Content
	Footnote

Units mag
Name Sp
Definition
Content Footnote
Units ---

•	Name pmRAs
	Definition
	Content   Proper Motion in RA
	Footnote
	• Para
	• Entry Entry
	Footnoteid
	Units 0.1ms/yr
	Name of the PA
•	Name pmRA
	Definition Control
	Content
	Footnote Units mas/yr
	Units massy:
•	Name pmDE
	Definition
	Content
	Footnote
	Units mas/yr
History	
Ingest	
Cre	eator
	Lastname Julie Anne Watko
	Affiliation SSD00/ADC
Da	
	Year 1995
	Month Nov
	Day 3
Identifier	1_5.xm
Subject	astronomy
	http://www.w3.org/XML/XLink/0.9
Title	Catalogue of 20554 Faint Stars in the Cape Astrographic Zone -40 to -52 Degrees for the Equinox of 1900.0
Altname	
<ul> <li>Type</li> </ul>	ADC
Conten	nt 1006
<ul> <li>Type</li> </ul>	CDS
Conten	
Conten	
<ul> <li>Type</li> </ul>	brief
	tt Cape 20554 Faint Stars, -40 to -52, 1900.0
Reference	
Source	
Ot	her
	Title Catalogue of 20554 Faint Stars in the Cape Astrographic Zone -40 to -52 Degrees for the Equinox of 1900.0
	Author
	• Initial
	• Entry J
	• Entry H
	Lastname   Spencer
	• Initial
	Entry
	· Linuy Lastname Jackson
	Lasurame packson  His Majesty's Stationery Office, London
	Publisher ???
	City ???
	Date
	Year 1939
	Bibcode 1939HMSO.C0S
Joi	urnal
Related	
Keywords	
	listurl http://messier.gsfc.nasa.gov/xml/keywordlists/adc_keywords.html
Keywo	
	nk:href Positional_data.html
Co	ntent Positional data
• XIii	nk:href   Proper_motions.html
	intent Proper motions

Descriptions	
Descrip	
<u>Par</u> .	Entry This catalog contains positions, precessions, proper motions, and photographic magnitudes for 20,554 stars. These were derived from photographs taken at the Royal Observatory, Cape of Good Hope between 1923 and 1928. It covers the astrographic zones -40 degrees to -52 degrees of declination. The positions are given for epoch 1900 (1900.0). It includes spectral types for many of the stars listed. It extends the earlier catalogs derived from the same plates to fainter magnitudes. The computer-readable version consists of a single data table.
•	Entry The stated probable error for the star positions is 0.024 seconds of time (R.A.) and 0.25 seconds of arc (dec.) for stars with one determination, 0.017 seconds of time, and 0.18 seconds of arc for two determinations, and 0.014 / 0.15 for stars with three determinations.
	Entry The precession and secular variations were derived from Newcomb's constants.
•	Entry The authors quote probable errors of the proper motions in both coordinates of 0.008 seconds of arc for stars with one determination, 0.0055 seconds for stars with two determinations, and 0.0044 for stars with three.
•	Entry The photographic magnitudes were derived from the measured diameters on the photographic plates and from the magnitudes given in the Cape Photographic Durchmusterung.
•	Entry The spectral classification of the cataloged stars was done with the assistance of Annie Jump Cannon of the Harvard College Observatory.
•	Entry The user should consult the source reference for more details of the measurements and reductions. See also the notes in this document for additional information on the interpretation of the entries.
Details	
Par	a entre entr
Tablehead	de.
Tablelin     Table	
Tac	Jelink Wilstoned form det
	Xlink:href faint.dat Title Data
Fields	Title   Data
Fiel	d .
•	Name ID
•	Definition Definition
	Content Conten
	Footnote
	units
	Name rem
	Definition
	Content Remark
	Footnote
	• Para
	• Entry
	Footnoteid
	Units
•	Name CPDZone
	Definition  Content Cone Phot Durchmustering (CDD) Zone
	Content   Cape Phot. Durchmusterung (CPD) Zone Footnote
	• Para
	• Entry
	Footnoteid
	Units
•	Name CPD
	Definition  Content   CPD Number or Astrographic Plate
	Content to Political or Astrographic Frate Footnote
	• Para
	• Entry
	Footnoteid
	Units
	Name n_CPD
	Definition
	Content [1234] Remarks
	Footnote
	• Para
	• Entry
	Footnoteid
	Units

	Name	mpa	
	Definition		
		nt Photographic Magnitude	
	Foot		
		ara	
		Entry	
		potnoteid	
	Units	mag	
	Name	PAh	
	Definition		
	Cont		
	Foot		
	Units		
•	Name Definition	RAM	
	Cont	at l	
	Foot		
	Units		
•	Name	RAS	
	Definition		
	Cont		
	Foot Units		
	Units	5	
•	Name	DEd	
	Definition		
	Cont		
	Foot		
	Units	deg	
	Name	DEm	
	Definition		
	Cont	nt .	
	Foot	ote Control of the Co	
	Units	arcmin	
	Name	DEs	
	Definition		
	Cont		
	Foot		
	Units	arcsec	
	Nome	N	
•	Name Definition	IV.	
	Cont	nt t	
	Foot		
	Units		
•	Name		
	Definition		
	Cont		
	Units		
•	Name	pmRA pmRA	
	Definition		
	Cont		
	Units	s/a	
	UIIIIS	5/4	
•	Name		
	Definition		
	Cont		
	Foot		
	Units	arcsec/a	
•	Name	pmDE	
	Definition		
	Cont	nt	
	Foot	ote Control of the Co	
	Units	arcsec/a	

	Name Sp
	Definition
	Content
	Footnote
	Units
History	
Ingest	
Cre	eator
	Lastname Julie Anne Watko Affiliation SSDOO/ADC
Da	
-	Year 1996
	Month Mar
	Day 26
Identifier	I_6.xml
Subject	astronomy
Xmlns:xlink	
Title	Proper Motions of 1160 Late-Type Stars
Altname	
• Type	ADC
Conten	t   1014
<ul> <li>Type</li> </ul>	CDS
Conten	t   1/14
<ul> <li>Type</li> </ul>	brief
	Proper Motions of 1160 Late-Type Stars
Reference	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Source	
	her
Jou	urnal
	Title Proper Motions of 1160 Late-Type Stars
	Author Initial
	• Entry H
	• Entry J
	Lastname Fogh Olsen
	Name Astron. Astrophys. Suppl. Ser.
	Pageno 69
	Date
	Year 1970
	Bibcode 1970A&AS2690
Related	
Но	Iding
	Role similar  Content II/38: Stars observed photoelectrically by Dickow et al.
	Xlink:simple
	Hef   11/38
Cor	ntent Fogh Olsen H.J. 1970, Astron. Astrophys. Suppl. Ser., 2, 69. Fogh Olsen H.J. 1970, Astron. Astrophys., Suppl. Ser., 1, 189.
Keywords	
	http://messier.gsfc.nasa.gov/xml/keywordlists/adc_keywords.html
Keywor	rd
• Xlir	nk:href Proper_motions.html
Description	ntent Proper motions
Descrip	
Par	
•	
D-4-11-	

Details Para

Tab	lehead	
•	Tablelin	
		elink
		Xlink:href pmlate.dat
		Title Proper motion data
	Fields	
	Field	
		Name No
		Definition
		Content   Number
		Footnote
		• Para • Entry
		zmy zmy
		Footnoteid Units
		UIIILS
		Name pmRA
		Definition
		Content
		Footnote
		Units s/ca
		Name pmDE
		Name proc.
		Content
		Footnote
		Units   arcsec/ca
		Name RV
		Definition
		Content
		Footnote
		Units km/s
His	tory	
	Ingest	ha.
	Crea	
		Lastname Julie Anne Watko Affiliation ADC
	Date	
		e Year 1996
		Month Jun
		Moral Sal
Ide	ntifier	L14.xml
	ject	astronomy
		http://www.w3.org/XML/XLink/0.9
Title	е	Katalog von 3356 Schwachen Sternen fuer das Aequinoktium 1950
Λ I+ ν		+89 degrees
• AIU	Type	ADC
•	Content	
•		CDS
	Content	1/16
	Туре	briaf
•	Content	Catalog of 3356 Faint Stars, 1950
	COINCIL	realing of 3330 Faint Stars, 1730

Reference
Source
Other
Title Katalog von 3356 Schwachen Sternen fuer das Aequinoktium 1950 +89 degrees
Author
• Initial
• Entry
Lastname Larink
• Initial
· Entry
Lastname Bohrmann
• Initial
• Entry
Lastname Kox
• Initial
Entry  Lastname Groeneveld
• Initial
• Entry
Lastname   Klauder
Name Verlag der Sternwarte, Hamburg-Bergedorf
Publisher ??? City ???
Date
Year 1955
Bibcode 1955
Journal
Related
Keywords
Parentlisturl http://messier.gsfc.nasa.gov/xml/keywordlists/adc_keywords.html
Keyword
Xlink:href   Fundamental_catalog.html     Contact   Fundamental_catalog.
Content   Fundamental catalog
Xlink:href   Positional_data.html
Content Positional data
Xlink:href   Proper_motions.html
Content Proper motions
Descriptions
Description
Para
• Entry
Details
Para
<ul> <li>Entry All stars were observed at both the Heidelberg and Bergedorf Observatories. Normally, at each observatory, two observations were obtained with the clamp east and two with the clamp west. The mean errors are comparable for the two observatories with no significant.</li> </ul>
systematic difference in the positions between them. The mean errors of the resulting positions should be approximated 0.011s/cos/dec/
in right ascension and ).023" in declination.
• Entry The proper motions were derived from a comparison with the catalog positions with the positions in the AGK2 and AGK2A with a 19 year
baseline and from a comparison of new positions with those in Kuestner 1900 with about a fifty year baseline.
• Entry The magnitudes were taken from the AGK2. Most spectral types were determined by A. N. Vyssotsky. A few are from the Bergedorfer
Spektraldurchmusterung. Tablehead
Tablelinks
Tablelink
Xlink:href catalog.dat
Title The catalog
Fields
Field
Name ID
Definition Contact I
Content Footnote
Units

Name	DMz
Definition	
	tent
	tnote
Name	
Definition	
Cont	
	tnote
Units	
Name	mag
Definition	
Cont	
	tnote
Units	mag
Name	Sn
Definition	
	tent
	tnote
Units	
Ullits	
Name	RAh
Definition	n
Cont	
	tnote
Units	
	•
Name	RAm
Definition	
	tent
	tnote
Units	min
Name	DΛc
Definition	
	tent
	tnote
Units	
Units	5
Name	Pr-RA1
Definition	n
Con	tent
	tnote
	0.01s/a
	•
	Pr-RA2
Definition	n
	tent
	tnote
Units	0.0001s2/a2
Name	nmPA
Definition	
	tent
	tnote
Units	0.01s/a
Name	pmRA2
Definition	in Printer
	tent
	tnote
Unite	0.01s/a
	10.013/Q

Name DEDefinition
Content Footnote
Units ---

•	Name DEd
	Definition
	Content
	Footnote
	Units   deg
	onits acc
•	Name DEm
	Definition
	Content
	Footnote
	Units arcmin
•	Name DEs
	Definition
	Content
	Footnote
	Units arcsec
_	Name Pr-de1
•	Definition
	Content
	Footnote
	Units arcsec/ha
•	Name Pr-de2
	Definition
	Content
	Footnote
	Units arcsec2/ha2
•	Name pmdec
	Definition
	Content Conten
	Footnote
	Units arcsec/ha
•	Name pmdec2
	Definition
	Content
	Footnote
	Units arcsec/ha
	Name epoch
	Definition
	Content
	Footnote
	Units lyr
•	Name rem
	Definition
	Content Note for star in printed catalog
	Footnote
	Footnote  • Para
	Footnote
	Footnote  Para  Entry  Footnoteid
	Footnote  Para  Entry
History	Footnote  Para  Entry  Footnoteid
Ingest	Footnote  Para Entry Footnoteid Units
Ingest Cre	Footnote  Para Entry Footnoteid Units
Ingest Cre	Footnote  Para Footnoted  Inits Footnoteid  Units Footnoteid  Unit
Ingest Cre	Footnote  Para Entry Footnoteid Units
Ingest Cre	Footnote  Para Footnotei  Inits Footnoteid  Units Footnoteid Footn
Ingest Cre	Footnote  Para Footnoteid Units  Lastname Nancy Grace Roman Affiliation ADC/SSD00 te  Year 1996
Ingest Cre	Footnote  Para Entry Footnoteid  Units  Analysis
Ingest Cre	Footnote  Para Footnoteid Units  Lastname Nancy Grace Roman Affiliation ADC/SSD00 te  Year 1996
Ingest Cre Da	Footnote  Para Footnoteid Units Footnoteid Footnote
Ingest Cre Da	Footnote  Para Footnoteid Units  Lastname Nancy Grace Roman Affiliation ADC/SSDOO  te  Year 1996 Month Feb Day 1  Lastname Index Section Secti
Ingest Cre Date  Identifier Subject	Footnote  Para Footnoteid Units Footnoteid Fo
Ingest Cre Da	Footnote  Para Footnoteid Units Footnoteid Fo

Altname	
<ul> <li>Type</li> </ul>	ADC
Conten	t 1021A
<ul> <li>Type</li> </ul>	lcDS
	11/21A
Conten	
<ul> <li>Type</li> </ul>	<u>brief</u>
Conten	t AC Toulouse, Bordeaux, Paris & Oxford
Reference	
Source	
Otl	
	Title Astrographic Catalogue
	Author
	• Initial
	• Entry
	Lastname Lacroute
	• Initial
	• Entry
	Lastname Valbousquet
	Name CDS Bull. No. 6, p. 38
	Publisher ???
	City ???
	Date Street Control of the Control o
	Year 1974
	Bibcode 1974BICDS638L
Related	rnal
Keywords	
	isturl http://messier.gsfc.nasa.gov/xml/keywordlists/adc_keywords.html
Keywoi	
	nk:href   Astrographic_zones.html
	ikinter   Astrographic Zones.ittiii Intent   Astrographic zones
CO	Institution   In
• Xlii	nk:href   Magnitudes_photographic.html
Co	Magnitudes, photographic
• Xlii	nk:href Positional_data.html
	Hostitional data
Description	
Descrip	
Pai	
•	Entry
Details	
Pai	
Tablehead	
<ul> <li>Tablelii</li> </ul>	nks
	blelink
	Xlink:href f1
	Title Toulouse zone (+05 to +10 and +11 degree)
Fields	
Fie	ld
•	Name ZONE
	Definition
	Content plate identifier
	Footnote
	• Para
	• Entry
	Footnoteid
	Units deg
	Name PLATE
•	Name FORE Definition
	Content plate identifier
	Content plate identifier Footnote
	• Para
	• Entry
	Footnoteid
	Units

Name	НҮРН
Definiti	
Co	ntent hyphen
Foo	otnote
•	Para
	• Entry number =
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid ????
•	Para
	• Entry number=
	<ul> <li>Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28 deg have 160 plates.</li> <li>Footnoteid ???</li> </ul>
	rounoted ???
•	<u>Para</u>
	• Entry number =
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ????
•	Para
	Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid 1777
Units	
	lorus.
Name Definiti	STAR
	ntent running number of star on the plate
	noting partially number of state on the parte
•	Para
	• Entry number=
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
•	Para
	• Entry number =
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28 deg have 160 plates.
	Footnoteid ???
•	Para
	Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ???
	rounotetal (::
•	Para  • Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	
0(3	

Name Definiti	RAh
	ntent right ascension (hours) [B1950]
	otnote
•	Para
	• Entry number =
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	Para
	Entry number =
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates. Footnoteid ???
	Para
	Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
•	Para  • Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
Linito	Footnoteid ???
Units	h
Name	RAM
Definiti	
	ntent   right ascension (minutes)   prince   pri
•	ninie Para
	• Entry number=
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	outstal
•	Para
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28 deg have 160 plates.
	Footnoteid ????
	Para
	• Entry number=
	ACKS and the KACKS of the second of the seco
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ???
•	Para
	• Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	min

.

Footnoteid ???  Para  Entry number=  Entry deg have 16  Footnoteid ???  Para  Entry number=  Entry AGK2 number  Footnoteid ???  Para  Entry suffix to the Footnoteid ???  Entry Suffix to the Footnoteid ???  Juits s  Name DE- Definition  Content declination sign Footnote  Para  Entry number=  Entry declination z Footnoteid ???  Para  Entry number=	o zone, or the declination of the center of each astrographic plate
Para Entry   number = Entry   declination z   Footnoteid   ???  Para Entry   number = Entry	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Entry number=     Entry declination z Footnoteid ???  Para     Entry number=     Entry suffix to the Footnoteid ???  Para     Entry Suffix to the Footnoteid ???  Units s  Name DE- Definition Content declination sign Footnote     Para     Entry number=     Ent	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Entry   declination z   Footnoteid   ???  Para     Entry   number =   Entry   number	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Footnoteid ???  Para  Entry number=  Entry deg have 16  Footnoteid ???  Para  Entry number=  Entry AGK2 number  Footnoteid ???  Para  Entry suffix to the Footnoteid ???  Entry suffix to the Footnoteid ???  Units s  Name DE- Definition  Content declination sign  Footnote  Para  Entry number=  Entry declination z  Footnoteid ???  Para  Entry number=	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Entry number=     Entry running numdeg have 16 Footnoteid ???  Para     Entry number=     Entry number=     Entry suffix to the Footnoteid ???  Inits summe DE- Definition Content declination sign Footnote     Para     Entry number=	
Entry number=     Entry running numdeg have 16 Footnoteid ???  Para     Entry number=     Entry number=     Entry suffix to the Footnoteid ???  Inits summe DE- Definition Content declination sign Footnote     Para     Entry number=	
deg have 16 Footnoteid ???  Para Entry number= Entry AGK2 number Footnoteid ???  Para Entry suffix to the Footnoteid ???  Inits sume DE- Definition Content declination sign Footnote Para Entry number= Entry declination z Footnoteid ???  Para Entry number=	
Footnoteid   ???  Para  Entry   number =  Entry   AGK2 number    Footnoteid   ???  Para  Entry   Suffix to the Footnoteid   ???  Inits   S  Entry   Suffix to the Footnoteid   ???  Inits   S  Entry   DE-  Entry   number =  Entry   declination sign    Footnote   ???  Para  Entry   number =  Entry   AGK2 number =  Entry   AGK2 number =	lou plates.
Entry   number =     Entry   AGK2 number       Entry   number =	
Entry AGK2 number Footnoteid 7??  Para     Entry number=     Entry Suffix to the Footnoteid 7??  Entry Suffix to the Footnoteid 7??  DE-efinition  Content declination sign Footnote Para     Entry number=     Entry declination z Footnoteid 7??  Para     Entry number=	
Footnoteid   ???  Para  Entry   number =  Entry   Suffix to the Footnoteid   ???  Inits   Suffix to the Footnoteid   ???  Entry   Geclination sign Footnote  Para  Entry   declination zero   Footnoteid   ???  Para  Entry   number =  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   AGK2 number = 16	
Footnoteid   ???  Para  Entry   number =  Entry   Suffix to the Footnoteid   ???  In the Footnoteid   ???  Footnote  Para  Entry   declination sign   Footnoteid   ???  Para  Entry   declination zero   Footnoteid   ???  Para  Entry   number =  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   AGK2 number = 16	ber, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
Entry number=     Entry Suffix to the Footnoteid ???  Inits same DE- Efinition Content declination sign Footnote     Para     Entry number=     Entry declination z Footnoteid ???  Para     Entry number=	ber, ii AON270 stail was identified, otherwise of El. Note that this is incomplete.
Entry Suffix to the Footnoteid ???  Inits   Suffix to the Footnoteid ???  Inits   Suffix to the Footnoteid   Para       Entry   Mark       Entry   Mark       Entry   Number       Entry   Number	
Footnoteid   ???  mits   s  me   DE-  effinition  Content   declination sign  Footnote  Para  Entry   declination z  Footnoteid   ???  Para  Entry   number =	
Footnoteid   ???  mits   s  me   DE-  effinition  Content   declination sign  Footnote  Para  Entry   declination z  Footnoteid   ???  Para  Entry   number =	ne AGK2 number, if needed, otherwise CR/LF.
Para  Entry number =	to Nake Humber, in needed, otherwise of Er.
finition  Content declination sign Footnote  Para  Entry declination z Footnoteid ???  Para  Entry number=  Entry number=  Entry number=  Entry running num deg have 16 Footnoteid ???  Para  Entry number=  Entry number=  Entry number=	
Finition  Content declination sign Footnote  Para  Entry declination z Footnoteid ???  Para  Entry number=  Entry number=  Entry declination z Footnoteid ???  Para  Entry number=  Entry running num deg have 16 Footnoteid ???  Para  Entry number=  Entry number=	
Content declination sign Footnote Para Entry number= Entry declination z Footnoteid ???  Para Entry number= Entry running numden here 16 Footnoteid ???  Para Entry number= Entry number= Entry number=	
Footnote  Para  Entry   declination z   Footnoteid   ???  Para  Entry   number =   Entry   number =   Entry   number =   Entry   running numdeg have 16   Footnoteid   ???  Para  Entry   number =   Entry   number =   Entry   number =   Entry   AGK2 number	
Entry number=     Entry declination z Footnoteid ???  Para     Entry number=     Entry running numdeg have 16 Footnoteid ???  Para     Entry number=     Entry number=  Entry number=	
Entry declination z     Footnoteid ???      Entry number=     Entry running num deg have 16     Footnoteid ???      Para     Entry number=     Entry number=	
Footnoteid   ???  Para  Entry number=  Entry deg have 16  Footnoteid   ???  Para  Entry number=  Entry AGK2 number	
Footnoteid ???  Para Entry number= Entry running numdeg have 16 Footnoteid ???  Para Entry number= Entry AGK2 number	zone, or the declination of the center of each astrographic plate
Entry number=     Entry running numdeg have 16 Footnoteid ???     Para     Entry number=     Entry AGK2 number	
• Entry running num deg have 16  Footnoteid ??? • Para • Entry number= • Entry AGK2 number	
deg have 16 Footnoteid ???  Para Entry number= Entry AGK2 number	
Para  Intry number =  Entry AGK2 number	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 160 plates.
<ul><li>Entry number=</li><li>Entry AGK2 number</li></ul>	
<ul><li>Entry number=</li><li>Entry AGK2 number</li></ul>	
Entry AGK2 number	
Footnoteid ????	ber, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
• Para	
<ul> <li>Entry number=</li> </ul>	
Entry Suffix to the	ne AGK2 number, if needed, otherwise CR/LF.
Footnoteid ????	
nits	

Name	DEd
Definiti	ion
Co	ntent declination (degrees) [B1950]
Fo	otnote
•	Para
	Entry number =
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	200
•	• Entry number=
	- Litty Flumber –
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates.
	Footnoteid ???
•	Para
	• Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	Touribleati
•	Para
	Entry number =
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	deg
	les .
Name Definiti	DEM ION
	ntent declination (minutes)
	otnote
•	Para
	• Entry number=
	The declination care or the declination of the center of each estrographic plate
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid ???
	roundediff
•	Para
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates.
	Footnoteid ???
	Dava
•	Para  • Entry number=
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	Para
	Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
I lmit-	Footnoteid   ???
Units	arcmin

efiniti	
	on declination (seconds)
	their <u>declination (seconds)</u>
•	Para
	Entry number=
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid   ???
	Para
	• Entry number=
	<ul> <li>Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from deg have 160 plates.</li> </ul>
	Footnoteid ???
•	Para
	• Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	Dara
٠	Para  • Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
nits	arcsec
	<b>EPOCH</b>
ame efiniti	EPOCH on
ame efiniti Co	EPOCH on tent   plate epoch
ame efiniti	EPOCH on tent plate epoch strote
ame efiniti Co	EPOCH on ntent plate epoch throte Para
ame efiniti Co	EPOCH on tent plate epoch strote
ame efiniti Co	EPOCH   Date
ame efiniti	EPOCH on tent   plate epoch stroote Para • Entry   number =
ame efiniti	EPOCH  Intent   plate
ame efiniti Co	EPOCH  on  ntent   plate epoch  otnote  Para  • Entry   number =  • Entry   declination zone, or the declination of the center of each astrographic plate  Footnoteid   ???  Para
ame efiniti Co	EPOCH  Intent   plate
ame efiniti Co	EPOCH   Date
ame efiniti	EPOCH   Data
ame efiniti	EPOCH   Date
ame efiniti Co	EPOCH  Intent   plate
ame efiniti Co	EPOCH   Date
ame efiniti	EPOCH   Interest   plate epoch   Interest   Interest
ame efiniti Co	EPOCH   Interest   plate epoch   Interest   Inter
ame efiniti Co	EPOCH   Date
ame efiniti Co	EPOCH   Date
ame efiniti Co	EPOCH   Interest   plate epoch   Interest   Inter

Name mB	
Definition	
Content photographic magnitude	
Footnote	
• Para	
• Entry number=	
<ul> <li>Entry declination zone, or the declination</li> </ul>	of the center of each astrographic plate
Footnoteid ????	
• Para	
• Entry number=	
Entry rupping number of plate in the zone	Note that zanes lawer from 27 dea have generally 190 plates, and those higher from 20
deg have 160 plates.	Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
Footnoteid ???	
Doro	
Para     Entry number=	
	dentified, otherwise CR/LF. Note that this is incomplete.
Footnoteid ????	
• Para	
• Entry number=	
• Entry Suffix to the AGK2 number, if neede	ed. otherwise CR/LF.
Footnoteid ????	
Units mag	
Name AGKNO	
Definition	
Content AGK2 number	
Footnote	
• Para	
• Entry Footnoteid	
Toothoteld	
• Para	
• Entry number=	
• Entry declination zone, or the declination	of the center of each astrographic plate
Footnoteid ????	
• Para	
• Entry number=	
Entry running number of plate in the zone	e Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
deg have 160 plates. Footnoteid ???	
Para     Entry number=	
• Entry AGK2 number, if AGK2/3 star was in Footnoteid ???	dentified, otherwise CR/LF. Note that this is incomplete.
• Para	
• Entry number=	
	all alternative CDU F
<ul> <li>Entry Suffix to the AGK2 number, if needed</li> </ul>	a, otherwise CR/LF.
Footpotoid 222	
Footnoteid ????	
Footnoteid ???? Units	

Definition	on
Cor	ntent suffix to the AGK2 number
Foo	otnote
•	Para
	• Entry
	Footnoteid
	Dara
•	Para  • Entry number=
	Littly France –
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	200
•	Para  • Fntry number=
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher froi
	deg have 160 plates.
	Footnoteid ???
	D
•	Para
	• Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
•	Para
	• Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	
nks	
blelink	usles
Xlink:hr	
Title	Bordeaux zone (+11 to +17 degree)
eld	Tour
Name	ZONE
Definition	
	ntent plate identifier
FOC	otnote Para
•	• Entry
	Footnoteid
Linite	
Units	deg
Name	PLATE
Definition	on
Cor	ntent plate identifier
	otnote
-	Para
	• Entry
	Footnoteid

Name	НҮРН
Definiti	
Co	ntent hyphen
Foo	otnote
•	Para
	• Entry number =
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid ????
•	Para
	• Entry number=
	<ul> <li>Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28 deg have 160 plates.</li> <li>Footnoteid ???</li> </ul>
	rounoted ???
•	<u>Para</u>
	• Entry number =
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ????
•	Para
	Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid 1777
Units	
	lorus.
Name Definiti	STAR
	ntent running number of star on the plate
	noting partially number of state on the parte
•	Para
	• Entry number=
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
•	Para
	• Entry number =
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28 deg have 160 plates.
	Footnoteid ???
•	Para
	Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ???
	rounotetal (::
•	Para  • Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	
0(3	

Name Definiti	RAh
	ntent right ascension (hours) [B1950]
	otnote
•	Para
	• Entry number =
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	Para
	Entry number =
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates. Footnoteid ???
	Para
	Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
•	Para  • Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
Linito	Footnoteid ???
Units	h
Name	RAM
Definiti	
	ntent   right ascension (minutes)   prince   pri
•	ninie Para
	• Entry number=
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	outstal
•	Para
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28 deg have 160 plates.
	Footnoteid ????
	Para
	• Entry number=
	ACKS and the KACKS of the second of the seco
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ???
•	Para
	• Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	min

.

Footnoteid ???  Para  Entry number=  Entry deg have 16  Footnoteid ???  Para  Entry number=  Entry AGK2 number  Footnoteid ???  Para  Entry suffix to the Footnoteid ???  Entry Suffix to the Footnoteid ???  Juits s  Name DE- Definition  Content declination sign Footnote  Para  Entry number=  Entry declination z Footnoteid ???  Para  Entry number=	o zone, or the declination of the center of each astrographic plate
Para Entry   number = Entry   declination z   Footnoteid   ???  Para Entry   number = Entry	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Entry number=     Entry declination z Footnoteid ???  Para     Entry number=     Entry suffix to the Footnoteid ???  Para     Entry Suffix to the Footnoteid ???  Units s  Name DE- Definition Content declination sign Footnote     Para     Entry number=     Ent	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Entry   declination z   Footnoteid   ???  Para     Entry   number =   Entry   number	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Footnoteid ???  Para  Entry number=  Entry deg have 16  Footnoteid ???  Para  Entry number=  Entry AGK2 number  Footnoteid ???  Para  Entry suffix to the Footnoteid ???  Entry suffix to the Footnoteid ???  Units s  Name DE- Definition  Content declination sign  Footnote  Para  Entry number=  Entry declination z  Footnoteid ???  Para  Entry number=	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 2
Entry number=     Entry running numdeg have 16 Footnoteid ???  Para     Entry number=     Entry number=     Entry suffix to the Footnoteid ???  Inits summe DE- Definition Content declination sign Footnote     Para     Entry number=	
Entry number=     Entry running numdeg have 16 Footnoteid ???  Para     Entry number=     Entry number=     Entry suffix to the Footnoteid ???  Inits summe DE- Definition Content declination sign Footnote     Para     Entry number=	
deg have 16 Footnoteid ???  Para Entry number= Entry AGK2 number Footnoteid ???  Para Entry suffix to the Footnoteid ???  Inits sume DE- Definition Content declination sign Footnote Para Entry number= Entry declination z Footnoteid ???  Para Entry number=	
Footnoteid   ???  Para  Entry   number =  Entry   AGK2 number    Footnoteid   ???  Para  Entry   Suffix to the Footnoteid   ???  Inits   S  Entry   Suffix to the Footnoteid   ???  Inits   S  Entry   DE-  Entry   number =  Entry   declination sign    Footnote   ???  Para  Entry   number =  Entry   AGK2 number =  Entry   AGK2 number =	lou plates.
Entry   number =     Entry   AGK2 number       Entry   number =	
Entry AGK2 number Footnoteid 7??  Para     Entry number=     Entry Suffix to the Footnoteid 7??  Entry Suffix to the Footnoteid 7??  DE-efinition  Content declination sign Footnote Para     Entry number=     Entry declination z Footnoteid 7??  Para     Entry number=	
Footnoteid   ???  Para  Entry   number =  Entry   Suffix to the Footnoteid   ???  Inits   Suffix to the Footnoteid   ???  Entry   Geclination sign Footnote  Para  Entry   declination zero   Footnoteid   ???  Para  Entry   number =  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   AGK2 number = 16	
Footnoteid   ???  Para  Entry   number =  Entry   Suffix to the Footnoteid   ???  In the Footnoteid   ???  Footnote  Para  Entry   declination sign   Footnoteid   ???  Para  Entry   declination zero   Footnoteid   ???  Para  Entry   number =  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   number = 16  Footnoteid   ???  Para  Entry   AGK2 number = 16	ber, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
Entry number=     Entry Suffix to the Footnoteid ???  Inits same DE- Efinition Content declination sign Footnote     Para     Entry number=     Entry declination z Footnoteid ???  Para     Entry number=	ber, ii AON270 stail was identified, otherwise of El. Note that this is incomplete.
Entry Suffix to the Footnoteid ???  Inits   Suffix to the Footnoteid ???  Inits   Suffix to the Footnoteid   Para       Entry   Mark       Entry   Mark       Entry   Number       Entry   Number	
Footnoteid   ???  mits   s  me   DE-  effinition  Content   declination sign  Footnote  Para  Entry   declination z  Footnoteid   ???  Para  Entry   number =	
Footnoteid   ???  mits   s  me   DE-  effinition  Content   declination sign  Footnote  Para  Entry   declination z  Footnoteid   ???  Para  Entry   number =	ne AGK2 number, if needed, otherwise CR/LF.
Para  Entry number =	to Nake Humber, in needed, otherwise of Er.
finition  Content declination sign Footnote  Para  Entry declination z Footnoteid ???  Para  Entry number=  Entry number=  Entry number=  Entry running num deg have 16 Footnoteid ???  Para  Entry number=  Entry number=  Entry number=	
Finition  Content declination sign Footnote  Para  Entry declination z Footnoteid ???  Para  Entry number=  Entry number=  Entry declination z Footnoteid ???  Para  Entry number=  Entry running num deg have 16 Footnoteid ???  Para  Entry number=  Entry number=	
Content declination sign Footnote Para Entry number= Entry declination z Footnoteid ???  Para Entry number= Entry running numden here 16 Footnoteid ???  Para Entry number= Entry number= Entry number=	
Footnote  Para  Entry   declination z   Footnoteid   ???  Para  Entry   number =   Entry   number =   Entry   number =   Entry   running numdeg have 16   Footnoteid   ???  Para  Entry   number =   Entry   number =   Entry   number =   Entry   AGK2 number	
Entry number=     Entry declination z Footnoteid ???  Para     Entry number=     Entry running numdeg have 16 Footnoteid ???  Para     Entry number=     Entry number=  Entry number=	
Entry declination z     Footnoteid ???      Entry number=     Entry running num deg have 16     Footnoteid ???      Para     Entry number=     Entry number=	
Footnoteid   ???  Para  Entry number=  Entry deg have 16  Footnoteid   ???  Para  Entry number=  Entry AGK2 number	
Footnoteid ???  Para Entry number= Entry running numdeg have 16 Footnoteid ???  Para Entry number= Entry AGK2 number	zone, or the declination of the center of each astrographic plate
Entry number=     Entry running numdeg have 16 Footnoteid ???     Para     Entry number=     Entry AGK2 number	
• Entry running num deg have 16  Footnoteid ??? • Para • Entry number= • Entry AGK2 number	
deg have 16 Footnoteid ???  Para Entry number= Entry AGK2 number	
Para  Intry number =  Entry AGK2 number	imber of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 160 plates.
<ul><li>Entry number=</li><li>Entry AGK2 number</li></ul>	
<ul><li>Entry number=</li><li>Entry AGK2 number</li></ul>	
Entry AGK2 number	
Footnoteid ????	ber, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
• Para	
<ul> <li>Entry number=</li> </ul>	
Entry Suffix to the	ne AGK2 number, if needed, otherwise CR/LF.
Footnoteid ????	
nits	

Name	DEd
Definiti	ion
Co	ntent declination (degrees) [B1950]
Fo	otnote
•	Para
	Entry number =
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	200
•	• Entry number=
	- Litty Flumber –
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates.
	Footnoteid ???
•	Para
	• Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	Touribleati
•	Para
	Entry number =
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	deg
	les .
Name Definiti	DEM ION
	ntent declination (minutes)
	otnote
•	Para
	• Entry number=
	The declination care or the declination of the center of each estrographic plate
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid ???
	roundediff
•	Para
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates.
	Footnoteid ???
	Dava
•	Para  • Entry number=
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	Para
	Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
I lmit-	Footnoteid   ???
Units	arcmin

efiniti	
	on declination (seconds)
	their <u>declination (seconds)</u>
•	Para
	Entry number=
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid   ???
	Para
	• Entry number=
	<ul> <li>Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from deg have 160 plates.</li> </ul>
	Footnoteid ???
•	Para
	• Entry number=
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	Dara
٠	Para  • Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
nits	arcsec
	<b>EPOCH</b>
ame efiniti	EPOCH on
ame efiniti Co	EPOCH on tent   plate epoch
ame efiniti	EPOCH on tent plate epoch strote
ame efiniti Co	EPOCH on ntent plate epoch throte Para
ame efiniti Co	EPOCH on tent plate epoch strote
ame efiniti Co	EPOCH   Date
ame efiniti	EPOCH on tent   plate epoch stroote Para • Entry   number =
ame efiniti	EPOCH  Intent   plate
ame efiniti Co	EPOCH  on  ntent   plate epoch  otnote  Para  • Entry   number =  • Entry   declination zone, or the declination of the center of each astrographic plate  Footnoteid   ???  Para
ame efiniti Co	EPOCH  Intent   plate
ame efiniti Co	EPOCH   Date
ame efiniti	EPOCH   Data
ame efiniti	EPOCH   Date
ame efiniti Co	EPOCH  Intent   plate
ame efiniti Co	EPOCH   Date
ame efiniti	EPOCH   Interest   plate epoch   Interest   Interest
ame efiniti Co	EPOCH   Interest   plate epoch   Interest   Inter
ame efiniti Co	EPOCH   Date
ame efiniti Co	EPOCH   Date
ame efiniti Co	EPOCH   Interest   plate epoch   Interest   Inter

Name mB	
Definition	
Content photographic magnitude	
Footnote	
• Para	
• Entry number=	
<ul> <li>Entry declination zone, or the declination</li> </ul>	of the center of each astrographic plate
Footnoteid ????	
• Para	
• Entry number=	
Entry rupping number of plate in the zone	Note that zanes lawer from 27 dea have generally 190 plates, and those higher from 20
deg have 160 plates.	Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
Footnoteid ???	
Doro	
Para     Entry number=	
	dentified, otherwise CR/LF. Note that this is incomplete.
Footnoteid ????	
• Para	
• Entry number=	
• Entry Suffix to the AGK2 number, if neede	ed. otherwise CR/LF.
Footnoteid ????	
Units mag	
Name AGKNO	
Definition	
Content AGK2 number	
Footnote	
• Para	
• Entry Footnoteid	
Toothoteld	
• Para	
• Entry number=	
• Entry declination zone, or the declination	of the center of each astrographic plate
Footnoteid ????	
• Para	
• Entry number=	
Entry running number of plate in the zone	e Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
deg have 160 plates. Footnoteid ???	
Para     Entry number=	
• Entry AGK2 number, if AGK2/3 star was in Footnoteid ???	dentified, otherwise CR/LF. Note that this is incomplete.
• Para	
• Entry number=	
	all alternative CDU F
<ul> <li>Entry Suffix to the AGK2 number, if needed</li> </ul>	a, otherwise CR/LF.
Footpotoid 222	
Footnoteid ????	
Footnoteid ???? Units	

Name Definit	SUFFIX  inn
	ontent suffix to the AGK2 number
	pointe para la constant de la consta
•	Para
	• Entry
	Footnoteid
	Dec.
•	Para  • Entry number=
	• Entry Internet =
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid ???
•	Para  • Fntry number=
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from deg have 160 plates.  Footnoteid ???
•	Para
	Entry number =
	Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.  Footnoteid ????
•	Para
	• Entry number=
	Entry   Suffix to the AGK2 number, if needed, otherwise CR/LF.
	Footnoteid ???
Units	
links	
ablelink	
Xlink:h	nref  f3
Title	Paris zone (+18 to +24 degree)
ield	
Name	ZONE
Definit	
	ontent plate identifier
Fo	ootnote
•	Para
	• Entry
L Inches	Footnoteid
Units	deg
Name	PLATE
Definit	ion
Co	ontent plate identifier
	ootnote
•	Para
	• Entry
	Footnoteid
Units	

Nan	e <mark>HYPH</mark>
	inition
_	Content hyphen
	Footnote
	• Para
	• Entry number=
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid 7??
	Todalocal
	Para
	Entry   number =
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates.
	Footnoteid ???
	• Para
	• Entry number=
	<ul> <li>Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.</li> </ul>
	Footnoteid ???
	• Para
	• Entry   number =
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.  Footnoted 233
Unit	Footnoteid ???
Unit	
Nan	
	nition
	Content   running number of star on the plate
	Footnote
	• Para
	• Entry number=
	• Entry declination zone, or the declination of the center of each astrographic plate  Footnoteid   ???
	Para Foto Purpher
	• Entry number=
	• Entry running number of plate in the zone Note that zones lower from 27 deg have generally 180 plates, and those higher from 28
	deg have 160 plates.
	Footnoteid ???
	• Para
	Entry   number =
	• Entry AGK2 number, if AGK2/3 star was identified, otherwise CR/LF. Note that this is incomplete.
	Footnoteid ???
	• Para
	Entry number=
	Entry Suffix to the AGK2 number, if needed, otherwise CR/LF.  Footnoteid ???
Unit	
UTITL	
Nan	
	nition
	Content   right ascension (hours) [B1950]
	Footnote  Para
	Talu
	• Entry number=
	Entry declination zone, or the declination of the center of each astrographic plate
	Footnoteid ???
	a. Para
	Para  Entry
	Footnoteid ???
Unit	
STIII	