







# Website Screen Shoots


1- The S3 bucket is created.

Amazon S3

**Buckets (1)**   Copy ARN  Empty  Delete  Create bucket

Buckets are containers for data stored in S3. [Learn more](#)

< 1 > 

	Name ▲	AWS Region ▼	Access ▼	Creation date ▼
<input type="radio"/>	<a href="#">my-497726212229-bucket</a>	US East (Ohio) us-east-2	 Public	February 27, 2021, 13:07:42 (UTC+02:00)

Amazon S3 > my-497726212229-bucket






## my-497726212229-bucket


Publicly accessible





**Objects** | Properties | Permissions | Metrics | Management | Access Points

**Objects (4)**

Objects are the fundamental entities stored in Amazon S3. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

  Delete  Actions ▼  Create folder  Upload

< 1 > 

<input type="checkbox"/>	Name ▲	Type ▼	Last modified ▼	Size ▼	Storage class ▼
<input type="checkbox"/>	 <a href="#">css/</a>	Folder	-	-	-
<input type="checkbox"/>	 <a href="#">img/</a>	Folder	-	-	-
<input type="checkbox"/>	 <a href="#">index.html</a>	html	February 27, 2021, 13:39:51 (UTC+02:00)	6.1 KB	Standard
<input type="checkbox"/>	 <a href="#">vendor/</a>	Folder	-	-	-

2- The S3 bucket is configured to support static website hosting.

### Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website  
Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object  
Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document

Specify the home or default page of the website.

index.html

Error document - optional

This is returned when an error occurs.

index.html

Redirection rules - optional

Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

3- The S3 bucket has an IAM bucket policy that makes the bucket contents publicly accessible.

### Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

[Policy examples](#) [Policy generator](#)

Bucket ARN

arn:aws:s3:::my-497726212229-bucket

Policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "AddPerm",
6       "Effect": "Allow",
7       "Principal": "*",
8       "Action": "s3:GetObject",
9       "Resource": "arn:aws:s3:::my-497726212229-bucket/*"
10    }
11  ]
12 }
```

## 4- Website Distribution

Handle redirects for end users with Lambda@Edge. [Learn more](#)

### CloudFront Distributions

Create Distribution

Distribution Settings

Delete

Enable


Disable

Viewing :

Any Delivery Method

Any State

<< < Viewing 1 to 1 of 1 Items > >>

	Delivery Method	ID	Domain Name	Comment	Origin	CNAMEs	Status	State	Last Modified
<input type="checkbox"/>	 Web	E3KT8HRNIMOSJL	d3k9yp104co9zd	-	my-49772	-	Deployed	Enabled	2021-02-27 14:0

<< < Viewing 1 to 1 of 1 Items > >>