ECEN220: Formula Sheet

Continuous Time	Discrete Time
$x(t)\delta(t-a) = x(a)\delta(t-a)$	$x[n]\delta[n-n_0] = x[n_0]\delta[n-n_0]$
$x(t) * \delta(t-a) = x(t-a)$	$x[n] * \delta[n-n_0] = x[n-n_0]$
$\int_{-\infty}^{\infty} x(t)\delta(t-a)dt = x(a)$	$\sum_{n=-\infty}^{\infty} x[n]\delta[n-n_0] = x[n_0]$
$x(t) * h(t) = \int_{-\infty}^{\infty} x(\tau)h(t-\tau)d\tau$	$x[n] * h[n] = \sum_{k=-\infty}^{\infty} x[k]h[n-k]$
$= \int_{-\infty}^{\infty} h(\tau)x(t-\tau)d\tau$	$= \sum_{k=-\infty}^{\infty} h[k]x[n-k]$
$u(t) = \int_{-\infty}^{t} \delta(\tau)d\tau$	$u[n] = \sum_{m=-\infty}^{n} \delta[m]$
$\delta(t) = \frac{du(t)}{dt}$	$\delta[n] = u[n] - u[n-1]$
$x(t) = x(t) * \delta(t)$	$x[n] = x[n] * \delta[n]$
$g(0) = \int_{-\infty}^{\infty} g(\tau)\delta(\tau)d\tau$	$g[0] = \sum_{-\infty}^{\infty} g[n]\delta[n]$
$x(t) = \sum_{k=-\infty}^{\infty} a_k e^{jk\omega_0 t}$	$x[n] = \sum_{k=<N>} a_k e^{jk(2\pi/N)n}$
$a_k = \frac{1}{T}\int_{0}^{T} x(t)e^{-jk\omega_0 t}dt$	$a_k = \frac{1}{N}\sum_{n=<N>} x[n]e^{-jk(2\pi/N)n}$
$x(t) = \frac{1}{2\pi}\int_{-\infty}^{\infty} X(\omega)e^{j\omega t}d\omega$	
$X(\omega) = \int_{-\infty}^{\infty} x(t)e^{-j\omega t}dt$	

Potentially Useful Sums

$$\sum_{n=0}^{\infty} \alpha^n = \frac{1}{1-\alpha}, \quad |\alpha| < 1$$

$$\sum_{n=0}^{\infty} n\alpha^n = \frac{\alpha}{(1-\alpha)^2}, \quad |\alpha| < 1$$

$$\sum_{n=0}^{N} \alpha^n = \begin{cases} N+1, & \alpha = 1 \\ \frac{1-\alpha^{N+1}}{1-\alpha}, & \alpha \in \mathcal{C} \neq 1 \end{cases}$$

$$\sum_{n=0}^{N} n\alpha^n = \frac{1-\alpha^{N+1}}{1-\alpha}, \quad \alpha \neq 1$$

$$\sum_{n=M}^{N} \alpha^n = \frac{\alpha^M - \alpha^{N+1}}{1-\alpha}, \quad \alpha \neq 1$$

$$\sum_{n=0}^{N} \left(\frac{a}{b}\right)^n = \frac{a^{N+1} - b^{N+1}}{b^N(a-b)}, \quad a \neq b$$

Trigonometry etc

$$e^{j\omega_0 t} = \cos(\omega_0 t) + j\sin(\omega_0 t)$$

$$\cos(\omega_0 t) = \frac{e^{j\omega_0 t} + e^{-j\omega_0 t}}{2}$$

$$\sin(\omega_0 t) = \frac{e^{j\omega_0 t} - e^{-j\omega_0 t}}{j2}$$

TABLE 3.1 PROPERTIES OF CONTINUOUS-TIME FOURIER SERIES

Property	Section	Periodic Signal	Fourier Series Coefficients
		$\left.\begin{array}{l} x(t) \\ y(t) \end{array}\right\}$ Periodic with period T and fundamental frequency $\omega_0 = 2\pi/T$	a_k b_k
Linearity	3.5.1	$Ax(t) + By(t)$	$Aa_k + Bb_k$
Time Shifting	3.5.2	$x(t - t_0)$	$a_k e^{-jk\omega_0 t_0} = a_k e^{-jk(2\pi/T)t_0}$
Frequency Shifting		$e^{jM\omega_0 t} x(t) = e^{jM(2\pi/T)t} x(t)$	a_{k-M}
Conjugation	3.5.6	$x^*(t)$	a^*_{-k}
Time Reversal	3.5.3	$x(-t)$	a_{-k}
Time Scaling	3.5.4	$x(\alpha t), \alpha > 0$ (periodic with period T/α)	a_k
Periodic Convolution		$\int_T x(\tau) y(t-\tau) d\tau$	$T a_k b_k$
Multiplication	3.5.5	$x(t)y(t)$	$\sum_{l=-\infty}^{+\infty} a_l b_{k-l}$
Differentiation		$\frac{dx(t)}{dt}$	$jk\omega_0 a_k = jk\frac{2\pi}{T} a_k$
Integration		$\int_{-\infty}^{t} x(t)\,dt$ (finite valued and periodic only if $a_0 = 0$)	$\left(\frac{1}{jk\omega_0}\right) a_k = \left(\frac{1}{jk(2\pi/T)}\right) a_k$
Conjugate Symmetry for Real Signals	3.5.6	$x(t)$ real	$\begin{cases} a_k = a^*_{-k} \\ \Re e\{a_k\} = \Re e\{a_{-k}\} \\ \Im m\{a_k\} = -\Im m\{a_{-k}\} \\ \lvert a_k \rvert = \lvert a_{-k} \rvert \\ \sphericalangle a_k = -\sphericalangle a_{-k} \end{cases}$
Real and Even Signals	3.5.6	$x(t)$ real and even	a_k real and even
Real and Odd Signals	3.5.6	$x(t)$ real and odd	a_k purely imaginary and odd
Even-Odd Decomposition of Real Signals		$\begin{cases} x_e(t) = \mathcal{E}v\{x(t)\} & [x(t) \text{ real}] \\ x_o(t) = \mathcal{O}d\{x(t)\} & [x(t) \text{ real}] \end{cases}$	$\Re e\{a_k\}$ $j\Im m\{a_k\}$

Parseval's Relation for Periodic Signals

$$\frac{1}{T}\int_T |x(t)|^2 dt = \sum_{k=-\infty}^{+\infty} |a_k|^2$$

 continued...

TABLE 3.2 PROPERTIES OF DISCRETE-TIME FOURIER SERIES

Property	Periodic Signal	Fourier Series Coefficients
	$\left.\begin{array}{l} x[n] \\ y[n] \end{array}\right\}$ Periodic with period N and fundamental frequency $\omega_0 = 2\pi/N$	$\left.\begin{array}{l} a_k \\ b_k \end{array}\right\}$ Periodic with period N
Linearity	$Ax[n] + By[n]$	$Aa_k + Bb_k$
Time Shifting	$x[n - n_0]$	$a_k e^{-jk(2\pi/N)n_0}$
Frequency Shifting	$e^{jM(2\pi/N)n}x[n]$	a_{k-M}
Conjugation	$x^*[n]$	a^*_{-k}
Time Reversal	$x[-n]$	a_{-k}
Time Scaling	$x_{(m)}[n] = \begin{cases} x[n/m], & \text{if } n \text{ is a multiple of } m \\ 0, & \text{if } n \text{ is not a multiple of } m \end{cases}$ (periodic with period mN)	$\frac{1}{m}a_k \begin{pmatrix}\text{viewed as periodic} \\ \text{with period } mN\end{pmatrix}$
Periodic Convolution	$\sum_{r=\langle N\rangle} x[r]y[n - r]$	$Na_k b_k$
Multiplication	$x[n]y[n]$	$\sum_{l=\langle N\rangle} a_l b_{k-l}$
First Difference	$x[n] - x[n - 1]$	$(1 - e^{-jk(2\pi/N)})a_k$
Running Sum	$\sum_{k=-\infty}^{n} x[k] \begin{pmatrix}\text{finite valued and periodic only} \\ \text{if } a_0 = 0\end{pmatrix}$	$\left(\frac{1}{(1 - e^{-jk(2\pi/N)})}\right)a_k$
Conjugate Symmetry for Real Signals	$x[n]$ real	$\begin{cases} a_k = a^*_{-k} \\ \Re e\{a_k\} = \Re e\{a_{-k}\} \\ \Im m\{a_k\} = -\Im m\{a_{-k}\} \\ \lvert a_k\rvert = \lvert a_{-k}\rvert \\ \sphericalangle a_k = -\sphericalangle a_{-k} \end{cases}$
Real and Even Signals	$x[n]$ real and even	a_k real and even
Real and Odd Signals	$x[n]$ real and odd	a_k purely imaginary and odd
Even-Odd Decomposition of Real Signals	$\begin{cases} x_e[n] = \mathcal{E}v\{x[n]\} & [x[n] \text{ real}] \\ x_o[n] = \mathcal{O}d\{x[n]\} & [x[n] \text{ real}] \end{cases}$	$\Re e\{a_k\}$ $j\Im m\{a_k\}$

Parseval's Relation for Periodic Signals

$$\frac{1}{N}\sum_{n=\langle N\rangle} \lvert x[n]\rvert^2 = \sum_{k=\langle N\rangle} \lvert a_k\rvert^2$$

 continued...

TABLE 4.1 PROPERTIES OF THE FOURIER TRANSFORM

Section	Property	Aperiodic signal	Fourier transform
		$x(t)$ $y(t)$	$X(j\omega)$ $Y(j\omega)$
4.3.1	Linearity	$ax(t) + by(t)$	$aX(j\omega) + bY(j\omega)$
4.3.2	Time Shifting	$x(t - t_0)$	$e^{-j\omega t_0}X(j\omega)$
4.3.6	Frequency Shifting	$e^{j\omega_0 t}x(t)$	$X(j(\omega - \omega_0))$
4.3.3	Conjugation	$x^*(t)$	$X^*(-j\omega)$
4.3.5	Time Reversal	$x(-t)$	$X(-j\omega)$
4.3.5	Time and Frequency Scaling	$x(at)$	$\frac{1}{\lvert a\rvert}X\left(\frac{j\omega}{a}\right)$
4.4	Convolution	$x(t) * y(t)$	$X(j\omega)Y(j\omega)$
4.5	Multiplication	$x(t)y(t)$	$\frac{1}{2\pi}\int_{-\infty}^{+\infty}X(j\theta)Y(j(\omega-\theta))d\theta$
4.3.4	Differentiation in Time	$\frac{d}{dt}x(t)$	$j\omega X(j\omega)$
4.3.4	Integration	$\int_{-\infty}^{t} x(t)dt$	$\frac{1}{j\omega}X(j\omega) + \pi X(0)\delta(\omega)$
4.3.6	Differentiation in Frequency	$tx(t)$	$j\frac{d}{d\omega}X(j\omega)$
4.3.3	Conjugate Symmetry for Real Signals	$x(t)$ real	$\begin{cases} X(j\omega) = X^*(-j\omega) \\ \mathcal{R}e\{X(j\omega)\} = \mathcal{R}e\{X(-j\omega)\} \\ \mathcal{I}m\{X(j\omega)\} = -\mathcal{I}m\{X(-j\omega)\} \\ \lvert X(j\omega)\rvert = \lvert X(-j\omega)\rvert \\ \sphericalangle X(j\omega) = -\sphericalangle X(-j\omega) \end{cases}$
4.3.3	Symmetry for Real and Even Signals	$x(t)$ real and even	$X(j\omega)$ real and even
4.3.3	Symmetry for Real and Odd Signals	$x(t)$ real and odd	$X(j\omega)$ purely imaginary and odd
4.3.3	Even-Odd Decomposition for Real Signals	$x_e(t) = \mathcal{E}v\{x(t)\}$ [$x(t)$ real] $x_o(t) = \mathcal{O}d\{x(t)\}$ [$x(t)$ real]	$\mathcal{R}e\{X(j\omega)\}$ $j\mathcal{I}m\{X(j\omega)\}$

4.3.7 Parseval's Relation for Aperiodic Signals

$$\int_{-\infty}^{+\infty} |x(t)|^2 dt = \frac{1}{2\pi}\int_{-\infty}^{+\infty} |X(j\omega)|^2 d\omega$$

TABLE 4.2 BASIC FOURIER TRANSFORM PAIRS

Signal	Fourier transform	Fourier series coefficients (if periodic)
$\sum_{k=-\infty}^{+\infty} a_k e^{jk\omega_0 t}$	$2\pi \sum_{k=-\infty}^{+\infty} a_k \delta(\omega - k\omega_0)$	a_k
$e^{j\omega_0 t}$	$2\pi\delta(\omega - \omega_0)$	$a_1 = 1$ $a_k = 0$, otherwise
$\cos\omega_0 t$	$\pi[\delta(\omega - \omega_0) + \delta(\omega + \omega_0)]$	$a_1 = a_{-1} = \frac{1}{2}$ $a_k = 0$, otherwise
$\sin\omega_0 t$	$\frac{\pi}{j}[\delta(\omega - \omega_0) - \delta(\omega + \omega_0)]$	$a_1 = -a_{-1} = \frac{1}{2j}$ $a_k = 0$, otherwise
$x(t) = 1$	$2\pi\,\delta(\omega)$	$a_0 = 1, \quad a_k = 0, \ k \neq 0$ (this is the Fourier series representation for any choice of $T > 0$)
Periodic square wave $x(t) = \begin{cases} 1, & \lvert t\rvert < T_1 \\ 0, & T_1 < \lvert t\rvert \leq \frac{T}{2} \end{cases}$ and $x(t+T) = x(t)$	$\sum_{k=-\infty}^{+\infty} \frac{2\sin k\omega_0 T_1}{k}\delta(\omega - k\omega_0)$	$\frac{\omega_0 T_1}{\pi}\operatorname{sinc}\left(\frac{k\omega_0 T_1}{\pi}\right) = \frac{\sin k\omega_0 T_1}{k\pi}$
$\sum_{n=-\infty}^{+\infty} \delta(t - nT)$	$\frac{2\pi}{T}\sum_{k=-\infty}^{+\infty}\delta\left(\omega - \frac{2\pi k}{T}\right)$	$a_k = \frac{1}{T}$ for all k
$x(t)\begin{cases} 1, & \lvert t\rvert < T_1 \\ 0, & \lvert t\rvert > T_1 \end{cases}$	$\frac{2\sin\omega T_1}{\omega}$	—
$\frac{\sin Wt}{\pi t}$	$X(j\omega) = \begin{cases} 1, & \lvert\omega\rvert < W \\ 0, & \lvert\omega\rvert > W \end{cases}$	—
$\delta(t)$	1	—
$u(t)$	$\frac{1}{j\omega} + \pi\,\delta(\omega)$	—
$\delta(t - t_0)$	$e^{-j\omega t_0}$	—
$e^{-at}u(t)$, $\mathcal{Re}\{a\} > 0$	$\frac{1}{a + j\omega}$	—
$te^{-at}u(t)$, $\mathcal{Re}\{a\} > 0$	$\frac{1}{(a + j\omega)^2}$	—
$\frac{t^{n-1}}{(n-1)!}e^{-at}u(t)$, $\mathcal{Re}\{a\} > 0$	$\frac{1}{(a + j\omega)^n}$	—

Possibly Useful Integrals

****