Lyra Settings Design

Design specification and final visual references / 13 October 2026

This document defines the selected redesign of Lyra's desktop settings. It gives designers and implementers a common reference for layout, typography, branding, controls, content, interaction, and verification. The direction keeps the first concept's sidebar layout, the second concept's dark palette, the app's existing font, and softer monochrome outline icons.

The final corrections are incorporated: settings page titles have no subtitle, Theme uses a select, sliders use small capsule thumbs, and the sidebar uses the real outlined wordmark. The mockups are design references. The production Tauri settings UI has not been changed or activated by this document.

Deliverables and design status

Deliverable	Purpose
This specification	Product decisions, complete setting inventory, interaction rules, implementation guidance, and acceptance criteria
PDF package	Reviewable copy of the specification with all ten mockup plates
Mockup gallery	Ten final reference images covering all six pages and longer or conditional states
Reference renderer	Reproducible mockup source using the actual desktop font and vector assets
Asset manifest	Source locations and hashes for the copied brand and icon assets
Visual review	Evidence and limitations of the final design review

The Appearance direction and subsequent user corrections are the decision baseline. General, Players, Main Window, Marquee, and Karaoke apply that system to the existing settings inventory; their example states are supporting references, not claims of live player, hardware, or updater verification. Values shown in images illustrate the layout and do not change product defaults.

Design intent

Settings should feel like part of Lyra. The user should find a category, understand what a control affects, change it, and see the relevant result without navigating away unnecessarily. A small native utility does not need a dashboard or a collection of raised cards.

The existing implementation already has useful categories, shared controls, and live previews. The redesign strengthens these assets. It reduces repeated card borders and shadows, aligns controls and values, gives headings distinct roles, and keeps artwork color from weakening setting-label contrast. It preserves the current product model and all existing options.

The design prioritizes a compact 860 x 640 settings window. Long pages scroll inside the main pane. Sidebar navigation, the page title, and the immediate-apply footer stay visible. Marquee and Karaoke keep a small preview above their scrolling controls. Appearance fits its normal state without scrolling.

Decisions that define the final design

1. Keep the sidebar structure from the first concept. General, Appearance, and Players form the first group. Main Window, Marquee, and Karaoke sit under Surfaces.
2. Keep the second concept's warm charcoal and restrained plum atmosphere, with system blue for meaningful active states.
3. Use the same shared desktop font family as the app. Do not introduce a settings-only family or use the website's Geist family for application UI.
4. Render one page title only. No tagline, explanatory subtitle, or adjacent subtext belongs in the page-title header. Necessary help belongs with the setting it explains.
5. Use the existing real white integrated wordmark as one image asset. Do not assemble a separate symbol and typed Lyra label or redraw the mark.
6. Use the softer rounded outline direction with actual Phosphor Regular assets, consistently monochrome.
7. Use a select for Theme. Do not use radio tiles, a three-button theme selector, or decorative sun and moon controls.
8. Keep slender slider tracks, small horizontal capsule thumbs, quiet ticks below the rail, and readable aligned values. Do not restore the large circular knobs or dotted rails.
9. Use a compact segmented control for Lyric blur's four named levels. Other existing small categorical choices keep their segmented treatment.
10. Preserve immediate application of settings, existing state ownership, and platform-specific behavior.

Shared window and navigation

Element	Reference dimension or rule
Settings content frame	860 x 640 logical pixels; final images are 1720 x 1280 pixels at 2x
Sidebar	180 px wide; 10 px outer navigation padding
Main pane	Remaining 680 px; 28 px horizontal content padding
Page header	70 px high; title begins 28 px from the top and left
Sidebar row	34 px high, 7 px corner radius, 11 px icon-to-label gap
Navigation icon	17 px logical size, optically centered
Sidebar group gap	25 px before Surfaces
Common setting row	At least 43 px; approximately 52 px with one help line
Group spacing	Usually 22 px before a group; 16 px on the compact Appearance page
Footer	32 px high; aligned with the main content edge

A selected row uses a quiet neutral fill, a 3 px blue leading indicator, and a brighter icon. Text and shape identify selection as well as color. Hover is weaker than selection. Avoid moving or animated selection indicators.

Changing categories replaces the pane in place, returns its body to the top, and preserves the stable navigation. Retain the existing short section fade and disable it for Reduce Motion. Preserve the app's existing last-viewed-pane behavior rather than adding a new persistence mechanism.

The reference captures show application content, not simulated operating-system furniture. Tauri continues to provide the actual macOS titlebar and window controls. Preserve the titlebar drag region and platform-specific chrome. Do not implement a fake traffic-light toolbar in the web content.

Wordmark and icon assets

The sidebar wordmark comes from the production website asset, which is the checked-in white integrated Lyra wordmark. It contains the actual three-bar Verse L and outlined lettering. The reference package copies it unchanged to lyra-wordmark.svg; its source hash is recorded in the manifest.

Display the complete asset at approximately 78 px wide with its natural aspect ratio. Preserve its viewBox, letter spacing, shape, and transparency. Do not stretch it, replace its lettering with system text, or generate a raster approximation. The outlined wordmark's established lettering is a brand asset and does not introduce another UI font. Use the corresponding real black asset for a light background when the light treatment is implemented.

Destination	Exact source glyph	Purpose
General	SlidersHorizontal	Application behavior and system preferences
Appearance	Swatches	Visual appearance, rather than a paintbrush metaphor
Players	Headphones	Listening sources
Main Window	AppWindow	Main lyric window
Marquee	PictureInPicture	Floating dynamic panel
Karaoke	Subtitles	Overlay lyrics

Use the Regular outlines as one family. Inactive icons use a neutral secondary tone; selected icons become white. Do not mix filled, duotone, and outline variants or put icons in colored tiles. Use a 14 px CaretDown from the same family for the Players disclosure. Player-source marks reuse the app's existing Simple Icons glyphs and remain monochrome.

The Phosphor license accompanies the supplied outline assets. Existing player-brand glyphs retain the provenance recorded in `apps/desktop-tauri/src/utils/brand-icons.ts`.

Typography and content hierarchy

The shared application family is `-apple-system, BlinkMacSystemFont, "SF Pro Display", "Segoe UI", Roboto, Helvetica, Arial, sans-serif`, through the app's existing font resolution. The live Mac preview and saved System Default setting were checked. Settings should consume the same shared family policy rather than maintaining a competing settings-only stack.

Keep interface sizes in stable logical pixels. Changing lyric text size must not enlarge the settings controls themselves. A preview reads the actual selected lyric font and size; control chrome follows the shared app font policy. Preserve the existing fallback behavior for optional fonts.

Role	Size and line height	Weight	Treatment
Page title	22 / 28 px	700	One title; app-like spacing; no subtitle
Group heading	13 / 20 px	600	Sentence case, separated by space

Role	Size and line height	Weight	Treatment
Navigation label	13 px	400; selected 500	Stable baseline and row height
Setting label	13 / 18 px	400	Primary text, quieter than a heading
Select and current value	12.5 / 16 px	400 or 500	Values align on the right
Help line	11.5 / 15 px	400	Readable secondary tone, 3 px below label
Preview context label	11.5 / 16 px	500	Secondary; does not compete with groups
Active preview lyric	20 / 25 px	700	Sharp and dominant
Adjacent preview lyric	16 / 20 px	500	Dimmer with controlled depth blur
Footer	11.5 px	400	Quiet immediate-apply message

Use weight, space, and contrast together; do not make every row bold. Do not use all-caps section labels, expansive tracking, marketing taglines, or a separate display face. Helpers should describe an effect or constraint, not repeat the label.

Keep the existing surface names and capitalization in navigation. Use Marquee in user-visible content; identifiers and persisted `island_*` keys remain unchanged. Use precise labels such as Background darkness, Text scale, and Click-through rather than inventing vague names.

Color and materials

Role	Reference value
Main base	`#171519`
Sidebar overlay	`rgba(10, 10, 13, 0.66)`
Primary text	`#F0F0F4`
Secondary help	`#ADADB7`
Quiet labels and footer	`#9797A3`
Control surface	`#29282E`
Selected segmented surface	`#46444D`
Separator	White at 8.5% opacity
Active accent	`#0A84FF`
Focus outline	`#77B6FF`, 2 px
Slider unfilled rail	`#49464F`
Slider thumb	`#E8E8ED`

Use a quiet artwork-derived wash, strongest inside the preview and subdued under settings. The reference uses existing cover artwork with blur and a dark overlay. It does not establish burgundy as a permanent brand accent: the artwork changes with playback. If artwork is absent, retain a neutral dark base and a legible preview.

Prefer flat grouping and lightweight row separators. Do not reinstate raised group cards or add borders and shadows around every setting. Use elevation only where it explains a menu or a floating surface. Native material must respect the operating system's transparency preference.

The final visual package specifies the dark direction. A light treatment must use the same hierarchy and geometry with the real black wordmark, readable dark text, neutral controls, and the existing system theme policy. Light and high-transparency desktop states still require separate implementation QA; the dark screenshots do not prove them.

Control specifications

Selects

Theme is a compact select showing Dark in the reference. Its menu choices are System, Light, and Dark. System maps to the existing `auto` value; changing the display label does not migrate stored settings. Move this existing control from General to Appearance and show it only once.

Theme and Font align to the same right edge and use a nominal 180 x 27 px popup. Longer player and display options can use 246 px while respecting label space. Use real native-select semantics and the existing shared control implementation. Platform-native disclosure appearance can vary; do not add a custom radio treatment to achieve identical arrows.

The menu supports pointer and keyboard selection, Escape, focus return, and an accessible name. A closed select shows the complete selected value or an intentional truncation with an accessible full value. Keep loading and unavailable choices understandable instead of showing an empty field.

Sliders

The visible rail is 3 px high. The thumb is a 16 x 9 px horizontal capsule, pearl colored, with a fine edge and a restrained local shadow. Ticks are 1 x 3 px below the rail, aligned to discrete stops. The full input hit area is at least 24 px high; the track's visual thickness is not its clickable height.

Slider controls use a consistent 300 px control region, with a flexible rail, a 14 px gap, and a 52 px trailing value area. Values use tabular numerals where appropriate. Numeric information is primary; a friendly size label can sit below it. The Text size reference shows 16 px above Medium.

Preserve the existing step arrays and snapping behavior. Tick positions follow the step index, not an invented linear interpolation of nonuniform values. Text size has six stops and selects the third at 40%; Background darkness has five stops and selects the fourth at 75%. Apply the same component treatment to all surface sliders.

Support Arrow keys, Home, End, an accessible name, and `aria-valuetext`. A change announces the actual setting value, not merely the internal step index. Keep the existing setting action and debouncing policy. Do not round and write an existing saved value on mount; Marquee width can have an intermediate value after direct resizing.

Segmented choices

Lyric blur has four options: Off, Subtle, Standard, Strong. Map them to 0, 0.5, 1, and 1.5. Standard uses a lighter graphite segment, not a bright primary button. The control's visual container is approximately 28 px high, with 24 px button targets.

Keep segmented choices for short existing categories: Top or Bottom, alignment, and one or two lyric lines. Use one selected state with clear semantics. Do not use segmented choices for Theme. A keyboard user must be able to identify and change the selected choice without relying on color.

Switches and color

Switches retain familiar off and on positions, a quiet gray off track, and system-blue on track. The visible switch is 32 x 18 px with a 14 px thumb, inside at least a 24 px high target. Row spacing gives it room to be operated comfortably.

The lyric color well is one compact native color input, approximately 32 x 24 px. It has an edge that remains visible when the selected color is white. Use the system color picker and existing color-setting action. Do not invent a curated palette or remove custom color selection.

Actions and feedback

Secondary action buttons use a neutral popup-like surface and concise verbs. Preserve the existing clear-cache feedback sequence: Clear cache, Clearing, Cleared, or Couldn't clear. Prevent duplicate actions while pending. Forget remains quiet beside the remembered-player rule.

Update actions follow actual updater state. Checking and downloading disable duplicate checks; a ready update offers Restart to install; an unavailable build has an unavailable action and an accurate explanation. Use the current version from the host rather than the illustrative version shown in a mockup.

On a failed setting write, keep or restore the last confirmed state and show concise feedback near the relevant control through the existing action runner. The design does not add a global Save or Cancel flow.

General page

Order groups as System, Storage, conditional Display, conditional Touch Bar, and Updates. General has no large preview and no title subtitle. Theme moves to Appearance.

Setting or action	Control	Existing owner or behavior
Battery saver	Switch	`behavior.battery_saver`; changes polling and visual-effect policy
Hide when paused	Switch	`behavior.hide_when_paused`; affects every Lyra window
Launch at login	Switch	Existing autostart action and actual OS result
Lyrics cache	Clear cache action	Existing cache action; cleared lyrics can be fetched again
Show on screen	Select	`preferred_monitor`; display only when more than one monitor is available
Show Lyra in the Control Strip	Switch	`touch_bar_control_strip`; hardware and capability gated
Updates	State-dependent action	Existing host updater state and version

Hide Display when there is only one screen. Keep Primary (default) and actual monitor names and resolutions. Show Touch Bar only when the host reports it present. If its Control Strip route is unavailable, retain the existing disabled state and explanation. Do not use these illustrative hardware controls to claim support on every Mac.

Appearance page

Order the compact preview, Theme row, Typography, and Background. The normal state fits inside the fixed frame. There is no subtitle under Appearance. Live preview labels the preview itself.

Setting	Control and choices	State field
Theme	Select: System, Light, Dark	`ui.theme`; System maps to `auto`
Font	Select: System Default, SF Pro Rounded, Inter, Monospace	`appearance.font_family`
Text size	Slider: 12, 14, 16, 18, 20, 24 px	`appearance.font_size`
Lyric color	Native color well	`appearance.text_color`
Background darkness	Slider: 0, 25, 50, 75, 100%	`appearance.background_opacity`
Lyric blur	Segmented: Off, Subtle, Standard, Strong	`appearance.lyric_blur`

Keep the shared font option values and fallback behavior. Background darkness's help identifies Main Window and Marquee. Karaoke's own shade setting remains separate. Lyric blur softens surrounding lines; it must not blur the active line. Previews read current values without creating an independent appearance model.

Players page

Order groups as Following, Now playing, and Remembered players. Preserve the difference between current playback sessions and previously seen apps. This page does not become an account or integration marketplace.

Setting or action	Control	Existing route
Player	Select: Whichever is playing or Only an actual known app	`setPinnedApp`
Only follow music	Switch	`setOnlyMusic`
Lyrics for browser media	Select: Ask, Look up lyrics, Don't look up	`behavior.browser_lyrics`: Ask, Allow, Deny
Current session details	Disclosure	Existing session, timing, classification, and capability data
Per-track music override	Existing action in session details	`setTrackOverride`
Remembered app rule	Select: Music only, Always follow, Never follow	`setAppRule`: Auto, Always, Never
Forget remembered player	Quiet feedback action	`forgetPlayer`; existing rule-removal semantics

A session row leads with app and track, then its short status. Source branding remains monochrome. Keep capability and transport detail secondary behind the disclosure. Preserve pinning and override actions, the remembered-player rules, and their precedence. Do not make browser metadata lookup appear enabled merely because an app is detected.

Ask must preserve the existing one-time browser lookup consent flow. Explain the active choice accurately; the mock's Ask helper is not universal copy for Allow or Deny. Keep the existing loading and empty states, active or paused statuses, ignored-media reasons, and the Players page's existing 3-second refresh while visible. Add no playback polling loop.

Main Window page

Order groups as Visibility, Window, and Lyrics. Preserve the existing control set; this page does not add another large preview merely to fill space.

Setting	Control	State field
Show Main Window	Switch	`ui.floating_visible` through existing visibility action
Show over full-screen apps	Switch	`ui.floating_show_on_fullscreen`
Hide when nothing is playing	Switch	`window.hide_when_idle`
Keep window on top	Switch	`window.always_on_top`
Click-through	Switch	`window.click_through`
Focus on current line	Switch	`behavior.karaoke_mode`
Text scale	Slider: 75%, Normal, 125%, 150%, 200%	`ui.floating_font_scale`

Keep the on-top explanation that it does not apply while maximized or full screen. Keep Click-through's effect explicit. Text scale is relative to Appearance's base Text size. Visibility changes must continue to use the existing host visibility policy rather than local frontend assumptions.

Marquee page

Keep a compact pinned preview above the scrollable groups: Visibility, Window, Layout, Background, and Cover art. The three reference states show the start, the full Layout group, and the lower controls. The title remains Marquee in every visible state.

Setting or action	Control and choices	State field or action
Show Marquee	Switch	`ui.island_visible` through existing visibility action
Show over full-screen apps	Switch	`ui.island_show_on_fullscreen`
Lock position	Switch	`ui.island_locked`
Click-through	Switch	`ui.island_click_through`; turns panel controls off
Position	Reset position action	Existing reset action
Size	Select: Match screen, Small, Medium, Large, Extra large	`ui.island_scale`; null means Match screen
Width	Slider: Narrow, Standard, Wide, Widest	`ui.island_base_width`; 450, 600, 750, 900
Lines	Segmented: Current only, Current and next	`ui.island_lines`; 1 or 2
Text scale	Shared five-step scale slider	`ui.island_font_scale`
Transparency	Slider: Solid, Low, Standard, High, Clear	`ui.island_transparency`; 0, .25, .5, .75, 1

Setting or action	Control and choices	State field or action
Show cover art	Switch	`ui.island_show_cover`
Circular	Switch, disabled without cover art	`ui.island_cover_circle`
Spin while playing	Switch, disabled without cover art	`ui.island_cover_spin`

Size retains the existing scales: Small .85, Medium 1, Large 1.2, Extra large 1.4. Match screen may show the size currently selected by the host. Do not compute display-fitting, notch geometry, width limits, or cross-monitor scaling in this settings UI.

The production preview should continue to reuse real Marquee markup and state. Native Liquid Glass or HUD material remains host-owned; the browser reference cannot prove desktop-material behavior. Battery saver and Reduce Transparency keep their existing effect policy. Disabling cover art disables its shape and spin controls without deleting the saved preferences.

Karaoke page

Keep its compact pinned preview above Visibility, Layout, and Text. The upper and lower reference states show all existing controls without squeezing them into an unreadable full-page form.

Setting	Control and choices	State field
Show Karaoke Lyrics	Switch	`ui.karaoke_visible` through existing visibility action
Show over full-screen apps	Switch	`ui.karaoke_show_on_fullscreen`
Position	Segmented: Top, Bottom	`ui.karaoke_position`
Distance from edge	Slider: None, Small, Medium, Large, Extra, Max	`ui.karaoke_offset_px`; 0, 24, 48, 72, 96, 120
Width	Slider: 50, 60, 70, 80, 90, 100%	`ui.karaoke_width_pct`
Text scale	Shared five-step scale slider	`ui.karaoke_font_scale`
Alignment	Segmented: Left, Center, Right	`ui.karaoke_alignment`
Lines	Segmented: Current only, Current and next	`ui.karaoke_lines`; 1 or 2
Bold lyrics	Switch	`ui.karaoke_bold`
Shade behind lyrics	Slider: None, 25, 50, 75%	`ui.karaoke_bg_opacity`

The preview must represent the selected position, alignment, width, line count, text scale, weight, and shade. It should stay visible while lower controls are adjusted. The active line remains clear at every shade level. Do not substitute the shared background-darkness setting for this surface's independent shade control.

State and interaction rules

Keep the existing settings hook and action runner as the command boundary. Shared controls receive state and invoke existing actions; they do not call player adapters or implement business policy. A new visual wrapper is not a new settings store.

- Initial load uses the existing skeleton and named sections; avoid a blank pane or placeholder values that look saved.
- A control's pending state prevents duplicate actions where needed. Failures remain understandable and retryable.
- Platform and capability gating come from the host. A disabled preference retains its label and explanation.
- Player details expand locally without changing playback. Ignored and paused sessions remain distinct from failures.
- Clearing cache and forgetting a player preserve their existing scope. Do not add unrelated reset actions.
- Category changes return the body to the top. Scrolling does not move the sidebar, page title, pinned preview, or footer.
- A preview uses real setting values. Production previews update through existing state/event delivery, not a new timer.
- Honor keyboard focus. Arrow, Home, End, Space, select menus, and Escape must use the appropriate control semantics.

The reference renderer lets native inputs, segments, disclosures, and navigation be inspected locally. It never calls Tauri, writes preferences, clears cache, controls playback, or installs an update. Production actions and live previews are separate implementation work.

Accessibility and platform requirements

Use the existing `RowContext` and `useRowAria` naming and description patterns. Decorative icons have empty alt text; the wordmark has Lyra as its accessible name; navigation exposes the current page. A slider exposes its semantic value and a switch exposes its checked state. Disable actual controls, not only their opacity.

Target at least 4.5:1 contrast for normal text, 3:1 for qualifying large text, and 3:1 for essential control indicators against adjacent colors. Validate artwork-tinted states as well as flat token pairs. These requirements follow the W3C contrast guidance and non-text contrast guidance. Token calculations and visual inspection alone are not a complete accessibility audit.

Provide at least 24 px high interaction targets for compact controls, clear focus outlines, and readable hints. Keep focus from being hidden under pinned preview regions. Respect Reduce Motion, Reduce Transparency, and battery-saver settings. User-visible text must remain readable at increased system text size; a fixed-size settings window may need more internal scrolling rather than smaller type.

The supplied mockups are macOS dark references. Windows must retain its own caption controls, Segoe UI fallback, input behavior, and current platform selectors. Linux must use explicit Linux styling and its host behavior; it is not a macOS fallback. Preserve all four Lyra window surfaces. This design changes no player-support claim or adapter capability; PLAYER_SUPPORT.md remains the authoritative support matrix.

Implementation approach

Reuse the current settings architecture. The design package duplicates assets only as frozen documentation inputs; production should consume the real shared brand and icon sources.

Existing location	Intended change
`views/settings/index.tsx`	Keep section switching and scrolling; title-only header; place compact previews above scrolling bodies where specified
`views/settings/components/nav.tsx`	Keep section IDs and groups; replace glyphs with the chosen real outline assets; add the real wordmark

Existing location	Intended change
`views/settings/settings.css`	Map hierarchy, spacing, flat rows, shared font, native-control treatment, and existing OS variants
`views/settings/components/body.tsx`	Move Theme to Appearance; use segmented Lyric blur; preserve the full current inventory and handlers
`components/settings-controls/select.tsx`	Reuse native select semantics and accessibility; align sizing
`components/settings-controls/snap-slider.tsx`	Keep step/value handling; refine track, thumb, ticks, focus, and target area
Shared Row, Toggle, Segmented, action feedback	Preserve labels, hints, state semantics, and action handling
`components/previews.tsx`	Reuse existing appearance state and real surface markup; preserve effect accuracy
`hooks/use-settings.ts` and command utilities	Preserve persistence, debounce keys, event updates, and command ownership

Implement the shared shell and controls first, then Appearance, then apply the same system to the remaining pages. Keep changes surgical and preserve unrelated workspace work. Do not rename commands, migrate `island_*` keys, alter player policy, add a new backend, or change polling to achieve the visual redesign.

When production UI is implemented, add a user-facing Unreleased changelog entry in the same change. Run the appropriate frontend, contract, and browser checks and host checks if host behavior changes. No changelog or player-support update is required merely to publish this design document.

Acceptance criteria

Area	Observable acceptance
Header	Exactly one section title; no page-title subtitle or tagline
Brand	Real SVG wordmark, unchanged geometry and natural ratio
Font	Same desktop family policy; no website or independent settings font
Icons	One actual Regular outline family, monochrome, consistent size and baseline
Layout	860 x 640 frame; no horizontal overflow; sidebar and footer stay visible
Appearance	All normal-state controls fit without body scrolling
Long pages	Every setting reachable; preview remains visible while scrolling Marquee and Karaoke
Theme	A select; System maps to auto; one placement in Appearance
Sliders	Correct stops, readable values, capsule thumb, thin rail, named keyboard-operable input
Dependencies	Cover shape and spin actually disabled when cover art is off
Conditional controls	Monitor and Touch Bar rows reflect host capabilities
States	Load, pending, empty, unavailable, and failure states do not imply a successful action
Preview	Uses confirmed settings and shows the correct surface effect
Accessibility	Names, descriptions, focus, contrast, keyboard and screen-reader checks pass
Platforms	Native chrome, platform styling, transparency and motion preferences preserved
Runtime	Existing events and command routes remain intact; no new playback polling


The document reference has been browser-rendered and visually reviewed. Real Tauri commands, native desktop materials, screen-reader behavior, light mode, other OSes, hardware conditions, and live players remain implementation acceptance work. These limits are not evidence that the corresponding features fail.

Research and owning sources

- Apple settings guidance informed stable categories and contextual settings.
- Apple slider guidance informed the lozenge thumb, values, and discrete ticks.
- Raycast settings informed direct appearance controls and familiar preferences behavior.
- Cal.com appearance reference and Revolut Business appearance reference informed restrained grouping and clearly visible choices.
- Phosphor source assets provide the chosen real outline family.
- Desktop settings sources, shared controls, and font resolution define the existing contracts and behavior.
- Agent architecture reference, player support, and brand masters provide the platform and asset constraints.


General

System behavior, storage and updater state. Hardware-specific controls are omitted in this normal example. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Appearance

Final primary direction with a title-only header, real wordmark, Theme select and refined sliders. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Players

Following policy, current playback and remembered apps. The displayed player and track values are examples. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Main Window

Existing visibility, window and lyric controls in the shared visual system. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Marquee upper view

A compact preview remains visible above the scrolling control body. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Marquee layout view

The same page at the Layout group, including size, width, line count, text scale and transparency. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Marquee lower view

Background and cover-art preferences below the initial viewport. 860 x 640 logical pixels; native OS chrome is outside this content reference.




Karaoke upper view

Visibility and layout preferences with the lyric preview pinned above. 860 x 640 logical pixels; native OS chrome is outside this content reference.



Karaoke text view

The same page scrolled to text, alignment, line count, weight and shade controls. 860 x 640 logical pixels; native OS chrome is outside this content reference.



General hardware view

Illustrative multiple-monitor and Touch Bar scenario. Availability is determined by the host. 860 x 640 logical pixels; native OS chrome is outside this content reference.

