PHARMACOLOGY LAB 3 (2026-27) PRESCRIPTION READING

SAYA MOHAMMED

MSC. PHARMACOLOGY

SHAYMA FAROOQ

MSC. PHARMACOLOGY

MEDICAL PRESCRIPTION

Name, address, and telephone number of the doctor

1-Superscription: contains **date, name, age, address, weight** and **sex** of patient

℞ That stands for the Latin word 'take thou' which means dispense


(Its a conversation between the doctor and the pharmacist).



2- Inscription: this is the body of the prescription. It contains the following;

- A- Name(s) of the drug
- B-Strength
- C-Dosage form
- D-Amount to be dispensed

- Sometimes the prescription contains more than one drug
- *the 1st one is the basis (most important drug)
- *the 2nd one is the adjuvant (enhances the effect of basis)
- *the 3rd one is corrective which reduces the undesirable effects of the basis and the adjuvant.



JOHN SMITH, M.D.
123 Your Address
YOURTOWN, USA 00000
(000) 000-0000

NPI 1234567891

Name _____ D.O.B. _____

Address _____ Date _____

℞

- Digoxin 0.5 mg tab .
  1*1 30 tabs.

- Furosemide 40 mg amp.
  1*1 5 amps.

- KCl 250 mg tab.
  1*2 20 tabs.

_____
(Signature)

Refill _____ times

NR _____ Label _____

☐ Dispense As Written

"Brand Medically Necessary" must be handwritten by prescriber. Not Medically Necessary or product selection will be allowed.

- **3- Subscription**:
- instruction to the pharmacist like 'make a solution' ,'mix and place in 20 caps' , 'dispense 10 tablets'.

- ***Signa*** which is the instruction for the patient how to take the prescription.

- Signature of the doctor.

ABBREVIATIONS USED IN MEDICAL PRESCRIPTION

- a.c. = before meals (from "ante cibum," before meals)
- p.c. = after meals (from "post cibum," after meals)
- tabs=tablets
- caps = capsules
- p.o. = by mouth, orally (from "per os," by mouth)
- I.V. =intravenously
- i.m. =intramuscularly
- s.c. =subcutanously
- PRN = when required or on need

- q.d. = once a day (from "quaque die," once a day)
- b.i.d. = twice a day
- t.i.d. = three times a day (from "ter in die," 3 times a day)
- q.i.d. = four times a day (from "quater in die," 4 times a day)
- q.h.: If a medicine is to be taken every so-many hours (from "quaque," every and the "h" indicating the number of hours)
- q.h. = every hour
- q.2h. = every 2 hours
- q.3h. = every 3 hours
- q.4h. = every 4 hours

Hospital Name

Dr. John Killer M.B.B.S, M.S(Ortho)

751 Victoria 123 Streets, South Station 204
Hometown, US 1234

PH: (207) 808-2014-2018
FAX: (207) 808-2015-2202

Patient Name: Age: Gender:

Address: Date:

Rx

Doctor's Signature:

DEA# GB 05455616 LIC # 976269

MEDICAL CENTRE
824 14th Street
New York, NY 91743, USA

NAME John Smith AGE 34
ADDRESS 162 Example St, NY DATE 09-11-12

Rx

Betaloc 100mg - 1 tab BID
Dorzolamidum 10 mg - 1 tab BID
Cimetidine 50 mg - 2 tabs TID
Oxprelol 50mg - 1 tab QD

Dr. Steve Johnson
signature

☐LABEL
REFILL 0 (1) 2 3 4 5 PRN

WEX-N-PRESC-F
1-888-422-6780

#56617167

CASE EXAMPLE

- Sonya is a 6 years old female from Erbil weighing **20 kg**, she complains from **Pain or a scratchy sensation in the throat, Pain that worsens with swallowing or talking, with Swollen, red tonsils**. According to the mentioned symptoms the diagnosis was **pharyngitis**, because the patient has an allergy to penicillin's doctor prescribed **Azithromycin suspension QD** for 5 days **AC, acetaminophen syrup 250mg TID for 3 days** then on need**.**

Note: the recommended dose for azithromycin is **12mg/kg/dose**.

Order the information in the prescription paper.

a. How many milliliters (ml)s of acetaminophen syrup should be given if the concentration of the bottle is 100mg/1ml?

CASE EXAMPLE

- Ahmed is a **36-year-old male** from Erbil, weighing **78 kg**. He visits the clinic with **facial pain and pressure, nasal congestion, thick yellow nasal discharge, headache, and fever** for the past 4 days. After examination, the physician diagnoses him with **acute bacterial sinusitis**.The patient has **no known drug allergies (NKDA)**. The physician prescribes, **Amoxicillin/clavulanate 875 mg/125 mg tablets** as**1 tab PO BID × 7 days, AC** and **Paracetamol 500 mg tablets as 1–2 tabs PO q6h PRN fever or headache × 3 days**, maximum **8 tablets/day**
- **Write prescription**