

BASIC EMERGENCY CARE IN EYE INJURIES

Ophthalmology unit
Hawler medical university



Dr. Ahmed Abdulgani Ph.D.

BURNS



e?

BURNS



Which one is worse?
A/ white is more dangerous

BURNS

1. Open eyelid gently and wash eye with flowing water for 15 mins.

-as much as we can, we should wash the eye at or near the site of the accident
-if there is no water pipe we will use bottle water

2. Place eye pad or light clean dressing over the injured eye only.

-anything like (jacket, tissue, piece of cloth) can be put.

3. Ensure ambulance has been called **(066-122)**, or you help him to reach hospital




BURNS

1. Open eyelid gently and wash eye with flowing water for 5 mins.
2. Place eye pad or light clean dressing over the injured eye only.
3. Ensure ambulance has been called **(066-122)**, or you help him to reach hospital



SMALL OBJECTS



SMALL OBJECTS

- Ask patient to look up.
- Draw lower eyelid down.
If object visible, remove
with corner of moist
cloth.

-we can't use wet wipe, we should make the tissue moist



SMALL OBJECTS

- If not visible, pull upper lid up.



SMALL OBJECTS

- If unsuccessful, wash eye with sterile saline or clean water.
- If still unsuccessful, cover injured eye only and seek medical aid.



EMBEDDED OBJECTS




EMBEDDED OBJECTS

-difference between small and embedded objects is:
embedded objects stick to the eye, while small objects don't stick to the eye.

- Cover the injured eye only.
- Seek medical aid.




WOUNDS



WOUNDS

- first Lie patient on back.
-the patient will be faint so he/she lie on back is better.
- Place light dressing over injured eye only.
-never pressure of the eye, if you pressure the trochlea material will come out
- Ask patient to try not to move eye.
- Ensure ambulance has been called
(066-122).



PENETRATING INJURY



PENETRATING INJURY

- Place thick pads above and below injured eye or cover object with paper cup.



PENETRATING INJURY

- Bandage pads in place making sure there is no pressure on eyelids.

- never touch the penetrate object
- wrap the gauze above and below the long penetrate object



PENETRATING INJURY

- Cover injured eye only.
 - if the penetrate object is long use gauze
 - if the penetrate object is short use pad
- Ensure ambulance has been called **(066-122)**.

SMOKE

-cause by gas, fire gas



SMOKE

-first your safety is priority then take the patient out and check ABC, after them wash the injured eye

- Wash eyes with sterile saline or tap water.
- Seek medical aid if necessary.




WARNING


- **DO NOT** touch the eye or any contact lens.
- **DO NOT** allow patient to rub eye.
- **DO NOT** try to remove any object which is penetrating the eye.
- **DO NOT** apply pressure when bandaging the eye.




- Couple where taking selfi in dust storm weather and suddenly the man felt pain in his left eye
- what are your actions?
A/ small object



- Iron worker was not using protective glasses then developed severe pain in right eye
- What are your actions?
A/ this is embedded object
- you should mention the eye (left, right), if the doctor mentioned it before.




- Young girl had accidental spraying of deodorant into her both eye what are your actions
(this is chemical burn)



- Old lady had stab wound by knife to her left eye


Q/What are your actions?

A/ stab wound





- Worker had accident to his right eye
- What are your actions?

A/penetrate eye




- After strike with police a young lady had bilateral severe eye pain
- What are your immediate response?
A/ smoking

TRACEBOARD



- While charging his car battery exploded and got right eye pain
- What are your actions?
A/chemical burn



- Right eye pain after welding. What are your actions?
A/ embedded object