

Hawler Medical University College of Medicine



MEDICAL TERMINOLOGY



OBJECTIVES

- Describe the meanings of different types of medical terms
- Understand the meanings of different medical condition and its association with different diseases



Acute is having a sudden onset and short course as in acute inflammation.


Chronic means being marked by long duration or frequent recurrence as in chronic inflammation or chronic illness.



arthrodesis



- **Desis** = Stabilizing or binding.
- **Arthrodesis** is the surgical induction of join fusion.
- **Ectasis, Ectasia** = Dilatation. *دشوع*
- **Brochiectasis** is the irreversible dilatation of the bronchial tree.
- **Ductectasia** is the dilatation of a ductal system as in the breast and it is one of the causes of a breast mass.



Emesis = Vomiting.



An **emetic** agent is one that induces vomiting.

An **antiemetic** drug is one that stops vomiting.

Hyperemesis gravidarum is exaggerated vomiting
in early pregnancy.



- **Stimulation** is to excite to activity or growth
تحفيز.
- **A stimulus** is an activating agent.
-
- **Inhibition** is to stop or prevent an action.
- **An inhibitor** is an agent that restrains or prevent an action.



Stalsis = Compression.

Peristalsis is peripheral compression. It describes intestinal motility.



Claudication = limping

Intermittent claudication is intermittent pain and limping due to ischemia of lower limbs.



Edema is accumulation of fluid in extravascular space.


Examples: inflammatory edema; Pulmonary edema as a complication of left ventricular heart failure.



- **Fibrillation:** It is the spontaneous rapid contraction of individual muscle fibers. Left ventricular fibrillation complicating myocardial infarction is a cause of sudden death
- **Concussion** = A hard blow or collision.
- Brain concussion is disturbance of cerebral function due to a hard jarring blow and injury.





Trauma is an **injury**. It can be physical (e.g. a wound) or psychological.



Fracture is break in continuity e.g. of a bone.

Reduction is bringing fractured ends of a bone together.





- **Centesis:** To puncture and drain a cavity. .
- **Amniocentesis** is puncturing the amniotic cavity of the gravid uterus and aspiration of the amniotic fluid. It is used to evaluate fetal maturity or detect congenital abnormalities by genetic studies.
- **Pleurocentesis** is draining the pleural cavity



Ectomy = Surgical removal. Examples:


Cholecystectomy is the surgical removal of gall bladder.

Appendicectomy is the surgical removal of appendix.

Rrhaphy = Repair, suture,


Herniorrhaphy is the surgical repair of hernia.

Periniorrhaphy is the surgical repair of lax perineum.



Stomy = To make an opening surgically. Ex.

Tracheostomy is to open the trachea to the skin in laryngeal obstruction by (edema, tumor, etc).




Colostomy or ileostomy is the opening the large or small intestine to the skin of the abdominal wall proximal to area of intestinal obstruction.



Plasty = Repair Ex.

Rhinoplasty is the surgical repair of a deformed nose.

Pyloroplasty is the surgical repair and widening of pylorus to improve gastric emptying in the surgical treatment of peptic ulcer.



Colectomy (bowel resection surgery)

■ Part of colon removed

Left hemicolectomy



Proctocolectomy




Proctosigmoidectomy




Sigmoid colectomy





- **Pexy** = Surgical fixation.
- **Orchiopexy** is bringing down an undescended testis into the scrotal sac and fixing it there surgically.



ADAM

- **Amputation** is the removal of a limb or part of a limb Ex. amputation of a gangrenous (dead) part of a limb.
- **Resection** is the surgical removal of a part. Ex. Resection of a segment of small intestine.




Excise is to cut out and remove .Ex. excision of a mass: you cut it out completely and remove it. Excision is surgical removal as of a mass.


To incise is to make a clean cut or to carve into a surface.

An incision is a cut with a sharp instrument like a knife, scalpel.

- **An incisional biopsy** is to cut over a mass and remove of it for histopathological study.
- **tomy**: Cutting and opening. Examples:
- **Laparotomy** = opening the abdomen.
- **Cardiotomy** = cutting myocardium and opening the heart.




Vagotomy = exploring and cutting the vagi nerves in chronic peptic ulcer.



Tome = a suffix that denotes a cutting instrument.

Microtome is an instrument that is used to cut processed tissue to prepare very thin tissue sections which are spread on glass slides, stained and studied by a microscope.





- **Dermatome** is a skin cutting instrument used in skin grafting.
- **Myotome** is a muscle cutting instrument
- **To section** is the action of separation by cutting.
- **A section** is a distinct part, a division or portion of something.



Caesarean section is delivery of the neonate by cutting the abdominal wall and uterus.

Longitudinal section مقطع طولي;

Transverse section مقطع عرضي.



Colic

Colic is a paroxysm of acute abdominal pain in a hollow organ (e.g. intestine, ureter, bile duct) caused by **spasm, obstruction or twisting**.
Examples: **intestinal, renal and biliary colic**.



- **Spasm** is an involuntary and abnormal muscle contraction.
Skeletal muscle spasm can cause pain and difficulty in movement.
Arterial spasm can cause ischemia.
Bronchospasm as in asthma can cause shortness of breath.

THANK YOU

