

Human Genetic Variation

Assistant Lecturer

Hazem Abbas Al-Bustany

M.Sc. in Molecular Biology

hazem.albustany@hmu.edu.krd



Outline

- Human genetic variation
- Sources of Human Genetic Variation
- Types of Human Genetic Variation
- Functional Consequences of Genetic Variation
- Human Genetic Variation and Disease
- Pharmacogenomics
- Population Genetics and Human Diversity
- Detection and Analysis of Genetic Variation
- Ethical, Legal, and Social Implications
- Clinical and Research Applications
- Conclusion



Human genetic variation

Human genetic variation refers to the differences in DNA sequences among individuals within the human population. Although humans share more than 99.9% of their genetic material, the remaining variation accounts for differences in physical traits, disease susceptibility, drug response, and adaptation to environmental factors. Understanding genetic variation is fundamental to medical genetics, genomics, personalized medicine, and evolutionary biology.



Sources of Human Genetic Variation

Genetic variation arises through several biological mechanisms, including mutation, recombination, and population-level processes.

1) Mutations: are permanent changes in the DNA sequence and represent the primary source of genetic variation. They may occur spontaneously during DNA replication or be induced by environmental factors such as radiation and chemicals.

2) Genetic Recombination: During meiosis, homologous chromosomes exchange genetic material through crossing over, generating new allele combinations in gametes.

3) Independent Assortment: Random segregation of chromosomes during meiosis contributes to genetic diversity among offspring.



Types of Human Genetic Variation

Human genetic variation can be classified based on the scale and nature of DNA changes.

1) Single Nucleotide Polymorphisms (SNPs)


SNPs are variations at a single nucleotide position and represent the most common type of genetic variation. They may be:

- Synonymous (no amino acid change)

- Non-synonymous (amino acid change)

- Nonsense (premature stop codon)

SNPs can influence disease risk, drug metabolism, and gene regulation.





2) Insertions and Deletions (Indels)

Indels involve the addition or removal of small DNA segments. When occurring in coding regions, they may cause frameshift mutations, leading to significant functional consequences.

3) Copy Number Variations (CNVs)

CNVs involve duplication or deletion of large genomic segments, ranging from kilobases to megabases. CNVs can affect gene dosage and are associated with developmental disorders and cancers.

4) Structural Variations

These include large-scale chromosomal rearrangements such as:

Inversions

Translocations

Large duplications and deletions

Structural variations may disrupt genes or alter regulatory regions.

5) Microsatellites and Minisatellites

Short tandem repeats (STRs) and variable number tandem repeats (VNTRs) are highly polymorphic regions useful in DNA fingerprinting and population studies.

Functional Consequences of Genetic Variation

Genetic variations may have different biological effects:

- 1) **Neutral variants:** No observable effect
- 2) **Beneficial variants:** Confer adaptive advantages
- 3) **Deleterious variants:** Increase disease risk or cause genetic disorders

The impact depends on the genomic location and the biological role of the affected gene.

Human Genetic Variation and Disease

Many diseases have a genetic component influenced by variation:

1) Monogenic Disorders

Caused by mutations in a single gene, e.g.:

- Sickle cell disease

- Cystic fibrosis

- Phenylketonuria

2) Polygenic and Multifactorial Diseases

Involve multiple genes and environmental factors, e.g.:

- Diabetes mellitus

- Hypertension

- Coronary artery disease



Pharmacogenomics

Genetic variation affects individual responses to drugs. Variants in genes encoding drug-metabolizing enzymes (e.g., CYP450 genes) influence drug efficacy and toxicity. Pharmacogenomics enables personalized drug therapy.

Population Genetics and Human Diversity

Genetic variation differs among populations due to migration, natural selection, genetic drift, and founder effects. These variations contribute to population-specific disease risks and drug responses but do not support biological concepts of race.



Detection and Analysis of Genetic Variation

Modern techniques used to study genetic variation include:

- Polymerase Chain Reaction (PCR)
- DNA sequencing (Sanger and Next-Generation Sequencing)
- Microarrays
- Genome-wide association studies (GWAS)



Ethical, Legal, and Social Implications

Studying human genetic variation raises important ethical issues, including:

- Genetic privacy and data protection
- Informed consent
- Genetic discrimination
- Equity in genomic medicine



Clinical and Research Applications

Human genetic variation is applied in:

- Disease diagnosis and risk prediction

- Prenatal and carrier screening

- Forensic identification

- Evolutionary and anthropological studies

- Precision medicine



Conclusion

Human genetic variation underlies biological diversity, health, and disease. Advances in genomic technologies have expanded our understanding of how genetic differences influence disease susceptibility and therapeutic response. A solid understanding of genetic variation is essential for future clinicians and researchers in the era of personalized medicine.



Human genetic variation refers to:

- A. Differences in protein expression only
- B. Differences in DNA sequences among individuals**
- C. Differences in chromosome number
- D. Differences caused only by environmental factors
- E. Differences in mitochondrial function

Which process is the primary source of new genetic variation?

- A. Natural selection
- B. Genetic drift
- C. Mutation**
- D. Migration
- E. Recombination



Thank You