

Hawler Medical University
College of Medicine
Department of Physiology,
Microbiology and Genetics
2025 - 2026



Gene Library

Assistant Lecturer

Hazem Abbas Al-Bustany

M.Sc. in Molecular Biology

hazem.albustany@hmu.edu.krd



Outline

- Gene Library (Genomic and cDNA Libraries)
- Types of Gene Libraries
- Construction of a Genomic Library
- Construction of a cDNA Library
- Vectors Used in Gene Libraries
- Screening of Gene Libraries
- Applications of Gene Libraries
- Advantages and Limitations
- Comparison Between Genomic and cDNA Libraries
- Conclusion

Gene Library (Genomic and cDNA Libraries)

A gene library is a systematically organized collection of DNA fragments that collectively represent the genetic material of an organism or a specific set of expressed genes. Gene libraries are fundamental tools in molecular biology, genetics, biotechnology, and biomedical research, enabling the identification, isolation, cloning, sequencing, and functional analysis of genes of interest. Depending on the source and preparation method, gene libraries are broadly classified into **genomic libraries** and **complementary DNA (cDNA) libraries**.

Types of Gene Libraries

1) Genomic Library

A genomic library contains DNA fragments representing the **entire genome** of an organism, including:

- Coding sequences (exons)
- Non-coding sequences (introns)
- Regulatory regions (promoters, enhancers)
- Intergenic regions

Each DNA fragment is cloned into a suitable vector, and collectively, the library covers the whole genome.

Key Features

- Represents complete genetic information
- Same library can be used for all cell types
- Includes non-expressed genes

2) cDNA Library

A cDNA library is constructed from **messenger RNA (mRNA)**

isolated from a specific cell type, tissue, or developmental stage.

Using reverse transcriptase, mRNA is converted into complementary DNA (cDNA), which is then cloned into vectors.

Key Features

- Contains only expressed genes

- Lacks introns and regulatory sequences

- Reflects tissue- or time-specific gene expression

Construction of a Genomic Library

1) Isolation of Genomic DNA

High-molecular-weight DNA is extracted from cells using enzymatic digestion and purification techniques to avoid fragmentation.

2) DNA Fragmentation

Genomic DNA is partially digested using restriction enzymes (e.g., EcoRI, HindIII) to generate overlapping fragments.

3) Vector Preparation

Vectors such as plasmids, bacteriophages (λ phage), cosmids, BACs (Bacterial Artificial Chromosomes), or YACs (Yeast Artificial Chromosomes) are cut using the same restriction enzyme.



4) Ligation

DNA fragments are ligated into vectors using DNA ligase.

5) Transformation or Transduction

Recombinant vectors are introduced into host cells (commonly *Escherichia coli*).

6) Storage and Screening

Each host cell clone carries a different genomic fragment, and the collection constitutes the genomic library.

Construction of a cDNA Library

1) Isolation of mRNA

mRNA is isolated from cells using oligo-dT columns that bind the poly-A tail.

2) First-Strand cDNA Synthesis

Reverse transcriptase synthesizes a complementary DNA strand using mRNA as a template.

3) Second-Strand cDNA Synthesis

The RNA strand is degraded, and DNA polymerase synthesizes the second DNA strand.

4) Cloning into Vectors

Double-stranded cDNA is ligated into plasmid or phage vectors.

5) Transformation

Recombinant vectors are introduced into host cells, forming the cDNA library.

Vectors Used in Gene Libraries

Vector Type	Insert Size	Applications
Plasmids	<10 kb	Small genes
λ Phage	10–20 kb	Genomic libraries
Cosmids	35–45 kb	Large genomic fragments
BACs	100–300 kb	Genome projects
YACs	>1 Mb	Eukaryotic genomes



Screening of Gene Libraries

Screening identifies clones containing the gene of interest.

1) Hybridization Screening

Uses labeled DNA or RNA probes complementary to the target gene.

2) PCR-Based Screening

Specific primers amplify the target gene from library clones.

3) Immunological Screening

Detects expressed proteins using specific antibodies (mainly for cDNA libraries).



Applications of Gene Libraries

Gene identification and cloning

Genome sequencing projects

Study of gene structure and organization

Functional genomics and proteomics

Production of recombinant proteins (e.g., insulin)

Disease gene analysis

Evolutionary and comparative genomics

Drug target discovery

Advantages and Limitations

1) Genomic Library

Advantages

- Complete genetic representation

- Useful for studying regulatory regions

Limitations

- Large size

- Presence of introns complicates expression in prokaryotes

2) cDNA Library

Advantages

- Introns absent

- Ideal for protein expression studies

Limitations

- Only expressed genes included

- Expression depends on cell type and conditions

Comparison Between Genomic and cDNA Libraries

Feature	Genomic Library	cDNA Library
Source	Genomic DNA	mRNA
Introns	Present	Absent
Regulatory Regions	Present	Absent
Expression Studies	Limited	Highly suitable
Tissue Specificity	No	Yes



Conclusion

Gene libraries are indispensable tools in modern molecular biology and biotechnology. Genomic libraries provide a complete representation of an organism's DNA, while cDNA libraries offer insights into gene expression patterns and functional proteins. Together, these libraries support advances in genetic research, diagnostics, therapeutics, and industrial biotechnology.

Which vector is most suitable for cloning very large DNA fragments (>100 kb)?

- A. Plasmid
- B. λ bacteriophage
- C. Cosmid
- D. Bacterial artificial chromosome (BAC)**
- E. Viral RNA vector

Why are cDNA libraries preferred for expression of eukaryotic genes in bacteria?

- A. They contain enhancers
- B. They include introns
- C. They lack introns**
- D. They contain regulatory elements
- E. They have larger insert sizes



Thank You