
Lab 4:
Hemodynamic Disorders

Ass. Prof. Dr. Tenya Tariq Abdulhameed

M.B.Ch.B, M.Sc, Ph.D (HISTOPATHOLOGY)

College of Medicine, HMU.

2026-2027




Pitting edema




Dependent pitting edema




Periorbital edema






Pulmonary edema

frothy, blood-tinged fluid—a mixture of air, edema, and extravasated red cells.



Brain edema


the brain is grossly swollen with narrowed sulci and distended gyri




Pleural effusion

Ascites







mural thrombi are thrombi occurring in heart chambers or in the aortic lumen.
Pale (white) thrombus in the left & right ventricular apices, overlying a white fibrous scar.




Laminated (mixed) thrombus in a dilated abdominal aortic aneurysm.






Microscopic appearance of antemortom thrombus (Line of Zhan)





Embolus derived from a lower-extremity deep venous thrombus lodged in a pulmonary artery branch.

- **Pulmonary infarction** *is an example of red infarction*




Red infarction in bowel



ischemic necrosis of distal extremities **(gangrene)**






A




B

A/Red infarction in brain,
B/ white infarction in spleen

Grossly: *Infarcts tend to be wedge shaped, with the occluded vessel at the apex and the organ periphery forming the base*





Stages of ischemic necrosis in myocardium

Brain infarction(liquefactive necrosis)

