



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

Part A

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	ResFloor-TL30, Part A
PRODUCT CLASS:	Epoxy Resin
PRODUCT TYPE	Diglycidyl Ether of Bisphenol A
D.O.T CATEGORY	UN3082
MANUFACTURER	Resin8, Inc 398 W Wrightwood Avenue Elmhurst, IL 60126
TELEPHONE	(773) 551-3633
EMERGENCY	(773) 551-3633

2. HAZARD(S) IDENTIFICATION

Hazard Risk Classification	Acute Toxicity - Oral : Category 4 Skin Corrosion/Irritation: Category 2 Serious Eye Damage/Irritation: Category 2A Skin Sensitization: Category 1 Chronic hazards to the aquatic environment: Category 2
----------------------------	---

Label elements including precautionary statements



Hazard Risk Statement	H302 Harmful if swallowed H315 Causes skin irritation H317 May cause allergic skin reaction H319 Causes serious eye irritation H411 Toxic to aquatic life with long lasting effects
-----------------------	---

Signal Word	Warning
-------------	---------

Precautionary Statement

Prevention	P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment P280 Wear protective gloves/protective clothing/eye protection/face protection.
------------	--

Response	P301+P312 IF SWALLOWED: CALL A POISON CENTER or doctor/physician if you feel sick
----------	---



Safety Data Sheet

ResFloor-TL30

Revised: March, 2016

Part A & Part

B

P330 Rinse mouth

P302+P352 **IF ON SKIN:** Wash with plenty of soap and water.

P321 Specific treatment (see on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse

P391 Collect spillage

Storage

No Data

Disposal

P50 Dispose of contents/container

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredients

>74% DIGLYCIDYL ETHER OF BISPHENOL A

CAS number 2s068-38-6

The remaining ingredients are trade secret.

4. FIRST AID MEASURES

Eye contact

Flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Consult a physician if signs of irritation appear.

Skin contact

Immediately remove contaminated clothing or shoes, wash skin with plenty of water for at least 15 minutes. Use soap if readily available, or follow by thoroughly washing soap and water. Do not reuse clothing until thoroughly decontaminated.

Inhalation

Move person to fresh air area and provide oxygen if breathing is difficult. Consult a physician if effects occur.

Ingestion

Do not induce vomiting because of risk of aspiration.
Rinse mouth with water.
Consult a physician if effects occur.

Acute and delayed symptoms/effects

Inhalation

Short-term exposure
Long-term exposureIrritation, allergic reaction, blood congestion of the lungs
Irritation, allergic reaction

Ingestion

No data for side effect

Skin contact

Short-term exposure
Prolonged exposureIrritation, allergic reaction
Irritation, allergic reaction

Eye contact

Short-term exposure
Prolonged exposureIrritation
Irritation



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

5. FIRE FIGHTING MEASURES

Suitable / Unsuitable extinguishing media:

Suitable extinguishing media	Dry chemical, carbon dioxide, water, foam in use.
Unsuitable extinguishing media	No data
Conflagration	Use foaming agent in use or water spray.

Specific hazards arising from the chemical

Combustion product	In case of fire, toxic fumes might be formed
Fire-fighting hazard	May cause fire.

Special protective equipment and precautions for fire-fighters

Isolate from heat, electrical equipment, sparks and open flame.
Wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use protective equipment as required.
Avoid skin contact or inhalation

Environmental precautions procedures

Air	No data
Soil	No data
Underwater	Store away from water supply and drainage.

Methods and cleaning up

Little Leakage	All disposal methods must be in compliance with applicable local regulations. Sweep spilled material into non-leaking containers. Absorpt with sand or non-flammable material.
Enormous leakage	No data



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

7. HANDLING AND STORAGE

Precautions for safe handling

Keep in a cool, well-ventilated area with container closed.

Conditions for safe storage

Avoid contact with skin and eyes.

Use with adequate ventilation.

Keep away from heat, flame, sparks and high temperature.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Domestic regulation	No data
ACGIH (TLV)	No data
OSHA (PEL)	No data
NIOSH(REL)	No data
NIOSH (IDLH)	No data
ACGIH (BED)	No data

Appropriate engineering controls

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentration low.

Personal protective equipment

Respiratory protection	Never exceed the national Occupational Exposure Limit. Use local exhaust ventilation or handle in a ventilated enclosure. For greater protection, a facepiece chemical cartridge respirator is recommended.
Eye protection	Safety glasses with side shields
Hands protection	Chemical resistant gloves
Body protection	Chemical resistant protective suit. Chemicals resistant boots. Don't need protective clothes at normal state

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Liquid Clear

Odor

Odorless

Odor threshold

No Data



Safety Data Sheet ResFloor-TL30

Revised: March, 2016

Part A & Part

B

pH	6-8
Melting point / freezing point	-16C (at 1,013h Pa)
Initial boiling point and boiling range	> 204.4C
Flashing point	266C (at 1,013hPa)
Evaporation rate	No Data
Flammability (solid, gas)	No data
Upper/lower flammability or explosive limits	No Data
Vapor pressure	4.6 x 10 ⁻⁸ Pa(at 25C)
Solubility	6.9mg /L (at 20C) - Insoluble
Vapor density	No data
Relative density	1.17 (Water: 1)
Partition coefficient	Log P: 3.242+/- 0.324 (at 25C and pH 7.1)
n-octanol / water	log Kow: 2.821
Auto-ignition temperature	No data
Decomposition temperature	No data
Viscosity	11,500 - 13,500cps (25"C)
Formula mass (Mw)	368 - 400

10. STABILITY AND REACTIVITY

Chemical stability	Stable at normal temperature and pressure
Possibility of hazardous reactions	No data
Conditions to avoid	Excessive heating.

Avoid to contact with strong oxidizing agent, heat, spark and flame.

Incompatible materials: Acids, amines, bases, oxidizing agents.

Hazardous decomposition products: May produce hazardous carbon oxides, chloro hydrogen.

11. TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure:

by respiratory organ	May cause respiratory organ irritation.
by mouth	No data



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

by skin and contact

May cause skin irritation.

by eye contact

May cause eye irritation.

Delayed and immediate effects as well as chronic effects from short- and long-term exposure

Acute toxic

Oral

LD50 > 2,000mg/kg Rat (Wistar), OECD Guideline 420)

LD50 1,000 - 5,000mg/Kg Rat

LD50 500 - 2,000mg/Kg Mouse

Dermal

LD50 > 2,000mg /kg bw (male/female rat (Wistar), OECD Guideline 402)

LD50 > 1,200 - 20,000mg /kg Rat

LD50 > 20,000mg /kg Rabbit

LD50 1,270mg /kg Mouse

Inhalation

No data

Skin corrosion / irritation

Moderate skin irritation

Serious eye damage / eye irritation

Slightly to moderate eye irritation

Respiratory sensitization

No data

Skin sensitization

May causes sensitization in contact with skin.

Carcinogenicity

Chronic toxicity / carcinogenicity studies (Oral. Rats. 2 years)

NOAEL: 15 mg / kg / day (male) - Decreased body weight, an enlarged cecum

NOAEL 100 mg / kg /day (female)

Chronic toxicity /carcinogenicity studies (Dermal)

The systemic NOEL : 1 mg /kg/day (female rats)

- Histopathologic changes (10, 100

mg/kg/day)

The systemic NOEL : 100mg/kg/day (male mice)

The application site NOEL : 0.1mg/kg/day (male mice

-Epidermal hyperplasia, chronic dermal
inflammation, epidermal crusts (10,1
00mg/kg/application)

IARC

No data

NTP

No data

OSHA

No data

WISHA

No data

ACGIH

No data

Germ Cell Mutagenicity

Not classified



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

in vitro - Positive *in vivo* - Negative

Histidine reverse gene mutation, Ames assay			
Type	Salmonella typhimurium (TA98, TA100, TA1535, TA1537, TA1538)		
Test Code	SAL+	Result	Positive
IN VITRO CHROMOSOMAL ABERRATIONS			
Type	CHL cells	Metabolic Activation	Without
Dose	0.01-0.04mg/ml (Solvent; DMSO)	Dose Regime	24hr continuous
Result	Positive (Structure change)		

Reproductive toxicity

A number of *in vivo* assays were conducted and all were negative. These included, mouse micronucleus, dominant lethal, chromosome aberration, mouse spermatocytes and DNA damage/repair.

Reproductive toxicity

Effect on fertility (Rat, two generations)
No indications of any adverse effects on reproduction
Noel: 50 mg /kg/day (adult males)
540 mg /kg /day (adult female)
Noel for reproductive effects: 750mg /kg /day
No evidence of developmental toxicity at doses level resulting in material toxicity in rats and rabbits following oral administration or rabbits following dermal administration.

Specific target organ toxicity (single exposure)

No data

Specific target organ toxicity (repeated exposure)

Oral study
Slight body weight effects (zs)mg /kg /day and higher)
Enlarged cecum (necropsy, male rats, 2s)mg /kg /day)
Slight histopathologic changes (the adrenal gland" cecum and kidney, rats, 250 mg /kg{day) A3% decrease in body weight (female rats, 50 mg /kg/day)

Dermal study

The systemic toxicity NOAEL : 100 mg/kg/day - slight decrease in body weights
(1000 mg/kg/day) Dermal effects.
NOEL: 10 mg /kg /day (female rats)

Aspiration hazard

No data

Numerical measures of toxicity

Intraperitoneal (i.p.) LD50 1,400 - 2,400mg/kg Rat
LD50 1,780 - 4,000mg/kg Mouse



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

12. ECOLOGICAL INFORMATION

Aquatic and terrestrial ecotoxicity

Fish	96hr-LC50 : 3.6mg /L test mat. Oncorhynchus mykiss (direct application, nominal) (OECD Guideline 203) LC50 1.4 mg/L 96hr Oryzias latipes
Crustacean	48hr-EC50: 2.8 mg/L- test mat. Daphnia magna (Direct addition, nominal, based on : mobility) (OECD Guideline 202) EC50 1.7 mg /L 48hr
Aquatic Plant	72HR-EC50 > 11 mg/L Scenedesmus capricornutum water soluble fraction (meas. (arithm. mean)) based on: growth rate (EPA-66013-75-009)

Persistence and degradability persistence

Persistence	No data
Resolvability	No data

Bioaccumulative potential

Concentration	Kow:3.24 log Kow 2.28 (Estimated) BCF 31 L/kg ww BCF 0.56 - 0.67
Bio resolvability	0(%) 28 day; Non-degradable

Mobility in soil	Log Koc=2.65 +/-0.7 QSAR prediction using the Kow method in KOCWIN v. 2.0 and Kow=3.24 as input.
------------------	---

Other adverse effects	Invertebrates: 21d-NOEC=0.3 mg /L test mat. Daphnia magna (nominal) based on: survival, growth and reproduction (OECD Guideline 211) Algae : 72hr-NOEC :4.2mg/L Scenedesmus capricornutum water soluble fraction (meas. (arithm. mean)) based on: growth rate (EPA-66013-75-009)
-----------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal method: Comply with all Federal, State and Local Regulations

14. TRANSPORT INFORMATION

INFORMATION dot

UN/ID No.	UN3082
-----------	--------



Safety Data Sheet

ResFloor-TL30

Revised: March, 2016

Part A & Part

B

Shipping name	Environmentally hazardous substance, liquid, n.o.s. (Diglycidyl Ether of Bisphenol A)
Class or Division	9
Packing group	III
Label (s)	8
Marine Pollutant	P

Special precaution which a user to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises

Emergency procedure at fire F - A

Emergency procedure at leakages S - F

15. REGULATORY INFORMATION

This product is listed on the TSCA inventory of chemical substances in USA.
This product is DSL for the Chemical Substance inventory in Canada.

16. OTHER INFORMATION

Health = 2, Fire = 1, Reactivity = 0

Part B

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	ResFloor-TL30, Part B
PRODUCT CLASS:	Epoxy Hardener
PRODUCT TYPE	Curing Agent
D.O.T CATEGORY	UN2735
MANUFACTURER	Resin8, Inc 398 W Wrightwood Avenue Elmhurst, IL 60126
TELEPHONE	(773) 551-3633
EMERGENCY	(773) 551-3633

2. HAZARD(S) IDENTIFICATION

GHS Classification	Skin corrosion - Category 18 Serious Eye Damage - Category 1 Skin sensitization - Category 1 Specific target organ toxicity - repeated exposure - Category 2
--------------------	---



Safety Data Sheet

ResFloor-TL30

Revised: March, 2016

Part A & Part

B

GHS label elements

Hazard pictograms /
symbols

Hazard Risk Statements

H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H373a: May cause damage to organs through prolonged or repeated exposure if swallowed.

Signal Word

Danger

Precautionary Statement
Prevention

P261 : Do not breathe dust/fume/gas/mist/vapours/spray.
P264 : Wash hands thoroughly after handling.
P280 : Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P330+P331 : **IF SWALLOWED** - rinse mouth. Do NOT induce vomiting.
P303+P361+P353 : **IF ON SKIN** - Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 : **IF IN EYES** - Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.
P310 : Immediately call a POISON CENTRE or doctor/physician.
P333+P313 : If skin irritation or rash occurs - Get medical advice/attention.
P363 : Wash contaminated clothing before reuse.

Hazards not otherwise classified

Corrosive.
Components of the product may affect the nervous system.
Severe eye irritant.

3. COMPOSITION-INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration
Benzyl alcohol	100-51-6	< 45%
Benzene-1,3-dimethanamine (MXDA)	1477-55-0	< 20%
The remaining ingredients are trade secrets.		

4. FIRST AID MEASURES

General advice	Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.
Eye contact	Hold eyelids apart, initiate and maintain gentle and continuous irrigation until the patient receives medical care. If medical care is not promptly available, continue to irrigate for one hour.
Skin contact	Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay. Flush immediately with copious amounts of water. Initiate and maintain continuous irrigation until the patient receives medical care. If medical care is not promptly available, continue to irrigate for one hour. Cover wound with sterile dressing.



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

Ingestion	Do not induce vomiting without medical advice. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person. Prevent aspiration of vomit. Turn victim's head to the side.
Inhalation	If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Move to fresh air.
Most important symptoms/effects - acute and delayed	Eye disease. Skin disorders and Allergies. Asthma. Neurological disorders, Liver Disorders.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam. Carbon dioxide (CO ₂). Dry chemical. Dry sand. Limestone powder
Specific hazards	Incomplete combustion may form carbon monoxide. May generate ammonia gas. May generate toxic nitrogen oxide gases. Burning produces noxious and toxic fumes. Downwind personnel must be evacuated.
Special protective equipment for fire-fighters	Avoid contact with the skin. A face shield should be worn. Use personal protective equipment. Wear self contained breathing apparatus for fire fighting, if necessary.
Further information	Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures	Wear suitable protective clothing, gloves and eye/face protection. Use self-contained breathing apparatus and chemically protective clothing. Evacuate personnel to safe areas.
Environmental precautions	Use appropriate containment to avoid environmental contamination. Do not allow spill to enter into sewers or waterways. Construct a dike to prevent spreading.
Methods for cleaning up	Approach suspected leak areas with caution. Place in appropriate chemical waste container.
Additional advice	Open enclosed spaces to outside atmosphere.. If possible, stop flow of product.

7. HANDLING AND STORAGE



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

Handling	Use only in well-ventilated areas. Avoid breathing vapors and/or aerosols. Avoid contact with skin and eyes. Avoid contact with eyes. Emergency showers and eyewash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do not eat, drink or smoke.
Storage	Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated place. Product may partially freeze with extended exposure to cold temperatures, resulting in crystallization, haziness or separation. If this occurs, product should be warmed to 100-140F (38-60C) for one hour and stirred until clear. Do not store near acids. Keep container tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering measures	Provide readily accessible eye wash stations and safety showers. Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.
Personal protective equipment	
Respiratory protection	Wear appropriate respirator when ventilation is inadequate
Hand protection	Butyl-rubber Nitrile rubber. Neoprene gloves. PVC disposable gloves Polyvinyl Alcohol Gloves (PVA). Impervious gloves. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products, if a risk assessment indicates this is necessary.
Eye protection	Full face shield with goggles underneath. Chemical resistant goggles must be worn.
Skin and body protection	Full-body Suit. Impervious clothing.
Environmental exposure controls	Use appropriate containment to avoid environmental contamination. Do not allow spill to enter into sewers or waterways.
Special instructions for protection and hygiene	Discard contaminated leather articles. Wash hands at the end of each workshift and before eating, smoking or using the toilet. Provide readily accessible eye wash stations and safety showers
Exposure limit (s)	Benzyl alcohol Time weighted Average (TWA): WEEL 10 ppm 44.20 mg/m3

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid. Clear



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

Odor	Ammoniacal
Odor threshold	No data available
pH	Alkaline
Melting point/range	No data available
Boiling point/range	405F (207 C)
Flash point	234F (112 C)
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable
Upper/lower	Not applicable

Explosion/flammability limit

Vapor pressure	< 10.4 mm Hg at 70F (21C)
Water solubility	<0.12
Relative vapor density	Not applicable
Relative density	1.03 (water=1.0)
Partition coefficient (noctanol/water)	No data available

Auto-ignition temperature	No data available
Decomposition temperature	No data available

Viscosity	No data available
Molecular Weight	No data available
Density	64.301lb/ft ³ (1.03 g/cm ³) at 70F (21C)

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions.

Conditions to avoid No data available.

Materials to avoid
Reactive metals (e.g. sodium, calcium, zinc etc.).
Materials reactive with hydroxyl compounds.
Organic acids (i.e. acetic acid, citric acid etc.).
Mineral acids.
Sodium hypochlorite.
Product slowly corrodes copper, aluminum, zinc and galvanized surfaces.
Reaction with peroxides may result in violent decomposition of peroxide possibly creating an



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

explosion.
Oxidizing agents.

Hazardous decomposition products

Nitric acid.
Ammonia
Nitrogen oxides (NO_x).
Nitrogen oxide can react with water vapors to form corrosive nitric acid.
Carbon monoxide.
Carbon dioxide (CO₂).
Aldehydes
Flammable hydrocarbon fragments. Nitrosamine.
In case of fire hazardous decomposition products may be produced

Possibility of hazardous Reactions/Reactivity - No data available.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure	
Effects on Eye	Causes eye burns. May cause blindness. Severe eye irritation
Effects on Skin	Causes skin burns. If absorbed through the skin, may cause central nervous system effects, such as headache, nausea, dizziness, confusion, breathing difficulties.
Inhalation Effects	Harmful if inhaled and may cause delayed lung injury. Can cause severe eye, skin and respiratory tract burns. Risk of serious damage to the lungs (by inhalation). May cause nose, throat, and lung irritation. Inhalation of aerosol may cause irritation to the upper respiratory tract. May cause central nervous system effects, such as headache, nausea, dizziness, confusion, breathing difficulties. Severe cases of overexposure can result in respiratory failure.
Ingestion Effects	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Harmful if swallowed.
Symptoms	No data available
Acute Oral Toxicity	LD50: > 2,000 mg/kg Species : Rat. Method : Estimated
Inhalation	No data is available on the product itself.
Inhalation - Components Benzyl alcohol	LC50 (4 h): > 4.178 mg/l Species : Rat OECD Test Guideline 403
Acute Dermal Toxicity	LD50 : >2,110 mg/kg Species : Rabbit.
Skin corrosion/irritation	Corrosive to the skin of a rabbit
Serious eye damage/eye irritation	Severe eye irritation.
Sensitization	May cause sensitization of susceptible persons by skin contact



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

	Chronic toxicity or effects from long term exposures
Carcinogenicity	No data available
Reproductive toxicity	No data is available on the product itself.
Germ cell mutagenicity	No data is available on the product itself.
Specific target organ systemic toxicity (single exposure)	No data is available
Specific target organ systemic toxicity (repeated exposure)	No data is available
Aspiration hazard	No data is available
Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure	
This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater. Eye disease, Skin disorders and Allergies, Asthma, Neurological disorders, Liver disorders.	

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Aquatic toxicity	No data is available on the product itself.
Toxicity to fish - Components Benzyl alcohol	LC50 (96 h) : 10 mg/L - Species : Bluegill, Sunfish (Lepomis macrochirus)
Benzyl alcohol	LC50 (96 h) : 460 mg/L Species : Fathead minnow (Pimephales promelas)
Methylenebiscyclohexanamine	LC50 (96 h) : 46 mg/L - Species : Golden orfe (Leuciscus idus)
Methylenebiscyclohexanamine	LC50 (96 h) : 100 mg/L - Species : Golden orfe (Leuciscus idus)
Toxicity to daphnia - Components Methylenebiscyclohexanamine	EC50 (48 h) : 6.84 mg/L - Species : Daphnia magna
Toxicity to algae - Components Benzyl alcohol	IC50 (72 h) : 700 mg/L Species : Algae
Methylenebiscyclohexanamine	EC50 (72 h) : 140 - 200 mg/L Species : Algae
Toxicity to other organisms	No data available
Persistence and degradability Biodegradability	No data is available on the product itself.
Mobility	No data available
Bioaccumulation	No data is available on the product itself.



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

Bioaccumulation - Components
Benzyl alcohol

Low bioaccumulation potential

13. DISPOSAL INFORMATION

Waste from residues / unused products

The product should not be allowed to enter drains, water courses or the soil. Dispose of this material and its container in a safe way. Contact supplier if guidance is required.

Contaminated packaging

Dispose of container and unused contents in accordance with federal, state, and local requirements.

14. TRANSPORT INFORMATION

INFORMATION dot

UN/ID No.	UN2735
Shipping name	Amines, liquid, corrosive, n.o.s., (Methylenebiscyclohexanamine)
Class or Division	8
Packing Group	III
Label (s)	8
Marine Pollutant	No

IATA

UN/ID No.	UN2735
Shipping name	Amines, liquid, corrosive, n.o.s., (Methylenebiscyclohexanamine)
Class or Division	8
Packing Group	III
Label (s)	8
Marine Pollutant	Yes

** NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.

IMDG

UN/ID No.	UN2735
Shipping name	Amines, liquid, corrosive, n.o.s., (Methylenebiscyclohexanamine)



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

Class or Division	8
Packing Group	III
Label (s)	8
Marine Pollutant	Yes

** NOTE: This product contains a substance that: 1) is regulated as a Marine Pollutant, or 2) meets the definition of toxic to the aquatic environment.

TDG

UN/ID No.	UN2735
Shipping name	Amines, liquid, corrosive, n.o.s., (Methylenebiscyclohexanamine)
Class or Division	8
Packing Group	III
Label (s)	8
Marine Pollutant	No

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s): None.

COUNTRY	REGULATORY LIST	NOTIFICATION
USA	TSCA	Included on inventory
EU	EINECS	Included on EINECS inventory or polymer substance, monomers included on EINECS inventory or no longer polymer.
Canada	DSL	Not on inventory.
Australia	AICS	Included on inventory
Japan	ENCS	Included on inventory
South Korea	ECL	Included on inventory
China	SEPA	Included on inventory
Philippines	PICCS	Not on inventory
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification		Acute Health Hazard
		None



Safety Data Sheet ResFloor-TL30

#2000

Revised: March, 2016

Part A & Part

B

EPA SARA Title III Section 313 (40 CFR 372) Component(s)
above 'de minimus' level

US. California Safe Drinking Water & Toxic Enforcement Act
(Proposition 65)

This product does not contain any chemicals known to State of
California to cause cancer, birth defects or any other harm.

16. OTHER INFORMATION

HMIS Rating:

Health	3
Flammability	1
Physical hazard	0
Latest revision	March, 2016