Bootstrap

Setting up

- https://content.noroff.dev/node/installing-node.html

Setting up

Navigate to your project in the terminal

```
npm init -y
npm install bootstrap
npm install bootstrap@5.2.0
```

CDN vs Install

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/css/bootstrap.min.css"
 rel="stylesheet" integrity="sha384-0evHe/X+R7YkIZDRvuzKMRqM+OrBnVFBL6DOitfPri4tjfHxaWutUpFmBp4vmVor" crossorigin="anonymous">
<script defer src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-beta1/dist/js/bootstrap.bundle.min.js"
integrity="sha384-pprn3073KE6tl6bjs2QrFaJGz5/SUsLqktiwsUTF55Jfv3qYSDhgCecCxMW52nD2" crossorigin="anonymous"></script>
```

```
<link rel="stylesheet" href="./node_modules/bootstrap/dist/css/bootstrap.min.css" />

<script src="./node_modules/bootstrap/dist/js/bootstrap.min.js"></script>
```

- Install is better when you need to make changes to the styling

Explaining the files.

- bootstrap.min.css vs bootstrap.css

- SCSS vs CSS

3.x vs 5.x

data-toggle = data-bs-toggle

tata-target = data-bs-target

Older examples will need some changes.

JQUERY is no longer a dependency.

tips

- HTML-CSS-suport extension

- Need poppers for dropdowns, popowers and tooltips

- Box-sizing: border-box; to change just apply box-sizing: content-box; to element.

- Bootstrap is mobile first