
Welcome people into the right journey

Clear entry paths turn public interest into learning, participation or a safe request for help.

Observed entry screens · proposed routing



CRITICAL CONNECTION TO GET RIGHT


Language preference → Welcome & onboarding → Guest discovery

Measure after implementation: Guest-to-service progression; onboarding completion

Registration connects identity, consent and participation

A single identity supports several authorised roles without duplicating accounts or exposing private records.

Observed participation-track form · approval flow proposed



CRITICAL CONNECTION TO GET RIGHT


Terms & privacy consent → Account registration → Account & profile

Measure after implementation: Registration completion; consent capture; duplicate-account handling

Sign-in connects the person to authorised records

Secure recovery and session checks preserve access to ongoing cases and learning without weakening permissions.

Observed sign-in UI · Face ID not independently verified



CRITICAL CONNECTION TO GET RIGHT


Recovery / device checks → Sign-in & recovery → Role-aware workspace

Measure after implementation: Successful recovery; session expiry; denied-access tests

Profile and roles connect trust to the right workspace

Role approval controls service access; changing the visible persona must never grant new privileges.

Observed profile and role-picker modal · server permissions unverified



CRITICAL CONNECTION TO GET RIGHT


Verification decisions → Approved role record → Relevant workspace

Measure after implementation: Correct role activation; revoked-access and profile-change tests

Home connects daily value to meaningful action

A relevant home screen helps people move from routine practice into learning or contribution without navigating separate systems.

Observed Admin Ops and Member home states · role differences shown



CRITICAL CONNECTION TO GET RIGHT


Approved role / access → Role-aware home → Daily Islamic tools

Measure after implementation: Entry-point use; task completion by authorised role

Discovery connects a need to an approved service

One search route can help a user find relevant learning, a mosque or support while respecting private-profile restrictions.

Observed utility / mosque search · programme links proposed



CRITICAL CONNECTION TO GET RIGHT


Visibility / moderation → Search & discovery → Approved public results

Measure after implementation: Relevant-result selection; zero-result recovery; visibility tests

Prayer times connect location, calendar and reminders

Consistent local settings make daily practice useful and prevent conflicting times across the app.

Observed Waqt, fasting and prayer-window interface



CRITICAL CONNECTION TO GET RIGHT


Calculation / local policy → Approved prayer schedule → Daily prayer display

Measure after implementation: Source accuracy; denied-location fallback; reminder accuracy

Prayer tracking connects practice to a private personal record

A private log supports consistency without exposing personal worship or turning it into a public ranking.

Observed private check-in, sunnah and Qaza-counter UI



CRITICAL CONNECTION TO GET RIGHT


Privacy & user control → Private Salah tracker → Personal practice history

Measure after implementation: Log persistence; private visibility; daily reset and correction

Qibla and mosque discovery connect practice to place

Useful local guidance makes the app relevant beyond assistance, while keeping volunteer-location data separately protected.

Observed compass simulation and nearby-place list



CRITICAL CONNECTION TO GET RIGHT


Approved data / calibration → Qibla & mosque tools → Nearby mosque details

Measure after implementation: Direction guidance; permission fallback; place-data accuracy

Quran connects trusted content to continued learning

Reading and recitation become more valuable when users can continue into approved explanations and classes.

Observed Al-Fatihah text, reciter and tajweed controls



CRITICAL CONNECTION TO GET RIGHT


Content administration → Quran & recitation → Approved learning resources

Measure after implementation: Content-source validation; recitation delivery; learning continuation

Digital tasbih connects remembrance to simple, private interaction

A focused counter supports repeated practice while relevant guidance remains grounded in approved content.

Observed tasbih phrase and counter view



CRITICAL CONNECTION TO GET RIGHT


User target / preference → Digital tasbih counter → Private local history

Measure after implementation: Counter increment / reset; selected phrase; private state persistence

Dua discovery connects a situation to an approved reference

Searchable, categorised supplications make the daily library useful and keep correction and source review visible.

Observed dua categories, text and reference labels



CRITICAL CONNECTION TO GET RIGHT


Religious source review → Dua / adhkar library → Approved learning detail

Measure after implementation: Search relevance; source approval; recitation-state behaviour

Hadith and references connect content to accountable approval

A governed content library keeps daily tools consistent and gives learners a route to deeper understanding.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

Content categories → Dua / dhikr / hadith → Relevant learning

Measure after implementation: Source review; content correction; relevant-resource access

Salah guidance connects learning to daily practice

A step-by-step guide gives beginners a practical next step and links learning to the same prayer and direction context.

Observed posture 1 of 7 · pronounce control visible



CRITICAL CONNECTION TO GET RIGHT


Qibla & content references → Step-by-step Salah guide → Daily prayer practice

Measure after implementation: Posture navigation; approved text / audio; guidance-to-practice access

Asma-ul-Husna connects reference content to reflection and learning

A reviewed names library supports daily learning without inventing religious explanations or unsupported source claims.

Observed Asma-ul-Husna names and meanings



CRITICAL CONNECTION TO GET RIGHT


Content categorisation → Names & meanings library → Related approved learning

Measure after implementation: Approved names / meanings; search relevance; content correction

Ingredient guidance connects search to reviewed information

Useful ingredient information needs clear sourcing and limits; a prototype label cannot replace an authority’s certification.

Observed E-code list + Fitrah / Fidyah calculator concept



CRITICAL CONNECTION TO GET RIGHT

MRM content / source review → Reviewed ingredient reference → Informational result

Measure after implementation: Source currency; query accuracy; visible qualification of results

Hijri and Ramadan connect dates, prayer and programmes

Shared calendar conventions keep seasonal guidance and programme communication coherent.

Observed calendar almanac and local timetable



CRITICAL CONNECTION TO GET RIGHT


Approved prayer times → Hijri & Ramadan tools → Seasonal programme discovery

Measure after implementation: Local-date review; timetable consistency; event reminder delivery

Zakat, Fitrah and Fidyah estimates connect guidance to responsible referral

Clear assumptions and method-specific inputs make estimates useful, while the authority retains every assistance eligibility decision.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Necessary calculator inputs → Informational estimate → Guidance / learning

Measure after implementation: Approved calculation checks; referral consent; correct authority wording

Help requests connect a personal need to a controlled response

A complete request lifecycle prevents the app becoming a contact form with no accountable follow-up.

Observed Seeker workspace · full request intake not shown



CRITICAL CONNECTION TO GET RIGHT


Consent & privacy rules → Private request intake → MRM triage

Measure after implementation: Acknowledgement; triage completion; unresolved-request follow-up

Volunteer verification connects willingness to trusted service

Documents and interview decisions must change real eligibility, not merely add a badge to a profile.

Observed Applicant progress · verification policy still requires MRM approval



CRITICAL CONNECTION TO GET RIGHT


Protected verification files → Evidence & interview review → Approved active volunteer

Measure after implementation: Review completion; interview record; suspension and access tests

Gender and nearby visibility connect policy to every result

Consistent server filtering prevents a protected profile leaking through search, maps, alerts or direct detail requests.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

Location consent → Visibility policy checks → Permitted discovery results

Measure after implementation: Cross-gender API tests; restricted detail and location tests

Matching connects a reviewed request to suitable capacity

Eligibility checks improve relevance and preserve confidentiality before any volunteer receives an offer.

Observed Volunteer on-duty workspace · actual matching not tested



CRITICAL CONNECTION TO GET RIGHT


Verified volunteer capacity → Eligibility matching → Limited volunteer offer

Measure after implementation: Eligible-offer delivery; unanswered-case handling; access tests

Assignments connect offers, contact, progress and closure

Confirmation creates accountable service access and lets MRM manage changes through to a verified outcome.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Coordinator review → Confirmed assignment → Permitted case contact

Measure after implementation: Confirmed assignment; reassignment; progress and closure records

Confidential support connects concern to designated expertise

A restricted route protects sensitive faith and family information while retaining responsible follow-up.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Consent & record permissions → Restricted case intake → Designated personnel

Measure after implementation: Unrelated-account denial; assigned-staff access; closure history

Safeguarding connects a concern to a responsible action

Reporting, restrictions and escalation protect participation without implying guaranteed emergency response.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

MRM escalation policy → Safeguarding review → Account / contact restriction

Measure after implementation: Report handling; account restriction; open-assignment review

Case communication connects an assignment to follow-up

Conversation is useful when the right case and participants govern access, continuity and escalation.

Observed caseworker chat concept · implementation unverified



CRITICAL CONNECTION TO GET RIGHT


Privacy & participant checks → Case conversation → Progress / confirmation

Measure after implementation: Participant access; case linkage; report and closure behaviour

Zakat referrals connect consent, review and an external authority

A tracked handoff helps people follow an enquiry without presenting MRM as the eligibility or disbursement authority.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Partner sharing agreement → MRM completeness review → Approved authority handoff

Measure after implementation: Complete referral record; permitted status update; partner response

Recognition connects verified service to continued contribution

Badges are credible when they reflect confirmed activity and do not override safeguarding or access rules.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

MRM recognition criteria → Service verification → Badges & service ranks

Measure after implementation: Verified-credit accuracy; corrections; recognition visibility

Teacher approval connects credentials to a governed teaching role

Learner trust depends on teacher review being independent of whether a person pays for publishing privileges.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


MRM teaching standards → Credential review → Approved teacher profile

Measure after implementation: Credential review; role approval; revoked-teacher access tests

Teacher publishing connects expertise to discoverable learning

Moderation, plan allowances and clear publication states turn teacher opportunity into controlled learner value.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Valid plan entitlement → Educational submission → MRM moderation

Measure after implementation: Submission review; allowance enforcement; publication / withdrawal tests

Teacher subscriptions connect revenue to explicit privileges

MRM can earn recurring teacher revenue while preserving free core assistance and volunteer participation.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


MRM commercial policy → Teacher plan selection → Applicable billing flow

Measure after implementation: Verified active plans; publishing-limit checks; correct expiry handling

Billing state connects payment events to the correct entitlement

Payment success, renewal and expiry must change privileges reliably without deleting the teacher’s identity or history.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Cancel / fail / restore → Entitlement verification → Publishing permission

Measure after implementation: Payment verification; renewal / cancellation; restore and expiry tests

Learning connects approved content to participation and return visits

Discovery becomes sustained learning when programme details, access, reminders and recordings form one journey.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

Daily tools / search / website → Programme discovery → Registration / access rules

Measure after implementation: Programme access; registration; attendance / recording access

Mentorship connects an approved adviser to a defined learning need

Matching the right mentor to a programme or authorised support relationship adds continuity without exposing unrelated cases.

Observed Scholar / Mentor roster and Start Room control



CRITICAL CONNECTION TO GET RIGHT


Role & case permissions → Approved mentor relationship → Session / programme roster

Measure after implementation: Authorised mentor assignment; schedule access; confidential-record tests

Scheduling connects learning, volunteer capacity and reminders

One calendar can coordinate participation while keeping a class enrolment separate from a volunteer duty assignment.

Observed calendar list and slot-confirmation modal



CRITICAL CONNECTION TO GET RIGHT


Role / capacity checks → Calendar & availability → Registration / shift request

Measure after implementation: Slot availability; registration conflict; shift / class reminders

Community updates connect approved stories to participation

A moderated public update can build trust and point people toward programmes without exposing private cases.

Observed feed and composer · moderation controls proposed



CRITICAL CONNECTION TO GET RIGHT


Privacy / beneficiary consent → Moderated community update → Public programme discovery

Measure after implementation: Moderation decisions; privacy review; programme follow-through

Sponsor recognition connects approved support to visible placements

Scheduled placements create accountable sponsor value without influencing private care or assistance decisions.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

Content / privacy rules → Placement configuration → App / website recognition

Measure after implementation: Placement start / expiry; approved asset use; aggregate delivery

The website connects public discovery to the correct app journey

Immediate link access introduces MRM’s work and brings the right audience into learning, volunteering or support.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


CMS & migration inventory → Responsive website → Relevant participation route

Measure after implementation: Public-route completion; content currency; app / service handoff

Notifications connect a service event to the next safe action

A useful alert opens the correct authorised case, programme or shift without exposing sensitive details on a lock screen.

Observed notification list · demo events / receipt claims unverified



CRITICAL CONNECTION TO GET RIGHT

Current role / record access → Eligibility & preferences → Privacy-safe notification

Measure after implementation: Relevant delivery; consent; authorised deep link; failed-send handling

Personal activity connects applications and service status over time

A coherent history reduces uncertainty and keeps users connected to the action that needs their attention.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Role & record permissions → Authorised activity record → Next action / detail

Measure after implementation: Correct own-record visibility; status accuracy; actionable updates

Administration connects decisions to real operational state

The staff system is the operating layer that turns applications, requests and content into accountable outcomes.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

MRM policies & responsibilities → Duty-based staff queues → Recorded staff decision

Measure after implementation: Decision history; queue ownership; correct role-limited staff actions

Reports connect recorded activity to better decisions

Operational summaries are useful only when they derive from verified events and lead to a clear staff response.

Observed analytics + calculator concept · figures illustrative



CRITICAL CONNECTION TO GET RIGHT


Data quality & access rules → Agreed operational summaries → MRM review & action

Measure after implementation: Metric definitions; source reconciliation; restricted export tests

Privacy and audit connect policy to every data path

Access rules must remain effective in the API, files, exports and notifications, not only in visible screens.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


MRM privacy / retention policy → Record-level authorisation → Protected case / evidence

Measure after implementation: Direct API denial; file permissions; audit / recovery checks

Settings connect local choices to reliable, private use

Preferences should change the intended experience consistently without silently changing role or record permissions.

Observed Settings; distinct dark-theme Home is shown on the main cover



CRITICAL CONNECTION TO GET RIGHT


Supported offline content → Settings & consent → Prayer / reminder behaviour

Measure after implementation: Prayer-zone changes; consent; cache and supported device-lock tests

Loading, empty and error states connect trust to recovery

A failed request must explain what happened and offer the right recovery path without duplicating work.

Observed loading skeleton · empty/error tabs visible



CRITICAL CONNECTION TO GET RIGHT


Permission / network outcome → Visible state feedback → Safe retry / next action

Measure after implementation: Retry correctness; no duplicate submissions; recoverable state tests

Empty states connect a valid zero result to a useful next action

A genuine empty state reduces confusion without claiming that work is completed simply because nothing is displayed.

Observed “No Active Care Missions” empty-state panel



CRITICAL CONNECTION TO GET RIGHT


Record / network checks → Confirmed empty result → Useful next action

Measure after implementation: Correct zero-state wording; next-action eligibility; no false completion

Error recovery connects service continuity to truthful feedback

A clear failure state should recover the correct operation and preserve data, rather than silently repeat a submission.

Observed network-error panel with reconnect control



CRITICAL CONNECTION TO GET RIGHT


Available offline content → Visible error explanation → Safe reconnect / retry

Measure after implementation: Reconnect; idempotent retry; cached access; status reconciliation

Relief campaigns connect public interest to a defined purpose

A transparent campaign should explain its purpose and owner before a person considers a contribution.

Extended concept · fundraising / authority approval required



CRITICAL CONNECTION TO GET RIGHT

Authority & claim review → Campaign discovery → Purpose / provisions detail

Measure after implementation: Approved campaign information; correct status; purpose clarity

Campaign detail connects a pledge to explicit provisions

Clear provisions and responsible ownership help supporters understand the intended purpose without relying on unsupported impact claims.

Extended concept · distinct Overview and Provisions tabs



CRITICAL CONNECTION TO GET RIGHT

Claims / rights approval → Purpose & provision detail → Contribution selection

Measure after implementation: Approved provisions; amount calculation; correct purpose selection

Impact information connects an outcome to trustworthy communication

Verified and consented evidence can explain value; a sample testimonial must never be presented as a proven result.

Extended concept · sample Impact tab, not verified testimonials



CRITICAL CONNECTION TO GET RIGHT


Beneficiary consent & privacy → Approved impact record → Public campaign / report

Measure after implementation: Evidence traceability; consent; approval and correction records

Contribution allocation connects intention, purpose and amount

An explicit allocation and transparent total reduce confusion between donations, business sponsorship and teacher subscriptions.

Extended concept · Sadaqah / Infaq allocation, not retail cart



CRITICAL CONNECTION TO GET RIGHT


Financial policy & permission → Contribution allocation → Amount / purpose review

Measure after implementation: Amount consistency; purpose consent; valid financial-state transition

Donation payment is separate from teacher billing and zakat referral

Financial confirmation needs verified transactions, approved authority wording and reconciliation before any receipt or disbursement claim.

Extended concept · earlier proposal excludes zakat collection / disbursement



CRITICAL CONNECTION TO GET RIGHT

Authority / financial approval → Authorised payment process → Verified transaction state

Measure after implementation: Payment verification; failed / duplicate handling; reconciliation