MRM: faith, learning and care, connected

A digital platform for all Muslims, with dedicated support for reverts and people who need assistance.

Bismillahirrahmanirrahim

Every feature should make the next experience better.

Daily practice opens the door. Trusted learning builds participation.
Connected service turns a need into accountable care.


FAITH / Useful every day

LEARNING / Approved knowledge

CARE / Responsible follow-up

OPERATIONS / A service MRM can run

A connected specification, supported by audited MVP visuals and explicit feature relationships.



MVP 48 · Admin Home · dark-theme state

The value comes from the connections

The proposal creates an operating service across mobile apps, a public website, administration and shared backend.

Useful every day

Prayer, Quran and daily guidance give Muslims reasons to return beyond a one-off request.

Trusted participation

Reviewed teachers, verified volunteers and controlled publication make the next action clearer.

Accountable care

A request leads to triage, a confirmed assignment, follow-up and an auditable outcome.

Sustainable operations

Teacher entitlements and sponsor placements support revenue without gating core assistance.

Success should be measured through real participation, reliable service completion and MRM’s operational capacity.

A presentation you can explore by outcome

Start with the overall network, then follow a feature into its detailed dependencies, users and value.

01 Overall platform

Page 05
The principal cross-feature paths.

02 Individual feature maps

Pages 06–52
47 primary capability networks and their importance.

03 End-to-end journeys

Pages 53–56
Care, learning, daily use and event delivery.

04 Extended concepts

Pages 57–61
Five financial / impact concepts, clearly qualified.

05 Delivery & acceptance

Pages 62–65
Sequencing, ownership, checks and decisions.

06 Evidence & connection index

Pages 66–72
Source review, traceability and next steps.

Feature nodes and index entries are clickable in PowerPoint and PDF. Every footer returns here.

All Muslims can benefit; specialised support stays focused

Different journeys share an identity foundation while keeping permissions and personal information separate.

Everyday Muslim users

Daily tools, approved resources and programme discovery.

Members / support seekers

Safe requests, personal updates and relevant guidance.

Volunteers / applicants

A defined approval route and suitable service opportunities.

Teachers / mentors

Approved teaching and explicit publishing entitlements.

MRM staff

Duty-based queues, decisions, oversight and controlled reports.

Partners / sponsors

Approved referral coordination and accountable recognition.

A role is not a paywall. Paying, earning rank or choosing a demo persona does not create staff privileges.

The overall network: features hand off real work


Identity, publishing and participation converge through permission checks, accountable records and relevant updates.




Cross-cutting checks: consent • role / record permissions • content approval • audit • recoverable state

Welcome people into the right journey

Clear entry paths turn public interest into learning, participation or a safe request for help.



MVP 02 · Onboarding · care pillar



MVP 03 · Welcome and guest entry

Observed entry screens · proposed routing

Public website
Mission, programmes and participation routes

introduces

Welcome & onboarding
Explain benefits and entry choices

opens

Guest discovery
Approved public tools and resources

localises

invites

Language preference
Use approved EN / BM content

Account registration
Create identity for personal services

routes

Role application
Choose seeker, volunteer or teacher route


CRITICAL CONNECTION TO GET RIGHT

Language preference → Welcome & onboarding → Guest discovery

Measure after implementation: Guest-to-service progression; onboarding completion

Registration connects identity, consent and participation

A single identity supports several authorised roles without duplicating accounts or exposing private records.



MVP 04 · Registration · participation tracks

Observed participation-track form · approval flow proposed

Welcome / guest route

Personal service needs a registered identity

starts

Account registration

Contact details and required verification

creates

Account & profile

Maintain the person’s ordinary details

requires

enables

updates

Terms & privacy consent

Approved notice and participation conditions

Role application

Apply for volunteer or teacher privileges

reviews

MRM verification

Approve privileged roles independently


CRITICAL CONNECTION TO GET RIGHT

Terms & privacy consent → Account registration → Account & profile

Measure after implementation: Registration completion; consent capture; duplicate-account handling

Sign-in connects the person to authorised records

Secure recovery and session checks preserve access to ongoing cases and learning without weakening permissions.



MVP 05 · Sign-in form

Observed sign-in UI · Face ID not independently verified

Registered identity

Existing account and recovery channel

identifies

Sign-in & recovery

Authenticate or recover the account

opens

Role-aware workspace

Show permitted services and actions

restores

creates

requests

Recovery / device checks

Re-establish the legitimate user

Authenticated session

Expiry, sign-out and supported device lock

checks

Record authorisation

Check each requested case or file


CRITICAL CONNECTION TO GET RIGHT

Recovery / device checks → Sign-in & recovery → Role-aware workspace


Measure after implementation: Successful recovery; session expiry; denied-access tests

Profile and roles connect trust to the right workspace

Role approval controls service access; changing the visible persona must never grant new privileges.



MVP 12 · Profile / role summary



MVP 45 · Role-picker modal

Observed profile and role-picker modal · server permissions unverified

Account identity

One person may hold several roles

binds

Approved role record

MRM decisions govern privileged access

selects

Relevant workspace

Member, teacher, volunteer or staff view

approves

constrains

requests

Verification decisions

Volunteer / teacher / staff authority

Visibility rules

Role, gender and record sensitivity

filters

Permitted case / content

Return only authorised information


CRITICAL CONNECTION TO GET RIGHT

Verification decisions → Approved role record → Relevant workspace


Measure after implementation: Correct role activation; revoked-access and profile-change tests

Home connects daily value to meaningful action

A relevant home screen helps people move from routine practice into learning or contribution without navigating separate systems.



MVP 06 · Admin Ops Home



MVP 34 · Member workspace

Observed Admin Ops and Member home states · role differences shown

Location & preferences

Approved area and display choices

configures

Role-aware home

Present appropriate daily and service entries

opens

Daily Islamic tools

Prayer, Quran and approved guidance

controls

routes

Approved role / access

Limit operational actions to eligible accounts

limits

Service entry points

Request help, learn or contribute

continues

Assigned work / programme

Open the authorised next task


CRITICAL CONNECTION TO GET RIGHT

Approved role / access → Role-aware home → Daily Islamic tools

Measure after implementation: Entry-point use; task completion by authorised role

Discovery connects a need to an approved service

One search route can help a user find relevant learning, a mosque or support while respecting private-profile restrictions.



MVP 09 · Search: utilities and local places

Observed utility / mosque search · programme links proposed

User need / query

Topic, area or type of support

queries

Search & discovery

Apply relevant categories and filters

returns

Approved public results

Mosques, programmes and resources

filters

selects

opens

Visibility / moderation

Exclude private or unapproved records

Programme / service detail

Understand eligibility and next action

continues

Registration / request

Join a class or enter the correct support route


CRITICAL CONNECTION TO GET RIGHT

Visibility / moderation → Search & discovery → Approved public results

Measure after implementation: Relevant-result selection; zero-result recovery; visibility tests

Prayer times connect location, calendar and reminders

Consistent local settings make daily practice useful and prevent conflicting times across the app.



MVP 21 · Waqt, fasting and prayer windows

Observed Waqt, fasting and prayer-window interface

Location preference

Permission or supported manual area

selects

Approved prayer schedule

MRM-approved local source / method

feeds

Daily prayer display

Relevant local times and guidance

validates

schedules

aligns

Calculation / local policy

Approved adjustments and conventions

Prayer reminder scheduling

User preference and approved local schedule

Ramadan timetable

Use consistent approved local times


CRITICAL CONNECTION TO GET RIGHT

Calculation / local policy → Approved prayer schedule → Daily prayer display

Measure after implementation: Source accuracy; denied-location fallback; reminder accuracy

Prayer tracking connects practice to a private personal record

A private log supports consistency without exposing personal worship or turning it into a public ranking.



MVP 22 · Private Salah / Qaza tracker

Observed private check-in, sunnah and Qaza-counter UI

Daily prayer schedule

Use the same local prayer context

context

Private Salah tracker

User-chosen Farz, Sunnah and Qaza check-ins

records

Personal practice history

Private, correctable progress

protects

links

Privacy & user control

No public worship score or role privilege

Salah / dua guidance

Relevant approved learning support

supports

Continued daily practice

Return to tools at the person's choice


CRITICAL CONNECTION TO GET RIGHT

Privacy & user control → Private Salah tracker → Personal practice history

Measure after implementation: Log persistence; private visibility; daily reset and correction

Qibla and mosque discovery connect practice to place

Useful local guidance makes the app relevant beyond assistance, while keeping volunteer-location data separately protected.



MVP 23 · Compass simulation + place list

Observed compass simulation and nearby-place list

Location / manual area

User-authorised geographic context

locates

Qibla & mosque tools

Device capability and approved place data

shows

Nearby mosque details

General place information, not private profiles

validates

supports

discovers

Approved data / calibration

Source and sensor limitations are explicit

Prayer guidance

Link to appropriate daily practice

connects

Programme discovery

Find relevant approved learning or events


CRITICAL CONNECTION TO GET RIGHT

Approved data / calibration → Qibla & mosque tools → Nearby mosque details

Measure after implementation: Direction guidance; permission fallback; place-data accuracy

Quran connects trusted content to continued learning

Reading and recitation become more valuable when users can continue into approved explanations and classes.



MVP 24 · Al-Fatihah text / reciter controls

Observed Al-Fatihah text, reciter and tajweed controls

Religious sources & rights

Approved text, translation and audio

authorises

Quran & recitation

Reading, approved tajweed, translation and recitation

links

Approved learning resources

Related lessons and programme details

publishes

supports

encourages

Content administration

Review references, edits and availability

Offline / cache settings

Only supported content and rights

enables

Repeat daily use

Reliable access to approved material


CRITICAL CONNECTION TO GET RIGHT

Content administration → Quran & recitation → Approved learning resources

Measure after implementation: Content-source validation; recitation delivery; learning continuation

Digital tasbih connects remembrance to simple, private interaction

A focused counter supports repeated practice while relevant guidance remains grounded in approved content.



MVP 25 · Digital tasbih counter

Observed tasbih phrase and counter view

Approved dhikr wording

Religious references and translations

grounds

Digital tasbih counter

Selected phrase, target and reset

records

Private local history

Only supported, user-controlled state

sets

opens

User target / preference

Choose supported repetition controls

Dua / remembrance library

Find related approved material

supports

Daily utility return

Resume personal practice


CRITICAL CONNECTION TO GET RIGHT

User target / preference → Digital tasbih counter → Private local history

Measure after implementation: Counter increment / reset; selected phrase; private state persistence

Dua discovery connects a situation to an approved reference

Searchable, categorised supplications make the daily library useful and keep correction and source review visible.



MVP 26 · Dua categories and references

Observed dua categories, text and reference labels

Situation / search

Daily need, prayer or fasting context

finds

Dua / adhkar library

Topic, wording, translation and reference

explains

Approved learning detail

Understand the relevant guidance

approves

supports

Religious source review

References, translations and corrections

Optional personal practice

Supported counter or saved state

returns

Relevant daily tool

Return to prayer, fasting or remembrance

CRITICAL CONNECTION TO GET RIGHT


Religious source review → Dua / adhkar library → Approved learning detail

Measure after implementation: Search relevance; source approval; recitation-state behaviour

Hadith and references connect content to accountable approval

A governed content library keeps daily tools consistent and gives learners a route to deeper understanding.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

Content categories → Dua / dhikr / hadith → Relevant learning

Measure after implementation: Source review; content correction; relevant-resource access

Salah guidance connects learning to daily practice

A step-by-step guide gives beginners a practical next step and links learning to the same prayer and direction context.



MVP 27 · Salah guide · posture 1 of 7

Observed posture 1 of 7 · pronounce control visible

Beginner / learning entry

A person seeks practical prayer guidance

learns

Step-by-step Salah guide

Approved postures, wording and meanings

practises

Daily prayer practice

Use the correct local time context

supports

asks

Qibla & content references

Direction guidance and approved material

Mentor / class support

An authorised teacher can explain further

supports

Private learning progress

Only agreed, consented progress visibility


CRITICAL CONNECTION TO GET RIGHT

Qibla & content references → Step-by-step Salah guide → Daily prayer practice

Measure after implementation: Posture navigation; approved text / audio; guidance-to-practice access

Asma-ul-Husna connects reference content to reflection and learning

A reviewed names library supports daily learning without inventing religious explanations or unsupported source claims.



MVP 28 · Asma-ul-Husna names / meanings

Observed Asma-ul-Husna names and meanings

Approved references

MRM reviews names, Arabic and meanings

approves

Names & meanings library

Readable, searchable reference content

deepens

Related approved learning

Appropriate explanation or programme

finds

reports

Content categorisation

Organise entries without altering meaning

Correction / withdrawal

Fix unapproved or inaccurate copy

updates

Published utility library

Only reviewed content remains visible


CRITICAL CONNECTION TO GET RIGHT

Content categorisation → Names & meanings library → Related approved learning

Measure after implementation: Approved names / meanings; search relevance; content correction

Ingredient guidance connects search to reviewed information

Useful ingredient information needs clear sourcing and limits; a prototype label cannot replace an authority's certification.



MVP 29 · Ingredient reference + Fitrah concept

Observed E-code list + Fitrah / Fidyah calculator concept

Ingredient / E-code query

Search a named additive or ingredient

queries

Reviewed ingredient reference

Approved source and contextual wording

returns

Informational result

Show source and applicable limitations

validates

explains

MRM content / source review

Correct origin and context-dependent claims

Religious learning / enquiry

Explain uncertainty and next steps

reports

Content correction

Update or withdraw inaccurate guidance


CRITICAL CONNECTION TO GET RIGHT

MRM content / source review → Reviewed ingredient reference → Informational result

Measure after implementation: Source currency; query accuracy; visible qualification of results

Hijri and Ramadan connect dates, prayer and programmes

Shared calendar conventions keep seasonal guidance and programme communication coherent.



MVP 39 · Calendar almanac / prayer schedule

Observed calendar almanac and local timetable

Local calendar convention

Approved Hijri / local adjustments

sets

Hijri & Ramadan tools

Show the appropriate dates and schedule

highlights

Seasonal programme discovery

Relevant classes and community events

aligns

informs

registers

Approved prayer times

Use the same local schedule

Event / class calendar

Programme dates and access details

schedules

Permitted reminders

Notify registered or eligible participants

CRITICAL CONNECTION TO GET RIGHT


Approved prayer times → Hijri & Ramadan tools → Seasonal programme discovery

Measure after implementation: Local-date review; timetable consistency; event reminder delivery

Zakat, Fitrah and Fidyah estimates connect guidance to responsible referral

Clear assumptions and method-specific inputs make estimates useful, while the authority retains every assistance eligibility decision.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

Necessary calculator inputs → Informational estimate → Guidance / learning

Measure after implementation: Approved calculation checks; referral consent; correct authority wording

Help requests connect a personal need to a controlled response

A complete request lifecycle prevents the app becoming a contact form with no accountable follow-up.



MVP 31 · Seeker workspace

Observed Seeker workspace · full request intake not shown

Member / service entry

A person seeks assistance

starts

Private request intake

Category, urgency and safe contact

submits

MRM triage

Check sensitivity and required response

routes

updates

protects

Consent & privacy rules

Minimum necessary information

Eligible matching

Only routine permitted work is offered

records

Case status / activity

The requester follows authorised progress


CRITICAL CONNECTION TO GET RIGHT

Consent & privacy rules → Private request intake → MRM triage

Measure after implementation: Acknowledgement; triage completion; unresolved-request follow-up

Volunteer verification connects willingness to trusted service

Documents and interview decisions must change real eligibility, not merely add a badge to a profile.



MVP 33 · Applicant verification progress

Observed Applicant progress · verification policy still requires MRM approval

Volunteer application

Skills, languages, area and availability

applies

Evidence & interview review

MRM checks documents and online interview

decides

Approved active volunteer

Decision, reason and review history

supports

enables

qualifies

Protected verification files

Restricted staff access and retention

Eligible discovery / matching

Return only permitted service profiles

offers

Assigned work

Approval alone does not expose all cases

CRITICAL CONNECTION TO GET RIGHT


Protected verification files → Evidence & interview review → Approved active volunteer

Measure after implementation: Review completion; interview record; suspension and access tests

Gender and nearby visibility connect policy to every result

Consistent server filtering prevents a protected profile leaking through search, maps, alerts or direct detail requests.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

Location consent → Visibility policy checks → Permitted discovery results

Measure after implementation: Cross-gender API tests; restricted detail and location tests

Matching connects a reviewed request to suitable capacity

Eligibility checks improve relevance and preserve confidentiality before any volunteer receives an offer.



MVP 30 · Volunteer on-duty workspace

Observed Volunteer on-duty workspace · actual matching not tested

Reviewed routine request

Category, area, language and urgency

provides

Eligibility matching

Approved, active, available and permitted

offers

Limited volunteer offer

Safe summary and approximate area

qualifies

responds

expires

Verified volunteer capacity

Skills, availability and gender rules

Assignment confirmation

Seeker / coordinator accepts the match

escalates

Coordinator fallback

Unanswered or unsuitable work is reviewed

CRITICAL CONNECTION TO GET RIGHT


Verified volunteer capacity → Eligibility matching → Limited volunteer offer

Measure after implementation: Eligible-offer delivery; unanswered-case handling; access tests

Assignments connect offers, contact, progress and closure

Confirmation creates accountable service access and lets MRM manage changes through to a verified outcome.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Coordinator review → Confirmed assignment → Permitted case contact

Measure after implementation: Confirmed assignment; reassignment; progress and closure records

Confidential support connects concern to designated expertise

A restricted route protects sensitive faith and family information while retaining responsible follow-up.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Consent & record permissions → Restricted case intake → Designated personnel

Measure after implementation: Unrelated-account denial; assigned-staff access; closure history

Safeguarding connects a concern to a responsible action

Reporting, restrictions and escalation protect participation without implying guaranteed emergency response.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

MRM escalation policy → Safeguarding review → Account / contact restriction

Measure after implementation: Report handling; account restriction; open-assignment review

Case communication connects an assignment to follow-up

Conversation is useful when the right case and participants govern access, continuity and escalation.



MVP 16 · Caseworker conversation

Observed caseworker chat concept · implementation unverified

Authorised case / assignment

A defined support relationship exists

opens

Case conversation

Approved participants exchange updates

updates

Progress / confirmation

Relevant messages support follow-up

protects

reports

informs

Privacy & participant checks

Recheck access after role / case changes

Conduct report / escalation

Route concerns to designated staff

records

Case closure policy

Decide retention and further access

CRITICAL CONNECTION TO GET RIGHT


Privacy & participant checks → Case conversation → Progress / confirmation

Measure after implementation: Participant access; case linkage; report and closure behaviour

Zakat referrals connect consent, review and an external authority

A tracked handoff helps people follow an enquiry without presenting MRM as the eligibility or disbursement authority.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Partner sharing agreement → MRM completeness review → Approved authority handoff

Measure after implementation: Complete referral record; permitted status update; partner response

Recognition connects verified service to continued contribution

Badges are credible when they reflect confirmed activity and do not override safeguarding or access rules.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

MRM recognition criteria → Service verification → Badges & service ranks

Measure after implementation: Verified-credit accuracy; corrections; recognition visibility

Teacher approval connects credentials to a governed teaching role

Learner trust depends on teacher review being independent of whether a person pays for publishing privileges.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


MRM teaching standards → Credential review → Approved teacher profile

Measure after implementation: Credential review; role approval; revoked-teacher access tests

Teacher publishing connects expertise to discoverable learning

Moderation, plan allowances and clear publication states turn teacher opportunity into controlled learner value.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Valid plan entitlement → Educational submission → MRM moderation

Measure after implementation: Submission review; allowance enforcement; publication / withdrawal tests

Teacher subscriptions connect revenue to explicit privileges

MRM can earn recurring teacher revenue while preserving free core assistance and volunteer participation.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


MRM commercial policy → Teacher plan selection → Applicable billing flow

Measure after implementation: Verified active plans; publishing-limit checks; correct expiry handling

Billing state connects payment events to the correct entitlement

Payment success, renewal and expiry must change privileges reliably without deleting the teacher’s identity or history.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Cancel / fail / restore → Entitlement verification → Publishing permission

Measure after implementation: Payment verification; renewal / cancellation; restore and expiry tests

Learning connects approved content to participation and return visits

Discovery becomes sustained learning when programme details, access, reminders and recordings form one journey.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

Daily tools / search / website → Programme discovery → Registration / access rules

Measure after implementation: Programme access; registration; attendance / recording access

Mentorship connects an approved adviser to a defined learning need

Matching the right mentor to a programme or authorised support relationship adds continuity without exposing unrelated cases.



MVP 32 · Scholar / Mentor roster

Observed Scholar / Mentor roster and Start Room control

Learning / support need

Class need or permitted case referral

requests

Approved mentor relationship

Defined assignment and permitted purpose

schedules

Session / programme roster

Only relevant learner and timing details

authorises

permits

Role & case permissions

Teacher approval alone is insufficient for cases

Permitted contact

Approved session link or case communication

follows up

Follow-up / learning history

Record only the agreed information


CRITICAL CONNECTION TO GET RIGHT

Role & case permissions → Approved mentor relationship → Session / programme roster


Measure after implementation: Authorised mentor assignment; schedule access; confidential-record tests

Scheduling connects learning, volunteer capacity and reminders

One calendar can coordinate participation while keeping a class enrolment separate from a volunteer duty assignment.



MVP 14 · Halaqa & duty calendar



MVP 40 · Slot-confirmation modal

Observed calendar list and slot-confirmation modal

Approved class / duty event
Programme or service opportunity

schedules

Calendar & availability
Dates, tracks and available places

selects

Registration / shift request
Capture the person's participation

confirms

constrains

Role / capacity checks
Apply access rules and available capacity

Confirmed participation
Record the class or duty relationship

reminds

Reminder & activity update
Open the right programme or shift


CRITICAL CONNECTION TO GET RIGHT

Role / capacity checks → Calendar & availability → Registration / shift request


Measure after implementation: Slot availability; registration conflict; shift / class reminders

Community updates connect approved stories to participation

A moderated public update can build trust and point people toward programmes without exposing private cases.



MVP 15 · Dawah & Impact Feed



MVP 41 · Community-post composer

Observed feed and composer · moderation controls proposed

Approved staff / teacher post

Author and publication rights are checked

submits

Moderated community update

Review text, media and consent

publishes

Public programme discovery

Link to approved participation information

protects

labels

invites

Privacy / beneficiary consent

Never expose private case circumstances

Approved sponsor recognition

Use agreed creatives and display period

Participation / learning action

A clear destination beyond the post

CRITICAL CONNECTION TO GET RIGHT


Privacy / beneficiary consent → Moderated community update → Public programme discovery

Measure after implementation: Moderation decisions; privacy review; programme follow-through

Sponsor recognition connects approved support to visible placements

Scheduled placements create accountable sponsor value without influencing private care or assistance decisions.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT

Content / privacy rules → Placement configuration → App / website recognition

Measure after implementation: Placement start / expiry; approved asset use; aggregate delivery

The website connects public discovery to the correct app journey

Immediate link access introduces MRM’s work and brings the right audience into learning, volunteering or support.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

CMS & migration inventory → Responsive website → Relevant participation route

Measure after implementation: Public-route completion; content currency; app / service handoff

Notifications connect a service event to the next safe action

A useful alert opens the correct authorised case, programme or shift without exposing sensitive details on a lock screen.



MVP 19 · In-app notification list

Observed notification list · demo events / receipt claims unverified

Case / class / shift event

A relevant state or schedule changes

triggers

Eligibility & preferences

Select the permitted recipient

sends

Privacy-safe notification

Minimal context and approved wording

filters

links

prompts

Current role / record access

Recheck permission at send and open

Authorised destination

Case, programme, shift or account status

records

Personal activity / follow-up

Record state and review unattended work

CRITICAL CONNECTION TO GET RIGHT

Current role / record access → Eligibility & preferences → Privacy-safe notification

Measure after implementation: Relevant delivery; consent; authorised deep link; failed-send handling

Personal activity connects applications and service status over time

A coherent history reduces uncertainty and keeps users connected to the action that needs their attention.

Approved scope · proposed connections



CRITICAL CONNECTION TO GET RIGHT


Role & record permissions → Authorised activity record → Next action / detail

Measure after implementation: Correct own-record visibility; status accuracy; actionable updates

Administration connects decisions to real operational state

The staff system is the operating layer that turns applications, requests and content into accountable outcomes.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

MRM policies & responsibilities → Duty-based staff queues → Recorded staff decision

Measure after implementation: Decision history; queue ownership; correct role-limited staff actions

Reports connect recorded activity to better decisions

Operational summaries are useful only when they derive from verified events and lead to a clear staff response.



MVP 08 · Analytics + calculator concept

Observed analytics + calculator concept · figures illustrative

Recorded case / programme events

Outcome, status and participation

aggregates

Agreed operational summaries

Service queues, capacity and referrals

informs

MRM review & action

Investigate bottlenecks and plan resources

governs

summarises

acts

Data quality & access rules

Aggregate by default; restrict personal exports

Learning / sponsor insight

Agreed programme and placement measures

improves

Documented improvement

Adjust policy, capacity or configuration

CRITICAL CONNECTION TO GET RIGHT


Data quality & access rules → Agreed operational summaries → MRM review & action

Measure after implementation: Metric definitions; source reconciliation; restricted export tests

Privacy and audit connect policy to every data path

Access rules must remain effective in the API, files, exports and notifications, not only in visible screens.

Approved scope · proposed connections




CRITICAL CONNECTION TO GET RIGHT

MRM privacy / retention policy → Record-level authorisation → Protected case / evidence

Measure after implementation: Direct API denial; file permissions; audit / recovery checks

Settings connect local choices to reliable, private use

Preferences should change the intended experience consistently without silently changing role or record permissions.



MVP 13 · Settings, zone, lock and cache

Observed Settings; distinct dark-theme Home is shown on the main cover

User preferences

Language, theme and local area

sets

Settings & consent

Explicit choices and clear effects

configures

Prayer / reminder behaviour

Use the approved zone and notification choice

manages

controls

tests

Supported offline content

Cache only approved / permitted material

Device / privacy controls

Supported lock and safe local handling

protects

Reliable repeated use

Respect denied permissions and changed settings

CRITICAL CONNECTION TO GET RIGHT

Supported offline content → Settings & consent → Prayer / reminder behaviour

Measure after implementation: Prayer-zone changes; consent; cache and supported device-lock tests

Loading, empty and error states connect trust to recovery

A failed request must explain what happened and offer the right recovery path without duplicating work.



MVP 20 · Loading-state skeleton

Observed loading skeleton · empty/error tabs visible

API / content operation

Load or submit a real service action

loads

Visible state feedback

Loading, empty, success or error

guides

Safe retry / next action

Retry, correct input or return to a valid route

explains

checks

escalates

Permission / network outcome

Distinguish denied access from unavailable data

Persistent operation status

Check whether the action already completed

prevents loss

Support / staff follow-up

Escalate a genuine unresolved problem


CRITICAL CONNECTION TO GET RIGHT

Permission / network outcome → Visible state feedback → Safe retry / next action

Measure after implementation: Retry correctness; no duplicate submissions; recoverable state tests

Empty states connect a valid zero result to a useful next action

A genuine empty state reduces confusion without claiming that work is completed simply because nothing is displayed.



MVP 43 · Empty-state panel

Observed “No Active Care Missions” empty-state panel

Authorised query

A permitted case or content list is loaded

returns

Confirmed empty result

Distinguish no data from network failure

guides

Useful next action

Return to relevant tools or participation

distinguishes

offers

Record / network checks

Do not treat an error as an empty list

Service / programme discovery

Offer only an appropriate permitted route

starts

New valid activity

An explicit user action starts a real journey


CRITICAL CONNECTION TO GET RIGHT

Record / network checks → Confirmed empty result → Useful next action

Measure after implementation: Correct zero-state wording; next-action eligibility; no false completion

Error recovery connects service continuity to truthful feedback

A clear failure state should recover the correct operation and preserve data, rather than silently repeat a submission.



MVP 44 · Network-error panel

Observed network-error panel with reconnect control

Failed service operation

Network or backend did not complete normally

fails

Visible error explanation

State what is unavailable without overclaiming

guides

Safe reconnect / retry

Reconcile status before resubmitting

offers fallback

checks

recovers

Available offline content

Only previously permitted cached material

Persistent operation record

Check whether submission already succeeded

reconciles

Recovered permitted journey

Resume or route to support


CRITICAL CONNECTION TO GET RIGHT

Available offline content → Visible error explanation → Safe reconnect / retry

Measure after implementation: Reconnect; idempotent retry; cached access; status reconciliation

Care is a connected service, not a dispatch button

Verification, matching, contact, closure and recognition have distinct responsibilities and access boundaries.



MVP 36 · Onboarding · volunteer pillar

Private request

Triage selects the routine or restricted route

triages

Eligible matching

Approved active volunteer + access rules

offers

Confirmed assignment

Record who is responsible for the work

qualifies

permits

confirms

Verification & interview

Review evidence before eligible service

Permitted case contact

Progress, report concerns and follow up

records


Closure & recognition

Verify outcome before service credit

Restricted faith / family cases go to designated personnel, not the general volunteer broadcast route.

Learning connects content, entitlement, time and participation


Teacher approval, payment verification and moderation are independent controls serving one learner journey.



No teacher payment grants private-case access. No proposed subscription paywall for ordinary members or volunteers.

Daily tools make the platform valuable between service events


A person can practise, learn and discover relevant participation without needing an assistance case.



Personal worship logs stay private. Community participation is a choice, not a condition of using daily tools.

One event connects state, notification and accountable follow-up


An alert is useful only when it points to the right record and preserves the current access boundary.



Failed notification delivery does not erase the case; application state and staff follow-up remain authoritative.

Relief campaigns connect public interest to a defined purpose

A transparent campaign should explain its purpose and owner before a person considers a contribution.



MVP 10 · Infaq & Relief Campaigns

Extended concept · fundraising / authority approval required

Approved programme / purpose

MRM defines the intended relief initiative

publishes

Campaign discovery

Categories, information and display period

explains

Purpose / provisions detail

Explain what is being supported

selects

approves

Authority & claim review

Check permissions, tax wording and rights

Contribution allocation

A separate conditional financial journey

continues

Recorded contribution status

Only verified transaction outcomes


CRITICAL CONNECTION TO GET RIGHT

Authority & claim review → Campaign discovery → Purpose / provisions detail


Measure after implementation: Approved campaign information; correct status; purpose clarity

Campaign detail connects a pledge to explicit provisions

Clear provisions and responsible ownership help supporters understand the intended purpose without relying on unsupported impact claims.



MVP 11 · Campaign detail · Overview



MVP 37 · Campaign detail · Provisions

Extended concept · distinct Overview and Provisions tabs

Campaign selection
Choose an approved relief initiative

opens

Purpose & provision detail
Overview, contents and responsible contact

selects

Contribution selection
Quantity or supported allocation choice

reviews

explains

continues

Claims / rights approval
No assumed tax status or guaranteed delivery

Permitted impact information
Only approved, consented and evidenced material

Verified status / confirmation
Do not claim completion before verification


CRITICAL CONNECTION TO GET RIGHT

Claims / rights approval → Purpose & provision detail → Contribution selection

Measure after implementation: Approved provisions; amount calculation; correct purpose selection

Impact information connects an outcome to trustworthy communication

Verified and consented evidence can explain value; a sample testimonial must never be presented as a proven result.



MVP 38 · Campaign detail · sample Impact

Extended concept · sample Impact tab, not verified testimonials

Verified service outcome

An accountable event and confirmation exist

evidences

Approved impact record

Check evidence, privacy and consent

publishes

Public campaign / report

Use only permitted, supported statements

permits

aggregates

corrects

Beneficiary consent & privacy

Exclude identifying private case details

Aggregate programme insight

MRM reviews responsible summaries

Content correction / withdrawal

Remove material when permission changes


CRITICAL CONNECTION TO GET RIGHT

Beneficiary consent & privacy → Approved impact record → Public campaign / report

Measure after implementation: Evidence traceability; consent; approval and correction records

Contribution allocation connects intention, purpose and amount

An explicit allocation and transparent total reduce confusion between donations, business sponsorship and teacher subscriptions.



MVP 17 · Sadaqah & Infaq Allocation

Extended concept · Sadaqah / Infaq allocation, not retail cart

Approved campaign / provision

An authorised purpose is selected

selects

Contribution allocation

Purpose, quantity and optional support

calculates

Amount / purpose review

Make the intended commitment clear

confirms

governs

Financial policy & permission

Terms, handling and authority requirements

Conditional payment journey

A separately authorised financial service

verifies

Receipt / status record

Only after verified transaction evidence


CRITICAL CONNECTION TO GET RIGHT

Financial policy & permission → Contribution allocation → Amount / purpose review

Measure after implementation: Amount consistency; purpose consent; valid financial-state transition

Donation payment is separate from teacher billing and zakat referral

Financial confirmation needs verified transactions, approved authority wording and reconciliation before any receipt or disbursement claim.



MVP 35 · Onboarding · welfare / aid pillar

Extended concept · earlier proposal excludes zakat collection / disbursement

Approved allocation

A permitted purpose and amount are confirmed

initiates

Authorised payment process

Provider, account ownership and controls

verifies

Verified transaction state

Resolve success, failure or pending

confirms

authorises

Authority / financial approval

Collection, tax and disbursement permissions

Permitted receipt / update

Only issue what is legally authorised

reconciles

Reconciliation / staff oversight

Track the verified financial state

CRITICAL CONNECTION TO GET RIGHT

Authority / financial approval → Authorised payment process → Verified transaction state

Measure after implementation: Payment verification; failed / duplicate handling; reconciliation

Delivery follows dependencies, not disconnected screen counts

The earlier proposal estimates 3–4 months for agreed scope, subject to required inputs and external readiness.

Foundation

Source / licence audit, journeys, access matrix, content and acceptance specification.

Working service flows

Identity, verification, requests, teachers, learning and private records as complete vertical journeys.

Connected platform

Utilities, website, sponsors, notifications, reports and operational configuration.

Acceptance & release

Meaningful permissions / device / billing checks, MRM UAT, training and client-owned submissions.

Extended collection / payment / receipt concepts require separate authority, technical assessment and written scope decisions.

The software and the operating service need clear owners

MRM defines policies and owns its operational decisions; Zylax implements and verifies the agreed software.

MRM programme owners

Approval criteria, safeguarding policy, content rights, teacher terms and sponsor agreements.

MRM service operators

Case queues, interviews, follow-up, moderation, learning programmes and partner relationships.

Zylax delivery team

Template-consistent implementation, server permissions, persistence, testing, documentation and training.

Client-owned accounts

Hosting, domain, store verification, billing setup and third-party access with authorised collaboration.

Store submission is a delivery milestone. Public approval and release dates remain controlled by the stores.

Acceptance should prove the connections actually work

Each check follows an end-to-end journey and attempts the important denied, failed and recovery paths.

Identity → correct records

Recovery, role activation and direct API denial.

Applicant → eligible service

Evidence / interview / decision and immediate suspension.

Request → confirmed outcome

Triage, matching, assignment, reassignment and closure.

Teacher → permitted publication

Approval, billing state, allowance and independent moderation.

Programme → participant access

Registration, reminder, session and recording rights.

Confidential case → safe follow-up

Unrelated accounts, evidence files, exports and safe notifications.

Acceptance follows proven journeys, permission boundaries and recoverable failures, with findings recorded and retested.

Why every capability belongs in the overall product

Different features create different kinds of value; their dependencies determine the implementation sequence.

Trust foundation

Identity, permissions, approved sources, file access, reliable state and audit make other features safe to operate.

Service outcomes

Triage, verification, assignment and follow-up turn a need into an accountable outcome.

Everyday engagement

Prayer, Quran, guidance, search and programmes keep the platform useful for the wider Muslim community.


Sustainable growth

Teacher entitlements and sponsor delivery connect revenue to explicit privileges and accountable recognition.

Sequence by dependency and operational readiness; keep approved modules visible rather than silently dropping difficult work.

What the MVP images establish, and what they do not

All 48 corrected Drive captures were reviewed as UI states, not as independent proof of operational results.



MVP 01 · Brand / loading screen

Visible evidence

The images establish labels, screen structure, selected tabs, role states and the controls that are visible.

Not yet verified

Persistence, working APIs, live biometrics, encrypted chat, payments, tax status and operational impact need separate checks.


Religious / policy approval

Sources, local conventions, classifications, verification rules and safeguarding coverage require responsible approval.


No statistics, audit badge, testimonial or “sync” label in a prototype is represented here as a proven result.

Internal navigation is not a new technology commitment

The directory and menu are useful audit views; development helpers do not establish the delivered app framework.



MVP 07 · Menu and utility directory



MVP 46 · Screen-directory modal

Preserve the chosen source strategy

The prior requirement is Zabi v4.3 / Flutter and template preservation. A menu saying Kotlin or a PWA helper is not approval to replace it.

Audit before implementation claims

Inspect the actual source, licence, dependencies, routes, backend and platform targets before reconciling the prototype with release requirements.

Capture 47 is developer installation help and is excluded from client feature imagery. No source architecture was validated here.

Every corrected capture has one deliberate use or exclusion

Variants are identified by what changes on screen; no image is relabelled to imply a different completed feature.

48 images reviewed

Content labels, hashes, selected states and use locations are recorded in the accompanying screen register.

45 distinct visual uses

Distinct screens, roles, tabs, modals and theme states are used once each in this deck.

3 explicit exclusions

Payment form 18 and receipt 42 contain a full identity number. Image 47 is developer installation help.

Corrected explanations

Catalog / product / cart are relief-purpose views. Mentor roster is not subscription approval; a simulation is not a live sensor test.

See Screen_Audit.json / Screen_Audit.md for the full file-to-page register and capture-specific findings.

Feature connection index 1 / 2

Choose an entry to open its individual network; each page explains the connection value and what to verify.

06 Entry
07 Registration
08 Authentication
09 Roles
10 Home
11 Search
12 Prayer
13 Tracker
14 Mosques
15 Quran
16 Tasbih
17 Dua
18 Remembrance
19 Salahguide
20 Asma
21 Halal
22 Islamic Calendar
23 Estimate
24 Requests
25 Vetting
26 Gender
27 Matching
28 Assignments
29 Private
30 Safeguard
31 Chat

The separate 52-map atlas uses the same connection model, with larger diagrams and its own feature navigation.

Feature connection index 2 / 2

Choose an entry to open its individual network; each page explains the connection value and what to verify.

32 Referral
33 Recognition
34 Teacher
35 Posts
36 Subscriptions
37 Billing
38 Learning
39 Mentoring
40 Schedule
41 Feed
42 Sponsors
43 Website
44 Alerts
45 Activity
46 Admin
47 Reports
48 Security
49 Settings
50 Reliability
51 Empty
52 Error
57 Campaigns
58 Campaign Detail
59 Impact
60 Allocation
61 Donation Payment

The separate 52-map atlas uses the same connection model, with larger diagrams and its own feature navigation.

Resolve the remaining decisions without inventing scope

A strong delivery specification separates agreed capabilities, operating configuration and genuinely new obligations.

Source & platform

Confirm current Zabi source, licence, template reference and Android / iOS release architecture.

Service & teaching policies

Agree access exceptions, interview evidence, case escalation, mentor permissions, teacher plans and historical-content visibility.

External inputs

Confirm religious sources, partner sharing, mapping, streaming / recordings and applicable store billing.

Extended financial concepts

Confirm collection authority, payment provider, reconciliation, disbursement and lawful receipt wording before a scope commitment.

Screen concepts inform discussion. They do not by themselves amend an approved SOW or establish authority access.

A platform MRM can use, govern and grow

The goal is a coherent service for the wider Muslim community, with focused care and accountable delivery.

Useful daily. Trusted in learning. Responsible in care.

Confirm

Agree journeys, policy owners and acceptance criteria.

Implement

Build the connected flows with real permissions and persistence.

Demonstrate

Review evidence against meaningful end-to-end checks.

Launch responsibly

Train MRM staff and submit through client-owned accounts.

Next step: nominate MRM’s decision makers and conduct the source, service-policy and implementation workshop.