Portfolio Showcase Studio

ENTERPRISE EDITION • V2.4.0

STANDARD OPERATING PROCEDURE & USER MANUAL

Guest User Operations Guide

Comprehensive operational manual for Guest and Evaluator onboarding, single-site rendering, multi-site batch queue automation, real-time progress inspection, and multi-format asset exports.

Role Scoped: Evaluator & Guest Operator

TARGET ENVIRONMENT	ACCESS LEVEL	SECURITY PROTOCOL	PUBLISHED BY
portfolio.six.my	Guest / Passwordless	RBAC Protected	Shinjiru Technology

Document Reference: ST-PSS-GUG-2026-V2 Confidential & Proprietary • Shinjiru Technology Sdn. Bhd. October 2026 Edition

00 Executive Overview & Architecture

System Purpose & Operational Scope

The **Portfolio Showcase Studio** (`https://portfolio.six.my`) is an enterprise web application designed to automatically generate photorealistic, multi-device portfolio mockups from live website URLs. This manual is strictly tailored to the **Guest** role, providing clear, actionable workflows for single and batch URL queues, rendering engine telemetry, canvas inspection, and asset downloads, alongside explicit boundaries regarding project deletion protection.

Guest User Privileges

- Passwordless one-click authentication.
- Unlimited single website mockup generations.
- Batch Queue processing (up to 15 URLs per run).
- Automated Cookie & Commercial popup dismissal.
- Full-resolution downloads (WebP, PNG, JPG, ZIP).

Governance Safeguards

- Global deletion of gallery projects is restricted.
- User administration is reserved for Admins.
- Server session configuration is read-only.
- Audit logging tracks all execution requests.

Table of Contents

01 Authentication & Guest Onboarding Page 3

02 Studio Workspace Architecture & Layout Page 4

03 Single Website Showcase Generation Page 5

04 Multi-Site Batch Queue Processing Page 6

05 Real-Time Rendering Engine & Telemetry Page 7

06 Showcase Studio Canvas & Stage Inspection Page 8

07 Multi-Format Asset Exporting & Downloads Page 9

08 Mobile Experience & Navigation Drawer Page 10

09 Role Security Boundaries & Governance Page 11


10 Troubleshooting, Diagnostics & FAQ Page 12

💡 **High-Efficiency Architecture**
Engineered with Tailwind CSS and responsive glassmorphic cards. Features real-time URL validation, dynamic counter badges, interactive viewport tab switching, and seamless light/dark theme appearances.

01 Authentication & Guest Onboarding

The Portfolio Showcase Studio features a streamlined authentication gateway. Evaluators, prospective clients, and team members can enter immediately without account creation or password credentials.

Figure 1: Studio Authentication Gateway & User Guide Link LOGIN INTERFACE



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Instant Guest Access Button**	Primary entrypoint: clicking `#guest-btn` generates a session token and redirects immediately to the Studio.
2	**Official User Guide Link**	Direct interactive link to `/guide`, opening this complete PDF operations manual in the built-in browser viewer.

One-Click Guest Authentication Procedure


1. Navigate to the public login URL: `https://portfolio.six.my/login`.
2. Locate the prominent emerald-outlined card labeled **"Login as Guest"** (1).
3. Click the button. The system generates a cryptographic guest token, writes session keys to browser storage, and seamlessly redirects to the main Studio dashboard within 350 milliseconds.
4. To reference platform capabilities at any point, click the **"Official User Guide & Documentation"** card (2) to access the integrated PDF viewer.

> 💡 **Theme Preference Persistence**
> Your theme preference (Light or Dark Appearance, toggled via the top-right button) is stored in client localStorage and preserved across your guest session and page reloads.

02 Studio Workspace Architecture & Layout

Upon authentication, Guest users are presented with the main Studio command center. The layout utilizes clean glassmorphic panels and structured sections designed for focused productivity.

Figure 2: Guest Studio Workspace Architecture STUDIO DASHBOARD



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Website Target URL Input**	Accepts any live public HTTP/HTTPS URL (e.g. `https://stripe.com`) with automated protocol completion.
2	**Project Title Field (Optional)**	Optional custom label for project branding in exported file names and gallery metadata.
3	**Generate Portfolio Showcase Button**	Primary action triggering automated headless capture, popup dismissal, and 3D mockup composition.

Top Navigation & Session Awareness

The top glass header bar maintains continuous session awareness. The Guest Status Pill displays the active user alias and role (`GUEST`). To end your session and clear temporary keys, click the adjacent exit glyph (`Sign Out`).

> **Reactive Real-Time Validation**
> The Studio interface is reactive: all configuration changes, category selections, and batch additions are validated in real time before execution requests are dispatched to the server.

03 Single Website Showcase Generation

The Single Website workflow generates a high-resolution, multi-device isometric composition for an individual web property. Follow the standardized operational steps below.

Standard Step-by-Step Generation Workflow

1. **Target URL Specification:** Enter the fully qualified URL into the *Website URL* input field (e.g., `https://stripe.com` or `https://linear.app`). The system automatically prepends `https://` if omitted.
2. **Optional Project Title:** Assign a distinct descriptive name in the *Project Title* field (e.g., "Stripe Billing Dashboard"). If left blank, the platform automatically infers the title from the website's HTML document title.
3. **Taxonomy Classification (Optional):**
   - *Industry Category:* Filterable tag (e.g., FinTech, E-Commerce, SaaS, Corporate, Portfolio).
   - *Website Type:* Structural tag (e.g., Landing Page, Web Application, E-Store).
4. **Device & Output Settings:** Click the accordion to customize device finishes (Space Black, Silver) and drop shadow elevation.
5. **Trigger Execution:** Click the prominent blue **"Generate Portfolio Showcase"** button to dispatch the capture request.

Automated Cookie & Commercial Popup Dismissal

Many public websites display cookie consent banners ("Accept All Cookies"), promotional modal dialogs, or email subscribe popups that can obstruct captures. The Studio incorporates an automated dismissal engine:


- **Consent Platform Selectors:** Automatically identifies OneTrust, Cookiebot, CookieFirst, Complianz, Civic, and Didomi dialogs and fires simulated clicks on consent buttons.
- **Universal Intent Matching:** Detects and clicks interactive buttons matching *"Accept All Cookies"*, *"I Agree"*, *"Enter Site"*, *"Continue to Site"*, or *"Proceed"*.
- **Commercial Popups:** Automatically dispatches keyboard `Escape` and clicks close buttons (`aria-label="close"`, `.modal-close`).
- **Scroll Unlocking:** Automatically removes CSS scroll locks (`overflow: auto !important`) to capture the true viewport state.

> 💡 **Target URL Best Practice**
> Public marketing landing pages and public documentation sites render with 100% fidelity. Ensure target sites are publicly accessible over standard HTTPS.

04 Multi-Site Batch Queue Processing

For agencies and power users handling multi-client portfolios, the *Batch Queue Mode* provides automated multi-URL ingestion, processing up to 15 websites sequentially with zero human intervention.

Figure 3: Multi-Site Batch Queue Ingestion Engine BATCH QUEUE



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Batch Queue Mode Selector Tab**	Toggles the form layout from single-URL entry to the multi-line batch ingestion textarea.
2	**Multi-URL Ingestion Box**	Textarea accepting up to 15 distinct URLs formatted one URL per line.
3	**Batch Generation Action Button**	Dispatches the multi-site queue, executing automated captures sequentially for all entered domains.

Batch Queue Syntax & Helper Utilities


- **One URL Per Line:** Enter raw domains or full URLs (e.g., `stripe.com`, `airbnb.com`). Empty lines and whitespace are sanitized automatically.
- **+ Load Sample Sites:** Pre-populates the ingestion box with three verified showcase websites for rapid testing.
- **Clear Queue:** Instantly resets the textarea and counter back to initial state.
- **Strict Upper Bound:** The system enforces a 15-URL cap per batch run to maintain queue equity across guest sessions.

> ⚠️ **Batch Processing Duration**
> Each website undergoes three viewport captures (Desktop, Mobile, Tablet) plus isometric composition. A 3-site batch completes in approximately 45-60 seconds depending on external site response latency.

05 Real-Time Rendering Engine & Telemetry

During generation, the Studio displays an interactive 3D telemetry console. Guest users can monitor capture stages and milestone execution in real time.

Figure 4: Real-Time Rendering Engine & Progress Telemetry RENDER ENGINE



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Progress Indicator & Live Status**	Real-time message display and percentage progress bar tracking the exact rendering phase.
2	**Multi-Viewport Milestones**	Six-stage tracker showing completion state: Desktop → iPhone → iPad → Framing → Composition → Export.


The Six Generation Stages

STAGE	INDICATOR MILESTONE	HEADLESS OPERATION	NOMINAL DURATION
1. Desktop Viewport	`step-desk`	Spawns 1920×1080 viewport, dismisses cookie dialogs, captures full scroll.	3.5 – 6.0 sec
2. iPhone Viewport	`step-mob`	Emulates mobile viewport (390×844 @ 2×), validates touch layout, captures screen.	2.5 – 4.0 sec
3. iPad Viewport	`step-tab`	Emulates iPad viewport (834×1194 @ 2×), renders tablet breakpoint.	2.5 – 4.0 sec
4. Device Framing	`step-frame`	Injects screen buffers into high-precision vector hardware frames.	1.2 – 2.0 sec
5. 3D Composition	`step-comp`	Applies isometric transformation, elevation offsets, and ambient shadows.	1.5 – 2.5 sec
6. Asset Export	`step-exp`	Encodes high-DPI buffers into WebP, PNG, and JPG formats.	0.8 – 1.5 sec

06 Showcase Studio Canvas & Stage Inspection

Once rendering finishes, the Showcase Studio Canvas displays the completed presentation in a virtual studio environment with interactive viewport switching and stage lighting controls.

Figure 5: Showcase Studio Canvas & Multi-Device Inspector STAGE INSPECTION



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Multi-Device Viewport Switcher**	Tab selector to inspect Full Showcase, isolated iPhone View, Tablet View, or Desktop View.
2	**Canvas Inspection Controls**	Buttons to toggle transparent background or open the composition in full native resolution.
3	**Multi-Format Asset Export Grid**	Download triggers for WebP, Lossless PNG with alpha, Universal JPG, and Full Master Archive.

Stage Lighting & Transparency Modes

Ambient Studio Mode (Default)

Renders mockups over an elegant, soft radial spotlight matching the active theme appearance. Ideal for client presentations, portfolio hero sections, and direct website embeds.

Transparent Checkerboard Mode

Removes the background color, revealing a standard checkerboard pattern. Allows Guest users to inspect alpha drop shadows before downloading PNG assets for Figma or Keynote.

> 💡 **Isolated Device Inspection**
> Switching viewports using element 1 reveals pixel-perfect front-facing mockups of individual devices (e.g., iPhone standalone) without needing to re-render the website.

07 Multi-Format Asset Exporting & Downloads

The Studio features an integrated high-DPI export engine, allowing Guest users to download showcase assets immediately in multiple industry-standard formats.

Asset Format Specifications Matrix

FORMAT	COMPRESSION PROFILE	ALPHA CHANNEL	TYPICAL FILE SIZE	RECOMMENDED PRIMARY USE CASE
WebP	Modern lossy (92% quality)	Supported	~280 – 450 KB	Production web embedding, modern CMS, ultra-fast LCP load times.
PNG	Lossless 24-bit RGB + Alpha	Full Alpha (32-bit)	~1.8 – 3.2 MB	Figma, Canva, pitch deck slides, overlays requiring seamless transparent backgrounds.
JPG	Standard baseline (90% quality)	None (Solid background)	~600 – 950 KB	Universal email newsletters, PDF executive reports, social media cards.
Master ZIP	Deflate compressed archive	All included	~6.5 – 9.0 MB	Complete package containing Full Composite + all isolated device crops across all formats.

Download Procedure & File Naming Conventions

1. Navigate to the top right of the Showcase Studio stage or scroll to the bottom export bar.
2. Click the button corresponding to your target format (**"Download WebP"**, **"Download PNG"**, **"Download JPG"**, or **"Download Master ZIP"**).
3. The client-side exporter generates a direct browser stream download. Files are named deterministically:
   `portfolio_[project-name]_[viewport]_[timestamp].[ext]`


   Example: `portfolio_stripe-billing_composite_20261021.png`

> **Guest Quota & Full Quality**
> Unlike traditional SaaS services that enforce artificial watermarks or low resolutions on free users, the Guest tier outputs full, uncompressed, unwatermarked Retina assets.

08 Mobile Experience & Navigation Drawer

The Portfolio Showcase Studio is completely responsive, offering full feature parity on smartphones and tablets. Evaluators on mobile devices can generate, inspect, and download mockups on the go.

Figure 6: Mobile Touch Interface & Slide-Out Navigation Drawer MOBILE RESPONSIVENESS



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Touch-Optimized Generation Form**	Full-width responsive input form supporting touch typing, paste, and single/batch tabs.
2	**Slide-Out Navigation Drawer**	Side glass drawer displaying live Guest session pill, Theme Mode switcher, and sign-out action.


Mobile Operational Nuances

- **Touch-Friendly Hit Targets:** All buttons and input elements maintain a minimum 44×44 pt tap target according to iOS and Android design guidelines.
- **Direct iOS/Android Saving:** Downloaded PNG and WebP assets trigger the native OS share sheet, allowing direct saving to iOS Photos or cloud storage.

09 Role-Based Security Boundaries & Governance

The platform enforces enterprise-grade Role-Based Access Control (RBAC). Guest users have unrestricted generation and download capabilities, while administrative actions are strictly safeguarded.

Figure 7: Protected Action Interception & Security Warning Toast ROLE GOVERNANCE



CALLOUT	ACTIONABLE INTERFACE ELEMENT	GUEST USER PURPOSE & OPERATIONAL FLOW
1	**Protected Showcase Delete Trigger**	RESTRICTED Attempting to click the trash glyph intercepts the call at backend middleware.
2	**Role-Based Security Notice Toast**	Instant feedback banner: *"Guest accounts cannot delete project showcases. Please sign in with an Administrator or Creator account."*

Comprehensive Role Permission Matrix

OPERATIONAL CAPABILITY	GUEST USER (CURRENT ROLE)	REGISTERED CREATOR	SYSTEM ADMINISTRATOR
Instant Passwordless Login	PERMITTED	Credentials Required	2FA / Admin Credentials
Single Website Generation	PERMITTED	PERMITTED	PERMITTED
Batch Queue Mode (Up to 15 URLs)	PERMITTED	PERMITTED	PERMITTED
Retina Multi-Format Downloads	PERMITTED	PERMITTED	PERMITTED
Delete Own Project Showcases	DENIED (TOAST ALERT)	PERMITTED	PERMITTED
Delete / Purge Global Gallery	DENIED	DENIED	PERMITTED

Integrity of Public Gallery
Because multiple guest evaluators and client stakeholders share the showcase gallery, deletion is restricted to authenticated Administrators to prevent inadvertent data loss.

10 Troubleshooting, Diagnostics & FAQ

Encountering issues during mockup generation? Consult this definitive diagnostic reference table and frequently asked questions.

Diagnostic & Error Code Matrix

ERROR / SYMPTOM	UNDERLYING ROOT CAUSE	RECOMMENDED RESOLUTION
`ERR_NAME_NOT_RESOLVED`	Target domain does not exist or has invalid DNS records.	Verify domain spelling in browser address bar before pasting.
`NAVIGATION_TIMEOUT (30s)`	Target website took longer than 30 seconds to reach networkidle.	Re-run capture or verify target site is not experiencing DDoS/downtime.
`SPA_BLANK_RENDER`	Heavy JavaScript client app failed to hydrate within default delay.	The engine employs a 2.5s hydration buffer; ensure target site loads without fatal console errors.
`QUEUE_CAP_EXCEEDED`	Pasted more than 15 URLs in Batch Queue Mode.	Trim input to 15 URLs maximum and dispatch remaining in subsequent batch.
`TOAST_DELETE_DENIED`	Guest clicked delete glyph on a gallery card.	Expected security behavior. Only Administrators may permanently remove project records.

Frequently Asked Questions (FAQ)

Do my generated mockups expire?

Showcases generated during a guest session remain visible in the Recent Showcases gallery. However, because Guest sessions are ephemeral, we strongly recommend downloading all desired assets (PNG/ZIP) immediately.

Are downloads watermarked?

No. All WebP, PNG, JPG, and ZIP exports generated by Guest users are 100% full-resolution Retina assets completely free of promotional watermarks.

Can I capture password-protected pages?

The headless engine operates on publicly accessible HTTP/HTTPS routes. Pages behind private corporate VPNs, basic auth, or login forms cannot be captured directly.

How do I upgrade to an Administrator role?

Contact your organization's infrastructure administrator or Shinjiru Technology support to obtain provisioned credentials for persistent storage and management rights.

© 2026 Shinjiru Technology Sdn. Bhd. All rights reserved.