

Capture The Flag

Goal: Allow administrators to manage students and announcements.

School Request

"The list shouldn't just sit there."

Flag 1 — Prepare Your Mission

Objective: Create a new branch for today's challenge named `feature/event-binding`

Screenshot:

- The command used to create and switch to the new branch.

```
PS C:\Users\nielj\my-first-angular-app> git status
On branch feature/ngfor
nothing to commit, working tree clean
PS C:\Users\nielj\my-first-angular-app> git branch -f feature/event-binding feature/ngfor
PS C:\Users\nielj\my-first-angular-app> git switch feature/event-binding
Switched to branch 'feature/event-binding'
PS C:\Users\nielj\my-first-angular-app> ng serve

Initial chunk files | Names          | Raw size
main.js            | main           | 32.85 kB |
styles.css         | styles        | 5.46 kB |

| Initial total | 38.32 kB

Application bundle generation complete. [1.228 seconds] - 2026-08-18T00:40:26.349Z

Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
→ Local: http://localhost:4200/
→ press h + enter to show help
```

Flag 2 — Arm the Student Cards

Objective: Add action buttons to every Student Card.


Each student card should now contain three buttons:

- Favorite
- Edit
- Delete

Do not make them functional yet.

Screenshot:

- Student cards showing the three new buttons.



Flag 3 — Arm the Announcement Cards

Objective: Add action buttons to every Announcement Card.


Each announcement card should now contain:

- Pin
- Delete

Again, only add the buttons for now.

Screenshot:

- Announcement cards with both buttons visible.



Flag 4 — Wake Up the Buttons


Objective: Make your first button interactive using Angular event binding.

Choose one button (such as Favorite) and make it respond when clicked. (No logic yet)

Hint: Use Angular's (`click`) event binding.

Screenshot:

- The console or browser showing the button successfully triggered an action.



-
- Code for event binding

```
src > app > components > students > students.html > HTML Language Features > div.student-card
Go to component
1 <div class="student-card"
2   *ngFor="let student of students; let i = index"
3   [class.active]="student.isActive"
4   >
5     <h3>{{ i + 1 }}. {{ student.firstName }}
6       {{ student.middleName }}
7       {{ student.lastName }}</h3>
8     <p>{{ student.Course }}</p>
9     <p class="year-level">Year: {{ student.YearLevel }}</p>
10
11    <div class="student-actions">
12      <button class="favorite-btn"
13        [class.favorited]="student.isFavorited"
14        (click)="student.isFavorited = !student.isFavorited"
15        >{{ student.isFavorited ? '★ Favorited' : 'Favorite' }}</button>
16
17
18      <button class="edit-btn">Edit</button>
19      <button class="delete-btn">Delete</button>
20    </div>
21
22  </div>
23
24
25
26
```

```
.favorite-btn {
  background-color: transparent;
  border: 1px solid #f0c419;
}

.favorite-btn.favorited {
  background-color: #f0c419;
  color: white;
}
```

```
isFavorited: boolean }[] = [
```


Flag 5 — Remove a Student

Objective: Make the Delete button remove a student from the list.


When Delete is clicked, that specific student should disappear immediately.

Screenshot:


- Before deleting a student.



-
- After deleting the student.



-
- Successful delete log/feedback



-
- Code for logic

- ```
deleteStudent(index: number): void {
 this.students.splice(index, 1);
 console.log(`Student at position ${index + 1} has been deleted.`);
}
```

## Flag 6 — Crown a Star Student

Objective: Toggle a student's Favorite status.

Clicking Favorite should switch between two states.


Ideas:

- Empty star → Filled star
- Gray button → Yellow button
- Normal card → Highlighted card


Screenshot:

- One student before favoriting.





- 
- The same student after favoriting.



- 
- Code for states
 

```
[class.favorited]="student.isFavorited"
(click)="student.isFavorited = !student.isFavorited"
>{{ student.isFavorited ? '★ Favorited' : 'Favorite' }}</button>
```
- 

## Flag 7 — Control the Announcements

Objective: Make Announcement buttons functional.


Complete both actions:

- Pin should toggle the announcement's important status.



- Delete should remove the announcement from the list.

Screenshot:

- One announcement pinned.



- One announcement deleted.



- Code for logic

```
togglePin(announcement: any): void {
 announcement.isPinned = !announcement.isPinned;

 console.log(
 announcement.isPinned
 ? `Pinned announcement: ${announcement.title}`
 : `Unpinned announcement: ${announcement.title}`
);
}

deleteAnnouncement(index: number): void {
 const announcement = this.announcements[index];

 console.log(
 `Successfully deleted announcement: ${announcement.title}`
);

 this.announcements.splice(index, 1);
}
}
```

```

<div class="announcement-actions">

 <button
 class="pin-btn"
 [class.pinned]="announcement.isPinned"
 (click)="togglePin(announcement)"
 >
 {{ announcement.isPinned ? '★ Pinned' : 'Pin' }}
 </button>

 <button
 class="delete-btn"
 (click)="deleteAnnouncement(index: i)"
 >
 Delete
 </button>

</div>

```

## Flag 8 — Trigger Edit Mode

Objective: Prepare for future editing.

Clicking the Edit button should display which student is being edited.

Examples:

- Browser alert
- Console message
- On-screen text


Example output:

Editing Juan Dela Cruz

(No logic yet)


Screenshot:

- The edit action successfully displaying the selected student's name.



|                            |                                |
|----------------------------|--------------------------------|
| Editing Juan Dela Cruz     | <a href="#">students.ts:25</a> |
| Editing Maria Santos Reyes | <a href="#">students.ts:25</a> |
| Editing Juan Dela Cruz     | <a href="#">students.ts:25</a> |
| Editing Maria Santos Reyes | <a href="#">students.ts:25</a> |

- Code for edit mode



## Flag 9 — The Interactive UI

Objective: Your Student Portal should now respond to user actions without refreshing the page.



Checklist:

- Student cards have Favorite, Edit, and Delete buttons.
- Announcement cards have Pin and Delete buttons.
- Favorite toggles correctly.
- Students can be deleted.
- Announcements can be pinned.



- Announcements can be deleted.
- Edit identifies the selected student.


Screenshot:

- Your completed interactive Student Portal showing both Student Cards and Announcement Cards with working interactions.












## Flag 10 — Commit Your Progress

### 📷 Final Flag Screenshot

- The entire completed browser UI for this activity





- Successful push to **feature/event-binding**

```
PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\nielj\my-first-angular-app> git status
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
 modified: src/app/components/announcement-card/announcement-card.css
 modified: src/app/components/announcement-card/announcement-card.html
 modified: src/app/components/announcement-card/announcement-card.ts
 modified: src/app/components/students/students.css
 modified: src/app/components/students/students.html
 modified: src/app/components/students/students.ts

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\nielj\my-first-angular-app> git add .
PS C:\Users\nielj\my-first-angular-app> git commit -m "docs: modified components: Announcements and Student with interactive ui"
[feature/event-binding 524c971] docs: modified components: Announcements and Student with interactive ui
6 files changed, 169 insertions(+), 25 deletions(-)
PS C:\Users\nielj\my-first-angular-app> git push -u origin feature/event-binding
Enumerating objects: 25, done.
Counting objects: 100% (25/25), done.
Delta compression using up to 12 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (13/13), 2.70 KiB | 1.35 MiB/s, done.
Total 13 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), completed with 8 local objects.
remote:
remote: Create a pull request for 'feature/event-binding' on GitHub by visiting:
remote: https://github.com/ejannn/ITFE403A_Celocia/pull/new/feature/event-binding
remote:
To https://github.com/ejannn/ITFE403A_Celocia.git
 * [new branch] feature/event-binding -> feature/event-binding
branch 'feature/event-binding' set up to track 'origin/feature/event-binding'.
PS C:\Users\nielj\my-first-angular-app>
```