

11, Oremeji Street, Computer Village, Ikeja- Lagos, Nigeria

Tel: +2348052097190

DATE	3rd May 2018
DOC. NUMBER	

ITEM IMAGE	MODEL NAME	DESCRIPTION	SI PARTNER PRICE	EL	J PRICE
20 series IR Mini Bullet Camera					
	<u>DS-2CD2042WD-I</u>	1/3" Progressive CMOS, ICR, 0lux with IR, 2688×1520: 20fps, 4mm/F2.0 lens (6mm optional), H.264+/H.264/MJPEG, 3 VCA functions, 3 streams, DC12V & PoE, 3D DNR, BLC, IR range: up to 30m, Full metallic housing, HIK-Connect cloud service	NGN 30,500.00	NGN	35,075.00
	<u>DS-2CD2022WD-I</u>	1/2.8" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 4mm/F2.0 lens (6mm optional), H.264+/H.264/MJPEG, 3 VCA functions, 3 streams, DC12V & PoE, 3D DNR, BLC, IR range: up to 30m, Full metallic housing, HIK-Connect cloud service	NGN 27,500.00	NGN	31,625.00
21 series IR Fixed					
	DS-2CD2142FWD-I	1/3" Progressive CMOS, ICR, 0lux with IR, 2688×1520: 20fps, 4mm/F2.0 lens (2.8/6mm optional)	NGN 29,700.00	NGN	34,155.00
	DS-2CD2142FWD-IS	H.264+/H.264/MJPEG, 3 VCA functions, 3 streams, IK10, DC12V & PoE, DWDR, 3D DNR, BLC, support on-board storage up to 128GB(SD card not included), 3-axis adjustment, IR range: up to 30m, Vandal-proof housing,	N/A		
	DS-2CD2142FWD-IW	HIK-Connect cloud service -S: Audio/Alarm IO	N/A		
HIKVISION	DS-2CD2142FWD-IWS	-W: Built-in Wi-Fi	NGN 35,900.00	NGN	41,285.00
W. W.	DS-2CD2122FWD-I	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 4mm/F2.0 lens (6/8/12mm optional)	NGN 28,000.00	NGN	32,200.00
	DS-2CD2122FWD-IS	H.264+/H.264/MJPEG, 3 streams, IK10, DC12V & PoE, 3D DNR, BLC, support on-board storage up to 128GB(SD card not included), 3-axis adjustment, IR range: up to 30m, Vandal-proof housing, HIK-Connect cloud	N/A		
	DS-2CD2122FWD-IW	service -S: Audio/Alarm IC	N/A		
	DS-2CD2122FWD-IWS	-W: Built-in Wi-Fi	NGN 33,660.00	NGN	38,709.00
23 series EXIR Turret					
- Control of the Cont	<u>DS-2CD2342WD-I</u>	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F2.0 lens (2.8/6mm optional), H.264+/H.264/MJPEG, 3 streams, DC12V & PoE, 3D DNR, BLC, EXIR range: up to 30m	N/A		
• •	<u>DS-2CD2322WD-I</u>	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080: 25fps(P)/30fps(N), 4mm/F2.0 lens (2.8/6/8/12mm optional), H.264+/H.264/MJPEG, 3 streams, DC12V & PoE, 3D DNR, BLC, EXIR range: up to 30m	NGN 35,000.00	NGN	40,250.00
2T series New EXIR Bullet					
	DS-2CD2T42WD-I3	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F1.4 lens (6mm optional), H.264+/H.264/MJPEG,3 3 streams, DC12V & PoE, 3D DNR, BLC, HIK-Connect cloud service	NGN 35,000.00	NGN	40,250.00
700 JUNE 0 17	DS-2CD2T42WD-I5	-I3: 1pcs EXIR LED, up to 30m IR range	NGN 39,000.00	NGN	44,850.00
	DS-2CD2T42WD-I8	-I5: 2pcs EXIR LEDs, up to 50m IR range -I8: 4pcs EXIR LEDs, up to 80m IR range		NGN	47,380.00
24 series IR Cube					
	DS-2CD2422FWD-IW	1/2.8" Progressive CMOS, ICR, ICR, 0.01lux/F1.2, 1920x1080: 25fps(P)/30fps(N), 4mm/F2.0 lens (2.8/6mm optional), H.264+/H.264/MJPEG, 3 streams, DC12V & PoE, 3D DNR, BLC, IR range: up to 10m, support onboard storage up to 128GB(SD card not included), built-in WIFI	NGN 30,300.00	NGN	34,845.00

^{*} Price List is subject to review without communication to partners/ offer valid while stock lasts *

26 series Vari-focal IR Bullet						
and a	<u>DS-2CD2652F-I</u>	1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2560×1920:20fps, 2.8~12mm VF lens, IP66, H.264/MJPEG, dual-stream, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), Support mobile monitoring via HIK-cloud P2P, H.264+ Optimized Cod	NGN	66,000.00	NGN	75,900.00
27 series Vari-focal IR Dome						
Me augus	<u>DS-2CD2742FWD-I</u>	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 2.8~12mm VF lens, H.264+/H.264/MJPEG, 3 streams, DC12V & PoE, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), Vandal-proof housing, HIK-Connect cloud service -S: Audio/alarm IO -Z: Motorized VF lens		65,000.00	NGN	74,750.00
20 series EXIR Mini Bullet Came	era					
	DS-2CD2055FWD-I	1/2.5" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.01 lux@(F1.2, AGC ON), 0 lux with IR; 20fps(2560×1920), 25fps/30fps(2560×1440, 2048×1536, 1920×1080); 2.8/4/6mm lens optional; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0, up to 30m; All-metal housing, IP67; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	NGN	32,650.00	NGN	37,547.50
	DS-2CD2025FWD-I	1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology, Color: 0.005 lux @(F1.2, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); 2.8/4/6mm lens optional; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0, up to 30m; All-metal housing, IP67; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	NGN	29,040.00	NGN	33,396.00
21 series EXIR Dome Camera						
MINISTRON	<u>DS-2CD2155FWD-I</u>	1/2.5" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.01 lux@(F1.2, AGC ON), 0 lux with IR; 20fps(2560×1920), 25fps/30fps(2560×1440, 2048×1536, 1920×1080); 2.8/4/6mm lens optional; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0, up to 30m; All-metal housing, IP67, IK10; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-S model: Audio/Alarm IO	NGN	33,330.00	NGN	38,329.50
	<u>DS-2CD2125FWD-I</u>	1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.005 lux @(F1.2, AGC ON), 0 lux with IR; 25fps/30fps(1920×1080); 2.8/4/6mm lens optional; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0, up to 30m; All-metal housing, IP67, IK10; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service	NGN	29,700.00	NGN	34,155.00
2T series EXIR Bullet Camera						
	DS-2CD2T55FWD-I5	1/2.5" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Color: 0.01 lux@(F1.2, AGC ON), 0 lux with IR; 20fps(2560×1920), 25fps/30fps(2560×1440, 2048×1536, 1920×1080); 2.8/4/6/12mm lens optional; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0; All-metal housing, IP67; DC12V&PoE	NGN	40,700.00	NGN	46,805.00
THE	DS-2CD2T55FWD-I8	Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-I5/I8 model: up to 50m/80m IR distance	NGN	42,900.00	NGN	49,335.00
	DS-2CD2T25FHWD-I8	1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.005 lux @(F1.2, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); 2.8/4/6/12mm lens optional; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0; All-metal housing, IP67; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; HIK-Connect cloud service *-15/18 model: up to 50m/80m IR distance *FHWD model: 50fps/60fps(1920x1080)	NGN	49,500.00	NGN	56,925.00
26 series motorized VF EXIR Bu	Illet Camera					
		1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.005 lux @ (F1.2, AGC ON), 0 lux with IR; 25fps/30fps(1920x1080); 2.8~12mm motorized VF lens; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0, up to 50m; All-metal housing, IP67; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm IO, HIK-Connect cloud service *FHWD model: 50fps/60fps(1920x1080)	NGN	57,900.00	NGN	66,585.00

27 series motorized VF EXIR Dor	me Camera					
NOCOCON	DS-2CD2725FHWD-IZS	1/2.8" Progressive Scan CMOS; H.265+/H.265/H.264+/H.264/MJPEG; Powered by Darkfighter technology,Color: 0.005 lux @(F1.2, AGC ON), 0 lux with IR; 25fps/30fps(1920×1080); 2.8~12mm motorized VF lens; 120dB WDR; VCA functions; 3 streams; 3D DNR; BLC; ICR; EXIR 2.0, up to 30m; All-metal housing, IP67, IK10; DC12V&PoE Built-in micro SD/SDHC/SDXC slot; Built-in Audio/Alarm IO, HIK-Connect cloud service *FHWD model: 50fps/60fps(1920×1080)	NGN	57,900.00	NGN	66,585.00
PanoVu Mini camera						
	<u>DS-2PT3326IZ</u>	Panoramic camera: 3 x 1/2.8" CMOS sensor, 2mm lens,3-ch 1920×1080 realtime video output,H.265,Horizontal angle of view: 128.5°	NGN	72,600.00	NGN	83,490.00
	<u>DS-2PT3122IZ</u>	Panoramic camera: 1 x 1/2.8" CMOS sensor, 2mm lens,1-ch 1920×1080 realtime video output,H.265,Horizontal angle of view: 128.5°, Vertical angle of view: 75.7°,10m IR, PTZ camera: 1/2.8"CMOS sensor, H.265,Optical Zoom:4x, Focus:2.8-12mm Pan range:350°; Tilt range: 0°~90°, Pan Speed: 0.1°~30°/s, Tilt Speed: 0.1°~30°/s,		N/A		
IP IR PTZ						
	<u>DS-2DE4220IW</u>	2MP, 1/3" CMOS sensor, H.265+/H.265/H.264+/H.264 codec, Color: 0.02lux/F1.5, B/W:0.02lux/F1.5, Optical Zoom:20x, Focus:4.7-94.0mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° - 80°/s, Tilt Speed: 0.1° - 80°/s, 100m IR Distance, POE&12VDC	NGN	120,000.00	NGN	138,000.00
	<u>DS-2DE5220IW-AE</u>	2MP, 1/3" CMOS, 3D DNR, ICR, Color: 0.02lux/F1.5, B/W:0.02lux/F1.5, Optical Zoom:20x, Focus:4.7-94.0mm, Digital Zoom:16X, 1920x1080:30fps, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° -400°/s, Tilt Speed: 0.1° -200°/s, 150m IR Distance, Hi-PoE&24VAC	NGN	160,000.00	NGN	184,000.00
Mini PTZ						
6	<u>DS-2DE2204IW</u>	2MP, 1/3" CMOS,H.265+/H.265/H.264+/H.264 codec, 3D DNR, ICR,Color: 0.05lux/F2.0, B/W:0.01lux/F2.0, 4x optical zoom, Angle of View: 80-64.5 degree (Wide~Tele), Digital Zoom:16X, 1920x1080:30fps, Pan range:0°~350°; Tilt range: 0°~90°(Auto Flip), Pan Speed: 0.1° -100°/s, Tilt Speed: 0.1° -80°/s, 20m IR, POE&12VDC	NGN	55,000.00	NGN	63,250.00
DS-7600NI-K1/K2 series (4K & H.	.265)					
	DS-7604NI-K1/4P(B)	40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interfaces, 4 independent PoE network interfaces, standalone 1U case	NGN	37,500.00	NGN	43,125.00
	DS-7608NI-K2/8P	80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1	NGN	59,600.00	NGN	68,540.00
	<u>DS-7616NI-K2</u>	160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case, alarm I/O: 4/1	NGN	46,200.00	NGN	53,130.00
	DS-7616NI-K2/16P	160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1	NGN	80,500.00	NGN	92,575.00

DS-7700NI-E4 series						
	<u>DS-7716NI-E4/16P</u>	160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	NGN	110,000.00	NGN	126,500.00
	<u>DS-7732NI-E4/16P</u>	200Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	NGN	125,000.00	NGN	143,750.00
DS-7700NI-K4 series (4K & H.2	265+)					
	<u>DS-7716NI-K4/16P</u>	160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	NGN	122,000.00	NGN	140,300.00
	<u>DS-7732NI-K4</u>	256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	NGN	115,500.00	NGN	132,825.00
	DS-7732NI-K4/16P	256Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	NGN	136,000.00	NGN	156,400.00
LONG RANGE POE SWITCHES						
ASSA A	<u>DS-3E0105P-E</u>	L2, Unmanaged, 4 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 58W	NGN	16,000.00	NGN	18,400.00
	<u>DS-3E0109P-E</u>	L2, Unmanaged, 8 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 123W	NGN	38,000.00	NGN	43,700.00
	<u>DS-3E0318P-E</u>	L2, Unmanaged, 16 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 230W	NGN	90,000.00	NGN	103,500.00
	DS-3E0326P-E	L2, Unmanaged, 24 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 370W	NGN	110,000.00	NGN	126,500.00
SURVEILLANCE GRADE HARD DRIVE	ES (NOT SOLD SEPARATE	LY)				
	ST1000VX001	1.0TB SEAGATE SKYHAWK / 24x7 Surveillance Grade HDD with 2 years Warranty	NGN	25,000.00	NGN	28,750.00
	ST2000VX003	2.0TB SEAGATE SKYHAWK / 24x7 Surveillance Grade HDD with 2 years Warranty	NGN	32,000.00	NGN	36,800.00
	ST4000VX000	4.0TB SEAGATE SKYHAWK / 24x7 Surveillance Grade HDD with 2 years Warranty	NGN	57,000.00	NGN	65,550.00
	ST6000VX000	6.0TB SEAGATE SKYHAWK / 24x7 Surveillance Grade HDD with 2 years Warranty	NGN	88,000.00	NGN	101,200.00
Keyboard/Joyatick						
10	<u>DS-1100KI</u>	7" resistive touchscreen, preview, PTZ and TV wall control, 4-axis joystick	NGN	250,000.00	NGN	287,500.00
Щ	<u>DS-1005KI</u>	USB port, used to control DVR, NVR and software, 4-axis joystick	NGN	75,000.00	NGN	86,250.00
Network cables						
CATE AMERICAN	DS-1LN5E-S	UTP CAT 5E, 305 meters,Core diameter: 0.5mm,OFC,CM,gray	NGN	27,600.00	NGN	31,740.00
AN ODER	DS-1LN6-UU	UTP CAT 6, 305 meters,Core diameter: 0.565mm,OFC,CM,orange	NGN	33,000.00	NGN	37,950.00
CUSE COSE	DS-1LN5E-E/E	UTP CAT 5E, 305 meters,Core diameter: 0.45mm,OFC,CMX,gray	NGN	30,000.00	NGN	34,500.00