

Knots of Existence and Vasocomputation

Muscle knots, breath, and a theory connecting tension in the tissue to the structure of the mind. Generated by Kimi and Fable.



EUGENE

AUG 13, 2026



2



1



Share



Text Generated fully by Kimi and Fable.

There is a strange gap at the center of musculoskeletal medicine. Anyone with a foam roller and twenty minutes can locate dozens of small, discrete, exquisitely tender points in their own body — most densely around the hips and shoulders, more numerous with every passing decade. Roll across one and it announces itself unmistakably. Yet open the research literature and you will find scientists arguing about whether these points exist at all.

This article is about that gap — and about a chain of ideas, running from classical muscle physiology through a radical hypothesis about blood and thought, all the way to Tibetan contemplative anatomy, that may explain what these knots actually are. The chain starts on solid experimental ground and climbs into open speculation. The rungs will be labeled along the way.

A phenomenon without a mechanism

The standard name for the tender point is the “myofascial trigger point”: a hypothesized patch of muscle stuck in micro-contraction, choking its own blood supply, accumulating metabolites, becoming sensitive. The concept has been clinically influential for decades and academically embattled for almost as long. Critics charge that the construct is circular — therapists find trigger points because they are trained to find trigger points — that agreement between examiners is poor, and that imaging has never produced a definitive picture of what a trigger point is.

Notice, however, what the critics do not dispute: that palpable, tender, precisely localizable spots exist. The entire fight is about mechanism. And part of the reason the fight has run so long is structural. Modern medicine is organized by organ system: orthopedics owns bones, neurology owns nerves, rheumatology owns inflammation, cardiology owns the pipes. **Nobody owns muscle tone** — the continuous, neurally-sustained background contraction of soft tissue. No specialty means no billing codes, no imaging protocols, no funding lines, no datasets. The skeptics’ strongest argument “there is no evidence” — is quietly circular: there is no evidence because no one has ever been paid to look properly.

Meanwhile, practitioners who work with these spots daily report a consistent set of features that any candidate mechanism must explain.

First, the quality of the obstruction is distinctive. A tight muscle produces a sharp pain at the end of its stretch. A knot produces something different — a dull blockage, a

refusal to move, as though the tissue layers themselves have stopped sliding. This is more diagnostic than it sounds: stretch pain reports through fast, myelinated, precisely-mapped nerve fibers, while the dull, diffuse, deep ache of a knot is the signature of *visceral* interoceptive channels — evolutionarily ancient, unmyelinated, dull by design. The phenomenology is telling us that the thing under the roller is not the muscle the roller is pressing.

Second, knots accumulate with age and correlate with declining flexibility, particularly around the hips; sustained work on them can restore range of motion that seemed permanently lost. Fresh knots and old knots behave differently — the fresh ones yield in a session, the ancient ones take months, as though a signal gradually became a structure.

Third, and most strangely: pressure locates the knots, but pressure alone does not seem to release them. Release comes with breath. Press into a knot, breathe slowly, and on a long exhale something lets go — in seconds. Whatever a knot is, a good theory has to explain why the exhale is the key.

A newer line of research supplies part of the picture. Fascia scientists — Carla Stecco's group in Padua prominent among them — distinguish *densification*, where the hyaluronan lubricant between fascial sheets becomes viscous and gluey so the layers stop gliding, from true structural scarring. Densification is reversible with pressure, movement, and warmth, and it demonstrably increases with age as tissue dehydrates and collagen cross-links. “Layers that will not glide” is a strikingly good description of the dull-blockage sensation. And the microdialysis work is real: Jay Shah's group at NIH sampled the fluid at active trigger points and found a genuinely nasty broth — markedly acidic, loaded with substance P, CGRP, bradykinin, inflammatory cytokines. Something is there, and it is chemically angry. But neither densification nor chemistry can explain the speed of a breath-triggered release. For that, the timescale itself is the crucial clue.

The speed of release points at the nervous system

Structural change in tissue — actual remodeling — takes days to weeks. A knot can go in five seconds, mid-exhale. Whatever releases in that moment must therefore be *state* rather than a *structure*: something the body is actively doing and can stop doing quickly.

The nervous system is the natural suspect. Muscle tone is not a local property of muscle; it is continuously set by neural drive. And the evidence that these spots are under direct autonomic control has existed for decades, largely unread: needle-EMG studies found that trigger points show spontaneous electrical chatter that *rises when subject is given a mental stressor and falls during relaxation*. Read that again. You can make a knot angrier by handing someone a math test. The brain is holding the switch. This is discussed more below.

A slow exhale is the most direct voluntary lever a person has on that switch. Exhalation shifts autonomic balance toward the parasympathetic side and lowers resting tone throughout the body — and breathing is the *only* bodily rhythm that is both willed and automatic, the single voluntary handle on the entire autonomic system. This matters more than it seems, because “just relax” is useless advice: the somatic educator Thomas Hanna gave the reason a name, *sensory-motor amnesia*. You cannot voluntarily release what you can no longer feel, and chronic guarding erases exactly that feeling — Moseley’s group has shown that in chronic pain, the sensory-cortex map of the affected region gets *smudged*, degraded, blurry. A knot is an interoceptive blind spot. Its dullness is the phenomenology of neglect; the pain when the roller finds it is the region coming back online.

Fascia, meanwhile, has turned out to be one of the most richly innervated tissues in the body — less a passive wrapper than a sensory organ, dense with endings that report pressure and stretch.

This yields a first-pass model of the foam rolling protocol: **the pressure is the address and the breath is the permission.** The roller surfaces a guarded spot into awareness, an attention cursor, re-inscribing a blurred region of the body map — and the exhalation is the nervous system deciding, at that address, that it is safe to stop guarding. On this reading, a knot is partly a stored protective decision — which would explain why it vanishes in seconds rather than the weeks that tissue repair requires. The anatomy even delivers a punchline: the diaphragm's fascia is continuous with the psoas at T12-L1 and the pelvic floor moves with the breath cycle. The psoas is unreachable by any external tool. Breath is an internal massage that reaches muscles no roller can touch, which may be why hip work, of all work, responds to it.

That model is plausible as far as it goes. But there is a deeper mechanism available, one that lives not in the muscle a person can flex, but in the muscle they cannot.

Two experiments that catch the loop in motion

The speed-of-release argument says a knot must be a state, not a structure. The evidence that these spots are under autonomic control has existed for decades, largely unread outside a small clinical literature. In 1993, Hubbard and Berkoff inserted fine needle electrodes into trigger points in the trapezius and recorded continuous spontaneous electrical activity — ongoing chatter in muscle that was supposedly at rest. Move the needle roughly a centimeter into non-tender muscle of the same trapezius and the signal vanishes. The knot is not merely stiffer and more tender than its surroundings; it is a small island of maintained electrical activity.

The follow-up, from McNulty, Gevirtz and colleagues in 1994, is the remarkable one. With electrodes in place, they gave subjects a psychological stressor — mental arithmetic. Activity at the trigger point rose. Activity at a control site a short distance away, in the same muscle, did not, and the subject was not generally tensing. A purely mental event, involving no movement, selectively turned up the electrical activity inside one tender point. Later work from the same lineage showed the reverse —

relaxation training lowering trigger point activity — and, most tellingly, that infusing the site with phentolamine, a drug that blocks sympathetic signaling, substantially quieted it. Interpretations of what the chatter is remain contested (dysfunctional endplates, overactive muscle spindles), and the studies are small and old. But under every reading, the finding survives: a discrete tender spot maintained by ongoing neural activity, dialed up by stress and down by relaxation and sympathetic blockade. The brain has the knot's address.

If that is the writing half of the loop, a 2026 study in *Nature Human Behaviour* supplies its regulatory counterpart. Mizrachi and colleagues induced identical acute inflammation in the same participants twice — a standardized histamine skin prick manipulating only where attention went: toward the sensations at the inflamed site away toward distractors. Internal attention produced roughly 1.5-fold smaller and faster-resolving responses, in about 90% of participants, replicated in a second experiment where the visual input and cognitive demands were matched exactly, so that the direction of attention was the only variable. Sympathetic arousal cannot explain it: skin conductance, heart rate, skin temperature and self-reported anxiety were statistically identical across conditions, while heart rate variability — an index of vagal tone — was significantly higher under internal attention. Two separable channels emerged. A sensory route: numbing the site with lidocaine specifically degraded the response's *resolution*, the decline back toward baseline. And a top-down route that survived the anesthetic — vagal engagement and inflammatory regulation persisted even when peripheral sensation was pharmacologically blunted.


The measured tissue in that study was, not incidentally, a vascular bed. The flare is arteriolar smooth muscle relaxing; the wheal is plasma escaping through gaps that open when endothelial cells retract — a retraction driven by myosin light chain phosphorylation, the same kinase-phosphatase switch that governs the latch, running one cell layer over. What the study establishes is not that attention grips or releases vessels directly; the demonstrated route runs through the vagal anti-inflammatory reflex over twenty minutes, and the authors are careful to note that the

parasympathetic system does not innervate skin directly. What it establishes is the existence and direction of the channel: voluntary interoceptive attention, with no change whatever in arousal, measurably regulating peripheral vascular behavior in ordinary people, with effect sizes most drug trials would envy.

Put the two studies side by side and the loop closes. Cognition can write tension in specific peripheral site; attention and its autonomic train can regulate it back down. And the authors' own closing caution reads like the ledger's origin story: they observe that turning attention away from unpleasant bodily sensations is a common habit and even a clinical practice, that this may carry a physiological cost, and that habitual avoidance of symptoms could contribute to the persistence of conditions like chronic pain. A lifetime of exteroceptive living is a lifetime of unregulated periphery — plausibly the conditions under which holdings accumulate.

Which raises the question of what, physically, does the holding. There is a mechanism available, and it lives not in the muscle a person can flex, but in the muscle they cannot.

The latch-bridge: a ratchet made of meat



The body contains a second muscular system under no direct voluntary control: smooth muscle, lining the blood vessels, gut, and airways. Smooth muscle has a property that skeletal muscle lacks, textbook physiology since Hai and Murphy formalized it in 1988: the *latch-bridge state*.

Skeletal muscle is expensive. Every second a bicep holds a weight, molecular motors are cycling and burning fuel; stop paying and the muscle drops. Smooth muscle solves a different engineering problem. Arteries must hold partial contraction — tone — continuously, for a lifetime; doing so with continuously cycling motors would be metabolically ruinous. So smooth muscle evolved a ratchet. Under the right chemical conditions, its molecular motors grip and then *lock*, holding tension at a small fraction of the energetic cost, for minutes, hours, or in some tissues essentially indefinitely. The activating signal can disappear entirely and the grip remains. The founding laboratory observation is exactly this dissociation: stimulate an artery and the chemical activation spikes and then falls back toward baseline, while the force simply stays.

Three features of the latch matter here. It is a *kinetic trap*, not damage — latched tissue looks normal under a microscope; it is just holding. It is remote-controlled by the autonomic nervous system: stress chemistry makes latches form more easily and stay harder, while the body's relaxation pathways (the nitric oxide cascade among them) actively pick the locks. And it exhibits *hysteresis* — the tissue's present state depends on its history, not merely its current inputs. Two identical vessels receiving identical signals can be in different states depending on what happened to them an hour ago.

That last property has a name in engineering. A cheap, history-dependent hold that persists after its input vanishes is a memory element. Biology ships a one-bit storage device, distributed through every vascularized tissue in the body. The question is whether anything ever gets written to it.

The hemo-neural hypothesis: what if blood talks back?


In 2008, neuroscientists Christopher Moore and Rosalind Cao proposed what they called the hemo-neural hypothesis. The background is uncontroversial: neural activity drives local blood flow — this coupling is what fMRI measures. The universal assumption has been that the traffic runs one way. Blood is the caterer, delivering fuel where the work happens, with no opinions about the computation.

Moore and Cao proposed that the arrow runs both ways: that local vascular state actively modulates what nearby neurons compute. The candidate channels are mundane and physical. Vessels dilating and constricting mechanically deform the surrounding tissue, and neurons carry pressure-sensitive ion channels — the Piezo channels, whose discovery earned the 2021 Nobel Prize and made this proposal considerably less exotic than it sounded in 2008. Blood flow changes local temperature to which channel kinetics are sensitive, and washes signaling molecules such as nitric oxide through the tissue. Astrocytes physically bridge vessels and synapses, positioned to translate the state of one into the behavior of the other. The hypothesis remains a minority position, but the evidence has drifted toward it rather than away — and it carries a delicious irony. If it is right, decades of brain imaging have been watching blood on the assumption that it was a proxy for mind, when the blood may have been part of the mind all along.

Crucially, nothing in the logic is brain-specific. The periphery has all the same ingredients, sometimes in stronger form. The gut's intrinsic nervous system contains on the order of half a billion neurons embedded in intensely vascular tissue. The dorsal root ganglia — the nodes beside the spine housing the cell bodies of every sensory neuron serving the body — are dense clusters of nerve cells wrapped in capillaries, unlike the brain they sit behind a leaky blood barrier, directly exposed to vascular chemistry. Peripheral sensory endings are the body's mechanosensation specialists, many cases literally wrapped around the vessels whose diameter changes they would

be sensing. If vascular state modulates neural function anywhere, the periphery is at least as good a venue as the cortex.

Vasocomputation: the stack assembled



The researcher Michael Edward Johnson has assembled these pieces into a hypothesis he calls [vasocomputation](#) — and here the argument moves onto its speculative upper floors. The lower floors are established physiology; this floor is a proposal.

The synthesis runs as follows. Neural activity writes to the vasculature (established: neurovascular coupling). The vasculature can store what is written, via the latch (established physiology, speculatively applied). The stored vascular state reads back onto neural function (the hemo-neural hypothesis). Write, store, read: together they form a loop — a circuit whose activity constricts its own vessels, whose constriction biases its own activity. A self-sustaining grip.

Johnson's boldest move is to identify this grip with something specific in the phenomenology of mind: clinging. In his framing, when the mind holds a prediction rigid — refuses to update an expectation, grasps at how things should be — one physical implementation is vascular smooth muscle latching around the relevant tissue. Tension as a pause button on inference. Buddhism has a technical term for precisely this mental motion: *tanha*, craving, the grasping the tradition identifies as the root of suffering. On the vasocomputation view, clinging is not *like* a grip. It is c

Whatever the fate of that identification, consider what the stack offers the humble muscle knot. A knot becomes a self-contained loop in the periphery: latched microvessels in the fascia sitting against the nerve endings embedded in that same fascia, each sustaining the other — a small computational cyst that persists without the brain's ongoing permission. This would explain why knots feel like autonomous objects with definite locations. Why they survive years of ordinary life. Why they accumulate — every unresolved stress leaving a small held tension, the body becomes a ledger of everything never quite let go.

It also patches the oldest hole in trigger-point theory. The classic “energy crisis” hypothesis required fibers in maximal contraction, burning enormous ATP; a body carrying a field of them would be a metabolic bonfire no one could explain. The late dissolves the problem: a latched arteriole upstream creates chronic local ischemia at a near-zero energetic cost, producing exactly the hypoxic, acidic milieu Shah's microdialysis found — the broth that sensitizes the local nociceptors and generates the dull ache. The knot becomes a two-layer object: a smooth-muscle latch throttling supply, plus whatever skeletal fibers secondarily guard the region.

And above all, the stack explains the two-key protocol. Smooth muscle cannot be commanded voluntarily, but it responds exquisitely to autonomic state — and the exhale is the master key to that state. Pressure perturbs the local loop; breath shifts global chemistry that governs unlatching. Neither alone suffices. The roller is the read head; the exhale is the write head. Anyone who has rolled seriously knows this patt

in their own tissue. A knot, in the most modern framing available, is a **stale lock** file cached “hold!” command from a war that ended decades ago, still consuming resources, still blocking range, still issuing its order to a battle long over.

The census nobody has taken

Here is a fact that should stop any curious person cold: **nobody has ever counted**. There is no graph of knot burden versus age. There is no distribution map across the body. There is no knot census — not a small one, not a bad one, *none*. For a phenomenon millions of people can locate in thirty seconds, the total absence of basic natural-history data is the actual scandal.

What should the curve look like? Reasoning from the components: near zero at birth — infants pandiculate constantly, are famously supple, and if guarding is learned, they have not yet accumulated the injury history and emotional bracing that writes the knots in. Roughly monotonic accumulation through midlife, as every mechanism

points the same direction: collagen cross-linking via glycation, hyaluronan densification, declining vagal tone, decades of the same low-threshold motor units doing all the postural work (Hägg's "Cinderella fibers" — first recruited, never rested) and the slow accumulation of *held* responses to stress and injury. The chair is a knot factory: sustained hip flexion, inhibited glutes, loaded traps. Then, possibly, a late-life phase transition: as muscle mass disappears after sixty, stuck tone may convert to diffuse fibrosis — knot *count* might even fall in the elderly while *stiffness* rises, the knots calcifying into the wallpaper.

The distribution should be pure engineering: stress concentrators and startle muscles. The junction zones — cervicothoracic, thoracolumbar, lumbosacral, hip. The anti-gravity chain. The brace muscles: jaw, throat, diaphragm, belly, pelvic floor.

And the latch model adds a sly twist: one version of this curve has already been measured. Vascular medicine has been graphing vasomotor latch burden against age for decades — it is called arterial stiffening, tracked by pulse wave velocity, rising relentlessly from the twenties onward. Cardiology files this as a plumbing problem. The vasocomputation reading says it is a *memory* problem: decades of cached defense setpoints written into vessel walls. The knot-by-age curve may be sitting in the literature already, under a different name.

One more arithmetic worth savoring. Deep practitioners sometimes estimate their knot counts in the hundreds of thousands, which sounds like hyperbole — until you learn that the human body runs on the order of a few hundred thousand *motor units*. a small knot is a stuck motor unit, a fiber-segment contracture at an endplate zone, a latched microvessel, the estimate is anatomically plausible. A skilled roller may be feeling, literally, the granularity of the motor system, unit by unit. Nobody has ever made that arithmetic explicit, because nobody has ever counted.

The scanner question

The obvious retort to “nobody has ever counted” is: hasn’t anyone *looked*? Yes — and the results are encouraging, disappointing, and clarifying at once. Encouraging: several modalities already detect trigger points reliably, and as of mid-2026 a whole body scanner exists that could perform the census. Disappointing: nobody has aimed any of it at count, distribution, or age. Clarifying: *which* modalities work, and which return nulls, tells us what a knot is.

If latched tension is real, it should be mappable, because **everything a latch does casts a shadow some existing scanner can catch**: restricted blood flow (Doppler), held stiffness (elastography), slowly changing composition (density imaging), and — the subtle one — a *metabolic cold spot*, since the latch’s entire purpose is holding tension without burning fuel (metabolic imaging). The question is which shadow is sharpest.

Ultrasound is the decisive winner. Modern machines measure stiffness (shear-wave elastography) and small-vessel flow (sensitive Doppler) *through the same probe*, at known depths, at frame rates fast enough to watch a release happen, radiation-free. And Doppler has quietly produced the most consistent positive results in the whole imaging literature: active trigger points show abnormal local hemodynamics — high prevalence of **retrograde flow**, elevated **pulsatility index**, and velocities that separate active from latent points. Through the latch lens this is almost on-the-nose: a knot’s signature is a **vascular bed behaving abnormally** — flow reversed, resistance elevated as if something upstream were clenched. The literature stumbled onto the latch’s footprint without knowing what it was looking at.

The coverage problem just got solved — by an unexpected donor. Ultrasound’s historic limit was coverage: a postage stamp at a time. In June 2026, Midjourney — AI image company — announced a full-body “ultrasonic CT”: a 70 cm ring of ~358,000 transducers (ultrasound-on-chip technology licensed from Butterfly Network) around a shallow pool, reconstructing a sub-millimeter 3D body map in about sixty seconds: no magnets, no radiation — with claimed speeds and costs orders of magnitude beyond MRI, spa-scale deployment plans, and a stated goal of 50,000 scanners by 2030.

One gap matters enormously: as **announced, it images composition, not state** — the sediment layer, not the grip. But the gap is bridgeable: the ring's substrate is the same hardware class that performs elastography and Doppler elsewhere — a firmware question, not new physics — and its slow-descent geometry makes a “dwell mode” over a marked knot a software feature, not a retrofit. Its headline weakness for screening (ultrasound can't see past bone; MRI owns the heart) is irrelevant here: knots live in muscle and fascia, ultrasound's home turf. Caveats stand — unverified multiples, no diagnostic clearance — but the strategic implication is plain: **the whole body machine exists; what it lacks is the right software.**

MRI is the deep-tissue play, and its nulls are informative. Conventional MRI has largely failed to image trigger points — invisible on T1, preliminary promise on T2-mapping. But MRI excels at *structure*; a knot invisible to structural imaging yet visible to flow imaging is exactly what state-not-structure predicts. The delicious detail: fMRI's BOLD signal is *already a vascular measurement* — neuroscience spent decades treating blood as a proxy for neurons; on the vasocomputation view it was partly imaging the computational medium itself. Muscle BOLD and MR elastography are established research techniques; MRI's weakness is a feeble resting signal — it was a challenge paradigm.

Density imaging is the sediment layer — CT attenuation and echotexture see structure, not state: fatty infiltration, fibrosis, thickened fascia. Useful as the atlas's structural base layer; the sediment marks where the river has been running.

PET is the dark horse, with a distinctive prediction. Inflamed tissue lights up on FDG-PET; a latch should do the opposite — **stiff on elastography, electrically active on EMG, metabolically cold.** That triple signature belongs to no conventional lesion; finding it would be strong evidence the tissue is doing something current taxonomy doesn't describe. Radiation rules PET out for censuses, but one small overlay study at palpated knots could establish the signature — and there's precedent for whole-body

metabolic imaging revealing overlooked physiology: routine PET is how active brown fat was discovered in adults, hiding in plain sight in thousands of oncology scans.

The upgrade that applies to every modality: the provocation map. A static map shows where tension sits; Johnson's phrase — a map of "where you can clench" — implies better. Image at rest, then during a mental stressor, then during breath work, and subtract: the difference map is a **functional atlas of each person's clench repertoire**, using the same task-contrast logic by which fMRI transformed brain science. We already know from the needle studies that the brain can write to a knot on command. Nobody has ever watched it happen on a scanner.

So what can we currently surmise? Three fragments, none collected with this question in mind. *First:* rheumatology's fibromyalgia-era 18-site tender-point exam, applied to community samples, reads like a proto-census — tender points nearly universal (medians 6 in women, 3 in men), counts tracking distress and poor sleep rather than tissue damage, distributed continuously across the population. Collected to adjudicate a diagnosis and then abandoned — the closest thing to a knot-count current science possesses, with exactly the correlate a stored-tension account predicts. *Second:* elastography aging data complicates the story productively — bulk resting stiffness can *fall* with age as muscle quality declines, while focal spots accumulate. The knot hypothesis is about the **lumpiness** of the stiffness map, not its average — and virtually every existing study reports averages, discarding the variance as noise. *Third:* the imaging studies established that palpated knots are objectively distinct — stiffer, altered in flow and echotexture, biochemically abnormal — and that **latent** points (palpable, stiff, painless unless pressed) separate from active ones on flow velocities. The body carries dormant entries: the ledger's cold storage.

The summary: the machines exist — including, astonishingly, the whole-body machine — partial shadows appear in at least three unconnected literatures, and no one has pointed any of it at the actual question. A knot census is not waiting on technology.

is waiting on a firmware update, and on someone deciding the number is worth knowing.

The oldest anatomy text

Here the argument reaches its most surprising corroboration — or its most seductive coincidence, depending on the reader's priors.

Tibetan tantric physiology, the tradition inherited by Dzogchen practitioners, describes the subtle body as a network of channels carrying winds, with knots — *rtse mdud* — at specific points that constrict the flow, and prescribes breath and energy practices to untie them; mind, in this system, rides wind like a rider on a horse, and liberation is the untying. Hindu yoga describes the *granthis* — the knots of Brahma, Vishnu, and Rudra — binding awareness at gut, heart, and head. Seventh-century Chinese medicine documented *ashi* points: tender spots identified by palpation, named for the patient's cry — “when pressed, the patient says ‘ah!’” — trigger points by another name, treated with needles and breath. Wilhelm Reich built an entire therapeutic system on “armor.” And the vipassana tradition teaches that gross, solidified bodily sensations are congealed *sankharas* that dissolve under equanimous attention and breath — which is, nearly word for word, the foam rolling protocol, with attention as the probe instead of PVC.

Essentially every contemplative tradition that mapped the inner body arrived independently at the same three claims: **there are knots, breath is the tool, and untying them changes consciousness.**

The standard modern move is to file this as metaphor. But consider the alternative. These traditions represent thousands of years of practitioners with extraordinarily trained interoception, systematically attending to their own insides and recording what they found. If there genuinely is a vascular-autonomic layer of tension that participates in mental life, such practitioners would have felt it from inside — and

their maps would amount to first-person cartography of exactly the system described above. Channels as vasculature. Winds as autonomic state. Knots as latches. Breath the universal tool, because breath is the one voluntary handle on the entire system. It is at least suggestive that the traditional maps place the important knots along the torso's midline and the limbs — where the dorsal root ganglia, sympathetic chains, dense fascia actually reside — rather than in the head.

The tradition's outer limit, the rainbow body — the claim that a fully untied practitioner's body dissolves into light — lies beyond anything testable and can be set aside. But the contemplative framing produces one genuinely sharp idea worth keeping. The knots are the body's *addressing system* — the tissue-level machinery of being somewhere, being someone. Each knot is a little frozen sovereign, a petrified command post still issuing orders. Total unknotting would mean losing your address entirely, which is precisely the literal rainbow-body claim. The resolution, and perhaps the practical goal of all of this: **not zero tone, but zero *stuck* tone**. A knot you can release at will is a muscle; a knot you can't is a cage. Suppleness is the freedom to form and dissolve holding on demand, the way a healthy mind forms and dissolves thought. Not slack. Unjammed.

There appears to be a distinction between two levels of releasing or awakening. The first is associated with a less constricted sense of self (enlightenment, awakening) or a shift in perspective. The second is often associated with more bodily mastery and bodily transformation, and often talk about knots and serpents (e.g. kundalini). Dzogchen itself may distinguish these two calling the first Trekcho and the second called Togal. They each have their own secret practices. A speculative mapping of these two levels may be that the first involves relaxing the latch that is associated with the "I" thought. This is why practices like self-inquiry and surrender can be very effective. You focus on the location of the sense of I in your brain or body and the latch might eventually release through these meditative techniques. The second level may be associated more with releasing other (or all other) latches in the body. This process perhaps is called de-conditioning and may be a mild process over years to attack your

most trauma related/constricting latches. This is probably the safer and normal way progress. The other way is to use advanced meditative techniques to try and release the latches very quickly. This way is probably fraught with danger.

The humbler convergence requires no miracles at all: chronic somatic guarding consumes attention and shapes experience, and systematically releasing it changes how it feels to exist. When advanced meditators report the body becoming transparent, they may be describing the interoceptive signature of a nervous system that has finally stopped bracing everywhere.

The euphoria of release

Anyone who does this work long enough eventually discovers the phenomenon nobody warns you about. A small release feels like relief — a local softening, a quieting. A large one is something else entirely. Releasing an old, heavily loaded cluster — the kind that has been holding a hip hostage for a decade — can detonate wave of euphoria, warmth flooding outward from the site, the whole body going limp, the person unable or simply unwilling to move for minutes at a time. Bodyworkers know the milder version as “emotional release” — clients laughing, weeping, or trembling on the table. The full-strength version is less discussed but widely recognized among serious practitioners: it can feel, by multiple independent report uncannily like MDMA.

This is a datum, and a demanding one. Any theory of what a knot is must explain why *deleting one* can feel like a drug.

Structural theories predict nothing here. Scar tissue does not release endorphins when it breaks; an adhesion parting should feel, at most, like mechanical relief. But the lattice model predicts the entire phenomenology, piece by piece. A latch release is an **autonomic inversion**: sympathetic grip giving way to a parasympathetic flood — the body’s valence switch, thrown locally. It is a **reperfusion rush**: a starved tissue bed

reopened, warmth and tingling spreading as flow returns to territory that was choked — vascular euphoria in the most literal sense. It is **pain offset**, which the neuroscience of relief (Leknes and Tracey's work on the common neurobiology of pain and pleasure) shows is registered by reward circuitry as a *positive* signal, not a neutral return to baseline — a knot is a chronic low-grade pain generator, and when it silences, the cessation itself is rewarding. It is a **chemical event**: Shah's acidic broth washing out endorphins and endocannabinoids rising — it is not a coincidence that anandamide, the body's own cannabinoid, is named from the Sanskrit word for bliss. And it is a **rehabilitation**: a smudged region of the cortical body map snapping back into focus, a piece of the self returned. Relief, like attention, has an address — and the euphoria radiates from exactly the address that was just freed.

The details of the experience fit the mechanism with embarrassing precision. The wave lasts *minutes* — too slow for a neural spike, too fast for a hormonal arc — which is the signature of reperfusion plus peptide washout plus slow autonomic settling. The immobility is diagnostic too: deep parasympathetic dominance gates motor drive; that state has been called “immobilization without fear” — the stillness of safety rather than the stillness of terror. It belongs to a recognizable family: the stillness after orgasm, the immovable body of deep meditative absorption. Same arc — sympathetic peak, parasympathetic flood, bliss, stillness. And practitioners report that big releases come in *waves* — one cluster letting go seems to lower the system's guard enough that neighboring holdings drop in sympathy, releases cascading across a region. The latest model predicts exactly this: unlatching is state-dependent, and each release deepens the state that permits the next.

The MDMA comparison earns itself rather than decorating the paragraph. MDMA's therapeutic power is the conjunction of two things: a pharmacologically induced state of profound safety, and the consequent ability to *unclench* — to process guarded material without the alarm that guarded it. A breath-triggered latch release is the same transaction at the tissue level: safety signal, then letting go of what was held.

One route is chemical and global; the other is respiratory and local. The subjective family resemblance is not hyperbole — it is isomorphism.

And here the contemplative convergence completes a third leg. The traditions did not merely claim that knots exist and that breath is the tool. They claimed that *the even release* has a specific phenomenology — and it matches. The vipassana literature describes *pīti* and *sukha* — rapture and happiness — flooding the body when solidified holdings dissolve. The Tibetan completion-stage texts are explicit that wind entering the central channel — a channel-knot untying — produces *great bliss*. The kundalini traditions describe granthi-piercing as waves of bliss and light. And the immobility appears in the canon as well: the absorption literature describes the body in deep states as literally immovable. A person on a foam roller, five minutes paralyzed by breath after a hip cluster lets go, is reproducing in miniature a documented contemplative event — same timescale, same stillness, same radiance. The contemplatives were not being poetic. They were reporting the reperfusion wave from the inside.

The honest complication deserves air, because the traditions were honest about it: releases can overwhelm. Tears, trembling, disorientation, waves of old affect surface without warning — Tibetan medicine has an entire category for wind-imbalance illness from overzealous practice, the kundalini literature warns of crisis states, and modern research on meditation's adverse effects confirms that releasing held material faster than the system can integrate is genuinely destabilizing. The latch reading is elegant and slightly eerie: a knot is a cached protective decision, and un-caching it briefly returns its *content* to awareness as it deletes. The tears after a release are the lock file printing to console. The practical implication follows: release work is dose dependent medicine, and the traditions' elaborate preparatory practices — and the trauma-therapy world's titration and integration protocols — exist for a reason.

For the research program, bliss is not decoration; it is an **endpoint**. Release intensity is rateable, and the latch model makes quantitative predictions: euphoria magnitude should track the amplitude of the stiffness drop and the perfusion rise — bigger, older

more loaded caches producing bigger waves. The cascade is measurable too: a second probe at an adjacent or contralateral site during a large release should catch the echo. This adds the first-person channel to the money figure — subjective event, button press, dual physiological traces, intensity rating, all time-locked.

Cascade warning

Extreme meditation and de-knotting carry significant risks. Some have reported triggering extremely arduous, uncomfortable or painful processes. These may lead to **suicide**. This cascade has multiple independent names, from traditions that didn't share notes: **kundalini crisis** in the Hindu literature, **rlung disorder** (wind illness) in Tibetan medicine, the **dark night of the soul** in Christianity, the **dukkha ñanas** in Theravada. And in the last two decades it's acquired clinical documentation: [Willoughby Britton](#)'s research [program](#) at Brown has catalogued serious meditation-related adverse effects — including autonomic storms, months-long periods of debilitating pain and fear, and yes, suicidality — and Stan Grof spent fifty years arguing that “spiritual emergency” is a real category distinct from psychosis. Gopi Krishna's autobiography is the canonical full account: a man who triggered the process unprepared, spent years in burning agony unable to eat or sleep, came close to death and only stabilized by accident when he discovered that certain inputs (food, specific breathing) modulated it. [Cheetah House](#) is a great resource for those experiencing adverse effects from meditation.

If knots are latches — cached holdings — then three facts follow that the traditions knew empirically and we can now state mechanically:

- 1. The knots are load-bearing.** The body's current homeostasis — its posture, its hemodynamics, its autonomic setpoints, its psychology — is built *around* the holdings. They are compensations stacked on compensations. Release one and the system adjusts. Release a critical mass and the system may have to *re-equilibrate wholesale* —

and re-equilibration of everything at once is experienced as chaos: pain, autonomic storms, waves of cached content returning to awareness.

2. The process may be unstoppable after a certain point. This is the crucial one. The machinery that maintains holding — the capacity to clench, to guard, to *suppress the process* — may be partly implemented in held states. A small cascade is self-limiting because the system can re-clench. But if the cascade reaches the meta-level — the holdings that maintain the *ability to hold* — then the shutdown machinery may dissolve mid-process. You can't stop it because the thing that would stop it is what's being deleted. This explains the single most frightening feature: *it cannot be shut down once started*. In the contemplative literature this exact feature is documented — Ingram's "**the only way out is through**," the kundalini literature's insistence that once shakti wakes she completes her work on her own timeline.

3. Breath is the last control surface. Once voluntary muscle control over the process is gone (because voluntary tone and the latch system are intertwined), the one remaining voluntary-autonomic interface is the breath. The "breath moving you forward is the only way to get through it" — is exactly what the framework predicts. You're not metaphorically riding the breath; you've lost every other handle on the system, and breath is the one lever left that can pace the cascade — releasing fast enough to not stall in agony, slow enough to not shatter. If you cannot masterfully control your breath, you may find yourself in deep trouble.

Certain meditative practices were kept secret for safety reasons. The secrecy model made sense when the practices themselves were secret. That world is gone. The practices that trigger this are already mass-distributed: ten-day Goenka retreats, holotropic breathwork, Wim Hof, TRE, intensive bodywork, etc. **We currently live in the worst possible configuration: the triggers are democratized and the dangers are esoteric.** People are triggering this process *by accident* on meditation retreats right now, and they land in emergency rooms where clinicians have no category for it, or

they white-knuckle it alone thinking they're going insane — which, without a map, reasonable conclusion, and is precisely where the suicide risk lives.

The Dzogchen secrecy norm was a harm-reduction strategy optimized for a world where transmission was controllable. In a world where transmission is uncontrollable, secrecy stops protecting the unprepared and starts *abandoning the already-triggered*. Daniel Ingram made exactly this argument about the dark night and published *Mastering the Core Teachings of the Buddha* for free — and that book is widely credited with keeping a generation of accidentally-triggered meditators sane, because the single most protective factor in these crises is **knowing what is happening to you**. A named process with a map, a timescale, and an endpoint is survivable. An unnamed one feels like dying or going mad — because in a sense you are, and no one tells you the sense is partial.

The counterargument — that publishing and research spurs thrill-seekers to chase — is real but weaker than it looks. The people who chase extreme somatic states are going to chase them anyway (the kundalini aisle of the bookstore has existed for fifty years). What publication changes is whether the *cautious, methodical, high-discipline* : *experimenters* — the highest-risk demographic because they're disciplined enough to override the body's titration signals — go in with their eyes open.

So the responsible structure is the one the best contemplative teachers already converged on: **publish the map, include the warnings in the same document as the instructions, and explicitly advise against chasing the cascade**. Ingram's model, again: total openness about the territory, total honesty about the risks, firm non-recommendation of the heroic path.

The ceiling question: can a state call a repair subroutine?

Everything argued so far operates at the level of tension: holding, releasing, regulating. But at the far edge of the contemplative world sits a more radical claim, and it deserves treatment in the same spirit as the rest of this essay — neither swallowed nor dismissed. The claim is that deep meditative states don't just regulate tissue; they *repair* it — up to and including the reversal of diagnoses medicine considers irreversible.

The anecdotes circulate at the wildest end: the retreat culture around figures like Joe Dispenza trades in accounts of cancer remissions, recovered spinal injuries, and — most extreme — a woman said to have regrown part of her colon. None of these accounts is documented to publication standard; they are anecdotes, and should be labeled as such. But they are anecdotes of a *category* medicine itself recognizes: **spontaneous remission is real, documented, and unexplained.** The Institute of Noetic Sciences assembled a bibliography of over three thousand published medical case reports of remission across diseases; Everson and Cole's classic review documented spontaneous regression of cancer in the peer-reviewed literature, with melanoma and renal cell carcinoma — the two most immune-sensitive cancers — strikingly overrepresented. And when researchers interview radical-remission survivors about what they did, the common factors cluster heavily around *state change*: meditation, emotional release, stress removal, a recovered sense of safety. Whatever is happening, it correlates with precisely the physiological territory this essay has been mapping.

Could the mechanism reach that far? The answer has three rungs, each more speculative than the last.

Rung one is already on the ground: cognition demonstrably triggers real repair programs. The placebo effect is the most replicated finding in this entire territory, but it is badly misnamed — it is not fake medicine but *endogenous* medicine, externally triggered. Placebo analgesia is reversed by naloxone, meaning the brain released endogenous opioids on cue; placebo in Parkinson's disease produces measurable striatal dopamine release; immune suppression can be conditioned like Pavlov's bell; in the trial that

dared to check, sham knee surgery performed as well as real knee surgery. Add the newer existence proofs: voluntary attention regulating a site's immune response in vivo, in ninety percent of ordinary people; briefly trained volunteers suppressing the innate inflammatory response to injected endotoxin. The dispute is no longer *whether* the mind can call physiological programs. The dispute is about the ceiling.

Rung two is the mundane mechanism, and it accounts for more than skeptics admit. Chronic sympathetic bracing measurably degrades repair: stressed caregivers' wounds heal roughly a quarter slower; a single hostile marital interaction slows wound healing by nearly half. Chronic threat chemistry suppresses natural-killer-cell surveillance — the system that continuously deletes nascent tumors before they become cancers. In the frame of this essay: **the body defers maintenance under threat.** Allostasis is triage: you do not remodel the house while the alarm is ringing. A latched tissue is worse than deferred — it is *offline*: under-perfused, so repair crews can't get in; under-sensed, so the site doesn't report; embedded in a global state that deprioritizes repair. Releasing the latch restores all three at once: access, information, and permission. Unknotting is merely comfortable; it is calling the repair crews back to sites that had been struck from the map. On this rung, the modest miracle claims — faster healing, resolved inflammation, improved markers — need no new biology at all. They are what a body does when its maintenance debt is finally permitted to be paid. Even “meditation cured my cancer” has a sober home here: tumors are being born and deleted constantly, and a surveillance system re-engaging is a documented, state-sensitive mechanism — no dissolving-by-vibes required.

Rung three is the regeneration question, and this is where Michael Levin's work changes what is sayable. Levin's laboratory has spent two decades demonstrating that regeneration is not cells executing local chemistry bottom-up; it is a **high-level program**, maintained as a target morphology in the body's bioelectric networks, that can be *triggered as a subroutine*. Show the tissue the right pattern signal — a brief bioelectric state change, hours long — and an adult frog regrows a functional leg, a new eye forms in the wrong place and wires itself correctly, a flatworm permanently re-

specifies what counts as its correct anatomy. You do not micromanage the cells; you call the subroutine, and the cellular collective executes it. Two findings matter enormously here. First, regeneration has a **nerve requirement**: denervate a salamander limb and it will not regrow — the nervous system is not an observer of the repair program but a required input to it. Second, Levin's group frames cancer as cells that have *lost connection* to the body's patterning network — and has shown that restoring their bioelectric coupling can normalize tumor tissue without killing it. Read those alongside the latch model and the speculative chain almost assembles itself. A knot is a local loss of connection — vascular, neural, informational. The traditions describe deep unknotting as restoring the body's coherence: winds entering the central channel, the body becoming transparent. If repair is a subroutine triggered by high-level signals, and the nervous system's state is one of the channels that can carry such signals, then the deepest contemplative states — the ones this essay has documented producing massive, system-wide autonomic and vascular shifts — are at least *candidates* for endogenous system calls.

That chain must be labeled honestly: each link is real; the chain as a whole is speculation. The demonstrated ceiling of top-down physiological control is function modulation — dopamine, endorphins, immune parameters, wound-healing rate. No controlled study has ever shown cognition regenerating a structure. The anecdote that exceeds the demonstrated ceiling, which is exactly why it is anecdote-tier. But the older assumption — that the ceiling question is mystical and unaskable — is now false. Levin made repair legible as a callable program; the placebo literature proved cognition can call real programs; the attention experiments measured the call in real time. **The ceiling is now an empirical quantity with a protocol attached.**

The research program

The most striking fact about this entire edifice — from trigger-point skepticism to Tibetan subtle anatomy — is that it funnels down to experiments that are small, cheap, and currently unrun. Every claim in this essay is testable with equipment that already

exists, mostly for less than the cost of one mid-size NIH grant. The knots have a location (palpable, addressable), a timescale (seconds, during an exhale), and measurable outcomes (stiffness, perfusion, range of motion). Most contemplative-adjacent claims die on operationalization. This one practically begs for it. And it has beautiful asymmetry: even if the exotic upper floors collapse, every tier of the program still produces valuable ordinary science. The downside is a useful contribution to sports medicine; the upside is a mechanistic account of contemplative anatomy. The asymmetry is what makes it fundable.

Ordered by dollars-to-knowledge:

Tier 1 — The keystone experiment (~\$50–150K, one lab, one year): image a single release event, both directions. Everything lives or dies on one question: does local tissue state change within seconds, time-locked to the breath? Put ultrafast shear-wave elastography (tissue stiffness, sampled many frames per second) and high-sensitivity Doppler or near-infrared spectroscopy (microvascular flow) over a palpable knot. Apply calibrated, constant pressure through a load-cell-instrumented probe, so load and measurement are perfectly co-located. Have a *skilled releaser* do their practice pressing a button at each felt release. Record respiration, heart-rate variability, and surface EMG throughout. The predicted money figure: **stiffness step-drops mid-exhale, perfusion rises at the same moment in the same voxel, both changes persist after the pressure comes off.** One signal could be artifact; two anti-correlated signals time-locked to a subjective button-press is a mechanism.

Then add the upgrade that doubles the experiment's yield at nearly zero cost: a **stressor block**. The McNulty paradigm showed in 1994 that mental arithmetic selectively increases electrical activity in trigger points — the write half of the loop. Run it under the imager: while measuring stiffness and microvascular flow at the knot, administer serial subtraction. The prediction is that the knot visibly stiffens and its perfusion drops during a purely cognitive event — then reverses on the breath-assisted release. Stress-write, breath-erase, same voxel, same session, both directions time-

locked to events the experimenter controls. If both halves show up in the traces, the study has demonstrated not just release but the full read-write cycle of the ledger — the strongest possible version of the money figure.

The controls are obvious and crucial: pressure with breath-holding, exhale-focused breath without pressure, sham sites, and — the best internal contrast of all — the releaser's *failed* attempts, which hold everything constant except the release itself. Note the design elegance: a skilled releaser generating five to ten clean events per session gives dozens of time-locked trials in weeks — an n-of-1 event-related design, fMRI-style, with real statistical teeth. Meditation neuroscience got its footing exactly this way, with adepts who could produce states on cue.

Tier 2 — The natural history study (~\$200–500K): the first knot census. A few hundred people across the age span, standardized palpation plus pressure algometry plus whole-body elastography sampling at fixed anatomical sites. This produces the two graphs the field has always lacked — **knot burden by age, and distribution across the body** — and generates the dataset every later study needs. Two measurement upgrades from the imaging survey above: first, report *variance*, not just averages — knot hypothesis is a claim about the lumpiness of the stiffness map, and every prior aging study has reported means and discarded the heterogeneity as noise. Second, distinguish active from latent points — the imaging literature has shown the two classes separate on flow velocities, and latent points are the ledger's cold storage, directly relevant to the age-accumulation story. Include the two discriminating populations: young children (if guarding is learned, they should be nearly clean — the “born with them?” question, answered) and long-term meditators matched against sedentary controls. If thirty-year practitioners have the knot profile of twenty-five-year-olds, that single figure launches a field.

Tier 3 — The intervention trial (~\$300–700K): the rolling protocol, formalized. Intensive rolling *with* breath work, randomized against rolling without breath instruction, breath work without rolling, and a stretching control, 8–12 weeks.

Outcomes: knot counts from the Tier 2 protocol, hip range of motion, elastography, HRV, interoceptive awareness. The factorial design cleanly separates probe from release — the central causal claim — and it's the study with the most direct clinical payoff, which is what buys conventional funding for the weirder tiers.

Tier 4 — The mechanism study (~\$500K–1M): go after the latch directly. If a latch bridge state is the storage medium, pharmacology should move it: drugs that modulate the nitric oxide pathway or sympathetic tone should change how easily knots release. The phentolamine result — sympathetic blockade quieting trigger-point electrical activity — already points this direction; what's missing is the imaging correlate. Add vasomotor endpoints to the Tier 1 rig — the vasocomputation prediction is a timing signature: **reperfusion *precedes* mechanical change**. Blood first, stiffness second is the smoking gun. And consider the PET signature study here: a single small overlay of FDG-PET on elastography at palpated knots, testing the triple signature — stiff, active, cold — that belongs to no conventional lesion. This is the tier that turns “vasocomputation” from essay into biology.

Tier 5 — The scanner: now a partnership, not a build. The whole-body stiffness-at-rest perfusion atlas this essay called for no longer requires constructing novel hardware. As of June 2026, a commercial full-body ultrasonic tomography platform exists — a ring of ~358,000 transducers producing sub-millimeter whole-body maps in sixty seconds with spa-scale deployment planned and chip-based cost curves. Its announced capability is structural (body composition), not the state channels a knot census needs — but elastography and Doppler are firmware-class additions on this hardware substrate, not new devices. The Tier 5 play is therefore research access and mode development on a commercial platform: a dwell-mode elastography protocol, a provocation pipeline, and a standardized grid. The commercial flywheel the essay predicted is spinning up on its own; the research program should attach to it. And once longitudinal data exist, **knot burden becomes a candidate biomarker of biological aging** — a myotonic aging clock with one decisive advantage over methylation clocks: it is reversible by the subject.

Tier 6 — The consciousness bridge (parallel, once Tiers 1–2 exist). Bring tsa-lung : tummo practitioners into the lab and pre-register the prediction that reported “untying” events co-occur with measurable peripheral unlatching at the locations t traditions’ maps specify. Fund the unglamorous scholarship too: translating the *rtsc mdud* literature and annotating it against modern anatomy, by people fluent in both the traditional knot locations line up with dorsal root ganglia, sympathetic chain, a dense-fascia geography better than chance, that’s publishable evidence the maps ar empirical documents.

Two structural notes. First, **the field problem:** this program has no natural home — falls between rehab science, vascular physiology, autonomic neuroscience, psychophysiology, and contemplative studies, which is precisely why it’s unpicked. Rehabilitation science holds the palpation. Vascular physiology holds the latch. Contemplative studies holds the phenomenology. And psychophysiology has been holding the write head since 1994 — the Gevirtz group’s stress experiments fed directly into the HRV-biofeedback tradition — without any of these communities e having been introduced to the others. The efficient move is a small dedicated instit or targeted grant program — the way early psychedelic philanthropy bootstrapped orphaned field — rather than waiting for NIH study sections to find the right shelf. Five to ten million over five years covers Tiers 1–4 comfortably. Second, **sequence discipline:** resist leading with the enlightenment framing. Lead with Tiers 1 and 3 - mechanistically crisp, clinically legible, cheap — and let the results purchase credibility for the rest. The single best outcome for the exotic end of this hypothesi a *boring paper in a rehabilitation journal* showing time-locked stiffness release on exh everything mystical becomes discussable the day that figure exists.

Also, what *not* to fund: another foam-rolling efficacy RCT (the world has dozens; th reliably show short-term range-of-motion gains and add nothing); texture wars between smooth, grooved, and vibrating rollers (optimizing the probe while the mechanism is unknown); and anything premised on “breaking down scar tissue” —

mechanistic story asserted without evidence, and flatly contradicted by the breath effect. Scar tissue does not release on an exhale.

The wager

The epistemic ledger, stated plainly. That tender, palpable points exist, accumulate with age, restrict movement, and can release rapidly with breath: strongly supported by ubiquitous practical experience, whatever the mechanism debates. That the latch bridge exists and that vascular tone is autonomically governed: textbook. That vascular state modulates neural function: a live minority hypothesis with the wind at its back. That knots are peripheral latch states, that clinging has a hemodynamic address, that the contemplative maps are empirical documents: speculation, each rung less certain than the last.

What makes the wager attractive is its asymmetry. Run the research program, and even if the exotic upper floors collapse, the lower floors pay for themselves — a validated release protocol, an age-stratified atlas of human tension, and a whole-body stiffness scanner would each matter for ordinary pain medicine, sports science, and healthy aging. The downside is a useful contribution to musculoskeletal science. And if the upper floors hold, the implications compound quickly: the foam roller in the closet becomes a crude single-pixel probe of the layer where body and mind transact; the traditions that spoke of untying the knots of existence turn out to have been writing engineering documentation; and the most interesting organ system of the coming decades is one medicine has been imaging for twenty-five years while calling it noise.

The body, on this view, is not a machine that wears out. It is a ledger — a record of every threat ever met with holding, written in vasomotor tone and fascial densification, accumulating decade over decade, silently consuming range of motion, attention, and something harder to name. The experiment is buildable. The practitioners exist. The scanner physics is solved. The only thing missing is that nobody has ever bothered to count.

Someone should count.

Either way, the knots are there. Press into one, and breathe out slowly.



2 Likes

Discussion about this post

Comments Restacks



Write a comment...



Joseph McCard Understanding Consciousness Aug 14

myofascial trigger points? They are arguing over the physical residue of a process whose orig not primarily physical. This area is not stuck, it is presently expressing tension. The latter leav organism room to change.

♡ LIKE 💬 REPLY

