SSH BRUTE FORCE SIMULATION SCRIPT

FILENAME: ssh_brute_force_simulation.sh

CONTENTS:

```
#!/bin/bash

LOG_FILE="ssh_attack_log.txt"
TARGET_IP="192.168.56.102"
TARGET_USER="realsys"
TARGET_PASSWORD="[YOUR_PASSWORD]"

echo "=== SSH Brute Force Simulation ===" > $LOG_FILE
echo "Target: $TARGET_USER@$TARGET_IP" >> $LOG_FILE
echo "Start Time: $(date '+%Y-%m-%d %H:%M:%S')" >> $LOG_FILE
echo "" >> $LOG_FILE

# 5 failed attempts with wrong passwords
echo "[INFO] Starting brute force attempts..." >> $LOG_FILE
for i in {1..5}; do
  TIMESTAMP=$(date '+%H:%M:%S')
  echo "[$TIMESTAMP] Attempt $i: sshpass -p 'wrongpass$i' ssh -l $TARGET_USER $TARGET_IP 'exit'" >> $LOG_FILE
  sshpass -p "wrongpass$i" ssh -l $TARGET_USER $TARGET_IP "exit" 2>&1 | grep -i "permission\|denied" >> $LOG_FILE
  echo "Result: Failed" >> $LOG_FILE
  sleep 2
done
```

```
echo "" >> $LOG_FILE

echo "[INFO] Attempting successful login with correct password..." >> $LOG_FILE

TIMESTAMP=$(date '+%H:%M:%S')

echo "[$TIMESTAMP] Attempt 6 (SUCCESSFUL): Executing reconnaissance..." >> $LOG_FILE


# Successful login with reconnaissance

sshpass -p "$TARGET_PASSWORD" ssh -l $TARGET_USER $TARGET_IP "whoami" >>
$LOG_FILE 2>&1

sleep 1

sshpass -p "$TARGET_PASSWORD" ssh -l $TARGET_USER $TARGET_IP "net user" >>
$LOG_FILE 2>&1

sleep 1

sshpass -p "$TARGET_PASSWORD" ssh -l $TARGET_USER $TARGET_IP "ipconfig" >>
$LOG_FILE 2>&1


echo "" >> $LOG_FILE

echo "End Time: $(date '+%Y-%m-%d %H:%M:%S')" >> $LOG_FILE

echo "[INFO] Simulation complete. Check ssh_attack_log.txt for results."
```

USAGE INSTRUCTIONS:

1. Create the script:

   cat > ssh_brute_force_simulation.sh << 'EOF'

   [PASTE CONTENT ABOVE]

   EOF

2. Replace [YOUR_PASSWORD] with actual Windows realsys password

3. Make executable:

chmod +x ssh_brute_force_simulation.sh

4. Run:

./ssh_brute_force_simulation.sh

5. View results:

cat ssh_attack_log.txt

WHAT THIS SCRIPT DOES:

1. Creates log file (ssh_attack_log.txt)
2. Documents start time
3. Executes 5 failed SSH attempts
4. Records each failure with timestamp
5. Executes successful SSH login
6. Runs reconnaissance commands (whoami, net user, ipconfig)
7. Documents end time
8. Logs all results to file

EXPECTED OUTPUT:

=== SSH Brute Force Simulation ===

Target: realsys@192.168.56.102

Start Time: 2026-10-30 19:45:30

[INFO] Starting brute force attempts...

[19:45:32] Attempt 1: sshpass -p 'wrongpass1' ssh -l realsys 192.168.56.102 'exit'

Permission denied, please try again.

Result: Failed

...

[19:45:42] Attempt 6 (SUCCESSFUL): Executing reconnaissance...

DESKTOP-91DJV8I\realsys

...

End Time: 2026-10-30 19:45:50

[INFO] Simulation complete. Check ssh_attack_log.txt for results.
