Complete-case scores and original-query coverage

Single H100 study host · fixed configuration · four engine paths, five software configurations · primary action endpoint

Condition	CPU Polars 1.44.2	CPU Polars 2.0.0	Polars GPU 1.44.2 / cuDF 26.10.2	CPU Spark 3.5.9	GPU Spark 3.5.9 / RAPIDS 26.08.1
Baseline SF1	0.164 s 10/10 blocks · 6/6 queries	0.152 s 10/10 blocks · 6/6 queries	0.408 s 10/10 blocks · 6/6 queries	2.002 s 10/10 blocks · 6/6 queries	2.718 s 10/10 blocks · 6/6 queries
Baseline SF10	1.107 s 10/10 blocks · 6/6 queries	0.950 s 10/10 blocks · 6/6 queries	0.742 s 10/10 blocks · 6/6 queries	6.833 s 10/10 blocks · 6/6 queries	4.470 s 10/10 blocks · 6/6 queries
Baseline SF30	3.659 s 10/10 blocks · 6/6 queries	2.800 s 10/10 blocks · 6/6 queries	1.433 s 10/10 blocks · 6/6 queries	17.273 s 10/10 blocks · 6/6 queries	7.206 s 10/10 blocks · 6/6 queries
Baseline SF100	12.144 s 10/10 blocks · 6/6 queries	9.039 s 10/10 blocks · 6/6 queries	3.810 s 10/10 blocks · 6/6 queries	47.633 s 10/10 blocks · 6/6 queries	15.273 s 10/10 blocks · 6/6 queries
Baseline SF300	40.579 s 10/10 blocks · 6/6 queries	28.122 s 10/10 blocks · 6/6 queries	11.473 s 10/10 blocks · 6/6 queries	132.767 s 10/10 blocks · 6/6 queries	40.275 s 10/10 blocks · 6/6 queries
Complex SF30	13.276 s 10/10 blocks · 6/6 queries	4.961 s 10/10 blocks · 6/6 queries	N/A 0/10 complete · 4/6 queries	42.234 s 10/10 blocks · 6/6 queries	10.623 s 10/10 blocks · 6/6 queries
Complex SF100	51.149 s 10/10 blocks · 6/6 queries	19.657 s 10/10 blocks · 6/6 queries	N/A 0/10 complete · 4/6 queries	132.131 s 10/10 blocks · 6/6 queries	37.523 s 10/10 blocks · 6/6 queries
Complex SF300	161.222 s 10/10 blocks · 6/6 queries	65.336 s 10/10 blocks · 6/6 queries	N/A 0/10 complete · 4/6 queries	345.570 s 10/10 blocks · 6/6 queries	132.625 s 10/10 blocks · 6/6 queries

Values are descriptive geometric means of ten complete session scores in seconds. Each score sums six query medians, not an observed whole-suite latency. Every cell reports planned-block completeness and query coverage. Polars GPU complex retains four of six supported original queries and has zero complete six-query scores; a partial four-query sum is never substituted. Versions are the fixed study configuration; the renderer does not independently inventory hardware or runtimes.