Table S8. Model summaries for intercept-only models for species within cat prey range. Model estimates ± 95% CIs and test statistics are reported along with sample sizes and residual unexplained heterogeneity (I^2), decomposed by hierarchical model levels (article and observation). The effect size used is given in the heading of each model (SMD=standardized mean difference or Hedges' g; Zr=correlation coefficient; lnOR=log odds ratio).

Term	Estimate	Test statistics	Sample size	Residual heterogeneity
Abundance with/without cats | lnOR				
overall	-0.55 ±[-2.22, 1.12]	$t_7 = -0.78, p = 0.46$	$N_{articles} = 8$ $N_{species} = 10$ $N_{observations} = 10$	$I^2_{total} = 65.4$ $I^2_{article} = 65.4$ $I^2_{obs} = 0$
Abundance before-after eradication | SMD				
overall	-0.75 ±[-7.93, 6.43]	$t_1 = -1.33, p = 0.41$	$N_{articles} = 2$ $N_{species} = 2$ $N_{observations} = 2$	$I^2_{total} = 18.8$ $I^2_{article} = 9.4$ $I^2_{obs} = 9$
Abundance on islands with/without cats | lnOR				
overall	0.4 ±[-1.78, 2.59]	$t_4 = 0.51, p = 0.64$	$N_{articles} = 5$ $N_{species} = 7$ $N_{observations} = 7$	$I^2_{total} = 46.1$ $I^2_{article} = 46.1$ $I^2_{obs} = 0$
Abundance association | Zr				
overall	0.1 ±[-0.29, 0.49]	$t_{14} = 0.54, p = 0.59$	$N_{articles} = 15$ $N_{species} = 13$ $N_{observations} = 22$	$I^2_{total} = 82.5$ $I^2_{article} = 54.2$ $I^2_{obs} = 28$
Abundance spatial association | Zr				
overall	0.1 ±[-1.25, 1.45]	$t_3 = 0.24, p = 0.83$	$N_{articles} = 4$ $N_{species} = 2$ $N_{observations} = 4$	$I^2_{total} = 67.3$ $I^2_{article} = 33.6$ $I^2_{obs} = 34$
Abundance temporal association | Zr				
overall	0.1 ±[-0.37, 0.57]	$t_{10} = 0.47, p = 0.65$	$N_{articles} = 11$ $N_{species} = 12$ $N_{observations} = 18$	$I^2_{total} = 85$ $I^2_{article} = 56.6$ $I^2_{obs} = 28$
Reproduction with/without cats | lnOR				
overall	-0.39 ±[-3.52, 2.75]	$t_2 = -0.53, p = 0.65$	$N_{articles} = 3$ $N_{species} = 3$ $N_{observations} = 5$	$I^2_{total} = 65.5$ $I^2_{article} = 28.2$ $I^2_{obs} = 37$
Reproduction inside/outside exclosure | lnOR				

Table S8. Model summaries for intercept-only models for species within cat prey range. Model estimates ± 95% CIs and test statistics are reported along with sample sizes and residual unexplained heterogeneity (I^2), decomposed by hierarchical model levels (article and observation). The effect size used is given in the heading of each model (SMD=standardized mean difference or Hedges' g; Zr=correlation coefficient; lnOR=log odds ratio).

Term	Estimate	Test statistics	Sample size	Residual heterogeneity
overall	-1.65 ±[-21.58, 18.28]	$t_1 = -1.05, p = 0.48$	$N_{articles} = 1$ $N_{species} = 1$ $N_{observations} = 2$	$I^2_{total} = 70.2$ $I^2_{article} = NA$ $I^2_{obs} = NA$
Reproduction before-after eradication | SMD				
overall	0.14 ±[-5.7, 5.99]	$t_1 = 0.31, p = 0.81$	$N_{articles} = 2$ $N_{species} = 3$ $N_{observations} = 3$	$I^2_{total} = 54.4$ $I^2_{article} = 54.4$ $I^2_{obs} = 0$
Reproduction association | Zr				
overall	-0.51 ±[-11.08, 10.06]	$t_1 = -0.62, p = 0.65$	$N_{articles} = 2$ $N_{species} = 2$ $N_{observations} = 5$	$I^2_{total} = 80.3$ $I^2_{article} = 80.3$ $I^2_{obs} = 0$
Reproduction temporal association | Zr				
overall	0.09 ±[-0.62, 0.8]	$t_3 = 0.41, p = 0.71$	$N_{articles} = 1$ $N_{species} = 1$ $N_{observations} = 4$	$I^2_{total} = 0$ $I^2_{article} = NA$ $I^2_{obs} = NA$