



Kolegji AAB
CILËSI. LIDERSHIP. SUKSESI

INTELIGJENCA ARTIFICIALE

JAVA IX

ALGORITMI ONER

TIPI: LIGJËRATË

www.aab-edu.net


Algoritmi ZeroR



The diagram illustrates the structure of the dataset. A green bracket labeled 'Atributet' (Attributes) spans the first four columns: Outlook, Temp., Humidity, and Windy. An orange bracket labeled 'Klasa' (Class) spans the fifth column: Play Golf.

Outlook	Temp.	Humidity	Windy	Play Golf
Rainy	Hot	High	False	No
Rainy	Hot	High	True	No
Overcast	Hot	High	False	Yes
Sunny	Mild	High	False	Yes
Sunny	Cool	Normal	False	Yes
Sunny	Cool	Normal	True	No
Overcast	Cool	Normal	True	Yes
Rainy	Mild	High	False	No
Rainy	Cool	Normal	False	Yes
Sunny	Mild	Normal	False	Yes
Rainy	Mild	Normal	True	Yes
Overcast	Mild	High	True	Yes
Overcast	Hot	Normal	False	Yes
Sunny	Mild	High	True	No

ZeroR



Algoritmi OneR

Cili atribut është parashikuesi më i mirë?

Outlook	Temp	Humidity	Windy	Play Golf
Rainy	Hot	High	False	No
Rainy	Hot	High	True	No
Overcast	Hot	High	False	Yes
Sunny	Mild	High	False	Yes
Sunny	Cool	Normal	False	Yes
Sunny	Cool	Normal	True	No
Overcast	Cool	Normal	True	Yes
Rainy	Mild	High	False	No
Rainy	Cool	Normal	False	Yes
Sunny	Mild	Normal	False	Yes
Rainy	Mild	Normal	True	Yes
Overcast	Mild	High	True	Yes
Overcast	Hot	Normal	False	Yes
Sunny	Mild	High	True	No

OneR - Frequency Tables

		Play Golf	
		Yes	No
Outlook	Sunny	3	2
	Overcast	4	0
	Rainy	2	3

		Play Golf	
		Yes	No
Temp.	Hot	2	2
	Mild	4	2
	Cool	3	1

		Play Golf	
		Yes	No
Humidity	High	3	4
	Normal	6	1

		Play Golf	
		Yes	No
Windy	False	6	2
	True	3	3

OneR – The Best Rule

		Play Golf	
		Yes	No
Outlook	Sunny	3	2
	Overcast	4	0
	Rainy	2	3

IF Outlook = Sunny THEN PlayGolf = Yes

IF Outlook = Overcast THEN PlayGolf = Yes

IF Outlook = Rainy THEN PlayGolf = No

A mund t'i inkorporojmë tërë atributet?



Bayesian Classifier

Summary

- **ZeroR** is the simplest method which relies on the frequency of target.
- **OneR** induces classification rules based on the value of a single predictor.
- **Naïve Bayes** classifier is a simple probabilistic classifier based on applying Bayes' theorem with strong independence assumptions.