

A calm canvas. A clear accent.

Teal marks intentional action. Warm whites and restrained borders keep dense information easy to scan.




Ink
#172D3A
Primary text and headings




Muted ink
#52656E
Supporting text—not faint text




Teal
#17635B
Primary actions, active navigation




Canvas
#F5F6F2
Page background




Surface
#FFFFFF
Cards, tables, inputs



Soft surface
#EEF2EF
Quiet grouping and read-only areas



Selected
#E8F3EF
Selection and active-row tint




Divider
#D7E0DC
Decorative separators only



Control border
#81908C
Essential field/control boundaries



Focus blue
#315ECA
Keyboard focus ring



Sand
#F4C7A1
Rare editorial warmth; not status



Teal hover
#124F49
Primary hover; pressed: #0D3D38

Let neutrals do most of the work

Start near 85% neutral surfaces, 10% brand, 5% semantic emphasis. This is a restraint heuristic, not a quota.

Give color a job

No alternating rainbow panels. Teal is not a synonym for “safe”; use a labeled status badge for a condition.

Use the named roles

Choose surface, text, border, and action tokens. Do not select an arbitrary green because it looks close.

Color reinforces meaning. It never carries it alone.

Every state has plain-language text. Add a shape or icon when urgency or recognition benefits.

 **In service**

#256644 on #EAF5ED

Confirmed completion or a positive condition—not a guarantee of safety.

 **Needs attention**

#875200 on #FFF4D6

Maintenance due, missing important detail, or a condition to review.

 **Save failed**

#A33131 on #FDECEC

An error, destructive action, or serious issue. Do not use for every overdue task.

 **Export processing**

#2C5DA8 on #EDF3FF

Neutral progress or explanatory information.

 **AI suggestion**

#6952A3 on #F3EFFA

Unconfirmed model output, kept distinct from saved facts.

Approved contrast pairs

Foreground / background	Ratio
Ink / white	14.26:1
Muted ink / canvas	5.62:1
White / teal	7.07:1
Control border / white	3.33:1
Focus blue / white	5.86:1
Success / success tint	6.13:1
Warning / warning tint	5.92:1
Danger / danger tint	6.05:1
Information / information tint	5.83:1
AI / AI tint	5.56:1

Acceptance thresholds

Normal text: $\geq 4.5:1$. Large text: $\geq 3:1$ (24 CSS px regular or about 18.67 px bold).
Essential control boundaries and graphical indicators: $\geq 3:1$ against adjacent colors.
Recheck actual combinations, including hover and focus. [1, 2]

Ratios calculated from these exact sRGB hex values using WCAG relative luminance. Divider gray and sand are not approved text or essential-control colors.

Readable first. Distinctive in the right places.

Two complementary families: a composed heading voice and a humanist workhorse for everyday use.

HEADINGS & WORDMARK

Manrope

Aa Bb 0123456789
Know what needs attention.

Weights 600 / 700 · no light display weights

INTERFACE, BODY & DATA

Source Sans 3

Aa Bb 0123456789
Replacement cost · \$12,500.00

Weights 400 / 600 / 700 · italic only when meaningful

Role	CSS size / line	Weight
Page title	32 / 40 px; phone 28 / 36	Manrope 700
Section / card title	24 / 32; 18 / 26 px	Manrope 600
Body / input / button	16 / 24 px	Source Sans 400 / 600
Field label / table cell	14 / 20 px	Source Sans 600 / 400
Secondary metadata	13 / 18 px minimum	Source Sans 400

Composition rules


- Use sentence case. Reserve uppercase for short group labels, not buttons or paragraphs.
- Keep reading text around 45–75 characters per line. Use left alignment; do not justify.
- Use tabular numerals for aligned money, dates, counts, and comparison columns. Right-align amounts.
- Do not shrink core content to fit. Wrap labels, enlarge the container, or simplify the composition.

Self-host licensed WOFF2 files in implementation; use `font-display: swap` and system fallbacks. This PDF embeds font subsets. Both families use SIL Open Font License 1.1; keep the license notices with distributed font files. [6, 7]

Use space to explain the structure.

A 4-pixel rhythm, deliberate grouping, and a limited elevation system make complexity feel organized.

Spacing scale · CSS px



Use 4–8 within a control, 12 between related controls, 16 within compact groups, 24 between field groups, and 32–48 between page sections.

Responsive ranges: phone <640 px; tablet 640–1023 px; desktop ≥1024 px. At narrow widths, stack fields and detail panels in reading order. Reflow based on available space, including zoom—not device detection.

Page

Warm canvas

Surface

White + 1 px divider

Overlay

One restrained shadow

Constraint	Default
Page content	Max 1440 px; centered within shell
Page padding	32 px desktop · 24 tablet · 16 phone
Navigation rail	240 px desktop; drawer below 1024 px
Columns / gutters	12 desktop / 24 px; 4 phone / 16 px
Editor width	720 px reading/editing; ≤2 field columns
Corner radius	8 px controls; 12 cards; 16 dialogs
Control height	44 px normal; 48 px capture controls
List/table row	56 px comfortable; 44 px optional dense

Density is a choice—not a squeeze

Default to comfortable. A desktop compact mode may reduce padding and row height, but not core text below 14 px or touch targets below 44 px. Do not carry dense mode onto a phone.

Prefer borders and spacing over nested cards. At most two surface levels inside the page. Shadow: 0 8px 24px #172D3A1F; reserve it for menus, popovers, and dialogs.

Group by the work people came to do.

Replace the visual effect of a wall of equal buttons with stable places, a clear current location, and local actions.

Q

Quartermaster

Quartermaster

Workspace

▼

EVERYDAY

Assets

Capture

Maintenance

Locations

PLANNING & RECORDS

Insurance

Incidents

Accounting

Reports

MANAGE

Asset types · Rules

Activity · Team · Settings

Help & guidance

i

Recommended information architecture

Group	Destinations / intent
Everyday	Assets · Capture · Maintenance · Locations
Planning & records	Insurance · Incidents · Accounting · Reports
Manage	Asset types · Rules · Activity · Team · Settings

Use **Maintenance** in place of the ambiguous “Work,” and **Asset types** in place of “Types.” Keep the underlying permissions and capabilities unchanged.

One page, one obvious priority

Page title + one-sentence purpose → primary action → filters or local tabs → working content. Use real links for navigation and buttons for actions. Asset tabs belong within the asset, not beside global destinations.

Assets

Capture

Maintenance

More

Phone navigation: four labeled destinations; More opens grouped navigation. Hide the bottom bar while the software keyboard is open if it would obstruct editing. Keep workspace switching in the header; never mix records across workspaces.

Permissions & discovery

Omit actions a role cannot perform. Where context requires an unavailable capability, show a read-only explanation—not a mysterious disabled button. No “coming soon” controls.

The asset register: calm, capable, scannable.

The working area gets the space. Selection, search, status, and next actions have distinct visual roles.

Q

Quartermaster

Quartermaster

Workspace

EVERY DAY

Assets

Capture

Maintenance

Locations

PLANNING & RECORDS

Insurance

Incidents

Accounting

Reports

MANAGE

Asset types · Rules

Activity · Team · Settings

Help & guidance

i

Quartermaster / Assets

Assets

See what you have and what needs attention.

24

Assets recorded

4

Need attention

3

Tasks due this month

+ Add an asset

Search name, location, model or tag

Filters · 2

Export

Main building ×

Active assets ×

Clear filters

Saved views ▾

Asset	Location	Status	Open tasks
Roof air conditioner Air conditioner · AC-014	Main building Roof · northwest	Needs attention	2
Kitchen refrigerator Appliance · AP-003	Fellowship hall Kitchen	In service	0
Office air conditioner Air conditioner · AC-008	Office wing Ground level	In service	1

Showing 1–3 of 12 matching assets

PreviousNext →

Values not recorded are shown as “Not recorded,” never silently treated as zero.

01 · Stable orientation

Workspace and current destination stay visible.

02 · Visible scope

Applied filters and matching count stay together.

03 · Specific next step

Add, inspect, or export—without competing accents.

Proposed UI · illustrative records only · specimens are scaled; written component dimensions are authoritative.

Give each asset a clear story.

Start with identity, location, condition, and upcoming work. Put editing and deeper records in named sections.

Assets / Main building / Roof air conditioner

Roof air conditioner

AC-014 · Main building › Roof › Northwest corner

Needs attention

Edit asset

Overview

Photos

Maintenance

Readings

History

Whole unit photo · illustration placeholder

Asset type

Air conditioner

Asset tag

AC-014

Manufacturer

Not recorded

Serial number

Not recorded

Upcoming maintenance

Replace tubing insulation

Due Dec 31, 2026

Open

Weathering noted during the last inspection.

View task

Access note

Coil cover screws are rounded out. Plan additional work before coil maintenance.

View all

View history

Details last updated Oct 6, 2026

Keep context in view

Use a location path; do not lead with internal UUIDs.

Separate read and edit

Read-only facts are text, not a wall of disabled inputs.

Keep consequences visible

Access constraints stay near the relevant work.

Ask clearly. Explain just enough.

Visible labels are permanent. A placeholder is an example, never the only explanation of a field.

Financial details

Optional

Add what you know. You can complete this later.

Replacement cost (USD) ⓘ

12,500.00

Estimated cost to replace this asset today.

Purchase date

Oct 6, 2020

Use the date on your purchase record.

Useful life (years) ⓘ

10

Used in depreciation estimates.

Asset tag (optional)

AC-014

A label your team uses to identify this asset.

Asset name

⚠ Enter an asset name, such as “Roof air conditioner.”

Save changes

Cancel

Field anatomy

- **Label:** a familiar noun phrase, above the input. State units in the label or a clearly associated unit control.
- **Helper text:** one useful sentence for requirements or interpretation. Keep it visible while typing.
- **Optional detail:** an information button for examples, purpose, or calculation rules. Do not conceal required instructions there.
- **Error:** explain what to fix and how. Keep entered values; do not rely on a red border.

Interaction rules

- Use one field per row on phones. Pair fields only when their relationship is obvious and space is sufficient.
- Mark required fields in text, or state a consistent required/optional convention at the group start.
- Validate after a meaningful interaction or submission, not on every first keystroke.
- On failed submission, focus an error summary linked to invalid fields. Associate each inline error with its input.

Avoid surprise autosave. Distinguish “Save draft” from “Create asset.” Guard navigation only when edits would actually be lost.

Explain what it means—and why it matters.

Start with a clear label. Add the smallest explanation that removes uncertainty.

Replacement cost (USD) ⓘ

12,500.00

Estimated cost to replace this asset today.

About replacement cost

×

The amount you expect to pay for an equivalent replacement, including installation if your estimate includes it.

Why we ask: this supports planning and insurance summaries. It is different from purchase price and depreciated book value.

If you do not know: leave it blank. Do not enter zero to mean unknown.

[How financial estimates are used →](#)

Desktop help: 320–400 px wide, at least 16 px from viewport edges. On a phone, expand inline. Outside click or Escape closes it; do not auto-dismiss while someone is reading.

A repeatable help-content shape

Meaning → why it matters → example or format → what to do if unknown. Add an effect or privacy warning when relevant.

Use	For
Label	The name or action itself: “Save draft”
Persistent helper	Required format, units, important consequences
Tooltip	A brief, noninteractive clarification; never the only instruction
Information disclosure	Domain concepts, examples, calculation explanations
Help page / side panel	Multi-step procedures or a full reference

Behavior contract

- Make the (i) a real button with an accessible name, such as “About replacement cost.” Give its hit area 44 × 44 px even if the icon is 20 px.
- Open on click, tap, Enter, or Space. Publish expanded state and the controlled content relationship. [5]
- A nonmodal help panel keeps normal focus order; do not trap focus. Escape closes it; an explicit close button is available. Return focus if focus was inside when closed.
- Hover/focus tooltips must be dismissible, hoverable, and persistent while needed. They contain no links or controls. Essential guidance remains visible without hover. [3]

A small, consistent vocabulary of actions.


Visual priority follows consequence and frequency—not the number of controls on the page.

Primary



One dominant action per working area. Teal fill, white text.

Secondary



White surface, control border, ink text. Support the main task.

Tertiary



Text treatment, visible focus, full hit target. No ghostly gray text.

Destructive



Red only where a destructive choice is being deliberately confirmed.



Default



Hover



Pressed



Keyboard focus



Pending

Control rules

- 44 px minimum hit height; 48 px for capture. At least 8 px between neighboring actions. Icon-only targets are square.
- Use action + object: “Add location,” “Run report,” “Delete photo.” Use tooltips for icon-only buttons plus accessible names.
- Show a pending label, prevent duplicate submission, and preserve button width to avoid movement.
- Disabled controls must have an adjacent reason when it is not obvious. Do not reduce the whole control to unreadable opacity.

Use the right shape

- Checkboxes select independent options; radios choose one of a small visible set.
- Use switches only for settings that take effect immediately. Use a checkbox for a setting saved with a form.
- A segmented control is for a small set of peer views, not unrelated destinations.
- Menus contain secondary actions. Do not hide the only Save, required step, or current error in a menu.

Focus: 3 px #315ECA outer ring with a 2 px white separation. Never remove focus without an equally visible replacement. Use a native button, not a styled div.

Dense information can still be generous.

Support scanning, comparison, and a deliberate next step without turning every row into a control panel.

☒	Asset	Location	Status	Open tasks
☒	Roof air conditioner Air conditioner · AC-014	Main building Roof · northwest	Needs attention	2
☒	Kitchen refrigerator Appliance · AP-003	Fellowship hall Kitchen	In service	0

2 selected Selected on this page

 Export selected

Clear selection

Scanning & comparison

- Lead with asset name and a useful identifier. Keep location and condition close; put secondary metadata on a second line.
- Align text left, amounts right, and column headings with their values. Show currency, units, and date meaning.
- Use thin horizontal dividers; avoid a full spreadsheet grid. Header tint is subtle and not the only header cue.
- Use an actual asset-name link. A row may be clickable as an enhancement, never as the only keyboard route.

If sorting is supported, make the column heading a button and expose its sort state. Do not draw sort arrows for an unsupported operation.

Search, filters & bulk work

- Label the search scope. “Search assets” does not imply a natural-language assistant.
- Show applied filters, result count, and a clear reset action. Preserve filters when returning from a detail page.
- Make selection scope explicit: this page, loaded records, or every matching result. Never silently widen it.
- At narrow widths, use asset cards with labeled key facts. For true comparison tables, provide a labeled horizontal-scroll region and an alternative summary.

Pagination/loading and export scope must agree. Never label a partial-page total as an estate total. Preserve filter and selection context through errors.

Explain the number before decorating it.

Reports must reveal scope, assumptions, completeness, and what the user can do with the result.




Chart grammar

- Prefer labeled horizontal bars for category comparisons and a line for change over time.
- Use direct labels and restrained gridlines. Avoid 3D effects, gradients, decorative gauges, and tiny donut segments.
- Do not encode categories by hue alone. Provide labels, accessible text, and a data table.
- For multiple series, use teal #17635B, blue #2C5DA8, violet #6952A3, and ochre #875200 with line styles or patterns.

Reporting grammar

- Show applied filters, as-of date, units, and whether figures are recorded, calculated, estimated, or partial.
- Place assumptions next to the result; offer calculation detail through a labeled disclosure.
- Make a printable/exported report self-contained: title, workspace, scope, generation date, units, caveats, and page numbers.
- Never present management depreciation estimates as a certified insurance settlement, tax calculation, or posted ledger balance.

One useful step at a time.

Large targets, clear recording state, and a visible manual path help people work with their hands and attention occupied.

Quartermaster

NEW ASSET · CAPTURE

What are we adding?

Tell me about the asset and where it is located.

Ready to record

Tap to speak · up to 20 seconds

Record answer

Type an answer instead

Stay online. Save your draft before leaving.

01 · Ask

Quartermaster

ADD A PHOTO

Photograph the nameplate

Keep the model and serial number in focus.

MODEL EX-240

SERIAL 001234

VOLTS 208/230

Camera preview

Take photo

Choose existing photo

Skip this photo

02 · Capture

Quartermaster

HUMAN REVIEW

Does this look right?

AI suggestion

Asset name

Roof air conditioner

Location

Main building · northwest roof

Proposed maintenance

Replace tubing insulation

Due Dec 31, 2026

☒ I have reviewed these details.

Create reviewed asset

Save draft

03 · Confirm

Recording is explicit

No always-listening behavior. Stop or discard stays available.

Camera is optional

Request permission in context. File upload and manual entry remain usable.

Review is separate from saving


Read back or display proposed facts. A model does not authorize a save.

Make assistance visible—and uncertainty correctable.

AI is a data-entry partner. The person remains in control of the record and of physical work.

Nameplate interpretation

 AI suggestion



Nameplate image · illustrative crop
Open original view to inspect detail

Model **EX-240**

Use value

Serial number **001234**

Check against photo

“I can read the model, but the serial number needs a closer look. Please check it before saving.”

Apply to review form

Edit manually

Applying a suggestion changes the review form, not the saved asset.

Presentation rules

- Keep extracted values near the source photo. Provide zoom, rotate/view controls where supported, and a full-image view.
- Use factual uncertainty language: “Not readable” or “Please confirm.” Do not display precision percentages unless confidence is calibrated and explained.
- Show which fields would change before applying a suggestion. Preserve existing values unless the person approves replacement.
- Give photos a human-readable purpose: Nameplate, Whole unit, Damage detail, or Other. Never infer condition or maintenance history from a generic image.

A safe assistant does not push for access

Accept “I cannot take that photo.” Record access constraints and volunteered readings. Never turn a visual prompt into an instruction to open energized equipment or attach instruments.

Privacy in context

Explain microphone/camera use before the permission prompt. Label recording state. Raw audio is not retained; transcript text expires after 15 days. Optional device-spoken replies disclose the device speech-service boundary.

Always tell the truth about what happened.

A calm interface can still be explicit about waiting, errors, and uncertain outcomes.

 **No assets yet**

Start with one asset. You can type its details or use guided capture.

Add your first asset

 **Waking your workspace...**

After a quiet period, this may take about a minute. Your request is still in progress.

 **Changes saved**

Roof air conditioner was updated on the server.

Show only after confirmed completion.

 **Connection lost**

Your unsaved input is still in this tab. Reconnect, then retry. Do not close this tab.

Retry save

 **This record changed**

Someone saved a newer version. Review it before applying your changes.

Review newer version

 **Sign in again to continue**

Sign in in a new tab, then refresh this session. Keep this tab open to preserve unsaved input.

Sign in again

[Refresh session](#)

Persistent for consequences. Keep errors and recovery actions next to the affected task. Use a brief polite status announcement for routine saves; reserve assertive announcements for a blocker. Do not toast every background event.

No invented progress. Use a determinate bar only with a measured denominator. Otherwise show the current stage and elapsed wait. Distinguish “No matches,” “Not loaded,” and “None recorded.” Do not imply offline queuing or device-persistent drafts.

Make sensitive actions deliberate.

Confirmation should explain the target and consequence. It is not a substitute for permissions or recovery controls.

Delete this asset?

×

Roof air conditioner

AC-014 · Main building · northwest roof

This removes the asset from active views and starts purging its live records and photos. This action cannot be undone in Quartermaster.

About retained backups

Isolated backups may retain copies until expiry, up to 90 days. Deleted content must be purged before a restored workspace is reopened.

Cancel

Delete asset

For a whole-workspace deletion, also require its exact name. Default focus goes to Cancel; destructive confirmation requires recent authentication.

Disclosure at the point of consequence

Data	Plain-language policy
Original photos	Kept for 15 days
Resized asset photos	Kept until the user, asset, or workspace deletes them
Transcripts / unaccepted AI proposals	Expire after 15 days
Audit records	Kept for one year
Isolated backups / deletion ledger	Up to 90 days; replay deletions before restored access

Interaction rules

- Keep Delete separate from Save and ordinary row actions. Confirm the exact target, including bulk-selection scope.
- After acceptance, show “Removed from active views; purge in progress” until the worker confirms completion.
- Do not offer an Undo control unless the operation is genuinely reversible.
- A modal has a title, accessible description, contained focus, Escape behavior, and focus restoration. If its initiating item disappears, return to a sensible surviving control.

Compliance holds remain a future product decision. Do not imply that a hold, legal certification, or guaranteed restore has been implemented by styling a badge.

Write for people, not the database.

Use familiar terms, specific verbs, and short explanations. Be respectful—not breezy, cute, or alarmist.

Avoid	Prefer	Why / accompanying help
Entity / object / estate item	Asset	One consistent noun for equipment or other tracked property.
Work	Maintenance	Names the activity people are looking for.
Types	Asset types	Makes the scope of the setting clear.
Submit / Execute	Save changes / Run report	Names the action and its result.
Depreciated NBV	Estimated book value ⓘ	Explain cost, useful life, depreciation, and the estimate’s limits.
Compliance status	Data completeness	Use only the claim the calculation actually supports.
Null / — / 0 for missing data	Not recorded	Zero is a real value; missing information is different.
Oops! Something went wrong.	We could not confirm the save.	Keep input and show the next safe recovery action.

Reusable help examples

- Useful life:** “How many years you expect to use this asset. Used to estimate depreciation—not to predict its failure date.”
- Access constraints:** “Anything that makes inspection or maintenance harder, such as damaged fasteners or a locked enclosure.”
- Rule preview:** “Shows which assets currently match and what the rule would do. Previewing does not change records.”

Formatting conventions

- Dates: “Oct 6, 2026,” not an ambiguous 10/6/26. Show the workspace time zone when a deadline depends on time.
- Money: currency in the label or heading; consistent decimal precision. Counts are not padded with unnecessary decimals.
- Measurements: value and unit together, such as 4.3 A. Explain unfamiliar units nearby.
- Errors explain correction, not fault. Do not expose SQL, raw provider errors, secret identifiers, or implementation jargon.

Approachable means usable in more than one way.

Target WCAG 2.2 AA. These visual rules support accessibility; implementation and assistive-technology testing must prove it.

Non-negotiable acceptance

- **Keyboard:** every action is reachable and operable in a logical order. Include a skip link, clear headings, and visible focus that sticky UI does not obscure.
- **Text & zoom:** support text enlargement to 200% and reflow at 320 CSS px (typically a 1280 px viewport at 400% zoom). True two-dimensional tables may use their own scroll region; the page itself should not require horizontal scrolling. [4]
- **Targets:** Quartermaster policy is at least 44 × 44 CSS px; capture controls use 48 px. WCAG AA has a 24 × 24 px minimum with defined exceptions; do not confuse that minimum with our preferred size. [8]
- **Names & relationships:** labels are programmatically connected; help and errors are described by the correct controls. Visible labels and accessible names agree.
- **Alternatives:** voice, camera, dragging, color, or hover is never the only way to complete an essential task.

One icon grammar



assets



search



plus



camera



mic



work



info



export



edit



check



clock



alert

Use one consistent 24 px outline family with 1.5–2 px rounded strokes. Render at 20 or 24 px; pair unfamiliar icons with text. Use filled shapes only for a deliberate selected state. Do not mix emoji, outline sets, and 3D illustrations.

Motion & imagery

Use 120–180 ms color/opacity transitions and 180–240 ms panel transitions. Respect reduced-motion preferences; remove spatial animation and pulsing. Never animate away an error.

Use actual asset photos for evidence. Preserve the full frame when inspection matters; crop only thumbnails with access to the original view. No stock imagery pretending to document a real asset.

Before release

Test keyboard, screen reader, touch, high zoom, long labels, missing data, bright outdoor viewing, and interrupted capture. Automated contrast checks alone are not an accessibility audit.

Compose from roles, not one-off styling.

The following contract should accompany any implementation brief or AI-generated interface task.

Starter token contract

```
:root {  
  --qm-font-ui: "Source Sans 3", system-ui, sans-serif;  
  --qm-font-heading: "Manrope", system-ui, sans-serif;  
  --qm-canvas: #F5F6F2;  
  --qm-surface: #FFFFFF;  
  --qm-text: #172D3A;  
  --qm-text-muted: #52656E;  
  --qm-action: #17635B;  
  --qm-action-hover: #124F49;  
  --qm-action-pressed: #0D3D38;  
  --qm-selected: #E8F3EF;  
  --qm-divider: #D7E0DC;  
  --qm-control-border: #81908C;  
  --qm-focus: #315ECA;  
  --qm-radius-control: 8px;  
  --qm-radius-card: 12px;  
  --qm-target: 44px;  
  --qm-target-capture: 48px;  
  --qm-space-1: 4px;  
  --qm-space-2: 8px;  
  --qm-space-3: 12px;  
  --qm-space-4: 16px;  
  --qm-space-6: 24px;  
  --qm-space-8: 32px;  
}
```

Semantic color pairs are specified on page 2. Use rem-based typography and min-heights rather than fixed text containers. These accepted tokens govern implementation. Mockup records are illustrative, not live data.

Build reusable components

Shell · PageHeader · ActionButton · FormField · InfoDisclosure · StatusBadge
· DataTable · FilterBar · EmptyState · JobStatus · CaptureStep · ReviewPanel
· ConfirmDialog

Each component defines its anatomy, accessible name, keyboard behavior, loading/error/empty states, responsive behavior, and permission handling—not only its default screenshot.

PASTE INTO A DESIGN BRIEF

Follow Quartermaster Visual Style Guide v1.0. Use the named type, color, spacing, and component roles. Make the everyday action obvious. Keep labels persistent and plain. Add helper text or an information disclosure for unfamiliar concepts. Preserve tenant context, supported functionality, permissions, privacy rules, and human review of AI output. Show realistic empty, loading, error, and success states. Do not invent data, APIs, metrics, offline support, or nonfunctional controls. Deliver desktop and phone compositions plus an accessibility check.

Review order: hierarchy → language → interaction → responsive behavior → visual finish. A polished mockup does not authorize a product-policy change.

One accepted standard. Applied consistently.

Use this checklist when implementing or changing Quartermaster. Preserve the product’s functionality and privacy boundaries.

Implementation acceptance checklist

- ☐ The overall tone is clean, businesslike, and welcoming.
- ☐ Teal, warm neutrals, and the semantic colors feel appropriate.
- ☐ The heading/body font pairing is readable and distinctive enough.
- ☐ The register and detail view expose the right information first.
- ☐ Labels and help explain financial and maintenance concepts clearly.
- ☐ Phone capture is understandable without voice or camera permission.
- ☐ Status, AI suggestions, saved data, and errors are visibly distinct.
- ☐ Comfortable density is the right default for ordinary users.

Implementation sequence

1. Tokens, typography, shell, and navigation.
2. Shared fields, help, buttons, status, and tables.
3. Asset/capture/report screens and state coverage.
4. Keyboard, screen-reader, phone, and visual regression checks.

Accepted by Erick Brown on October 6, 2026. Brand mark treatment is a simple evolution of the existing Q; it is not a finalized logo identity or trademark assessment. Dark mode and a broader marketing identity can be designed separately.

Source notes · checked Oct 6, 2026

1. [W3C · Contrast \(Minimum\), SC 1.4.3](#)
Text contrast thresholds and measurement.
2. [W3C · Non-text Contrast, SC 1.4.11](#)
Essential control and graphical contrast.
3. [W3C · Content on Hover or Focus, SC 1.4.13](#)
Accessible supplemental content.
4. [W3C · Reflow, SC 1.4.10](#)
Zoom, narrow viewports, and table exceptions.
5. [W3C APG · Disclosure pattern](#)
Button semantics and expanded state.
6. [Manrope · Font files and SIL OFL license](#)
Heading family; source files retained with this guide.
7. [Adobe · Source Sans 3](#)
Interface family; font files and license also distributed through Google Fonts.
8. [W3C · Target Size \(Minimum\), SC 2.5.8](#)
AA minimum; Quartermaster adopts larger targets.

Product context: Quartermaster’s current authenticated-workspace design and accepted retention/online-only decisions. Contrast values in this guide were computed locally. Accessibility references are guidance, not a claim of conformance.