

# Codebook for final analyzed data in The role of salience in young children's processing of ad-hoc implicatures

Autogenerated data summary from dataMaid

2018-05-29 21:54:59

## Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	3601
Number of variables	14

## Codebook summary table

Label	Variable	Class	# unique values	Missing	Description
	<b>subid</b>	factor	181	0.00 %	
	<b>age_group</b>	integer	4	0.00 %	
	<b>age</b>	numeric	137	0.00 %	
	<b>sex</b>	factor	2	0.00 %	
	<b>site</b>	factor	2	0.00 %	
	<b>trial_type</b>	factor	3	0.00 %	unique values are: control_single, inference, control_double
	<b>trial_num</b>	integer	16	0.00 %	
	<b>item_num</b>	factor	4	0.00 %	unique values are: 2vs2, 3vs1, 1vs1, 2vs1
	<b>correct</b>	integer	2	0.00 %	
	<b>rt</b>	integer	2017	0.00 %	
	<b>sample</b>	factor	2	0.00 %	
	<b>list</b>	integer	2	0.00 %	
	<b>item</b>	factor	6	0.00 %	
	<b>item_rel</b>	factor	2	0.00 %	unique values are: more, fewer

## Variable list

### subid

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	181

Feature	Result
Mode	"180302_2"

---

## age\_group

- Note that this variable is treated as a factor variable below, as it only takes a few unique values.

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	4
Mode	"3"

---

## age

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	137
Median	3.72
1st and 3rd quartiles	2.95; 4.51
Min. and max.	2; 5.84

---

## sex

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"F"

---

## site

Feature	Result
Variable type	factor

Feature	Result
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"cdm"

---

## trial\_type

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	3
Mode	"control_single"

---

## trial\_num

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	16
Median	10
1st and 3rd quartiles	6; 14
Min. and max.	3; 18

---

## item\_num

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	4
Mode	"3vs1"

---

## correct

- Note that this variable is treated as a factor variable below, as it only takes a few unique values.

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"1"

---

**rt**

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	2017
Median	2363
1st and 3rd quartiles	1788; 3397
Min. and max.	486; 13404

---

**sample**

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"original"

---

**list**

- Note that this variable is treated as a factor variable below, as it only takes a few unique values.

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"1"

---

**item**

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	6
Mode	"house"

---

## item\_rel

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"more"

---

### Report generation information:

- Created by Erica Yoon (username: ejyoon).
- Report creation time: Tue May 29 2018 21:54:59
- Report Was run from directory: /Users/ejyoon/Documents/Documents/Research/simpimp/data\_ana
- dataMaid v1.1.2 [Pkg: 2018-05-03 from CRAN (R 3.4.3)]
- R version 3.4.3 (2017-11-30).
- Platform: x86\_64-apple-darwin15.6.0 (64-bit)(macOS Sierra 10.12.6).
- Function call: `makeDataReport(data = d, mode = "summarize", file = "codebook_final_data.Rmd", replace = TRUE, checks = list(list("showAllFactorLevels")), listChecks = FALSE, maxProbVals = FALSE, codebook = TRUE, reportTitle = "Codebook for final analyzed data in The role of salience in young children's processing of ad-hoc implicatures")`