

PRACTICAL – 10

CODE:-

```
#include<stdio.h>
#include<stdlib.h>
int main()
{
    int req[] = {98,183,41,122,14,124,65,67};
    int n = 8;
    int head = 53;
    int visited[8] = {0};
    int i,j;
    int total_movement = 0;
    printf("\n===== SSTF DISK SCHEDULING =====\n");
    printf("\nInitial Head Position = %d\n", head);
    printf("\nSeek Sequence:\n");
    for(i=0;i<n;i++)
    {
        int min = 1000;
        int pos = -1;
        for(j=0;j<n;j++)
        {
            if(!visited[j])
            {
                int dist = abs(head - req[j]);
                if(dist < min)
                {
                    min = dist;
```

```

        pos = j;
    }
}
}
visited[pos] = 1;
printf("Move from %d to %d = %d\n",
        head, req[pos], abs(head - req[pos]));
total_movement += abs(head - req[pos]);
head = req[pos];
}
printf("\nTotal Head Movement = %d Cylinders\n", total_movement);
return 0;
}

```

OUTPUT -

```

Output

===== SSTF DISK SCHEDULING =====

Initial Head Position = 53

Seek Sequence:
Move from 53 to 41 = 12
Move from 41 to 65 = 24
Move from 65 to 67 = 2
Move from 67 to 98 = 31
Move from 98 to 122 = 24
Move from 122 to 124 = 2
Move from 124 to 183 = 59
Move from 183 to 14 = 169

Total Head Movement = 323 Cylinders

=== Code Execution Successful ===

```