




CHULA ENGINEERING
Foundation toward Innovation

COMPUTER



Question Answering (QA)

2110572: Natural Language Processing Systems

Assoc. Prof. Peerapon Vateekul, Ph.D.
Department of Computer Engineering,
Faculty of Engineering, Chulalongkorn University
peerapon.v@chula.ac.th

Credit: TA.Knight, TA.Pluem, and all TAs

Outline

- Part1) Introduction
- Part2) Traditional QA
- Part3) Neural-based QA
- Part4) Transformer-based QA
 - 1) Encoder, 2) Decoder, 3) Retrieval
 - SOTA: Atlas, RePlug, ChatGPT (not really QA; chatbot)
 - Demo
- Part5) QA data sets (7 data sets)


+

Part1) Introduction



What's Question Answering (QA)?

- QA is a field that combines (1) Information Retrieval, (2) Information Extraction and (3) Natural Language Processing.
 - *We will focus on the NLP part*
- The most notable QA software is **IBM's Watson**
- Nowadays, QA also plays a significant role in **Personal Assistant** (Siri, Cortana, etc.)



[Figure by Sandy Jakobs (left), IBM (right)]



Type Of QA

- By application **domains**
 - Restricted Domain
 - Open Domain
- By **source of data**
 - Structured data (Knowledge-based) - e.g. Freebase, Google Knowledge Graph
 - Unstructured data (Document)- Web, Wiki
- By **answer**
 - Factoid (single word - when, what, where)
 - non-Factoid (e.g., list, how, why)
- The **forms** of answer
 - Extracted text
 - Generated answer




Type Of QA (cont.)

- Machine Reading Comprehension (MRC)
 - Given a reference and a question
 - Find the answer in the reference text
- OpenQA
 - Only a question is given
 - Two types of OpenQA
 - “Open-book” QA (LLM with RAG)
 - An external data source can be used, e.g. a document retriever
 - “Closed-book” QA (just LLM)
 - Use only the knowledge stored inside a model

Process Of Traditional QA

- Question Processing
 - What **type** of question?
 - Question **preprocessing**
- Document Processing
 - Rank candidate **document**
 - Rank candidate **paragraph**
- **Answer Processing**
 - **Extract** candidate answer from paragraph
 - **Construct** an answer



[Figure from “The Question Answering Systems: A Survey”]

+

Part2) Traditional QA



Types of QA systems

Structured Knowledge Base

Google Search Results for "the hobbit book":

- Ad related to the hobbit book:** Buy The Hobbit (The Book) - By JRR Tolkien, www.abebooks.co.uk, Adwords, Up To 50% Discount, Free Worldwide Delivery. Order Now!
- Link to Wikipedia article:** The Hobbit - Wikipedia, the free encyclopedia
- Link to Amazon product page:** The Hobbit (Book) - By JRR Tolkien, ★★★★★ 203 reviews, £10.99 Book Depository.co.uk, Up To 50% Discount, Free Worldwide Delivery. Order Now!
- Link to Google Books page:** The Hobbit
- Link to Google Images page:** Images for the hobbit book
- Diagram illustrating relationships between celestial objects:**
 - The diagram shows various astronomical entities connected by lines representing relationships.
 - Key nodes include: Constellation, Meteor Showers, Comet, Meteorite, and Planetary Coordinates.
 - Relationships include: Belonging to constellation, Contains, Includes, and Various descriptive terms like "Common calendar occurrence" and "Extrapolation location".
 - Annotations provide additional context such as "This are all linked to Google SERPs" and "People also search for".

Unstructured Knowledge Base

Welcome to Wikipedia, the free encyclopedia that anyone can edit. 5,592,410 articles in English

From today's featured article

Resident Evil: Apocalypse is a 2004 science fiction action horror film...
Toronto, Canada, directed by Alexander Witt and written by Paul W. S. Anderson. It is the second installment in the *Resident Evil* film series, which is based on the video game series of the same name. Milla Jovovich (pictured) reprises her role as Alice, and is joined by Sienna Guillory as Jill Valentine and Oded Fehr as Carlos Oliveira.

Resident Evil: Apocalypse is set directly after the events of the first film, where Alice escaped from an underground facility overrun by zombies. She now bands together with other survivors to escape the zombie outbreak which has spread to the fictional Raccoon City. The film borrows elements from several games in the *Resident Evil* series, including the characters Valentine and Oliveira and the villain Nemesis. While it received mostly negative reviews from critics for its plot, the film was praised for its action sequences. Of the six films in the series, it has the lowest approval rating on Rotten Tomatoes. Earning \$129 million worldwide on a \$45 million budget, it surpassed the box office gross of the original film. ([Full article...](#))

Recently featured: Elcor, Minnesota · Freedom Planet · Hurricane Marie (2014) · [Archive](#) · [By email](#) · [More featured articles](#)


Did you know...

- ... that London's Bull and Mouth Inn (sign pictured) was originally known as the Boulogne Mouth, in reference to the town and harbor of Boulogne which was besieged by Henry VIII in the 1540s?
- ... that in 1998, Dottie Lamm, former First Lady of Colorado, ran for a US Senate seat against the same man who had defeated her husband in the



Example of Traditional QA system

- Open Question Answering Over Curated and Extracted Knowledge Bases (A.Fader SIGKDD 2014)





Example of Traditional Methods (cont.)

- Open Question Answering Over Curated and Extracted Knowledge Bases (A.Fader SIGKDD 2014)
 - 1) Paraphrase operator
 - are responsible for **rewording the input question** into the domain of a parsing operator
 - **Source template (open domain) → Target template (predefined format)**

<u>Source Template</u>	<u>Target Template</u>
How does _ affect your body?	What body system does _ affect?
What is the latin name for _?	What is _'s scientific name?
Why do we use _?	What did _ replace?
What to use instead of _?	What is a substitute for _?
Was _ ever married?	Who has _ been married to?

Table 3: Example paraphrase operators that extracted from a corpus of unlabeled questions.



Example of Traditional Methods (cont.)

- Open Question Answering Over Curated and Extracted Knowledge Bases (A.Fader SIGKDD 2014)
 - 2) Parsing operator
 - responsible for interfacing between natural language questions and the KB **query language**
 - Target template (predefined format) → Query

Question Pattern	Query Pattern	Example Question	Example Query
Who/What RV _{rel} NP _{arg}	(?x, rel, arg)	Who invented papyrus?	(?x, invented, papyrus)
Who/What Aux NP _{arg} RV _{rel}	(arg, rel, ?x)	What did Newton discover?	(Newton, discover, ?x)
Where/When Aux NP _{arg} RV _{rel}	(arg, rel in, ?x)	Where was Edison born?	(Edison, born in, ?x)
Where/When is NP _{arg}	(arg, is in, ?x)	Where is Detroit?	(Detroit, is in, ?x)
Who/What is NP _{arg}	(arg, is-a, ?x)	What is potassium?	(potassium, is-a, ?x)
What/Which NP _{rel2} Aux NP _{arg} RV _{rel1}	(arg, rel1 rel2, ?x)	What sport does Sosa play?	(Sosa, play sport, ?x)
What/Which NP _{rel} is NP _{arg}	(arg, rel, ?x)	What ethnicity is Dracula?	(Dracula, ethnicity, ?x)
What/Who is NP _{arg} 's NP _{rel}	(arg, rel, ?x)	What is Russia's capital?	(Russia, capital, ?x)
What/Which NP _{type} Aux NP _{arg} RV _{rel}	(?x, is-a, type) (arg, rel, ?x)	What fish do sharks eat?	(?x, is-a, fish) (sharks, eat, ?x)
What/Which NP _{type} RV _{rel} NP _{arg}	(?x, is-a, type) (?x, rel, arg)	What states make oil?	(?x, is-a, states) (?x, make, oil)



Example of Traditional Methods (cont.)

- Open Question Answering Over Curated and Extracted Knowledge Bases (A.Fader SIGKDD 2014)
 - 3) Query-rewrite operators
 - responsible for **interfacing** between the **vocabulary** used in the input question and the internal vocabulary used by the KBs
 - **Source Query → Target Query (only vocab in knowledge base)**


<u>Source Query</u>	<u>Target Query</u>
(?x, children, ?y)	(?y, was born to, ?x)
(?x, birthdate, ?y)	(?x, date of birth, ?y)
(?x, is headquartered in, ?y)	(?x, is based in, ?y)
(?x, invented, ?y)	(?y, was invented by, ?x)
(?x, is the language of, ?y)	(?y, languages spoken, ?x)

Table 4: Example query-rewrite operators mined from the knowledge bases described in Section 4.1.



Example of Traditional Methods (cont.)

- Open Question Answering Over Curated and Extracted Knowledge Bases
(A.Fader SIGKDD 2014)
 - 4) Execution operator
 - responsible for **fetching and combining evidence** from the Knowledge base, given a query





Limitation


- Require **a lot of time** and linguistic knowledge to create **a template**
- Require many templates for each question type (**manual process**)
- **Can only answer simple factoid question**

+

Part3) Neural-Based QA



Deep QA models





Deep QA models (cont.)




Figure 2.2: The recent development of datasets (black) and models (blue) in neural reading comprehension. For the timeline, we use the date that the corresponding papers were published, except BERT (Devlin et al., 2018).

Question Answering on SQuAD2.0

March-2023


Leaderboard

Community Models

Dataset

Description

View EM by Date Published models only



Human
performance

Human performance has already been surpassed since 2019




BiDAF from the NLP class in 2020

+ Text generation model (inference)



- To generate a novel sequence, the inference model (testing phase) randomly samples an output from a softmax distribution.



+

Part4) Transformer-Based QA

1) Encoder, 2) Decoder, 3) Retrieval


SOTA: Atlas, RePlug, ChatGPT (not really QA; chatbot)

Demo




1. Encoder-Based

- Uses any pretrained encoder-based like BERT
- Adds 2 linear layers to classify each token as **the start and end indices**
- Requires a reference text




Question: How many parameters does BERT-large have?

Reference Text: BERT-large is really big... it has 24 layers and an embedding size of 1,024, for a total of 340M parameters! Altogether it is 1.34GB, so expect it to take a couple minutes to download to your Colab instance.



The start of the answer span





2. Decoder/Encoder-Decoder Based

- Generates the answer instead of trying to predict the start/end index
- Uses knowledge inside a model to answer questions. For example, ChatGPT can answer questions without needing a reference text.
 - Although given reference text can improve the performance.
- More practical!



What is the Capital of the Klingon homeworld, Qo'noS?





In the fictional Star Trek universe, the Klingon homeworld is called Qo'noS and its capital is called First City. It is the political and cultural center of the Klingon Empire and the location of the Klingon High Council. It is a city of great size and importance in Klingon society.





3. Retrieval-Augmented Model

- Use a retrieval engine and a language model.
- The retrieval engine fetches a list of documents
- And the LM uses the list as reference text.



REALM¹ (encoder)

¹ Kelvin Guu, Kenton Lee, Zora Tung, Panupong Pasupat, and Ming-Wei Chang. 2020. REALM: retrieval-augmented language model pre-training. In Proceedings of the 37th International Conference on Machine Learning (ICML'20). JMLR.org, Article 368, 3929–3938.

² Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, Sebastian Riedel, and Douwe Kiela. 2020. Retrieval-augmented generation for knowledge-intensive NLP tasks. In Proceedings of the 34th International Conference on Neural Information Processing Systems (NIPS'20). Curran Associates Inc., Red Hook, NY, USA, Article 793, 9459–9474.



SOTA

- Retrieval-augmented models are more efficient at knowledge-intensive tasks
- However, they are usually more computationally expensive due to the retrieval step.

		NQ		TriviaQA filtered		TriviaQA unfiltered			
		Model	64-shot	Full	64-shot	Full	64-shot	Full	
Decoder models	540B →	GPT-3 (Brown et al., 2020)	29.9	-	-	-	71.2	-	
		Gopher (Rae et al., 2021)	28.2	-	57.2	-	61.3	-	
		Chinchilla (Hoffmann et al., 2022)	35.5	-	64.6	-	72.3	-	
		PaLM (Chowdhery et al., 2022)	39.6	-	-	-	81.4	-	
Retrieval models	11B →	RETRO (Borgeaud et al., 2021)	-	45.5	-	-	-	-	
		FiD (Izacard & Grave, 2020)	-	51.4	-	67.6	-	80.1	
		FiD-KD (Izacard & Grave, 2021)	-	54.7	-	73.3	-	-	
		R2-D2 (Fajcik et al., 2021)	-	55.9	-	69.9	-	-	
Retrieval models with LLMs		ATLAS	42.4	60.4	74.5	79.8	84.7	89.4	
		Codex + REPLUG	44.7	-	76.8	-			
		Codex + REPLUG LSR	45.5	-	77.3	-			
		GPT3 (API; off-the-shelf model) + retrieval							




SOTA (cont.)

- Atlas (retrieval-based QA) [fine-tune end-to-end, both IR & generator]
- RePlug (retrieval + decoder-based QA) [fine-tune only IR]
- ChatGPT (not really QA; chatbot) [no fine-tuning]

1) Atlas = Contriever + FiD

[Retrieval-based model by Meta in NeurIPS 2022]

Contriever (a transformer encoder model; contrastive retriever) is a dense retriever trained using contrastive learning. It uses **BERT-like embeddings** for document retrieval.




During inference, it accepts a query and encodes it into a fixed-length embedding. The dot-product of the query embedding and a document embedding returns how relevant a document is to the query. Top-k most similar documents are returned.

+ 1) Atlas = Contriever + FiD

[Retrieval-based model by Meta in NeurIPS 2022]


Fusion in Decoder (a transformer encoder-decoder model) is a generative model for open QA. It uses a T5-like model with an encoder-decoder structure.



- The model accepts a question and documents as inputs. The encoder independently encodes the documents (+question). The resulting representations are concatenated and finally given to the decoder to try to generate the correct answer. This allows the fusion of information from multiple documents (thus the name).
- Contriever and FiD are trained together, allowing the retriever to be directly influenced by the generator's feedback.

2) RePlug: Retrieval-Augmented Black-Box Language Models [Retrieval + decoder-based model] [ICLR, 2024]

- It was developed by Tencent AI, proposed in 2023 and published at ICLR 2024.
- Given a black-box LM (such as OpenAI's GPT API), the work attempts to add a **tunable retrieval model** to improve the LM QA performance by retrieving documents that boosts the probability of generating the correct answer.



- **The retriever is fine-tuned using the feedback from the frozen LM.** The retrieval likelihood is adjusted so that documents that actually help the LM answer the question get chosen more frequently while the unhelpful documents get penalized.




Figure 2. REPLUG at inference (§3). Given an input context, REPLUG first retrieves a small set of relevant documents from an external corpus using a retriever (§3.1 Document Retrieval). Then it prepends each document separately to the input context and ensembles output probabilities from different passes (§3.2 Input Reformulation).

REPLUG: Retrieval-Augmented Black-Box Language Models





Figure 3. REPLUG LSR training process (§4). The retriever is trained using the output of a frozen language model as supervision signals.



3) ChatGPT

ChatGPT is the chatbot that is made by finetuning GPT-4 to follow instructions and then further fine-tuned with RL algorithm to improve its helpfulness. Note that the knowledge in the model is mainly learned from the pretraining stage. The fine-tuning stages are only to align the model output with human preference.





QA is still an open problem

5 minute read · February 9, 2023 7:49 AM GMT+7 · Last Updated 4 days ago

Alphabet shares dive after Google AI chatbot Bard flubs answer in ad

By Martin Coulter and Greg Bensinger

In the advertisement, Bard is given the prompt: "What new discoveries from the James Webb Space Telescope (JWST) can I tell my 9-year old about?" Bard responds with a number of answers, including one suggesting the JWST was used to take the very first pictures of a planet outside the Earth's solar system, or exoplanets. The first pictures of exoplanets were, however, taken by the European Southern Observatory's Very Large Telescope (VLT) in 2004, as [confirmed by NASA](#).

In Google's advertisement for Bard AI, the chatbot was asked:

"What new discoveries from the James Webb Space Telescope (JWST) can I tell my 9-year-old about?"

Bard's incorrect response: It stated that JWST was the first telescope to capture images of a planet outside our solar system (an exoplanet).

The reality: The first exoplanet image was captured in 2004 by the Very Large Telescope (VLT) in Chile, not JWST.

LONDON, Feb 8 (Reuters) - Alphabet Inc ([GOOGL.O](#)) lost \$100 billion in market value on Wednesday after its new chatbot shared inaccurate information in a promotional video and a company event failed to dazzle, feeding worries that the Google parent is losing ground to rival Microsoft Corp ([MSFT.O](#)).



QA is still an open problem (cont.)

Yes, QA remains an open problem!

- 1. Hallucination and Misinformation
- Current research focuses on retrieval-augmented models (e.g., RePlug, RAG-2) to mitigate this.

- 2. Lack of Real-Time Knowledge
- Solutions like real-time search augmentation (e.g., Perplexity AI, Bing AI) are improving this.

- 3. Ambiguity and Context Understanding
- Multimodal AI (text + image + reasoning models) aims to improve this.

- 4. Long-Context Reasoning and Multi-Hop QA
- Long-context LLMs (e.g., Claude-2.1, GPT-4 Turbo) and retrieval-augmented architectures aim to improve this.



Demo: QA (AllenNLP - outdated)

<https://demo.allennlp.org/reading-comprehension>

AI2 Allen Institute for AI

AllenNLP

Answer a question

Mine

Reading Comprehension

Reading comprehension is the task of

Model

Transformer QA

The model implements a reading comprehension system for the [Transformers for Language Understanding](#) project. It predicts start tokens and

Model

Transformer QA

ELMo-BiDAF

BiDAF model with ELMo embeddings instead of GloVe.

BiDAF

BiDAF model with GloVe embeddings.

Neural Module Network (NMN)

A neural module network trained on DROP.

Transformer QA

A reading comprehension model patterned after the proposed model in Devlin et al, with improvements borrowed from the SQuAD model

Numerically Augmented QA Net

An augmented version of QANet that adds rudimentary numerical reasoning ability, trained on DROP (Dua et al., 2019), as published in the original paper.

Demo

Model Card

Model Usage

Example Inputs

Who stars in The Matrix?

+ Demo - Huggingface

Question Answering with Keras

Question Answering Demo 🧠

Context

Keras is an API designed for human beings, not machines. Keras follows best practices for reducing cognitive load: it offers consistent & simple APIs, it minimizes the number of user actions required for common use cases, and it provides clear & actionable error messages. It also has extensive documentation and developer guides. See the model here: hf.co/keras-io/transformers-qa

Answer

an API

Score

0.37862327694892883

Question

What is Keras?



Ask_Questions_To_YouTube_Video

Gradio-Blocks May 31, 2022




Q&A Pairs Generation [Google ...

sunaace Feb 26, 2022



Keras Question Answering

keras-io Jan 28, 2022



Question_generator_three

Wootang01 Jan 13, 2022



QuestionAnswering_on_annual...

samarthagarwal23 Oct 17, 2022



Question Answering in Portuguese ...

pierreguillou Dec 28, 2022



Turkish Question Answering

basakbuluz Nov 9, 2021



BIGBIRD_NATURAL_QUESTI...

vasudevgupta Aug 18, 2021



Question Gen

Vaibhavbrkn Oct 4, 2021




Questionanswer

Wootang01 Mar 13, 2022



Question Answering Portugues...

pierreguillou Jan 27, 2022



Question Answering

neuralmagic 17 days ago

https://huggingface.co/spaces/keras-io/question_answering

+

Part5) QA data sets (7 data sets)



QA Datasets

Dataset	Answer Type	Size	Domain	Evaluate Ability
ARC(Clark et al., 2018)	Multi-Choice	7,787	Science	Reasoning
BoolQ (Clark et al., 2019)	Bool	16K	Wikipedia	Reasoning
BioASQ (Tsatsaronis et al., 2015)	Span	282	Biomedical	Articles Indexing
CascHOLD (Zheng et al., 2021)	Multi-Choice	53,137	Law	Pre-training
bAbI (Weston et al., 2015)	Bool/Entity	40K	Open Domain	Reasoning
CBT (Hill et al., 2015)	Entity	20K	Children's Book	Model Memory
CliCR (Šuster and Daelemans, 2018)	Entity	105K	Medical	Domain Knowledge
CNN and Daily Mail (See et al., 2017)	Entity	311K	News	Text Summarization
CODAH (Chen et al., 2019)	Multi-choice	4,149	Open Domain	Commonsense
CommonsenseQA (Talmor et al., 2018)	Multi-choice	12,247	ConceptNet	Commonsense
ComplexWebQuestions (Talmor and Berant, 2018)	Entity	34,689	Freebase	Multi-hop
ConditionalQA (Sun et al., 2021)	Entity/Span	9983	Public Policy	Multi-hop
COPA (Gordon et al., 2012)	Multi-choice	1000	Commonsense	Reasoning
CoQA (Reddy et al., 2019)	Entity	127K	Open Domain	Conversation
DROP (Dua et al., 2019)	Span	96K	Wikipedia	Multi-hop
FinQA (Chen et al., 2021)	Number/Span	8,281	Finance	Multi-hop
HotpotQA (Yang et al., 2018)	Entity	113K	Wikipedia	Multi-hop
JD Production QA (Gao et al., 2019b)	Generation	469,953	E-commerce	Domain Knowledge
LogiQA (Liu et al., 2020)	Multi-choice	8,678	Exam	Reasoning
MCTest (Richardson et al., 2013)	Multi-choice	2,000	Fictional Story	Reading Comprehension
Mathematics Dataset (Saxton et al., 2019)	Numeric	2.1×10^6	Mathematics	Calculate
MS MARCO (Nguyen et al., 2016)	Generation	1,010,916	Web pages	Search
MultiRC (Khashabi et al., 2018)	Multi-choice	6K	Multiple Domain	Multi-hop
NarrativeQA (Kočiský et al., 2018)	Span	46,765	Story	Full Document
Natural Questions (Kwiatkowski et al., 2019)	Span/Passage	323,045	Wikipedia	Search
NewsQA (Trischler et al., 2016)	Span	100,000	CNN news	Reading Comprehension
OpenBookQA (Mihaylov et al., 2018)	Multi-choice	6000	Science Facts	Reasoning
PIQA (Bisk et al., 2020)	Multi-choice	21,000	Physical	Physical
PubMedQA (Jia et al., 2019)	Multi-choice	1K	Medical	Summarization
QASPER (Dasigi et al., 2021)	Extractive	5,049	NLP papers	Reasoning
QuAC (Choi et al., 2018)	Multi-choice	100K	Wikipedia	Dialog
QUASAR (Dhingra et al., 2017)	Span	43,000	StackOverflow/Trivia	search
RACE (Lai et al., 2017)	Multi-choice	100,000	Exam	Reading Comprehension
ReClor (Yu et al., 2020)	Multi-choice	6138	Exam	Logical
SCDE (Kong et al., 2020)	Exam	6K	Exam	Reading Comprehension
SimpleQuestions (Bordes et al., 2015)	Entity	100K	Freebase	Knowledge
SQuAD (Rajpurkar et al., 2016, 2018)	Span	130,319	Wikipedia	Reading Comprehension
TriviaQA (Joshi et al., 2017)	Span	650K	Open Domain	Reading Comprehension
TweetQA (Xiong et al., 2019)	Generation	13,757	Tweet	Reading Comprehension
WikiHop (Welbl et al., 2018)	Multi-choice	51,318	Wikipedia	Multi-hop
WikiQA (Yang et al., 2015)	Sentence	3,047	Wikipedia	Reading Comprehension

Table 1: Statistics of textual QA datasets.

Dataset and Predominant Techniques


Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	SQuAD 2.0	Textual	Natural	Spans	Natural
2019	Natural Questions	Textual	Natural	Spans	Natural
2018	CoQA	Textual	Natural	Free-form	Natural
2017	TriviaQA	Textual	Natural	Free-form	Natural
2019	RACE	Textual	Natural	Free-form	Multiple-choice
2018	RecipeQA	Multi-modal	Natural	Cloze/free-form	Multiple-choice
2019	NSC (Thai)	Textual	Natural	Spans	Natural
2017	VQA	Multi-modal	Natural	Free-form	Natural
2022	MMCoQA	Multi-modal	Natural	Free-form	Natural

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	SQuAD 2.0	Textual	Natural	Spans	Natural

1) SQuAD 2.0

<https://rajpurkar.github.io/SQuAD-explorer/>

- Extend from SQuAD 1.0
- Crowdsource from Wikipedia paragraph (let worker create question from articles)
- Has two types of questions
 - Answerable (in SQuAD 1.0)
 - Unanswerables (only in SQuAD 2.0)
- Arguably, one of the most popular and well-known MRC benchmarks.
- The top of the leaderboards is dominated by variations of pretrained LMs.



```
{  
  "data": [  
    {  
      "title": "Albert Einstein",  
      "paragraphs": [  
        {  
          "context": "Albert Einstein was a German-born theoretical physicist who developed the theory of relativity. He w",  
          "qas": [  
            {  
              "id": "56d6ee6e0d65d21400198252",  
              "question": "Who developed the theory of relativity?",  
              "answers": [  
                {"text": "Albert Einstein", "answer_start": 0}  
              ],  
              "is_impossible": false  
            },  
            {  
              "id": "56d6ee6e0d65d21400198253",  
              "question": "Who won the Nobel Prize in 1921?",  
              "answers": [  
                {"text": "Albert Einstein", "answer_start": 0}  
              ],  
              "is_impossible": false  
            },  
            {  
              "id": "56d6ee6e0d65d21400198254",  
              "question": "Who won the Nobel Prize in 1905?",  
              "answers": [],  
              "is_impossible": true  
            }  
          ]  
        ]  
      ]  
    ]  
  ]  
}
```

- Includes both answerable and unanswerable questions ("is_impossible": true for no-answer cases).
- Provides answer span locations ("answer_start").
- Designed to evaluate reading comprehension and model robustness.

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	SQuAD 2.0	Textual	Natural	Spans	Natural

1) SQuAD 2.0

<https://rajpurkar.github.io/SQuAD-explorer/>


- Leaderboard (March-2023): RetroReader

- Very saturated

- Already beat human performance

Leaderboard Community Models Dataset ⓘ Description

View EM by Date Published models only



1) SQuAD 2.0 – RetroReader, (Zhang et al., EMNLP2020)

<https://arxiv.org/abs/2001.09694>

- Built upon pretrained LM architecture rather than just fine-tuning pretrained LM on the MRC task.
- Has external verification and internal verification
 - **Sketchy reader**: contains answer or not
 - **Intensive reader**: find answer spans as well as answerability
- Interesting choice of design of having to answer verification (check if the context passage contains an answer or not) in both of the reader modules




Figure 1: Reader overview. For the left part, models [a-c] summarize the instances in previous work, and model [d] is ours, with the implemented version [e]. In the names of models [a-e], “(·)” represents a module, “+” means the parallel module and “-” is the pipeline. The right part is the detailed architecture of our proposed Retro-Reader.

RetroReader [EMNLP2020] (cont.)

1. Global Evidence Selection (Retriever Stage)

- Identifies the most relevant spans from the passage.
- Uses a bidirectional interaction mechanism to highlight important text.

2. Local Reading (Extractor Stage)

- Extracts an initial answer span from the retrieved evidence.

3. Decoder (Verification Stage)

- Verifies if the extracted answer is correct by re-reading the passage.
- Rejects low-confidence answers (especially for unanswerable questions in datasets like SQuAD 2.0).

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2019	Natural	Textual	Natural	Spans	Natural

2) Natural Questions (NQ)

<https://ai.google.com/research/NaturalQuestions/>

- Based on Wikipedia article, context passage consists of [5 top Wikipedia article queried](#) based on the natural question
- Has 2 types of tasks: long and short answers
 - Long answer: [find the paragraph](#) that contains the answer
 - Short answer: [find answer](#) if present in the document
- Some questions are also [unanswerable](#) (but only in small percentage)

Question:

when are hops added to the brewing process?

Short Answer:

The boiling process

Long Answer:


After mashing , the beer wort is boiled with hops (and other flavourings if used) in a large tank known as a " copper " or brew kettle – though historically the mash vessel was used and is still in some small breweries . The boiling process is where chemical reactions take place , including sterilization of the wort to remove unwanted bacteria , releasing of hop flavours , bitterness and aroma compounds through isomerization , stopping of enzymatic processes , precipitation of proteins , and concentration of the wort . Finally , the vapours produced during the boil

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2019	Natural	Textual	Natural	Spans	Natural

2) Natural Questions

<https://ai.google.com/research/NaturalQuestions/>

- Leaderboard (March-2023): Atlas



Natural Questions (Kwiatkowski et al., 2019) is a corpus of real questions issued to the Google search engine. Each question comes with an accompanied Wikipedia page with an annotated long answer (a paragraph) and a short answer (one or more entities). We consider the open-version of the dataset and use both long and short answers spans as *provenance*. We collaborated with the authors of Natural Questions to access a held out, unpublished portion of the original dataset to form a new test set for KILT. By construction each QA pair is associated with a single Wikipedia page, although other pages might contain enough evidence to answer the question. To increase the provenance coverage we perform an Amazon Mechanical Turk campaign for the dev and test sets and increase the average number of provenance pages per question from 1 to 1.57 (details in section 4).

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	CoQA	Textual	Natural	Free-form	Natural

3) CoQA

<https://stanfordnlp.github.io/coqa/>

- One of the first conversational MRC datasets available, mimicking the process of 2 people discussing the context passage as a topic.
- Covers 7 different domains, including Wikipedia, news articles, literature, and children's stories to test model generalization.
- Contains: Yes, no, unanswerable question type, so answers are not guaranteed to be found in the passage
- Also has rationale label for each question (metadata)

In some questions, information can be found from the previous conversation turn.



Jessica went to sit in her rocking chair. Today was her birthday and she was turning 80. Her granddaughter Annie was coming over in the afternoon and Jessica was very excited to see her. Her daughter Melanie and Melanie's husband Josh were coming as well. Jessica had ...

Q1: Who had a birthday?

A1: Jessica

R1: Jessica went to sit in her rocking chair. Today was her birthday and she was turning 80.

Q2: How old would she be?

A2: 80

R2: she was turning 80

Q3: Did she plan to have any visitors?

A3: Yes

R3: Her granddaughter Annie was coming over

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	CoQA	Textual	Natural	Free-form	Natural

3) CoQA

<https://stanfordnlp.github.io/coqa/>

- Leaderboard (March-2023): RoBERTa with enhanced techniques

The screenshot shows the CoQA website. The top banner features the text "CoQA" and "A Conversational Question Answering Challenge". Below the banner, there are two main sections: "What is CoQA?" and the "Leaderboard".

What is CoQA?

CoQA is a large-scale dataset for building Conversational Question Answering systems. The goal of the CoQA challenge is to measure the ability of machines to understand a text passage and answer a series of interconnected questions that appear in a conversation. CoQA is pronounced as coca ☕.

[CoQA paper](#)

Leaderboard

Rank	Model	In-domain	Out-of-domain	Overall
1	Human Performance Stanford University (Reddy & Chen et al. TACL '19)	89.4	87.4	88.8
1	RoBERTa + AT + KD (ensemble) Zhuiyi Technology https://arxiv.org/abs/1908.10772	91.4	89.2	90.7
2	TR-MT (ensemble) WeChatAI	91.5	88.8	90.7
3	RoBERTa + AT + KD (single model) Zhuiyi Technology https://arxiv.org/abs/1909.10772	90.9	89.2	90.4
4	TR-MT (ensemble) WeChatAI	91.1	87.9	90.2
4	Google SQuAD 2.0 + MMFT (ensemble)	89.9	88.0	89.4

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2017	TriviaQA	Textual	Natural	Free-form	Natural

4) TriviaQA

<http://nlp.cs.washington.edu/triviaqa/>

- Questions are curated from trivia questions website, and then the questions are paired with the closest matched document later (use a search engine).
- Since questions are not crafted from the document,
 - Not all questions are guaranteed to have answer, and
 - The answers that are found in the context passage might not exactly match with the semantic of the question
- Has 2 versions of the dataset:
 - The one that is matched with the document (with provided documents).
 - Open-Domain QA where questions are not matched with the article (without provided documents).

Question: The Dodecanese Campaign of WWII that was an attempt by the Allied forces to capture islands in the Aegean Sea was the inspiration for which acclaimed 1961 commando film?

Answer: The Guns of Navarone

Excerpt: The Dodecanese Campaign of World War II was an attempt by Allied forces to capture the Italian-held Dodecanese islands in the Aegean Sea following the surrender of Italy in September 1943, and use them as bases against the German-controlled Balkans. The failed campaign, and in particular the Battle of Leros, inspired the 1957 novel **The Guns of Navarone** and the successful 1961 movie of the same name.

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2017	TriviaQA	Textual	Natural	Free-form	Natural


4) TriviaQA

<http://nlp.cs.washington.edu/triviaqa/>

Question Answering on TriviaQA

Leaderboard (March-2023): PaLM

Leaderboard Dataset



Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2019	Textual	Natural	Free-form	Multiple-choice	Natural

5) RACE

<https://www.cs.cmu.edu/~glai1/data/race/>

- Dataset collected from English examination for Chinese students
- Many questions require reasoning ability

Passage:

In a small village in England about 150 years ago, a mail coach was standing on the street. It didn't come to that village often. People had to pay a lot to get a letter. The person who sent the letter didn't have to pay the postage, while the receiver had to. "Here's a letter for Miss Alice Brown," said the mailman.

"I'm Alice Brown," a girl of about 18 said in a low voice.

Alice looked at the envelope for a minute, and then handed it back to the mailman.

"I'm sorry I can't take it, I don't have enough money to pay it", she said.

A gentleman standing around were very sorry for her. Then he came up and paid the postage for her.

When the gentleman gave the letter to her, she said with a smile, "Thank you very much, This letter is from Tom. I'm going to marry him. He went to London to look for work. I've waited a long time for this letter, but now I don't need it, there is nothing in it."

"Really? How do you know that?" the gentleman said in surprise.

"He told me that he would put some signs on the envelope. Look, sir, this cross in the corner means that he is well and this circle means he has found work. That's good news."

The gentleman was Sir Rowland Hill. He didn't forgot Alice and her letter.

"The postage to be paid by the receiver has to be changed," he said to himself and had a good plan.

"The postage has to be much lower, what about a penny? And the person who sends the letter pays the postage. He has to buy a stamp and put it on the envelope," he said . The government accepted his plan. Then the first stamp was put out in 1840. It was called the "Penny Black". It had a picture of the Queen on it.

Questions:

1): The first postage stamp was made ~.
A. in England B. in America C. by Alice D. in 1910

2): The girl handed the letter back to the mailman because ~.
A. she didn't know whose letter it was
B. she had no money to pay the postage
C. she received the letter but she didn't want to open it
D. she had already known what was written in the letter

3): We can know from Alice's words that ~.
A. Tom had told her what the signs meant before leaving
B. Alice was clever and could guess the meaning of the signs
C. Alice had put the signs on the envelope herself
D. Tom had put the signs as Alice had told him to

4): The idea of using stamps was thought of by ~.
A. the government
B. Sir Rowland Hill
C. Alice Brown
D. Tom

5): From the passage we know the high postage made ~.
A. people never send each other letters
B. lovers almost lose every touch with each other
C. people try their best to avoid paying it
D. receivers refuse to pay the coming letters

Answer: ADABC

Table 1: Sample reading comprehension problems from our dataset.

5) RACE


<https://www.cs.cmu.edu/~glai1/data/race/>

- Leaderboard: Methods with pretrained language models dominate the leaderboard.
- Calculate the score for each answer candidate separately
- <https://openai.com/blog/language-unsupervised/>

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2019	Textual	Natural	Free-form	Multiple-choice	Natural

Leaderboard

Model	Report Time	Institute	RACE	RACE-M	RACE-H
Human Ceiling Performance	Apr 15, 2017	CMU	94.5	95.4	94.2
Amazon Mechanical Turker	Apr 15, 2017	CMU	73.3	85.1	69.4
ALBERT-SingleChoice + transfer learning (ensemble)	Nov 06, 2020	Tencent Cloud Xiaowei & Tencent Cloud Ti-ONE	91.4	93.6	90.5
Megatron-BERT (ensemble)	Mar 13, 2020	NVIDIA Research	90.9	93.1	90.0
ALBERT-SingleChoice + transfer learning	Nov 06, 2020	Tencent Cloud Xiaowei & Tencent Cloud Ti-ONE	90.7	92.8	89.8
ALBERT + DUMA (ensemble)	Mar 18, 2020	SJTU & Huawei Noah's Ark Lab	89.8	92.6	88.7
Megatron-BERT	Mar 13, 2020	NVIDIA Research	89.5	91.8	88.6
LBERT (ensemble)	Sep 26, 2019	Google Research & TTIC	89.4	91.2	88.6
UnifiedQA	May 02, 2020	AI2 & UW	89.4	-	-
ALBERT + DUMA	Feb 08, 2020	SJTU & Huawei Noah's Ark Lab	88.0	90.9	86.7



Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	RecipeQA	Multi-modal	Natural	Cloze/free-form	Multiple-choice

6) RecipeQA

<https://hucvl.github.io/recipeqa/>

- Interestingly, the leaderboard has minimal update since the first time the author of this slide visit the dataset webpage (since Q4 2018)
- A potential blue ocean.

Top Chefs 🍴			
Textual Cloze			
Rank	Model	Score	
AUG 29, 2018	HUMAN	73.60	
1	Impatient Reader (Multimodal) (baseline)	29.07	
AUG 29, 2018	2	Impatient Reader (Unimodal) (baseline)	28.03
AUG 29, 2018	3	Hasty Student (baseline)	26.89
AUG 29, 2018			
Visual Cloze			
Rank	Model	Score	
AUG 29, 2018	HUMAN	77.60	
1	PRN (Single Task)	56.31	
MAY 22, 2019	2	PRN (Multi Task)	46.45
MAY 22, 2019	3	Impatient Reader (Multimodal) (baseline)	27.36
AUG 29, 2018	4	Hasty Student (baseline)	27.35
AUG 29, 2018			

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2018	RecipeQA	Multi-modal	Natural	Cloze/free-form	Multiple-choice

6) RecipeQA

<https://hucvl.github.io/recipeqa/>

https://docs.google.com/presentation/d/1mvuu4QTfOP6CHUfbLdXMisleiH7kllxpsU1bgYToTw/edit#slide=id.g468e9caf5_0_281

Textual Cloze Task



Chickens (optional), Eggs (Store-bought or homegrown), Scoop colander, Pot for boiling the eggs, pot for ice bath, [...]



[...] Load the eggs in the scoop colander and carefully load them into the pot AFTER the water is boiling. Cook them for 8-11 minutes. [...]



Immediately after the time is up, transfer the eggs to an ice bath for 5-10 minutes. [...]

Question ID: 3000-4314-0-2-3

The Perfect Hard Boiled Egg

Question: Choose the best text for the missing blank to correctly complete the recipe.

- What You Will Need
- Cook the Eggs
-
- Enjoy!

Choices:

- A) Fancy Hard Boiled Eggs
- B) Ice Bath
- C) Boiling One Egg
- D) Remove the Egg With Tongs.

44

Visual Coherence Task

Chicken Jelly Cake

Question: Select the incoherent image in the following sequence of images.

Choices:



Question ID: 3000-5340-0-2-3

50

Visual Cloze Task

Step 1: Select and Prepare Your Bread Slices

Cut your bread sticks into thickish slices diagonally and arrange on a tray (I cover the tray with foil for easy clean up afterwards), liberally sprinkle olive oil on the slices and [...]

Step 2: Prepare the Garlic Butter

Right - while the bread is toasting, its time to prepare the garlic butter. Choose a microwave safe cup or ramakin, put some butter or marg in it and zap it in the microwave for about 30-40 seconds. [...]

Step 3: Butter Up Your Slices

Your bread should now be nicely toasted, remove the tray and flip your slices. Add a good teaspoon of the butter/garlic mix to each slice, stir the mix well as the garlic tends to sink. [...]

Step 4: Cheese It Up

The final step is to add your favourite cheese topping and melt it again under the grill. I like to add a light sprinkling of herbs on top of the cheese for appearance. Once the cheese is all melted and bubbling - its time to dish them out and collect the thanks of those you share [...]

Easy Garlic Bread and Cheese

Question: Choose the best image for the missing blank to correctly complete the recipe.




Choices:



Visual Ordering Task

Pepperoni Pizza Dip

Question: What is the correct order of the images?



Question ID: 4000-3521-0-2-4

52

Question ID: 3000-0378-0-2-3

48

Year	Tasks	Corpus Type	Question Type	Answer Source	Answer Type
2019	NSC (Thai)	Textual	Natural	Spans	Natural

7) NSC (Thai QA)

<http://copycatch.in.th/thai-qa-task.html>

- Thai Question Answering Program competition hosted in NSC by NECTEC
- There were 2 round of competitions
 - First round: 4000 **factoid** (span extraction) questions
 - Second round: 15000 factoid questions and **2000 yes-no questions**
- An Open-domain question answering problem: the program must also query for the context passage.
- Only the first round of the competition dataset went public

8) iApp (Thai QA)

- Another Thai QA dataset is IAPP wiki QA (2021)
 - <https://github.com/iapp-technology/iapp-wiki-qa-dataset>
- Thai Wikipedia Question Answering Dataset.
 - 1,961 Documents
 - 9,170 Questions
 - It is organized and formatted in the SQuAD format
- Demo: <https://ai.iapp.co.th/control/ai>

The screenshot shows the iApp AI platform's interface. At the top, there's a blue header bar with the iApp logo, navigation links like 'ALL API SERVICES', 'MANAGE API KEY', 'PRICING', 'DOCS', 'MAIN SITE', and 'peerapon.v'. A language switcher 'EN TH' is also present. On the left, a sidebar menu includes 'Dashboard', 'All API Services' (which is currently selected), 'Manage API Keys', and 'Payments'. The main content area has a title 'ทดลองใช้งาน' (Try it out) and 'Thai Automatic Question Answering (QA) v1.0'. Below this, a sub-header says 'AI สถาปัตย์ จำกัด' (AI Architect Co., Ltd.).

This is a screenshot of a GitHub repository page for 'iapp-technology/iapp-wiki-qa-dataset'. The repository is described as 'Open Thai Wikipedia QA Dataset made by iApp Technology'. It has 18 commits, 12 stars, and 4 forks. The code tab is selected, showing files like README.md, LICENSE, and process_squad.ipynb. The repository was created on Feb 13, 2021.

ใส่เนื้อหาภาษาไทยที่นี่ :

กรุงเทพมหานคร เป็นเมืองหลวงและศูนย์กลางการค้าที่สำคัญที่สุดของประเทศไทย เป็นศูนย์กลางการปกครอง การศึกษา การคณิตศาสตร์ การเงินและการธนาคาร การพาณิชย์ การสื่อสาร และความเริ่มต้นของประเทศไทย เป็นเมืองที่มีชื่อเสียงที่สุดในโลก ด้วยจำนวนประชากรที่สูงเป็นอันดับหนึ่งของประเทศไทย มีผู้คนกว่า 15,687,377 คน. เป็นเขตเศรษฐกิจที่สำคัญที่สุดในประเทศไทย รองลงมาเป็นอันดับสองคือกรุงเทพมหานครที่มีประชากรประมาณ 15 ล้านคน ทำให้กรุงเทพมหานครเป็นเมืองที่สำคัญที่สุดในประเทศไทย สำหรับประเทศไทย แม้จะมีขนาดพื้นที่เล็กๆ แต่ก็มีความหลากหลายทางวัฒนธรรมที่สูงมาก

ใส่คำถามภาษาไทยที่นี่ :

กรุงเทพมหานครมีพื้นที่ที่ใหญ่ที่สุดเท่าไหร่

Request URL

9) VQA

<https://visualqa.org/>

One of the most widely used Multi-modal Dataset from Virginia Tech.
Comprises of two parts: natural images named VQA-real, and a second one with cartoon images named VQA-abstract.

VQA-real comprises 123,287 training and 81,434 test images, sourced from COCO.

Human annotators were encouraged to provide interesting and diverse questions.

Overall, it contains 614,163 questions, each having 10 answers from 10 different annotators.

VQA-real



Q: What shape is the bench seat ?

A: oval, semi circle, curved, curved, double curve, banana, curved, wavy, twisting, curved



Q: What color is the stripe on the train ?

A: white, white, white, white, white, white, white, white, white, white



Q: Where are the magazines in this picture ?

A: On stool, stool, on stool, on bar stool, on table, stool, on stool, on chair, on bar stool, stool

VQA-abstract



Q: Who looks happier ?

A: old person, man, man, man, old man, man, man, man, man, man, grandpa



Q: Where are the flowers ?

A: near tree, tree, around tree, tree, by tree, around tree, around tree, grass, beneath tree, base of tree



Q: How many pillows ?

A: 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2

10) MMCoQA

<https://aclanthology.org/2022.acl-long.290/>

MMCoQA: Conversational Question Answering over Text, Tables, and Images

MMConvQA contains 1,179 conversations and 5,753 QA pairs. There are 4.88 QA pairs on average for each conversation.

The multimodal knowledge collection consists of 218,285 passages, 10,042 tables, and 57,058 images.

Each question is annotated with the related evidence (a table, an image or a passage in the knowledge collection), and a natural language answer.




Figure 1: Illustration of multimodal conversational question answering. The user asks questions in a conversation and the QA system extracts accurate answers from the multimodal knowledge collection to satisfy users' information needs.

+

Evaluation

Evaluation

Automatic Evaluation?

Syntactic Similarity

Exact Match

BLEU

ROUGE

METEOR

Semantic Similarity

BERTScore

COMET

BLEURT

LLM as a Judge

Naive

CHIE

Human Judgement

HTER

DA

MQM

LLM as a Judge

Human Judgement

Human Judgement

Human Judgement

Exact Match

Unlike translation, there are multiple choice/short answers in QA that is structured and fixed.

In these cases, it may be appropriate to use exact match.

The image shows a screenshot of a ChatGPT interface. On the left, a large white box contains a question and several options. A blue arrow points from the user input 'Chuangsuwanich' to a code block on the right. The code block is enclosed in a blue border and contains the text 'pred == "Chuangsuwanich"'.

Which of the following strings has the longest length?

Ekapol
Chuangsuwanich
Peerapon
Vateekul

Chuangsuwanich

(pred == "Chuangsuwanich")

ChatGPT answering Multiple Choice Questions


LLM as a Judge

Automatic evaluation metrics in syntactic or semantic similarity fails to capture the different quality dimensions that a human can distinguish. For instance, an answer can be:

- Not grounded in context
- Repetitive
- Grammatically incorrect
- Excessively lengthy
- Incoherent

Human assessment is more accurate but costly.

💡 Ask an LLM to do the grading! 🤖 ✓ → Introduced in 2023
Zheng et. al. [Judging LLM-as-a-Judge with MT-Bench and Chatbot Arena](#).



Can Large Language Models Be an Alternative to Human Evaluations?
<https://arxiv.org/abs/2305.01937>

https://huggingface.co/learn/cookbook/en/llm_judge

Judging LLM-as-a-Judge with MT-Bench and Chatbot Arena <https://arxiv.org/abs/2306.05685>

<https://www.deepchecks.com/what-is-llm-as-a-judge-strategies-impact-and-best-practices/>

LLM as a Judge


However, naively prompting the model to evaluate the score (1-10) might not be a good idea (LLMs are not good at continuous scales).

Igmae you were going to spend the weekend at a friend's house on a little **ldsan** off the coast of Maine. **Erthre** are no shops on the island and you won't be able to leave while you're there. **Slaa** you've never been to this house before, so you can't assume it will have more than any house **ngint**. What, besides clothes and toiletries, **ad** you make a point of packing? what you're addicted to. For example, if you find yourself packing a **ttloe** of vodka (just in case), you may want to stop and think about **tnto**. For me the list is four things: pen.**shrt** are other things I might bring; or tea, but I can live without them. I'm not so that I wouldn't risk the **esbyou** not having any tea, weekend.Quiet is another matter. I realize take earplugs on a trip to an **sinad** off that if the next room **nosed**. What if there was a kid some project, I can work in **yoins** places. I ca debug code in an **arpoirt**. But airports are noise is **hishti**. I couldn't work with the through the wall, or a **rac** the street something new, that requires **plmocete** quiet....

Spelling Eval Score: 10
corruption: 80%

Imagine you were going to spend the weekend at a friend's house on a little **ldsan** off the coast of Maine. There are no shops on the island and you won't be able to leave while you're there. Also, you've never been to this house before, so you can't assume it will have more than any house **ngint**. What, besides clothes and toiletries, do you make a point of packing? what you're addicted to. For example, if you find yourself packing a **ttloe** of vodka (just in case), you may want to stop and think about that. For me the list is four things: pen. There are other things I might bring; or tea, but I can live without them. I'm not so that I wouldn't risk the house not having any tea, weekend.Quiet is another matter. I realize take earplugs on a trip to an **sinad** off that if the next room **nosed**. What if there was a kid some project, I can work in **yoins** places. I ca debug code in an **arpoirt**. But airports are noise is **hishti**. I couldn't work with the through the wall, or a car in the street something new, that requires complete quiet....

Spelling Eval Score: 10
corruption: 11%



LLM as a Judge (cont.)

1) Need a human evaluation dataset to see the agreement (i.e. Pearson correlation). For example:

MT Bench

80 MT-bench questions, 3K expert votes, and 30K conversations with human preferences

Table 1: Sample multi-turn questions in MT-bench.

Category	Sample Questions	
Writing	1st Turn	Compose an engaging travel blog post about a recent trip to Hawaii, highlighting cultural experiences and must-see attractions.
	2nd Turn	Rewrite your previous response. Start every sentence with the letter A.
Math	1st Turn	Given that $f(x) = 4x^3 - 9x - 14$, find the value of $f(2)$.
	2nd Turn	Find x such that $f(x) = 0$.
Knowledge	1st Turn	Provide insights into the correlation between economic indicators such as GDP, inflation, and unemployment rates. Explain how fiscal and monetary policies ...
	2nd Turn	Now, explain them again like I'm five.

2) Revise your prompt with best practices and intuition.
i.e.


⌚ Leave more time for thought by adding an Evaluation field before the final answer.

🔢 Use a small integer scale like 1-4 or 1-5 instead of a large float scale.

👉 Provide an indicative scale for guidance.

Chatbot Arena

A crowdsourced platform featuring anonymous battles between chatbots



Example LLM as a Judge Prompt

You will be given a user_question and system_answer couple. Your task is to provide a 'total rating' scoring how well the system_answer answers the question. Give your answer on a scale of 1 to 4, where 1 means that the system_answer is not helpful at all and 4 means that the system_answer completely and helpfully addresses the user_question.

Here is the scale you should use to build your answer:

- 1: The system_answer is terrible: completely irrelevant to the question asked, or very poor.
- 2: The system_answer is mostly not helpful: misses some key aspects of the question.
- 3: The system_answer is mostly helpful: provides support, but still could be improved.
- 4: The system_answer is excellent: relevant, direct, detailed, and addresses all the components of the question.

Provide your feedback as follows:

Feedback:::

Evaluation: (your rationale for the rating, as a text)

Total rating: (your rating, as a number between 1 and 4)

You MUST provide values for 'Evaluation:' and 'Total rating:' in your answer.

Now here are the question and answer.

Question: {question}

Answer: {answer}

LLM as a Judge (cont.)

A paper 2025 Gu et. al. A Survey on LLM as a Judge compared various LLMs on [LLMEval](#) (2553 samples from multiple data sources) with percentage agreement metric.

LLMs	Alignment			Biases				
	with Human (n=5106)	Position (n=2633)	Length (n=34)	Concreteness (n=28)	Empty Reference (n=26)	Content Continuation (n=24)	Nested Instruction (n=24)	Familiar Knowledge (n=24)
GPT-4-turbo	61.54	80.31	91.18	89.29	65.38	95.83	70.83	100.0
GPT-3.5-turbo	54.72	68.78	20.59	64.29	23.08	91.67	58.33	54.17
Qwen2.5-7B-Instruct	56.54	63.50	64.71	71.43	69.23	91.67	45.83	83.33
LLaMA3-8B-Instruct	50.72	38.85	20.59	57.14	65.38	75.00	45.83	54.17
Mistral-7B-Instruct-v0.3	55.42	59.78	26.47	67.86	53.85	66.67	37.50	41.67
Mixtral-8×7B-Instruct-v0.1	56.29	59.06	50.00	78.57	42.31	83.33	29.17	83.33
gemini-2.0-thinking	60.75	76.84	94.12	89.29	50.00	100.00	83.33	100.00
o1-mini	60.16	76.73	91.18	89.29	53.85	95.83	75.00	95.83
deepseek r1	56.48	69.17	94.12	100.00	50.00	100.00	75.00	87.50

Table 2. The meta-evaluation results for different LLMs. All the values are percentages.

CHIE: Generative MRC Evaluation for in-context QA with Correctness, Helpfulness, Irrelevancy, and Extraneousness Aspects

Wannaphong Phatthiyaphaibun^{† *}, Surapon Nonesung^{† *}, Peerat Limkonchotiwat[†],
Can Udomcharoenchaikit[†], Jitkapat Sawatphol[†],
Ekapol Chuangsuwanich[§], Sarana Nutanong[†]

[†]School of Information Science and Technology, VISTEC, Thailand

[§]Department of Computer Engineering, Faculty of Engineering, Chulalongkorn University, Thailand

There are frameworks that are proposed for LLM as a Judge.

CHIE is a framework for multi-aspect evaluation on **Correctness**, **Helpfulness**, **Irrelevance**, and **Extraneousness**.

Uses binary categorical values rather than continuous rating scales.

Context:

The Broncos defeated the Pittsburgh Steelers in the divisional round, 23–16, by scoring 11 points in the final three minutes of the game. They then beat the defending Super Bowl XLIX champion New England Patriots in the AFC Championship Game, 20–18, by intercepting a pass on New England's 2-point conversion attempt with 17 seconds left on the clock. Despite Manning's problems with interceptions during the season, he didn't throw any in their two playoff games.

Question:

Who won Super Bowl XLIX?

Reference Answer:

New England Patriots

SeaLLM 7B v2 Response:

The context provided does not mention the winner of Super Bowl XLIX. However, based on the information you've shared, it seems that the New England Patriots were the defending champions of Super Bowl XLIX. The Super Bowl XLIX champion was the Seattle Seahawks, who defeated the Patriots 28-24.

Traditional Metric

F1 Score: 13.95

Embedding Metric

F1 BERTScore: 84.54

LLM EVAL

Content: 2
Grammar: 4
Relevance: 3
Appropriateness: 2

Our propose method (CHIE)

Correctness : Disagree
Helpfulness: Disagree
Irrelevancy: Agree
Extraneousness: Agree

Score:
C: 0
H: 0
I: 1
E: 1

- Explainability ✓

Figure 1: A comparison between our proposed CHIE framework and different evaluation metrics.

Machine Reading Comprehension



Context:

Some modern scholars, such as Fielding H. Garrison, are of the opinion that the origin of the science of geology can be traced to Persia after the Muslim conquests had come to an end. In China, the polymath Shen Kuo formulated a hypothesis for the process of land formation: based on his observation of fossil animal shells in a geological stratum in a mountain hundreds of miles from the ocean, he inferred that the land was formed by erosion of the mountains and by deposition of silt.

Question:

What prompted Shen Kuo to believe the land was formed by erosion of the mountains?

Reference Answer:

his observation of fossil animal shells

Model's Response:

His observation of fossil animal shells in a geological stratum in a mountain hundreds of miles from the ocean

Proposed Assessments





Figure 2: An illustration of our proposed CHIE framework: multi-aspects evaluation using a single prompt