

affiliate_askap	
id	INT(11)
askapid	INT(11)
askapparentid	INT(11)
askappusername	VARCHAR(75)
askaphelp	VARCHAR(25)
registerdate	INT(11)
invest	TINYINT(4)
MODIFY_TIME	BIGINT(20)

brokers	
id	INT(11)
brname	VARCHAR(75)
blurlname	VARCHAR(50)
image	VARCHAR(75)
platform	VARCHAR(50)
spread	VARCHAR(50)
comm	VARCHAR(50)
note	TEXT
module	TEXT
active	TINYINT(4)

disc_channels_pricing	
channel_id	INT(11)
qty	disc_channels_pricing_unit_enum
price	DOUBLE
CREATED_AT	TIMESTAMP

disc_mileserver	
id	INT(11)
name	VARCHAR(50)
host	VARCHAR(128)
port	INT(11)
host_backup	VARCHAR(128)
port_backup	INT(11)
manager	INT(11)
gmt	TINYINT(4)
direct	TINYINT(4)
real	TINYINT(4)

disc_symbol_config	
symbol	VARCHAR(30)
slgt	TINYINT(4)

groups_rules	
groupid	INT(11)
ruleid	INT(11)

ref_inbox_user	
msgid	INT(11)
userid	INT(11)
sent	TINYINT(4)
back	TINYINT(4)
deleted	TINYINT(4)
email	VARCHAR(255)
MODIFIED	INT(11)

tz_migrations	
id	INT(11)
timestamp	BIGNT(20)
name	VARCHAR(255)

tp_payment	
id	INT(11)
bookingcode	VARCHAR(50)
bank	VARCHAR(50)
nominal	INT(11)
name	VARCHAR(50)
tanggal	DATETIME
confirm	TINYINT(4)
adminid	INT(11)

ut_before_register	
userid	INT(11)
order	TINYINT(4)
fullurl	TEXT
MODIFY_TIME	BIGINT(20)

affiliate_cforex	
userid	INT(11)
cfid	INT(11)
cfusername	VARCHAR(75)
registerdate	INT(11)
invest	TINYINT(4)

copylogin	
userid	INT(11)
platform_id	VARCHAR(50)
broker	VARCHAR(50)

disc_channels_state	
id	INT(11)
name	VARCHAR(50)
multiplier	DOUBLE

disc_payment_channel	
id	INT(11)
name	VARCHAR(32)
active	TINYINT(4)
email	INT(11)
fee_fixed	DOUBLE
fee_rate	FLOAT

disc_symbol	
id	INT(11)
main	VARCHAR(16)
name	VARCHAR(16)
security	VARCHAR(16)

hook	
id	INT(11)
name	VARCHAR(50)
notes	TEXT
tags	TEXT

mf_inbox	
id	INT(11)
title	TEXT
description	TEXT
message	TEXT
params	TEXT
tm_created	INT(11)
tm_done	INT(11)
guest	TINYINT(4)
notif	TINYNT(4)
notif_image_url	TEXT
broadcast_idb	TINYNT(4)
broadcast_time	DATETIME
broadcast_done	DATETIME
source	TEXT

fcampus_attendance	
id	INT(11)
registarid	INT(11)
scheduled	INT(11)
present	TINYNT(4)

tp_product	
id	INT(11)
jenis	VARCHAR(5)
nominal	INT(11)
from	DATETIME
to	DATETIME
expired	SMALLINT(5)

usr_analytics_history	
userid	INT(11)
waktu	DATETIME
ad_id	INT(11)
adgroup_id	INT(11)
campaign_id	INT(11)
source	VARCHAR(50)
medium	VARCHAR(50)
ref	TEXT
campaign	VARCHAR(50)
content	VARCHAR(50)
last_ref	TEXT
last_campaign	VARCHAR(50)
last_content	VARCHAR(50)
client_id	VARCHAR(128)

fcampus_class_schedule	
id	INT(11)
classid	INT(11)
meat	INT(11)
start	DATETIME

tp_purchase_log	
id	INT(11)
idnumber	VARCHAR(50)
name	VARCHAR(50)
time	INT(10)
help	VARCHAR(50)
email	VARCHAR(50)
jenis	VARCHAR(5)
bookingcode	VARCHAR(50)
tanggal	DATETIME
expired	DATETIME
sent	TINYNT(4)
adminid	BIGINT(20)

user_analytics	
userid	INT(11)
ad_id	INT(11)
adgroup_id	INT(11)
campaign_id	INT(11)
first_ad_id	INT(11)
first_adgroup_id	INT(11)
first_campaign_id	INT(11)
first_visit	TEXT
first_source	VARCHAR(50)
first_medium	VARCHAR(50)
end	DATE
first_ref	TEXT
first_campaign	VARCHAR(50)
first_content	VARCHAR(50)
last_ad_id	INT(11)
last_adgroup_id	INT(11)
last_visit	TEXT
last_source	VARCHAR(50)
last_medium	VARCHAR(50)
last_ref	TEXT
last_campaign	VARCHAR(50)
last_content	VARCHAR(50)
client_id	VARCHAR(128)

affiliate_log	
id	INT(11)
userid	INT(11)
adminid	INT(11)
news	TEXT
status	TINYNT(4)

data_wilayah	
KODE_WILAYAH	VARCHAR(8)
MST_KODE_WILAYAH	VARCHAR(8)
NAMA	VARCHAR(255)
LEVEL	data_wilayah_LEVEL_enum

disc_channels_token	
id	INT(11)
channel_id	INT(11)
token	VARCHAR(20)
subs_id	INT(11)
qty	INT(11)
unit	disc_channels_token_unit_enum
CREATED_AT	TIMESTAMP
EXPIRED_AT	TIMESTAMP

disc_payment	
bill_no	INT(11)
bill_ref	INT(11)
bill_code	SMALLINT(8)
bill_date	DATETIME
bill_expired	DATETIME
bill_desc	VARCHAR(128)
bill_currency	CHAR(3)
bill_total	DOUBLE(22,8)
payment_channel	INT(11)
pay_type	TINYNT(4)
cust_no	INT(11)
out_name	VARCHAR(128)
msidsh	VARCHAR(64)
email	VARCHAR(128)
terminal	CHAR(2)
product	VARCHAR(50)
amount	DOUBLE(22,8)
qty	INT(11)
payment_plan	TINYNT(4)
tnr	CHAR(2)
trn_id	VARCHAR(16)
payment_total	DOUBLE
payment_date	DATETIME
payment_status	TINYNT(4)
payment_ref	VARCHAR(32)
comm	DOUBLE
admin_fee	DOUBLE
subs_expired	DATETIME
source	TINYNT(4)

disc_users	
userid	INT(11)
pubkey	VARCHAR(50)
seckey	VARCHAR(50)
expires	INT(11)
ip	TEXT
bank_name	VARCHAR(50)
bank_acco	VARCHAR(50)
bank_username	VARCHAR(50)

ios_device	
userid	VARCHAR(50)
logged	TINYNT(4)
userid	INT(11)
params	TEXT
created	INT(11)
MODIFIED	INT(11)

mf_pending	
id	INT(11)
userid	INT(11)
type	TINYNT(4)
key	TEXT
params	TEXT
ackPath	TEXT
ackFunction	TEXT
sent	TINYNT(4)
CREATED_AT	BIGINT(20)
EXPIRED	BIGINT(20)

fcampus_class_schedule	
id	INT(11)
classid	INT(11)
meat	INT(11)
start	DATETIME

tp_purchase_log	
id	INT(11)
idnumber	VARCHAR(50)
name	VARCHAR(50)
time	INT(10)
help	VARCHAR(50)
email	VARCHAR(50)
jenis	VARCHAR(5)
bookingcode	VARCHAR(50)
tanggal	DATETIME
expired	DATETIME
sent	TINYNT(4)
adminid	BIGINT(20)

mf_signals	
id	INT(11)
user_id	INT(11)
symbol	VARCHAR(30)
op	TINYNT(4)
price	VARCHAR(50)
sl	VARCHAR(50)
tp	VARCHAR(50)
active	TINYNT(4)
CREATED_AT	BIGNT(20)
MODIFY_TIME	BIGNT(20)

user_analytics	
userid	INT(11)
ad_id	INT(11)
adgroup_id	INT(11)
campaign_id	INT(11)
first_ad_id	INT(11)
first_adgroup_id	INT(11)
first_campaign_id	INT(11)
first_visit	TEXT
first_source	VARCHAR(50)
first_medium	VARCHAR(50)
end	DATE
first_ref	TEXT
first_campaign	VARCHAR(50)
first_content	VARCHAR(50)
last_ad_id	INT(11)
last_adgroup_id	INT(11)
last_visit	TEXT
last_source	VARCHAR(50)
last_medium	VARCHAR(50)
last_ref	TEXT
last_campaign	VARCHAR(50)
last_content	VARCHAR(50)
client_id	VARCHAR(128)

affiliate_mrg	
userid	INT(11)
mrgid	INT(11)
mrgusername	INT(11)
mrgusername	VARCHAR(75)
mrghelp	VARCHAR(25)
registerdate	INT(11)
invest	TINYNT(4)
MODIFY_TIME	BIGNT(20)

disc_assistants	
id	INT(11)
name	VARCHAR(50)
description	TEXT
param	TEXT
price	DOUBLE

disc_channels	
id	INT(11)
user_id	INT(11)
title	VARCHAR(25)
image	VARCHAR(50)
caption	TEXT
price	DOUBLE
price_last_update	DATETIME
status	TINYNT(4)
medals	TINYNT(4)
point	DOUBLE
last_quality_id	INT(11)
mileserver	TINYNT(4)
account	INT(11)
locked	TINYNT(4)
created_time	BIGINT(20)
creator	INT(11)
block_signal	TINYNT(4)
private	TINYNT(4)
show	TINYNT(4)
contact_email	VARCHAR(50)
recommend	INT(11)
total_active_sube	INT(11)
total_profit_scale	DOUBLE
total_pips	DOUBLE
total_signal	INT(11)
total_signal_expired	INT(11)
total_signal_profit	INT(11)
total_signal_loss	INT(11)
total_signal_success_rate	DOUBLE
total_signal_last_count	DATETIME
last_post	DATETIME
total_running_signal	INT(11)
our_month_signal	INT(11)
our_month_signal_profit	INT(11)
our_month_signal_expired	INT(11)
our_month_signal_success_rate	DOUBLE
our_month_signal_pips	DOUBLE
our_month_signal_profit_scale	DATETIME
last_month_signal	INT(11)
last_month_signal_profit	INT(11)
last_month_signal_loss	INT(11)
last_month_signal_expired	INT(11)
last_month_signal_success_rate	DOUBLE
last_month_signal_pips	DOUBLE
last_month_signal_profit_scale	DOUBLE
last_month_signal_last_count	DATETIME
diff_week	INT(11)
post_per_week	INT(11)
need_update	TINYNT(4)
last_point_count	DATETIME
avg_pips_monthly	DOUBLE

disc_signals_copy	
id	INT(11)
signal_id	INT(11)
user_id	INT(11)
broker	TINYNT(4)
metid	INT(11)
symbol	VARCHAR(30)
open_time	DATETIME
volume	INT(11)
ticket_id	INT(11)
price	DOUBLE
sl	DOUBLE
tp	DOUBLE
commission	DOUBLE
storage	DOUBLE
profit	DOUBLE
pips	INT(11)
close_price	DOUBLE
close_time	DATETIME
expired	INT(11)
reason	TINYNT(4)
state	TINYNT(4)
CREATED_AT	TIMESTAMP
LAST_MODIFY	TIMESTAMP

dump	
em	VARCHAR(50)
name	TEXT
dt	DATETIME

mail_party	
id	INT(11)
title	TEXT
subject	TEXT
from_name	VARCHAR(50)
from_mail	VARCHAR(50)
to_name	VARCHAR(50)
to_mail	VARCHAR(50)
bcc_name	VARCHAR(100)
bcc_mail	VARCHAR(100)
replyto_name	VARCHAR(50)
replyto_mail	VARCHAR(50)
content	TEXT

promotion	
id	INT(11)
title	VARCHAR(45)
url_link	TEXT
url_img	TEXT
status	TINYNT(1)
created_at	DATETIME
updated_at	DATETIME
published_at	DATETIME

disc_search_logs	
id	INT(11)
user_id	INT(10)
term	VARCHAR(100)
ip	VARCHAR(50)
date	DATETIME

disc_withdrawal	
id	INT(11)
channel_id	INT(11)
nominal	DOUBLE
verify	TINYNT(4)
verifier	INT(11)
verified_at	DATETIME
CREATED_AT	DATETIME
MODIFIED_AT	DATETIME

logs	
id	INT(10)
user_id	INT(5)
action	VARCHAR(100)
ip	VARCHAR(15)
browser	VARCHAR(200)
modal	DOUBLE
total_pips	INT(11)
notes	TEXT
target	INT(11)

mf_signals	
id	INT(11)
user_id	INT(11)
symbol	VARCHAR(30)
op	TINYNT(4)
price	VARCHAR(50)
sl	VARCHAR(50)
tp	VARCHAR(50)
active	TINYNT(4)
CREATED_AT	BIGNT(20)
MODIFY_TIME	BIGNT(20)

fcampus_class	
id	INT(11)
name	VARCHAR(50)
from	DATE
end	DATE
capacity	SMALLINT(8)
onset	TINYNT(3)
cabang	VARCHAR(3)
city	VARCHAR(50)
location	TEXT
map	VARCHAR(50)
deleted	TINYNT(4)
extra	TEXT

traders_agents	
id	INT(11)
username	VARCHAR(16)
name	VARCHAR(50)
allowip	TEXT

affiliate_askap	
id	INT(11)
askapid	INT(11)
askapparentid	INT(11)
askappusername	VARCHAR(75)
askaphelp	VARCHAR(25)
registerdate	INT(11)
invest	TINYINT(4)
MODIFY_TIME	BIGINT(20)

brokers	
id	INT(11)
brname	VARCHAR(75)
blurlname	VARCHAR(50)
image	VARCHAR(75)
platform	VARCHAR(50)
spread	VARCHAR(50)
comm	VARCHAR(50)
note	TEXT
module	TEXT
active	TINYINT(4)

disc_channels_pricing	
channel_id	INT(11)
qty	disc_channels_pricing_unit_enum
price	DOUBLE
CREATED_AT	TIMESTAMP

disc_mileserver	
id	INT(11)
name	VARCHAR(50)
host	VARCHAR(128)
port	INT(11)
host_backup	VARCHAR(128)
port_backup	INT(11)
manager	INT(11)
gmt	TINYINT(4)
direct	TINYINT(4)
real	TINYINT(4)

disc_symbol_config	
symbol	VARCHAR(30)
slgt	TINYINT(4)

groups_rules	
groupid	INT(11)
ruleid	INT(11)

ref_inbox_user	
msgid	INT(11)
userid	INT(11)
sent	TINYINT(4)
back	TINYINT(4)
deleted	TINYINT(4)
email	VARCHAR(255)
MODIFIED	INT(11)

tz_migrations	
id	INT(11)
timestamp	BIGNT(20)
name	VARCHAR(255)

tp_payment	
id	INT(11)
bookingcode	VARCHAR(50)
bank	VARCHAR(50)
nominal	INT(11)
name	VARCHAR(50)
tanggal	DATETIME
confirm	TINYINT(4)
adminid	INT(11)

ut_before_register	
userid	INT(11)
order	TINYINT(4)
fullurl	TEXT
MODIFY_TIME	BIGINT(20)

affiliate_cforex	
userid	INT(11)
cfid	INT(11)
cfusername	VARCHAR(75)
registerdate	INT(11)
invest	TINYINT(4)

copylogin	
userid	INT(11)
platform_id	VARCHAR(50)
broker	VARCHAR(50)

disc_channels_state	
id	INT(11)
name	VARCHAR(50)
multiplier	DOUBLE

disc_payment_channel	
id	INT(11)
name	VARCHAR(32)
active	TINYINT(4)
email	INT(11)
fee_fixed	DOUBLE
fee_rate	FLOAT

disc_symbol	
id	INT(11)
main	VARCHAR(16)
name	VARCHAR(16)
security	VARCHAR(16)

hook	
id	INT(11)
name	VARCHAR(50)
notes	TEXT
tags	TEXT

mf_inbox	
id	INT(11)
title	TEXT
description	TEXT
message	TEXT
params	TEXT
tm_created	INT(11)
tm_done	INT(11)
guest	TINYINT(4)
notif	TINYNT(4)
notif_image_url	TEXT
broadcast_idb	TINYNT(4)
broadcast_time	DATETIME
broadcast_done	DATETIME
source	TEXT

fcampus_attendance	
id	INT(11)
registarid	INT(11)
scheduled	INT(11)
present	TINYNT(4)

tp_product	
id	INT(11)
jenis	VARCHAR(5)
nominal	INT(11)
from	DATETIME
to	DATETIME
expired	SMALLINT(5)

usr_analytics_history	
userid	INT(11)
waktu	DATETIME
ad_id	INT(11)
adgroup_id	INT(11)
campaign_id	INT(11)
source	VARCHAR(50)
medium	VARCHAR(50)
ref	TEXT
campaign	VARCHAR(50)
content	VARCHAR(50)
last_ref	TEXT
last_campaign	VARCHAR(50)
last_content	VARCHAR(50)
client_id	VARCHAR(128)

fcampus_class_schedule	
id	INT(11)
classid	INT(11)
meat	INT(11)
start	DATETIME

tp_purchase_log	
id	INT(11)
idnumber	VARCHAR(50)
name	VARCHAR(50)
time	INT(10)
help	VARCHAR(50)
email	VARCHAR(50)
jenis	VARCHAR(5)
bookingcode	VARCHAR(50)
tanggal	DATETIME
expired	DATETIME
sent	TINYNT(4)
adminid	BIGINT(20)

user_analytics	
userid	INT(11)
ad_id	INT(11)
adgroup_id	INT(11)
campaign_id	INT(11)
first_ad_id	INT(11)
first_adgroup_id	INT(11)
first_campaign_id	INT(11)
first_visit	TEXT
first_source	VARCHAR(50)
first_medium	VARCHAR(50)
end	DATE
first_ref	TEXT
first_campaign	VARCHAR(50)
first_content	VARCHAR(50)
last_ad_id	INT(11)
last_adgroup_id	INT(11)
last_visit	TEXT
last_source	VARCHAR(50)
last_medium	VARCHAR(50)
last_ref	TEXT
last_campaign	VARCHAR(50)
last_content	VARCHAR(50)
client_id	VARCHAR(128)

affiliate_log	
id	INT(11)
userid	INT(11)
cfid	INT(11)
adminid	INT(11)
news	TEXT
status	TINYNT(4)

data_wilayah	
KODE_WILAYAH	VARCHAR(8)
MST_KODE_WILAYAH	VARCHAR(8)
NAMA	VARCHAR(255)
LEVEL	data_wilayah_LEVEL_enum

disc_channels_token	
id	INT(11)
channel_id	INT(11)
token	VARCHAR(20)
subs_id	INT(11)
qty	INT(11)
unit	disc_channels_token_unit_enum
CREATED_AT	TIMESTAMP
EXPIRED_AT	TIMESTAMP

disc_payment	
bill_no	INT(11)
bill_ref	INT(11)
bill_code	SMALLINT(8)
bill_date	DATETIME
bill_expired	DATETIME
bill_desc	VARCHAR(128)
bill_currency	CHAR(3)
bill_total	DOUBLE(22,8)
payment_channel	INT(11)
pay_type	TINYNT(4)
cust_no	INT(11)
out_name	VARCHAR(128)
msidsh	VARCHAR(64)
email	VARCHAR(128)
terminal	CHAR(2)
product	VARCHAR(50)
amount	DOUBLE(22,8)
qty	INT(11)
payment_plan	TINYNT(4)
tnr	CHAR(2)
trn_id	VARCHAR(16)
payment_total	DOUBLE
payment_date	DATETIME
payment_status	TINYNT(4)
payment_ref	VARCHAR(32)
comm	DOUBLE
admin_fee	DOUBLE
subs_expired	DATETIME
source	TINYNT(4)

disc_users	
userid	INT(11)
pubkey	VARCHAR(50)
seckey	VARCHAR(50)
expires	INT(11)
ip	TEXT
bank_name	VARCHAR(50)
bank_acco	VARCHAR(50)
bank_username	VARCHAR(50)

ios_device	
userid	VARCHAR(50)
logged	TINYNT(4)
userid	INT(11)
params	TEXT
created	INT(11)
MODIFIED	INT(11)

mf_pending	
id	INT(11)
userid	INT(11)
type	TINYNT(4)
key	TEXT
params	TEXT
ackPath	TEXT
ackFunction	TEXT
sent	TINYNT(4)
CREATED_AT	BIGINT(20)
EXPIRED	BIGINT(20)

fcampus_class_schedule	
id	INT(11)
classid	INT(11)
meat	INT(11)
start	DATETIME

tp_purchase_log	
id	INT(11)
idnumber	VARCHAR(50)
name	VARCHAR(50)
time	INT(10)
help	VARCHAR(50)
email	VARCHAR(50)
jenis	VARCHAR(5)
bookingcode	VARCHAR(50)
tanggal	DATETIME
expired	DATETIME
sent	TINYNT(4)
adminid	BIGINT(20)

user_analytics	
userid	INT(11)
ad_id	INT(11)
adgroup_id	INT(11)
campaign_id	INT(11)
first_ad_id	INT(11)
first_adgroup_id	INT(11)
first_campaign_id	INT(11)
first_visit	TEXT
first_source	VARCHAR(50)
first_medium	VARCHAR(50)
end	DATE
first_ref	TEXT
first_campaign	VARCHAR(50)
first_content	VARCHAR(50)
last_ad_id	INT(11)
last_adgroup_id	INT(11)
last_visit	TEXT
last_source	VARCHAR(50)
last_medium	VARCHAR(50)
last_ref	TEXT
last_campaign	VARCHAR(50)
last_content	VARCHAR(50)
client_id	VARCHAR(128)

affiliate_mrg	
userid	INT(11)
mrgid	INT(11)
mrgusername	INT(11)
mrgusername	VARCHAR(75)
mrghelp	VARCHAR(25)
registerdate	INT(11)
invest	TINYNT(4)
MODIFY_TIME	BIGNT(20)

disc_assistants	
id	INT(11)
name	VARCHAR(50)
description	TEXT
param	TEXT
price	DOUBLE

disc_channels	
id	INT(11)
user_id	INT(11)
title	VARCHAR(25)
image	VARCHAR(50)
caption	TEXT
price	DOUBLE
price_last_update	DATETIME
status	TINYNT(4)
medals	TINYNT(4)
point	DOUBLE
last_quality_id	INT(11)
mileserver	TINYNT(4)
account	INT(11)
locked	TINYNT(4)
created_time	BIGINT(20)
creator	INT(11)
block_signal	TINYNT(4)
private	TINYNT(4)
show	TINYNT(4)
contact_email	VARCHAR(50)
recommend	INT(11)
total_active_sube	INT(11)
total_profit_scale	DOUBLE
total_pips	DOUBLE
total_signal	INT(11)
total_signal_expired	INT(11)
total_signal_profit	INT(11)
total_signal_loss	INT(11)
total_signal_success_rate	DOUBLE
total_signal_last_count	DATETIME
last_post	DATETIME
total_running_signal	INT(11)
our_month_signal	INT(11)
our_month_signal_profit	INT(11)
our_month_signal_expired	INT(11)
our_month_signal_success_rate	DOUBLE
our_month_signal_pips	DOUBLE
our_month_signal_profit_scale	DATETIME
last_month_signal	INT(11)
last_month_signal_profit	INT(11)
last_month_signal_loss	INT(11)
last_month_signal_expired	INT(11)
last_month_signal_success_rate	DOUBLE
last_month_signal_pips	DOUBLE
last_month_signal_profit_scale	DOUBLE
last_month_signal_last_count	DATETIME
diff_week	INT(11)
post_per_week	INT(11)
need_update	TINYNT(4)
last_point_count	DATETIME
avg_pips_monthly	DOUBLE

disc_signals_copy	
id	INT(11)
signal_id	INT(11)
user_id	INT(11)
broker	TINYNT(4)
metid	INT(11)
symbol	VARCHAR(30)
open_time	DATETIME
volume	INT(11)
ticket_id	INT(11)
price	DOUBLE
sl	DOUBLE
tp	DOUBLE
commission	DOUBLE
storage	DOUBLE
profit	DOUBLE
pips	INT(11)
close_price	DOUBLE
close_time	DATETIME
expired	INT(11)
reason	TINYNT(4)
state	TINYNT(4)
CREATED_AT	TIMESTAMP
LAST_MODIFY	TIMESTAMP

dump	
em	VARCHAR(50)
name	TEXT
dt	DATETIME

mail_party	
id	INT(11)
title	TEXT
subject	TEXT
from_name	VARCHAR(50)
from_mail	VARCHAR(50)
to_name	VARCHAR(50)
to_mail	VARCHAR(50)
bcc_name	VARCHAR(100)
bcc_mail	VARCHAR(100)
replyto_name	VARCHAR(50)
replyto_mail	VARCHAR(50)
content	TEXT

promotion	
id	INT(11)
title	VARCHAR(45)
url_link	TEXT
url_img	TEXT
status	TINYNT(1)
created_at	DATETIME
updated_at	DATETIME
published_at	DATETIME

disc_search_logs	
id	INT(11)
user_id	INT(10)
term	VARCHAR(100)
ip	VARCHAR(50)
date	DATETIME

disc_withdrawal	
id	INT(11)
channel_id	INT(11)
nominal	DOUBLE
verify	TINYNT(4)
verifier	INT(11)
verified_at	DATETIME
CREATED_AT	DATETIME
MODIFIED_AT	DATETIME

logs	
id	INT(10)
user_id	INT(5)
action	VARCHAR(100)
ip	VARCHAR(15)
browser	VARCHAR(200)
modal	DOUBLE
notes	TEXT
target	INT(11)

mf_signals	
id	INT(11)
user_id	INT(11)
symbol	VARCHAR(30)
op	TINYNT(4)
price	VARCHAR(50)
sl	VARCHAR(50)
tp	VARCHAR(50)
active	TINYNT(4)
CREATED_AT	BIGNT(20)
MODIFY_TIME	BIGNT(20)

fcampus_class	
id	INT(11)
name	VARCHAR(50)
from	DATE
end	DATE
capacity	SMALLINT(8)
onset	TINYNT(3)
cabang	VARCHAR(3)
city	VARCHAR(50)
location	TEXT
map	VARCHAR(50)
deleted	TINYNT(4)
extra	TEXT

traders_agents	
id	INT(11)
username	VARCHAR(16)
name	VARCHAR(50)
allowip	TEXT

user_tracking_tags	
id	INT(11)
type	user_tracking_tags_type_enum
name	VARCHAR(50)
description	TEXT
event	TEXT
created_at	DATETIME
updated_at	DATETIME

affiliate_pending_act	
id	INT(11)
userid	INT(11)
protocol	VARCHAR(7)
url	VARCHAR(150)
task	VARCHAR(25)
data	TEXT
pending	TINYINT(4)

```
Enum data_wilayah_LEVEL_enum {
    1
    2
    3
    4
}
```

```
Enum dsc_channels_pricing_unit_enum {
    day
    month
    year
}
```

```
Enum dsc_channels_token_unit_enum {
    day
    month
    year
}
```

```
Enum rules_individual_enum {
    0
    1
}
```

```
Enum user_tracking_tags_type_enum {
    video
    scroll
    form
    timeonpage
    button
}
```